



Universiteit  
Leiden  
The Netherlands

## New cationic amphiphilic compounds as potential antibacterial agents

Visser, Peter Christian de

### Citation

Visser, P. C. de. (2006, February 23). *New cationic amphiphilic compounds as potential antibacterial agents*. Retrieved from <https://hdl.handle.net/1887/4335>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4335>

**Note:** To cite this publication please use the final published version (if applicable).

# **New Cationic Amphiphilic Compounds as Potential Antibacterial Agents**

## **PROEFSCHRIFT**

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van de Rector Magnificus Dr. D.D. Breimer,  
hoogleraar aan de faculteit der Wiskunde en  
Natuurwetenschappen en die der Geneeskunde,  
volgens het besluit van het College voor Promoties  
te verdedigen op donderdag 23 februari 2006  
te klokke 16:15 uur

door

**Peter Christian de Visser**

geboren te Delft in 1977

## **Promotiecommissie**

Promotor : Prof. dr. H.S. Overkleeft

Co-promotor : Dr. D. Noort (TNO Defensie & Veiligheid)

Referent : Dr. M. Overhand

Overige leden :

Prof. dr. J. Lugtenburg  
Prof. dr. A. van der Gen  
Prof. dr. G.A. van der Marel  
Prof. dr. J. Brouwer  
Dr. D.V. Filippov  
Dr. P.A.V. van Hooft (TNO Defensie & Veiligheid)

*The research described in this thesis was conducted at the Bioorganic Synthesis (BIOSYN) department of the Leiden Institute of Chemistry (LIC, Leiden University) in cooperation with and financed by TNO.*

Printed by Optima Grafische Communicatie, Rotterdam, 2006

Cover artwork by C.N. Nimbita

in memoriam prof. dr. Jacques H. van Boom

If we knew what it was we were doing, it would not be called research, would it?

- *Albert Einstein (1879-1955)*

*Voor Ilse*

*Table of Contents*

---

## Table of Contents

<b>List of Abbreviations</b>	<b>6</b>
 <b>General Introduction</b>	 <b>9</b>
 <b>Chapter 1</b>	 <b>45</b>
<i>Biological Evaluation of Stabilized Drosocin Analogues</i>	
 <b>Chapter 2</b>	 <b>57</b>
<i>Safety-Catch Synthesis &amp; Biological Evaluation of Polymyxin B1 and Analogues</i>	
 <b>Chapter 3</b>	 <b>75</b>
<i>Acyl Migration in Polymyxin Synthesis</i>	
 <b>Chapter 4</b>	 <b>89</b>
<i>Design, Synthesis &amp; Biological Evaluation of PMBN/CAP Conjugates</i>	
 <b>Chapter 5</b>	 <b>103</b>
<i>Antimicrobial Gels Based on Quaternary Ammonium Salts</i>	

*Table of Contents*

---

<b>Chapter 6</b>	117
<i>Fluorous Techniques in Solid-Phase Peptide Synthesis</i>	
<b>Chapter 7</b>	131
<i>Summary &amp; Future Prospects</i>	
<b>General Materials &amp; Methods</b>	143
<b>Samenvatting</b>	145
<i>Summary in Dutch</i>	
<b>List of Publications</b>	149
<b>Curriculum Vitae</b>	151
<b>Nawoord</b>	152

## List of Abbreviations

a	C-terminal amide	CPMBN	Cys-polymyxin B nonapeptide
AA	amino acid residue <sup>1</sup>	CTAB	cetyltrimethylammonium
Abu	$\gamma$ -aminobutyric acid		bromide
Ac	acetyl	Cys (C)	cysteine
ACPC	<i>trans</i> -2-aminocyclopentane carboxylic acid	Dab (X)	$\alpha,\gamma$ -diaminobutyric acid <sup>2</sup>
		dansyl	5-dimethylamino-1-naphthalenesulfonyl
Ada	1-adamantaneacetyl		diethylaminosulfurtrifluoride
ADP	adenosine 5'-diphosphate	DAST	<i>N,N'</i> -dicyclohexylcarbodiimide
Ala (A)	alanine	DCC	1,2-dichloroethane
AM	aminomethyl	DCE	1-(4,4-dimethyl-2,6-dioxo-cyclohex-1-ylidene)ethyl
anh.	anhydrous	Dde	$\alpha$ -aminodehydrobutyric acid
aq.	aqueous	Dhb (U)	diisoproyl azodicarboxylate
Ar	aromatic	DIAD	diisobutylaluminum hydride
Arg (R)	arginine	DiBAL-H	<i>N,N</i> '-diisopropylcarbodiimide
Asn (N)	asparagine	DIC	<i>N,N</i> -diisopropylethylamine
Asp (D)	aspartic acid	DiPEA	4-dimethylaminopyridine
AP	alkaline phosphatase	DMAP	<i>N,N</i> -dimethylformamide
ATCC	American type culture collection	DMF	dimethylsulfoxide
Ava	$\delta$ -aminovaleric acid <sup>2</sup>	DMSO	deoxyribonucleic acid
$\beta$ Ala	$\beta$ -alanine	DNA	1,3-dioleyloxy-2-(6-carboxy-spermidyl)propylamide
BF2	buforin II	DOSPER	diphenylphosphoryl azide
BHI	brain/heart infusion	DPPA	dansylated polymyxin B
bm	broad multiplet	DPX	(S7T)-drosocin
Bn	benzyl	DRC	dithiothreitol
Boc	<i>tert</i> -butoxycarbonyl	DTT	<i>N</i> -(3-dimethylaminopropyl)- <i>N</i> '-ethylcarbodiimide
BOP	(benzotriazol-1-yloxy)tris-(dimethylamino)phosphonium hexafluorophosphate	EDC	ethylenediaminetetraacetate
Bu	butyl	EDTA	electrospray interface
c (prefix)	cyclo	ESI	ethyl
C <sub>x</sub>	<i>n</i> -alkyl chain containing <i>x</i> carbon atoms	Et	equivalent(s)
CAP	cationic antimicrobial peptide	E-gel	gel containing ethylene glycol
Capro	( <i>S</i> )-3-amino-1-carboxymethyl caprolactame	F (prefix)	flourous
CD	circular dichroism	FA or fa	fatty acyl
CFU	colony-forming units	FDA	(United States) Federal Drug Administration
Clt	(2-chlorotriphenyl)methyl	FITC	fluoresceinyl isothiocyanate
CMP	cytidine 5'-monophosphate	Fmoc	9-fluorenylmethoxycarbonyl
Cmpi	<i>N</i> -carboxymethylpiperazine	Gal	galactose
COSY	correlated spectroscopy	G <sup>-</sup>	Gram-negative
CPC	cetylpyridinium chloride	G <sup>+</sup>	Gram-positive
		Glc	glucose
		Gln (Q)	glutamine
		Glu (E)	glutamic acid
		Gly (G)	glycine
		GRAVY	grand average of hydropathy

<sup>1</sup> Where applicable, amino acid residues are of the L-configuration unless otherwise stated.

<sup>2</sup> Due to shortage of unique one-letter codes, Ava is denoted with X in Chapter 4 and Tmd(Phe) with Z in Chapter 7.

G-gel	gel containing glycerol	MIC	minimal inhibitory concentration, <i>i.e.</i> the lowest concentration at which no bacterial growth can be detected by spectroscopic analysis after incubation for a specified time, compared with a positive control (Triton X-100).
HATU	<i>O</i> -(7-azabenzotriazol-1-yl)- <i>N,N,N',N'</i> -tetramethyluronium hexafluorophosphate		
hBD	human $\beta$ -defensin		
HCTU	<i>O</i> -(6-chlorobenzotriazol-1-yl)- <i>N,N,N',N'</i> -tetramethyluronium hexafluorophosphate		
Hep	L-glycero-D-manno-heptose		
HEPES	<i>N</i> -(2-hydroxyethyl)piperazine- <i>N'</i> -(2-ethanesulfonic acid)	MIM	<i>N</i> -methyl- <i>N</i> '-alkyl imidazolium
His (H)	histidine	MMT	(4-methoxytriphenyl)methyl
HMDS	hexamethyldisilazane	MOA	(S)-6-methyloctanoyl, -oic acid
HOAt	1-hydroxy-7-azabenzotriazole	Mpa	3-maleimidopropionyl
HOBt	1-hydroxybenzotriazole	MPD	<i>N</i> -methyl- <i>N</i> -alkyl-pyrrolidinium
HPLC	high-performance liquid chromatography	MS	mass spectrometry
HRMS	high-resolution mass spectrometry	MS/MS	tandem mass spectrometry
HSer ( $^{\beta}$ S)	$\beta^3$ -homoserine	Msc	methylsulfonylethoxycarbonyl
HTyr ( $^{\beta}$ Y)	$\beta^3$ -homotyrosine	Mtt	(4-methytriphenyl)methyl
IBX	triacetoxyiodobenzoic acid	MW	microwave (oven)
IL	interleukin	n ( <i>prefix</i> )	natural
Ile (I)	isoleucine	n/a	normal (linear)
IM	inner (cytoplasmic) membrane	n/d	not applicable
IR	infrared	NBE	not determined
ISB	iso-sensitest broth	NCL	nutrient broth E
ISO	International Organization for Standardization	nG	native chemical ligation
ivDde	1-(4,4-dimethyl-2,6-dioxocyclohex-1-ylidene)-3-methylbutyl	NMP	not glycosylated
Kdo	3-deoxy-D-manno-oct-2-ulosonic acid	NMR	<i>N</i> -methylpyrrolidone
		NOE	nuclear magnetic resonance
		NOESY	nuclear Overhauser effect
KFF	KFF peptide (KFF) <sub>3</sub> K	Orn (O)	nuclear Overhauser effect
LB	Luria-Bertani (broth)	Pamb	spectroscopy
LBP	LPS-binding protein	PAMP	ornithine
LC	liquid chromatography	PBS	<i>p</i> -(aminomethyl)benzoic acid
LCMS	liquid chromatography/mass spectrometry	PE	pathogen-associated molecular pattern
Leu (L)	leucine	PEG	phosphate-buffered saline
LPS	lipopolysaccharide	Ph	petroleum ether 40/60
Lys (K)	lysine	Phe (F)	polyethyleneglycol
OM	outer membrane	PhPip	phenyl
Orn (O)	ornithine	PMB	phenylalanine
Mamb	<i>m</i> -(aminomethyl)benzoic acid	PMBN	4-phenyl-4-carboxymethyl-piperidine
MALDI	matrix-assisted laser desorption/ionisation	PNT	polymyxin B
Me	methyl	Pro (P)	polymyxin B nonapeptide
<sup>Me</sup> Arg ( <sup>Me</sup> R)	<i>N</i> <sup>a</sup> -methylarginine	PyBOP	pentamidine (derivative)
<sup>Me</sup> Ser ( <sup>Me</sup> S)	<i>N</i> -methylserine		proline
Met (M)	methionine		(benzotriazol-1-yloxy)-trityrrolidinophosphonium
MHC	minimal hemolytic concentration		hexafluorophosphate

*List of Abbreviations*

---

PyBroP	bromotripyrrolidino-phosphonium hexafluorophosphate	TCEP	tris(carboxyethyl)phoshine
QAC	quaternary ammonium compound	TES	triethylsilane
RBC	red blood cell	TFA	trifluoroacetic acid
Ref.	reference	TFE	2,2,2-trifluoroethanol
R <sub>f</sub>	retardation factor	THF	tetrahydrofuran
RNA	ribonucleic acid	THP	tetrahydropyran
ROESY	rotating frame NOESY	Thr (T)	threonine
RP	reversed phase	TIC	total ion count
Rt	retention time	TIS	triisopropylsilane
RT	room temperature	Tmd	3-(trifluoromethyl)-3 <i>H</i> -diazirin-3-yl
RTD	rhesus θ-defensin	TMS	trimethylsilyl
s ( <i>prefix</i> )	synthetic	TNBS	2,4,6-trinitrobenzenesulfonic acid
SAA	sugar amino acid	TNF	tumor necrosis factor
Sar	sarcosine	TLC	thin-layer chromatography
sat.	saturated	TLR	Toll-like receptor
SCL	3-carboxypropanesulfonamide	TOCSY	total correlation spectroscopy
Ser (S)	serine	TOF	time-of-flight
SIC	streptococcal inhibitor of complement	Tr	triphenylmethyl
SPE	solid-phase extraction	Tran	tranexamic acid
SPPS	solid-phase peptide synthesis	Trp (W)	tryptophane
SPy	2-pyridylsulfonyl	TTC	tritrypticin
SS	disulfide linkage	Tyr (Y)	tyrosine
StBu	<i>tert</i> .butylsulfonyl	UDP	uridine 5'-diphosphate
Su	succinimidyl	UV	ultraviolet
tBu	<i>tert</i> .butyl	Val (V)	valine
TCA	trichloroacetic acid	W-gel	gel containing water
		Z	benzyloxycarbonyl <sup>2</sup>

---

## General Introduction

---