

Improving risk stratification after acute myocardial infarction: focus on emerging applications of echocardiography Antoni, M.L.

Citation

Antoni, M. L. (2012, January 19). *Improving risk stratification after acute myocardial infarction : focus on emerging applications of echocardiography*. Retrieved from https://hdl.handle.net/1887/18376

Version: Corrected Publisher's Version

Licence agreement concerning inclusion of

License: <u>doctoral thesis in the Institutional</u>

Repository of the University of Leiden

Downloaded from: https://hdl.handle.net/1887/18376

Note: To cite this publication please use the final published version (if applicable).

Stellingen

behorende bij het proefschrift

Improving Risk Stratification after Acute Myocardial Infarction

Focus on Emerging Applications of Echocardiography

- Besides left ventricular systolic function, left atrial function and right ventricular function also provide important prognostic information after acute myocardial infarction ~ this thesis
- Strain and strain rate are superior to left ventricular ejection fraction and wall
 motion score index in the risk stratification after acute myocardial infarction ~
 this thesis
- 3. Elevated heart rate during the acute phase of myocardial infarction reflects an impaired clinical condition and influences adverse outcome ~ this thesis
- Not only the patient needs time to recuperate after a myocardial infarction, the myocardium also requires time to recover ~ this thesis
- 5. The true natural history of STEMI is hard to establish for a number of reasons: the common occurrence of silent infarction, the frequency of sudden death outside the hospital, and the varying methods and definitions used in the diagnosis of the condition ~ ESC Guidelines 2008
- Accurate estimation of risk for untoward outcomes after patients have been hospitalized for an acute coronary syndrome may help clinicians guide the type and intensity of therapy ~ Eagle et al. JAMA 2004
- 7. The increased use of highly sensitive cardiac biomarkers, particularly troponin, over time might also have contributed to both an artifactually higher incidence of myocardial infarction and a lower level of severity among diagnosed cases ~ Yeh et al. N Engl J Med 2010
- 8. Straining to justify strain measurement ~ Simonetti et al. JACC: Cardiovasc Imaging 2010; Is measurement of strain and strain rate by echocardiography: ready for prime time? ~ Marwick J Am Coll Cardiol 2006
- Gezien het feit dat iedereen elkaar tegenwoordig napraat, speelt ook in de samenleving echo een cruciale rol ~ CEW Smeenk
- Inspiration is a guest that does not willingly visit the lazy ~ Pyotr Ilyich Tchaikovsky
- Whatever you do will be insignificant, but it is very important that you do it ~ Mahatma Gandhi
- 12. If music is the medicine of the breaking heart, the number of patients will increase due to the current budget cuts in the cultural sector

Louisa Antoni

Leiden, 19 januari 2012