



Universiteit
Leiden
The Netherlands

Host genes involved in Agrobacterium-mediated transformation

Soltani, J.

Citation

Soltani, J. (2009, January 14). *Host genes involved in Agrobacterium-mediated transformation*. Retrieved from <https://hdl.handle.net/1887/13400>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/13400>

Note: To cite this publication please use the final published version (if applicable).

References

- Abello, J., Kelemu, S. and García, C. (2008) *Agrobacterium*-mediated transformation of the endophytic fungus *Acremonium implicatum* associated with *Brachiaria* grasses. *Mycol Res* 112:407-13.
- Abuodeh, R.O., Orbach, M.J., Mandel, M.A., Das, A. and Galgiani, J.N. (2000) Genetic transformation of *Coccidioides immitis* facilitated by *Agrobacterium tumefaciens*. *J Infect Dis* 181:2106–2110.
- Akhtar, A. and Gasser, S.M. (2007) The nuclear envelope and transcriptional control. *Nat Rev Genet* 8:507–517.
- Amey, R.C., Athey-Pollard, A., Burns, C., Mills, P.R., Bailey, A. and Foster, G.D. (2002) PEG-mediated and *Agrobacterium*-mediated transformation in the mycopathogen *Verticillium fungicola*. *Mycol Res* 106:4–11.
- Amey, R.C., Mills, P.R., Bailey, A. and Foster, G.D. (2003) Investigating the role of a *Verticillium fungicola* beta-1, 6-glucanase during infection of *Agaricus bisporus* using targeted gene disruption. *Fungal Genet Biol* 39:264–275.
- Anand, A., Krichevsky, A., Schornack, S., Lahaye, T., Tzfira, T., Tang, Y., Citovsky, V. and Mysore, K.S. (2007) *Arabidopsis* VirE2 interacting protein 2 is required for *Agrobacterium* T-DNA integration in plants. *Plant Cell* 19:1695-1708.
- Angus-Hill, M.L., Dutnall, R.N., Tafrov, S.T., Sternglanz, R., and Ramakrishnan, V. (1999) Crystal structure of the histone acetyltransferase Hpa2: A tetrameric member of the Gcn5-related N-acetyltransferase superfamily. *J Mol Biol* 294:1311-1325.
- Aoki, S. and Syono, K. (1999) Horizontal gene transfer and mutation: Ngrol genes in the genome of *Nicotiana glauca*. *Proc Natl Acad Sci U S A* 96:13229-13234.
- Aouida, M., Page, N., Leduc, A., Peter, M. and Ramotar, D. (2004) A genome-wide screen in *Saccharomyces cerevisiae* reveals altered transport as a mechanism of resistance to the anticancer drug bleomycin. *Cancer Res* 64:1102-1109.
- Atmakuri, K., Cascales, E., Burton, O.T., Banta, L.M. and Christie, P.J. (2007) *Agrobacterium* ParA/MinD-like VirC1 spatially coordinates early conjugative DNA transfer reactions. *EMBO J* 26:2540-2451.
- Aye, M., Irwin, B., Beliakova-Bethell, N., Chen, E., Garrus, J. and Sandmeyer, S. (2004) Host factors that affect Ty3 retrotransposition in *Saccharomyces cerevisiae*. *Genetics*. 168:1159-1176.
- Bako, L., Umeda, M., Tiburcio, A.F., Schell, J. and Koncz, C. (2003) The VirD2 pilot protein of *Agrobacterium*-transferred DNA interacts with the TATA box-binding protein and a nuclear protein kinase in plants. *Proc Natl Acad Sci USA* 100:10108–10113.
- Baker, S.P. and Grant, P.A. (2007) The SAGA continues: expanding the cellular role of a transcriptional co-activator complex. *Oncogene* 26:5329-5340.
- Ballas, N. and Citovsky, V. (1997) Nuclear localization signal binding protein from *Arabidopsis* mediates nuclear import of *Agrobacterium* VirD2 protein. *Proc Natl Acad Sci USA* 94:10723-8.

- Betts, M.F., Tucker, S.L., Galadima, N., Meng, Y., Patel, G., Li, L., Donofrio, N., Floyd, A., Nolin, S., Brown, D., Mandel, M.A., Mitchell, T.K., Xu, J-R, Dean, R.A., Farman, M.L. and Orbach, M.J. (2007) Development of a high throughput transformation system for insertional mutagenesis in *Magnaporthe oryzae*. *Fungal Genet Biol* 44:1035-1049.
- Bevan, M. (1984) Binary *Agrobacterium* vectors for plant transformation. *Nucleic Acids Res* 12: 8711-8721.
- Boudreault, A.A., Cronier, D., Selleck, W., Lacoste, N., Utley, R.T., Allard, S., Savard, J., Lane, W.S., Tan, S. and Côté, J. (2003) Yeast enhancer of polycomb defines global Esa1-dependent acetylation of chromatin. *Genes Dev* 17:1415-1428.
- Brandhorst, T.T., Rooney, P.J., Sullivan, T.D. and Klein, B. (2002) Molecular genetic analysis of *Blastomyces dermatitidis* reveals new insights about pathogenic mechanisms. *Int J Med Microbiol* 292:363–371.
- Bruno, M., Flaus, A., Stockdale, C., Rencurel, C., Ferreira, H. and Owen-Hughes, T. (2003) Histone H2A/H2B dimer exchange by ATP-dependent chromatin remodeling activities. *Mol Cell* 12:1599-606.
- Bulgakov, V.P., Kiselev, K.V., Yakovlev, K.V., Zhuravlev, Y.N., Gontcharov, A.A. and Odintsova, N.A. (2006) *Agrobacterium*-mediated transformation of sea urchin embryos. *Biotechnology J.* 1: 454-461.
- Bundock, P. (1999) *Agrobacterium tumefaciens*-mediated transformation of yeasts and fungi. PhD thesis, 119 pp. Leiden University, Leiden, The Netherlands.
- Bundock, P. and Hooykaas, P.J. (1996) Integration of *Agrobacterium tumefaciens* T-DNA in the *Saccharomyces cerevisiae* genome by illegitimate recombination. *Proc Natl Acad Sci U S A* 93:15272-15275.
- Bundock, P., Dulk-Ras, A., Beijersbergen, A. and Hooykaas, P.J. (1995) Trans-kingdom T-DNA transfer from *Agrobacterium tumefaciens* to *Saccharomyces cerevisiae*. *EMBO J* 14:3206–3214.
- Bundock, P., Mroczek, K., Winkler, A.A., Steensma, H.Y. and Hooykaas, P.J. (1999) T-DNA from *Agrobacterium tumefaciens* as an efficient tool for gene targeting in *Kluyveromyces lactis*. *Mol Gen Genet* 261:115–121.
- Bundock, P., van Attikum, H., Den Dulk-Ras, A. and Hooykaas, P.J.J. (2002) Insertional mutagenesis in yeasts using T-DNA from *Agrobacterium tumefaciens*. *Yeast* 19:529-536.
- Campoy, S., Perez, F., Martin, J.F., Gutierrez, S. and Liras, P. (2003) Stable transformants of the azaphilone pigment-producing *Monascus purpureus* obtained by protoplast transformation and *Agrobacterium*-mediated DNA transfer. *Curr Genet* 43:447–452.
- Chang, M., Bellaoui, M., Boone, C. and Brown, G.W. (2002) A genome-wide screen for methyl methanesulfonate-sensitive mutants reveals genes required for S phase progression in the presence of DNA damage. *Proc Natl Acad Sci USA* 99:16934-16939.
- Chen, X., Stone, M., Schlaghaufer, C. and Romaine, C.P. (2000) A fruiting body tissue method for efficient *Agrobacterium*-mediated transformation of *Agaricus bisporus*. *Appl Environ Microbiol* 66:4510–4513.

References

- Cheney, D., Metz, B. and Stiller, J. (2001). *Agrobacterium* -mediated genetic transformation in the macroscopic marine red alga *Porphyra yezoensis*. J Phycol Suppl 37: 11.
- Chilton, M.D., Drummond, M.H., Merio, D.J., Sciaky, D., Montoya, A.L., Gordon, M.P. and Nester, E.W. (1977) Stable incorporation of plasmid DNA into higher plant cells: the molecular basis of crown gall tumorigenesis. Cell 11:263-271.
- Choi, J., Park, J., Jeon, J., Chi, M-H, Goh, J., Yoo, S-Y, Park, J., Jung, K., Kim, H., Park, S-Y, Rho, H-S, Kim, S., Kim, B.R., Han, S-S, Kang, S. and Y-H Lee. (2007) Genome-wide analysis of T-DNA integration into the chromosomes of *Magnaporthe oryzae*. Mol Microbiol 66:371-382.
- Christianson, T.W., Sikorski, R.S., Dante, M., Shero, J.H. and Hieter P. (1992). Multifunctional yeast high-copy-number shuttle vectors. Gene 110:119-122.
- Citovsky, V., Zupan, J., Warnick, D. and Zambryski, P. (1992) Nuclear localization of *Agrobacterium* VirE2 protein in plant cells. Science 256:1802-1805.
- Citovsky, V., Kozlovsky, S.V., Lacroix, B., Zaltsman, A., Dafny-Yelin, M., Vyas, S., Tovkach, A. and Tzfira T. (2006) Biological systems of the host cell involved in *Agrobacterium* infection. Cell Microbiol 9:9-20.
- Comber, J.P., Melayah, D., Raffier, C., Gay, G. and Marmeisse, R. (2003) *Agrobacterium tumefaciens*-mediated transformation as a tool for insertional mutagenesis in the symbiotic ectomycorrhizal fungus *Hebeloma cylindrosporum*. FEMS Microbiol Lett 220:141–148.
- Costelloe, T., Fitzgerald, J., Murphy, N.J., Flaus, A. and Lowndes N.F. (2006) Chromatin modulation and the DNA damage response. Exp Cell Res 312:2677-2286.
- Covert, S.F., Kapoor, P., Lee, M., Briley, A. and Nairn, C.J. (2001) *Agrobacterium*-mediated transformation of *Fusarium circinatum*. Mycol Res 105:259–264.
- Crane, Y.M. and Gelvin, S.B. (2007) RNAi-mediated gene silencing reveals involvement of *Arabidopsis* chromatin-related genes in *Agrobacterium*-mediated root transformation. Proc Natl Acad Sci USA 104:15156-15161.
- Dai, Q., Sun, Z. and Schnabel, G. (2003) Development of spontaneous hygromycin B resistance in *Monilinia fructicola* and its impact on growth rate, morphology, susceptibility to demethylation inhibitor fungicides, and sporulation. Phytopathol 93:1354-1359.
- Daley, J. M., Palmbo, P.L., Wu, D. and Wilson, T.E. (2005) Nonhomologous end joining in Yeast. Annu Rev Genet 39:431-451.
- Daniell, H., Kumar, S. and Dufourmantel, N. (2005) Breakthrough in chloroplast genetic engineering of agronomically important crops. Trends Biotechnol 23:238-245.
- De Block, M., Schell, J. and Van Montagu, M. (1985) Chloroplast transformation by *Agrobacterium tumefaciens*. EMBO J 4:1367-1372.

- De Cleene, M. and J. De Ley. (1976) The host range of crown. gall. Bot Rev 42: 389-466.
- Degefu, Y. and Hanif, M. (2003) *Agrobacterium tumefaciens*-mediated transformation of *Helminthosporium turcicum*, the maize leaf-blight fungus. Arch Microbiol 180:279–284.
- de Groot, M.J., Bundock, P., Hooykaas, P.J. and Beijersbergen, A.G. (1998) *Agrobacterium tumefaciens*-mediated transformation of filamentous fungi. Nat Biotechnol 16:839–842.
- Deng, W., Chen, D., Wood, W., Metcalfe, T., Liang, X., Gordon, M. P., Comai, L. and Nester, E.W. (1998) *Agrobacterium* VirD2 protein interacts with plant host cyclophilins. Proc Natl Acad Sci USA 95:7040-7045.
- Ditt, R.F., Nester, E.W. and Comai, L. (2001) Plant gene expression response to *Agrobacterium tumefaciens*. Proc Natl Acad Sci USA 98:10954-9.
- Ditt R.F., Nester, E.W. and Comai, L. (2005) The plant cell defense and *Agrobacterium tumefaciens*. FEMS Microbiol Lett 247:207-213.
- Ditt, R.F., Kerr, K.F., de Figueiredo, P., Delrow, J., Comai, L. and Nester, E. (2006) The *Arabidopsis thaliana* transcriptome in response to *Agrobacterium tumefaciens*. Mol Plant Microbe Interact 19:665-681.
- Djamei, A., Pitzschke, A., Nakagami, H., Rajh, I. and Hirt, H. (2007) Trojan horse strategy in *Agrobacterium* transformation: abusing MAPK defense signaling. Science 318:453 – 456.
- Dobinson, K.F., Grant, S.J. and Kang, S. (2003) Cloning and targeted disruption, via *Agrobacterium tumefaciens*-mediated transformation, of a trypsin protease gene from the vascular wilt fungus *Verticillium dahliae*. Curr Genet 45:104–110.
- dos-Reis, M.C., Pelegrinelli Fungaro, M.H., Duarte, R.T.D., Furlaneto, L. and Furnaleto, M.C. (2004) *Agrobacterium tumefaciens*-mediated genetic transformation of the entomopathogenic fungus *Beauveria bassiana*. J Microbiol Methods 58:197–202.
- Doyon, Y. and Côté, J. (2004) The highly conserved and multifunctional NuA4 HAT complex. Curr Opin Genet Dev 14:147-154.
- Driscoll, R., Hudson, A. and Jackson S. P. (2007) Yeast Rtt109 promotes genome stability by acetylating histone H3 on lysine 56. Science 315:649-652.
- Duarte, R.T., Staats, C.C., Fungaro, M.H., Schrank, A., Vainsten, M.H., Furlaneto-Maia, L., Nakamura, C.V., de Souza, W. and Furlaneto, M.C. (2007) Development of a simple and rapid *Agrobacterium tumefaciens*-mediated transformation system for the entomopathogenic fungus *Metarhizium anisopliae* var. *acridum*. Lett Appl Microbiol 44:248-254.
- Dudasova, Z., Dudas, A. and Chovanec, M. (2004) Non-homologous end-joining factors of *Saccharomyces cerevisiae*. FEMS Microbiol Rev 28:581–601.
- Dürrenberger, F., Cramer, A., Hohn, B. and Koukolíková-Nicola, Z. (1989) Covalently bound VirD2 protein of *Agrobacterium tumefaciens* protects the T-DNA from exonucleolytic degradation. Proc Natl Acad Sci U S A 86:9154-9158.

- Eckert, M., Maguire, K., Urban, M., Foster, S., Fitt, B., Lucas, J. and Hammond-Kosack, K. (2005) *Agrobacterium tumefaciens*-mediated transformation of *Leptosphaeria* spp. and *Oculimacula* spp. with the reef coral gene DsRed and the jellyfish gene gfp. FEMS Microbiol Lett 253: 67-74.
- Fang, W., Zhang, Y., Yang, X., Zheng, X., Duan, H., Li, Y. and Pei, Y. (2004) *Agrobacterium tumefaciens*-mediated transformation of *Beauveria bassiana* using an herbicide resistance gene as a selection marker. J Invertebr Pathol 85:18–24.
- Fang, W., Pei, Y. and Bidochka, M.J. (2006) Transformation of *Metarhizium anisopliae* mediated by *Agrobacterium tumefaciens*. Can J Microbiol 52:623-626.
- Feilotter, H. E., Hannon, G. J. Ruddel, C. J. and Beach, D. (1994) Construction of an improved host strain for two-hybrid screening. Nucleic Acids Res 22:1502-1503.
- Fitzgerald, A.M., Mudge, A.M., Gleave, A.P. and Plummer, K.M. (2003) *Agrobacterium* and PEG-mediated transformation of the phytopathogen *Venturia inaequalis*. Mycol Res 107:803–810.
- Fitzgerald, A., Van Kan, J.A. and Plummer, K.M. (2004) Simultaneous silencing of multiple genes in the apple scab fungus, *Venturia inaequalis*, by expression of RNA with chimeric inverted repeats. Fungal Genet Biol 41:963–971.
- Flowers, J.L. and Vaillancourt, L.J. (2005) Parameters affecting the efficiency of *tumefaciens*-mediated transformation of *Colletotrichum graminicola*. Curr Genet 15:1-9.
- Fründt, C., Meyer, A.D., Ichikawa, T. and Meins, F.J. (1998) A tobacco homologue of the Ri-plasmid *orf13* gene causes cell proliferation in carrot root disks. Mol. Gen. Genet. 259:559–568.
- Furner, I.J., Huffman, G.A. Amasino, R.M. Garfinkel, D.J. Gordon, M.P. and Nester. E.W. (1986) An *Agrobacterium* transformation in the evolution of the genus *Nicotiana*. Nature 329:422–427.
- Gao, X.X. and Yang, Q. (2005) *Agrobacterium tumefaciens*-mediated transformation of *Chaetomium globosum* and its T-DNA insertional mutagenesis. Wei Sheng Wu Xue Bao 45:129-31.
- Garcia-Rodriguez, F.M., Schrammeijer, B. and Hooykaas, P.J. (2006) The *Agrobacterium* VirE3 effector protein: a potential plant transcriptional activator. Nucleic Acids Res 34:6496-6504.
- Gardiner, D.M. and Howlett, B.J. (2004) Negative selection using thymidine kinase increases the efficiency of recovery of transformants with targeted genes in the filamentous fungus *Leptosphaeria maculans*. Curr Genet 45:249–255.
- Gardiner, D.M., Cozijnsen, A.J., Wilson, L.M., Soledade, M., Pedras, C. and Howlett, B.J. (2005) The sirodesmin biosynthetic gene cluster of the plant pathogenic fungus *Leptosphaeria maculans*. Mol Microbiol 53:1307–1318.

- Gavin, A.C., Bosche, M., Krause, R., Grandi, P., Marzioch, M., Bauer, A., Schultz, J., Rick, J.M., Michon, A.M., Cruciat, C.M., Remor, M., Hofert, C., Schelder, M., Brajenovic, M., Ruffner, H., Merino, A., Klein, K., Hudak, M., Dickson, D., Rudi, T., Gnau, V., Bauch, A., Bastuck, S., Huhse, B., Leutwein, C., Heurtier, M.A., Copley, R.R., Edelmann, A., Querfurth, E., Rybin, V., Drewes, G., Raida, M., Bouwmeester, T., Bork, P., Seraphin, B., Kuster, B., Neubauer, G. and Superti-Furga, G. (2002) Functional organization of the yeast proteome by systematic analysis of protein complexes. *Nature* 415:141-147.
- Gelvin, S. B. (2000). *Agrobacterium* and plant genes involved in T-DNA transfer and integration. *Annu. Rev. Plant Physiol. Plant Mol. Biol* 51:223-256.
- Gelvin, S. B. (2003) *Agrobacterium*-mediated plant transformation: the biology behind the "gene-jockeying" tool. *Microbiol Mol Biol Rev* 67:16-37.
- Giaever, G., Chu, A.M., Ni L., Connelly, C., Riles, L., Veronneau, S., Dow, S., Lucau-Danila, A., Anderson, K., Andre, B., Arkin, A.P., Astromoff, A., El-Bakkoury, M., Bangham, R., Benito, R., Brachat, S., Campanaro, S., Curtiss, M., Davis, K., Deutschbauer, A., Entian, K.D., Flaherty, P., Foury, F., Garfinkel, D.J., Gerstein, M., Gotte, D., Guldener, U., Hegemann, J.H., Hempel, S., Herman, Z., Jaramillo, D.F., Kelly, D.E., Kelly, S.L., Kotter, P., LaBonte, D., Lamb, D.C., Lan, N., Liang, H., Liao, H., Liu, L., Luo, C., Lussier, M., Mao, R., Menard, P., Ooi, S.L., Revuelta, J.L., Roberts, C.J., Rose, M., Ross-Macdonald, P., Scherens, B., Schimmack, G., Shafer, B., Shoemaker, D.D., Sookhai-Mahadeo, S., Storms, R.K., Strathern, J.N., Valle, G., Voet, M., Volckaert, G., Wang, C.Y., Ward, T.R., Wilhelmy, J., Winzeler, E.A., Yang, Y., Yen, G., Youngman, E., Yu K., Bussey, H., Boeke, J.D., Snyder, M., Philippsen, P., Davis, R.W. and Johnston, M. (2002) Functional profiling of the *Saccharomyces cerevisiae* genome. *Nature* 418:387-391.
- Gietz, R.D. and Schiestl, R.H. (1995) Transforming yeast with DNA. *Methods in molecular and cell biology* 5:255-269.
- Gietz, R.D. and Sugino, A. (1988) New yeast-*Escherichia coli* shuttle vectors constructed with in vitro mutagenized yeast genes lacking six-base pair restriction sites. *Gene* 74:527-534.
- Gietz, R.D. and Woods, R.A. (2002) Transformation of yeast by lithium acetate/single-stranded carrier DNA/polyethylene glycol method. *Methods Enzymol* 350:87-96.
- Godio, R.P., Fouces, R., Gudina, E.J. and Martin, J.F. (2004) *Agrobacterium tumefaciens*-mediated transformation of the antitumor clavarinic acid-producing basidiomycete *Hypholoma sublateritium*. *Curr Genet* 46:287-294.
- Gorfer, M., Klaubauf, S., Bandian, D. and Strauss, J. (2007) *Cadophora finlandia* and *Phialocephala fortinii*: *Agrobacterium*-mediated transformation and functional GFP expression. *Mycol Res* 111:850-855.
- Gouka, R.J., Gerk, C., Hooykaas, P.J., Bundock, P., Musters, W., Verrips, C.T. and de Groot, M.J. (1999) Transformation of *Aspergillus awamori* by *Agrobacterium tumefaciens*-mediated homologous recombination. *Nat Biotechnol* 17:598-601.

References

- Griffith, J.L., Coleman, L.E., Raymond, A.S., Goodson, S.G., Pittard, W.S., Tsui, C. and Devine, S.E. (2003) Functional genomics reveals relationships between the retrovirus-like Ty1 element and its host *Saccharomyces cerevisiae*. *Genetics* 164:867–879.
- Grimaldi, B., de Raaf, M.A., Filetici, P., Ottonello, S. and Ballario, P. (2005) *Agrobacterium*-mediated gene transfer and enhanced green fluorescent protein visualization in the mycorrhizal ascomycete *Tuber borchii*: a first step towards truffle genetics. *Curr Genet* 48:69–74.
- Hamilton, C. M., Frary, A. Lewis, C. and Tanksley, S. D. (1996) Stable transfer of intact high molecular weight DNA into plant chromosomes. *Proc Natl Acad Sci USA* 93: 9975–9979.
- Han, J. Zhou, H. Li, Z. Xu, R.M. and Zhang Z. (2007) Rtt109 acetylates histone H3 lysine 56 and functions in DNA replication. *Science* 315:653–655.
- Hanif, M., Pardo, A.G., Gorfer, M. and Raudaskoski, M. (2002) T-DNA transfer and integration in the ectomycorrhizal fungus *Suillus bovinus* using hygromycin B as a selectable marker. *Curr Genet* 41:183–188.
- Hašek, J. and Streiblová, E. (1996) Fluorescence microscopy methods. In: *Yeast Protocols: Methods in Cell and Molecular Biology* vol. 53, pp.391–406. Edited by I.H. Evans, Humana Press, Totowa, New Jersey, USA.
- Herrera-Estrella, A., Van Montagu, M. and Wang, K. (1990) A bacterial peptide acting as a plant nuclear targeting signal: the amino-terminal portion of *Agrobacterium* VirD2 protein directs a beta-galactosidase fusion protein into tobacco nuclei. *Proc Natl Acad Sci U S A* 87:9534–9537.
- Ho, Y., Gruhler, A., Heilbut, A., Bader, G.D., Moore, L., Adams, S.L., Millar, A., Taylor, P., Bennett, K., Boutilier, K., Yang, L., Wolting, C., Donaldson, I., Schandorff, S., Shewnarane, J., Vo, M., Taggart, J., Goudreault, M., Muskat, B., Alfarano, C., Dewar, D., Lin, Z., Michalickova, K., Willems, A.R., Sassi, H., Nielsen, P.A., Rasmussen, K.J., Andersen, J.R., Johansen, L.E., Hansen, L.H., Jespersen, H., Podtelejnikov, A., Nielsen, E., Crawford, J., Poulsen, V., Sorensen, B.D., Matthiesen, J., Hendrickson, R.C., Gleeson, F., Pawson, T., Moran, M.F., Durocher, D., Mann, M., Hogue, C.W., Figeys, D. and Tyers, M. (2002) Systematic identification of protein complexes in *Saccharomyces cerevisiae* by mass spectrometry. *Nature* 415:180–183.
- Hoekema, A., Hirsch, P.R., Hooykaas, P.J.J. and Schilperoort, R.A. (1983) A binary plant vector strategy based on separation of *vir* and T-region of the *Agrobacterium tumefaciens* Ti-plasmid. *Nature* 303:179–180.
- Hoffman, B. and Breuil, C. (2004) Disruption of the subtilase gene, *albin1*, in *Ophiostoma piliferum*. *Appl Environ Microbiol* 70:3898–3903.
- Holstege, F.C., Jennings, E.G., Wyrick, J.J., Lee, T.I., Hengartner, C.J., Green, M.R., Golub, T.R., Lander, E.S. and Young, R.A. (1998) Dissecting the regulatory circuitry of a eukaryotic genome. *Cell* 95:717–728.

- Hooykaas, P.J. (2005) Transformation mediated by *Agrobacterium tumefaciens*. In: Advances in fungal biotechnology for industry, agriculture and medicine. pp. 41-65, Edited by J.S., Tkacz and Lange, L. 468 pp, Springer Press, New York, USA.
- Hooykaas, P.J.J. and Schilperoort, R.A. (1992) *Agrobacterium* and plant genetic engineering. Plant Mol. Biol 19:15-38.
- Hooykaas, P.J., Dulk-Ras, A., Bundock, P., Soltani, J., van Attikum, H. and van Heusden, G.P.H. (2006) *Agrobacterium* Protocols: Transformation of Yeast (*Saccharomyces cerevisiae*). Methods Mol Biol, Vol 2 , 344:465-473. Edited by K. Wang, Humana Press, Totowa, USA.
- Hooykaas-van Slogteren G.M., Hooykaas P.J. and Schilperoort R.A. (1984) Expression of Ti plasmid genes in monocotyledonous plants infected with *Agrobacterium tumefaciens*. Nature 311:763-764.
- Howard, E., Zupan, J., Citovsky, V., and Zambryski, P.C. (1992) The VirD2 protein of *A. tumefaciens* contains a C-terminal bipartite nuclear localization signal: implications for nuclear uptake of DNA in plant cells. Cell 68:109–118.
- Huang, R.Y., Eddy, M., Vujcic, M. and Kowalski, D. (2005) Genome-wide screen identifies genes whose inactivation confer resistance to cisplatin in *Saccharomyces cerevisiae*. Cancer Res 65:5890-5897.
- Huh, W.K., Falvo, J.V., Gerke, L.C., Carroll, A.S., Howson, R.W., Weissman, J.S. and O'Shea, E.K. (2003) Global analysis of protein localization in budding yeast. Nature 425:686-691.
- Hwang, H.H. and Gelvin, S.B. (2004) Plant proteins that interact with VirB2, the *Agrobacterium tumefaciens* pilin protein, mediate plant transformation. Plant Cell 16:3148-67.
- Idnurm, A., Reedy, J.L., Nussbaum, J.C. and Heitman, J. (2004) *Cryptococcus neoformans* virulence gene discovery through insertional mutagenesis. Eukaryot Cell 3:420–429.
- Intrieri, M. C. and Buiatti, M. (2001). The horizontal transfer of *Agrobacterium rhizogenes* genes and the evolution of the genus *Nicotiana*. Mol Phylogen and Evol 20:100–110.
- Irwin, B., Aye, M., Baldi, P., Beliakova-Bethell, N., Cheng, H., Dou, Y., Liou, W. and Sandmeyer, S. (2005) Retroviruses and yeast retrotransposons use overlapping sets of host genes. Genome Res 15:641-654.
- Ishida, Y., Saito, H., Ohta, S., Hiei, Y., Komari, T. and Kumashiro, T. (1996) High efficiency transformation of maize (*Zea mays* L.) mediated by *Agrobacterium tumefaciens*. Nat Biotechnol 14:745–750.
- Ishikawa, M., Diez, J., Restrepo-Hartwig, M. and Ahlquist, P. (1997) Yeast mutations in multiple complementation groups inhibit brome mosaic virus RNA replication and transcription and perturb regulated expression of the viral polymerase-like gene. Proc Natl Acad Sci USA 94:13810-13815.

References

- Jackson, S.P. (2002) Sensing and repairing DNA double-strand breaks. *Carcinogenesis* 23: 687-696.
- James, P., Holladay, J. and Craig, E.A. (1996) Genomic libraries and a host strain designed for highly efficient two-hybrid selection in yeast. *Genetics* 144:1425–1436.
- Jeon, J.S., Lee, S., Jung, K.H., Jun, S.H., Jeong, D.H., Lee, J., Kim, C., Jang, S., Yang, K., Nam, J., An, K., Han, M.J., Sung, R.J., Choi, H.S., Yu, J.H., Choi, J.H., Cho, S.Y., Cha, S.S., Kim, S.I. and An, G. (2000) T-DNA insertional mutagenesis for functional genomics in rice. *Plant J.* 22:561-570.
- Khang, C.H., Park, S.Y., Lee, Y.H. and Kang, S. (2005) A dual selection based, targeted gene replacement tool for *Magnaporthe grisea* and *Fusarium oxysporum*. *Fungal Genet Biol* 42:483-92.
- Kellner, E.M., Orsborn, K.I., Siegel, E.M., Mandel, M.A., Orbach, M.J. and Galgiani, J.N. (2005) *Coccidioides posadasii* contains a single 1,3-beta-glucan synthase gene that appears to be essential for growth. *Eukaryot Cell* 4:111–120.
- Kelly, B.A. and Kado, C.I. (2002) *Agrobacterium* mediated T-DNA transfer and integration in the chromosome of *Streptomyces lividans*. *Mol Plant Pathol* 3:125-134.
- Kemppainen, M., Circosta, A., Tagu, D., Martin, F. and Pardo, A.G. (2005) *Agrobacterium*-mediated transformation of the ectomycorrhizal symbiont *Laccaria bicolor* S238N. *Mycorrhiza* 20:1-4.
- Keogh, M.C., Mennella, T. A., Berthelet, C. S, Krogan, N. J., Wolek, A., Podolny, V., Carpenter, L. R., Greenblatt, J. F., Baetz, K. and Buratowski, S. (2006) The *Saccharomyces cerevisiae* histone H2A variant Htz1 is acetylated by NuA4. *Genes Dev* 20:660-665.
- Koncz, C., Martini, N., Mayerhofer, R., Koncz-Kalman, Z., Körber, H., Redei, G.P. and Schell, J. (1989) High-frequency T-DNA-mediated gene tagging in plants. *Proc Natl Acad Sci U S A* 86:8467-8471.
- Koncz, C., Németh, K., Rédei, G.P. and Schell, J. (1992) T-DNA insertional mutagenesis in *Arabidopsis*. *Plant Mol Biol* 20:963-976.
- Kooistra, R., Hooykaas, P.J. and Steensma, H.Y. (2004) Efficient gene targeting in *Kluyveromyces lactis*. *Yeast* 21:781-792.
- Krogh, B.O. and Symington, L. (2004) Recombination proteins in yeast. *Annu Rev Genet* 38:233-271.
- Krysan, P.J., Young, J.C. and Sussman, M.R. (1999) T-DNA as an insertional mutagen in *Arabidopsis*. *Plant Cell* 11:2283-2290.
- Kumar, S. V., Misquitta, R.W., Reddy, V.S., Rao, B.J. and Rajam, M. V. (2004). Genetic transformation of the green alga *Chlamydomonas reinhardtii* by *Agrobacterium tumefaciens*. *Plant Sci* 166:731-738.

- Kunik, T., Tzfira, T., Kapulnik, Y., Gafni, Y., Dingwall, C. and Citovsky, V. (2001) Genetic transformation of HeLa cells by *Agrobacterium*. *Proc Natl Acad Sci USA* 98:1871-1876.
- Lacroix, B., Tzfira, T., Vainstein, A. and Citovsky, V. (2006) A case of promiscuity: *Agrobacterium*'s endless hunt for new partners. *Trends Genet* 22:29-37.
- Lacroix, B., Vaidya, M., Tzfira, T., Citovsky, V. (2005) The VirE3 protein of *Agrobacterium* mimics a host cell function required for plant genetic transformation. *EMBO J* 24:428-37.
- Leal, C.V., Montes, B.A., Mesa, A.C., Rua, A.L., Corredor, M., Restrepo, A. and McEwen, J.G. (2004) *Agrobacterium tumefaciens*-mediated transformation of *Paracoccidioides brasiliensis*. *Med Mycol* 42:391-395.
- Leclerque, A., Wan, H., Abschutz, A., Chen, S., Mitina, G.V., Zimmermann, G. and Schairer, H.U. (2003) *Agrobacterium*-mediated insertional mutagenesis (AIM) of the entomopathogenic fungus *Beauveria bassiana*. *Curr Genet* 45:111-119.
- Li, J., Krichevsky, A., Vaidya, M., Tzfira, T. and Citovsky, V. (2005) Uncoupling of the functions of the *Arabidopsis* VIP1 protein in transient and stable plant genetic transformation by *Agrobacterium*. *Proc Natl Acad Sci USA* 102:5733-5738.
- Li, H.Y., Pan, C.Y., Chen, H., Zhao, C.J., Lu, G.D. and Wang, Z.H. (2003) Optimization of T-DNA insertional mutagenesis and analysis of mutants of *Magnaporthe grisea*. *Sheng Wu Gong Cheng Xue Bao* 19:419-423.
- Li, M., Gong, X., Zheng, J., Jiang, D., Fu, Y. and Hou, M. (2005) Transformation of *Coniothyrium minitans*, a parasite of *Sclerotinia sclerotiorum*, with *Agrobacterium tumefaciens*. *FEMS Microbiol Lett* 243: 323-329.
- Li, Y., Rosso MG, Ulker B, and Weisshaar B. (2006). Analysis of T-DNA insertion site distribution patterns in *Arabidopsis thaliana* reveals special features of genes without insertions. *Genomics* 87:645-652.
- Li, W. And Zhang, Y.Z. (2005) *Agrobacterium tumefaciens*-mediated transformation of the white-rot basidiomycete, *Phanerochaete chrysosporium*. *Wei Sheng Wu Xue Bao*. 45:784-787.
- Lima, I.G., Duarte, R.T., Furlaneto, L., Baroni, C.H., Fungaro, M.H. and Furlaneto, M.C. (2006) Transformation of the entomopathogenic fungus *Paecilomyces fumosoroseus* with *Agrobacterium tumefaciens*. *Lett Appl Microbiol* 42:631-636.
- Loppnau, P., Tanguay, P. and Breuil, C. (2004) Isolation and disruption of the melanin pathway polyketide synthase gene of the softwood deep stain fungus *Ceratocystis resinifera*. *Fungal Genet Biol* 41: 33-41.
- Loyter, A., Rosenbluh, J., Zakai, N., Li J., Kozlovsky, S.V., Tzfira, T., and Citovsky, V. (2005). The plant VirE2 interacting protein 1. a molecular link between the *Agrobacterium* T-complex and the host cell chromatin? *Plant Physiol* 138:1318-1321.

References

- Mai, A., Rotili, D., Tarantino, D., Ornaghi, P., Tosi, F., Vicidomini, C., Sbardella, G., Nebbioso, A., Miceli, M., Altucci, L. and Filetici, P. (2006) Small-molecule inhibitors of histone acetyltransferase activity: identification and biological properties. *J Med Chem* 49:6897-6907.
- Malonek, S. and Meinhardt, F. (2001) *Agrobacterium tumefaciens*-mediated genetic transformation of the phytopathogenic ascomycete *Calonectria morganii*. *Curr Genet* 40:152–155.
- Marchand, G., Fortier, E., Neveu, B., Bolduc, S., Belzile, F. and Bélanger, R.R. (2007) Alternative methods for genetic transformation of *Pseudozyma antarctica*, a basidiomycetous yeast-like fungus. *J Microbiol Methods* 70:519-527.
- Maruthachalam, K., Nair, V., Rho, H.S., Choi, J., Kim, S., and Lee, Y.H. (2008) *Agrobacterium tumefaciens*-mediated transformation in *Colletotrichum falcatum* and *C. acutatum*. *J Microbiol Biotechnol* 18:234-241.
- McClelland, C.M., Chang, Y.C. and Kwon-Chung, K.J. (2005) High frequency transformation of *Cryptococcus neoformans* and *Cryptococcus gattii* by *Agrobacterium tumefaciens*. *Fungal Genet Biol* 42: 904-913.
- McCullen, C.A. and Binns, A.N. (2006) *Agrobacterium tumefaciens* and plant cell interactions and activities required for interkingdom macromolecular transfer. *Annu Rev Cell Dev Biol* 22:101-127.
- Meneghini, M.D., Wu, M. and Madhani H.D. (2003) Conserved histone variant H2A.Z protects euchromatin from the ectopic spread of silent heterochromatin. *Cell* 112:725-736.
- Meyer, A.D., Ichikawa, T. and Meins, F.J. (1995) Horizontal gene transfer: regulated expression of a tobacco homologue of the *Agrobacterium rhizogenes* rolC gene. *Mol Gen Genet* 249:265-273.
- Meyer, V., Mueller, D., Strowig, T. and Stahl, U. (2003) Comparison of different transformation methods for *Aspergillus giganteus*. *Curr Genet* 43:371–377.
- Michielse, C.B., Ram, A. F.J., Hooykaas, P.J. and van den Hondel, C.A.M.J.J. (2004a) *Agrobacterium*-mediated transformation of *Aspergillus awamori* in the absence of full length VirD2, VirC2 or VirE2 leads to insertion of aberrant T-DNA structures. *J Bacteriol* 186:2038–2045.
- Michielse, C.B., Ram, A.F.J., Hooykaas, P.J. and van den Hondel, C.A.M.J.J. (2004b) Role of bacterial virulence proteins in *Agrobacterium*-mediated transformation of *Aspergillus awamori*. *Fungal Genet Biol* 45:571–578.
- Michielse, C.B., Salim, K., Ragas, P., Ram, A.F.J., Kudla, B., Jarry, B., Punt, P.J. and van den Hondel, C.A.M.J.J. (2004c) Development of a system for integrative and stable transformation of the zygomycete *Rhizopus oryzae* by *Agrobacterium*-mediated DNA transfer. *Mol Gen Genomics* 271: 499–510.
- Michielse, C.B., Hooykaas, P.J., van den Hondel, C.A.M.J.J. and Ram, A.F.J. (2005) *Agrobacterium*-mediated transformation as a tool for functional genomics in fungi. *Curr Genet* 48:1-17.

- Mikosch, T.S., Lavrijssen, B., Sonnenberg, A.S. and Griensven, L.J. van. (2001) Transformation of the cultivated mushroom *Agaricus bisporus* (Lange) using T-DNA from *Agrobacterium tumefaciens*. *Curr Genet* 39:35–39.
- Mizuguchi, G., Shen, X., Landry, J., Wu, W.H., Sen, S. and Wu, C. (2004) ATP-driven exchange of histone H2AZ variant catalyzed by SWR1 chromatin remodeling complex. *Science* 303:343–348.
- Mogensen, E.G., Challen, M.P. and Strange, R.N. (2006) Reduction in solanapyrone phytotoxin production by *Ascochyta rabiei* transformed with *Agrobacterium tumefaciens*. *FEMS Microbiol Lett* 255:255-261.
- Monfort, A., Cordero, L., Maicas, S. and Polaina, J. (2003) Transformation of *Mucor miehei* results in plasmid deletion and phenotypic instability. *FEMS Microbiol Lett* 224:101–106.
- Mullins, E.D., Chen, X., Romaine, P., Raina, R., Geiser, D.M. and Kang, S. (2001) *Agrobacterium*-mediated transformation of *Fusarium oxysporum*: an efficient tool for insertional mutagenesis and gene transfer. *Phytopathol* 91:173–180.
- Mumberg, D., Müller, R. and Funk, M. (1995) Yeast vectors for the controlled expression of heterologous proteins in different genetic backgrounds. *Gene* 156:119-122.
- Mysore, K. S., Nam, J. and Gelvin, S. B. (2000) An *Arabidopsis* histone H2A mutant is deficient in *Agrobacterium* T-DNA integration. *Proc Natl Acad Sci USA* 97:948-953.
- Nagy, Z. and Tora, L. (2007) Distinct GCN5/PCAF-containing complexes function as co-activators and are involved in transcription factor and global histone acetylation. *Oncogene* 26:5341-57.
- Ninomiya, Y., Suzuki, K., Ishii, C. and Inoue, H. (2004) Highly efficient gene replacements in *Neurospora* strains deficient for nonhomologous end-joining. *Proc Natl Acad Sci USA* 101:12248-53.
- Nyilasi, I., Acs, K., Lukacs, G., Papp, T., Kasza, Z. and Vagvolgyi, C. (2003) *Agrobacterium tumefaciens*-mediated transformation of *Mucor circinelloides*. 1st FEMS Congress Eur Microbiol Ljubljana, Abstracts.
- Nyilasi, I., Papp, T., Csernetics, A. and Vágvolgyi, C. (2008) *Agrobacterium tumefaciens*-mediated transformation of the zygomycete fungus *Beauveria lamprospora*. *J Basic Microbiol* 48:59-64.
- O'Connell, R., Herbert, C., Sreenivasaprasad, S., Khatib, M, Esquerre-Tugaye, M.T. and Dumas, B. (2004) A novel *Arabidopsis*-Colletotrichum pathosystem for the molecular dissection of plant-fungal interactions. *Mol Plant Microbe Interact* 17:272-282.
- Panavas, T. and Nagy P.D. (2003) Yeast as a model host to study replication and recombination of defective interfering RNA of Tomato bushy stunt virus. *Virology* 314:315-325.
- Pantaleo, V., Rubino, L. and Russo, M. (2003) Replication of Carnation Italian ringspot virus defective interfering RNA in *Saccharomyces cerevisiae*. *J Virol* 77:2116-2123.

- Pâques, F. and Haber, J.E. (1999) Multiple pathways of recombination induced by double-strand breaks in *Saccharomyces cerevisiae*. *Microbiol Mol Biol Rev* 63: 349-404.
- Pardo, A.G., Hanif, M., Raudaskoski, M. and Gorfer, M. (2002) Genetic transformation of ectomycorrhizal fungi mediated by *Agrobacterium tumefaciens*. *Mycol Res* 106:132-137.
- Pardo, A.G., Kemppainen, M., Valdemoros, D., Duplessis, S., Martin, F. and Tagu, D. (2005) T-DNA transfer from *Agrobacterium tumefaciens* to the ectomycorrhizal fungus *Pisolithus microcarpus*. *Rev Argent Microbiol* 37:69-72.
- Park, S.M. and Kim, D.K. (2004) Transformation of a filamentous fungus *Cryphonectria parasitica* using *Agrobacterium tumefaciens*. *Biotechnol Bioprocess Eng* 9:217-222.
- Peterson, C.L. and Côté, J. (2004) Cellular machineries for chromosomal DNA repair. *Genes Develop* 18:602-616.
- Pham, H., Ferrari, R., Cokus, S. J., Kurdistani, S. K. and Pellegrini, M. (2007) Modeling the regulatory network of histone acetylation in *Saccharomyces cerevisiae*. *Mol Syst Biol* 3:153.
- Piers, K.L., Heath, J.D., Liang, X., Stephens, K.M. and Nester, E.W. (1996) *Agrobacterium tumefaciens*-mediated transformation of yeast. *Proc Natl Acad Sci* 93:1613-1618.
- Price, B.D., Ahlquist, P. and Ball, L.A. (2002) DNA-directed expression of an animal virus RNA for replication-dependent colony formation in *Saccharomyces cerevisiae*. *J Virol* 76:1610-1616.
- Price, B.D., Eckerle, L.D., Ball, L.A. and Johnson, K.L. (2005) Nodamura virus RNA replication in *Saccharomyces cerevisiae*: heterologous gene expression allows replication-dependent colony formation. *J Virol* 79:495–502.
- Qin, S. and Parthun, M.R. (2002) Histone H3 and the histone acetyltransferase Hat1p contribute to DNA double-strand break repair. *Mol Cell Biol*. 22:8353-8365.
- Qin, S. and Parthun, M.R. (2006) Recruitment of the type B histone acetyltransferase Hat1p to chromatin is linked to DNA double-strand breaks. *Mol Cell Biol*. 26:3649-3658.
- Relić, B., Andjelkovic, M., Rossi, L., Nagamine, Y. and Hohn, B. (1998) Interaction of the DNA modifying proteins VirD1 and VirD2 of *Agrobacterium tumefaciens*: analysis by subcellular localization in mammalian cells. *Proc Natl Acad Sci USA*. 95:9105–9110.
- Rho, H.S., Kang, S. and Lee, Y.H. (2001) *Agrobacterium tumefaciens*-mediated transformation of the plant pathogenic fungus, *Magnaporthe grisea*. *Mol Cells* 12:407-411.
- Risseuw, E., Franke-van Dijk, M.E. and Hooykaas, P.J. (1996) Integration of an insertion-type transferred DNA vector from *Agrobacterium tumefaciens* into the *Saccharomyces cerevisiae* genome by gap repair. *Mol Cell Biol* 16:5924-5932.

- Roberts, R.L., Metz, M., Monks, D.E., Lockwood Mullaney, M., Hall, T. and Nester, E.W. (2003) Purine synthesis and increased *Agrobacterium tumefaciens* transformation of yeast and plants. *Proc Natl Acad Sci USA* 100: 6634-6639.
- Rodriguez-Tovar, A.V., Ruiz-Medrano, R., Herrera-Martinez, A., Barrera-Figueroa, B.E., Hidalgo-Lara, M.E., Reyes-Marquez, B.E., Cabrera-Ponce, J.L., Valdes, M. and Xoconostle-Cazares, B. (2005) Stable genetic transformation of the ectomycorrhizal fungus *Pisolithus tinctorius*. *J Microbiol Methods* 63:45-54.
- Rogers, C.W., Challen, M.P., Green, J.R. and Whipps, J.M. (2004) Use of REMI and *Agrobacterium*-mediated transformation to identify pathogenicity mutants of the biocontrol fungus, *Coniothyrium minitans*. *FEMS Microbiol Lett* 241:207–214.
- Rolland, S., Jobic, C., Fevre, M. and Bruel, C. (2003) *Agrobacterium*-mediated transformation of *Botrytis cinerea*, simple purification of monokaryotic transformants and rapid conidia-based identification of the transfer-DNA host genomic DNA flanking sequences. *Curr Genet* 44:164–171.
- Salman, H., Abu-Arish, A., Oliel, S., Loyter, A., Klafter, J., Granek, R. and Elbaum, M. (2005) Nuclear localization signal peptides induce molecular delivery along microtubules. *Biophys J* 89: 2134-2145.
- Salomon, S. and Puchta, H. (1998) Capture of genomic and T-DNA sequences during double-strand break repair in somatic plant cells. *EMBO J.* 17:6086-6095.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989). *Molecular Cloning - A Laboratory Manual*, 2nd Edition. Cold Spring Harbour Laboratory Press, New York.
- Santiago, T.C. and Mamoun, C.B. (2003) Genome expression analysis in yeast reveals novel transcriptional regulation by inositol and choline and new regulatory functions for Opi1p, Ino2p, and Ino4p. *J Biol Chem* 278:38723-38730.
- Scherens, B. and Goffeau, A. (2004) The uses of genome-wide yeast mutant collections. *Genome Biol.*5:229.
- Schneider, J., Bajwa, P., Johnson, F.C., Bhaumik, S.R. and Shilatifard, A. (2006) Rtt109 is required for proper H3K56 acetylation: a chromatin mark associated with the elongating RNA polymerase II. *J Biol Chem.* 281:37270-4.
- Scholes, D.T., Banerjee, M., Bowen, B. and Curcio, M.J. (2001) Multiple regulators of Ty1 transposition in *Saccharomyces cerevisiae* have conserved roles in genome maintenance. *Genetics* 159:1449-1465.
- Schrammeijer, B., Risseuw, E., Pansegrau, W., Regensburg-Tuïnk, T.J., Crosby, W.L. and Hooykaas, P.J.J. (2001) Interaction of the virulence protein VirF of *Agrobacterium tumefaciens* with plant homologs of the yeast Skp1 protein. *Curr Biol* 11:258-262.
- Schrammeijer, B., Den Dulk-Ras, A., Vergunst, A.C., Jurado Jacome, E. and Hooykaas, P.J.J. (2003) Analysis of Vir protein translocation from *Agrobacterium tumefaciens* using *Saccharomyces cerevisiae* as a model: evidence for transport of a novel effector protein VirE3. *Nucleic Acids Res* 31:860-868.

References

- Serrano, R., Bernal, D., Simon, E. and Arino, J. (2004) Copper and iron are the limiting factors for growth of the yeast *Saccharomyces cerevisiae* in an alkaline environment. *J Biol Chem* 279:19698-19704.
- Shaked, H., Melamed-Bessudo, C. and Levy, A.A. (2005) High-frequency gene targeting in *Arabidopsis* plants expressing the yeast *RAD54* gene. *Proc Natl Acad Sci USA* 102:12265-12269.
- Sherman, F. (1991) Getting started with yeast. *Methods Enzymol* 194:3-21.
- Sherman F, Flink, G.R. and Hicks, J.B. (1986) Laboratory manual for methods in yeast genetics. Cold Spring Harbor Laboratory Press, New York.
- Sikorski, R.S. and Hieter, P. (1989) A system of shuttle vectors and yeast host strains designed for efficient manipulation of DNA in *Saccharomyces cerevisiae*. *Genetics* 122:19-27.
- Slagsvold, T., Pattni, K., Malerød, L. and Stenmark, H. (2006) Endosomal and non-endosomal functions of ESCRT proteins. *Trends Cell Biol* 16:317-326.
- Soltani, J., van Heusden, G.P.H. and Hooykaas, P.J.J. (2008) *Agrobacterium*-mediated transformation of non-plant organisms. In *Agrobacterium: from biology to biotechnology*. pp 649-675. Edited by Tzfira, T. and Citovsky, V. Springer press. New York, USA.
- Steensma, H.Y., Holterman, L., Dekker, I., van Sluis, C.A. and Wenzel, T.J. (1990) Molecular cloning of the gene for the E1 alpha subunit of the pyruvate dehydrogenase complex from *Saccharomyces cerevisiae*. *Eur J Biochem*. 191:769-774.
- Sugui, J.A., Chang, Y.C. and Kwon-Chung, K.J. (2005) *Agrobacterium tumefaciens*-mediated transformation of *Aspergillus fumigatus*: an efficient tool for insertional mutagenesis and targeted gene disruption. *Appl Environ Microbiol* 71:1798-1802.
- Sullivan, T.D., Rooney, P.J. and Klein, B.S. (2002) *Agrobacterium tumefaciens* integrates transfer DNA into single chromosomal sites of dimorphic fungi and yields homokaryotic progeny from multinucleate yeast. *Eukaryot Cell* 1:895-905.
- Sun, C.B., Kong, Q.L. and Xu, W.S. (2002) Efficient transformation of *Penicillium chrysogenum* mediated by *Agrobacterium tumefaciens* LBA4404 for cloning of *Vitreoscilla* hemoglobin gene. *EJB* 5:21-28.
- Suter, B., Auerbach, D. and Stagljar, I. (2006) Yeast-based functional genomics and proteomics technologies: the first 15 years and beyond. *BioTech*. 40:625-648.
- Suzuki, K., Yamashita, I. and Tanaka, N. (2002) Tobacco plants were transformed by *Agrobacterium rhizogenes* infection during their evolution. *Plant J*. 32:775-787.
- Symington, L. S. (2002) Role of RAD52 epistasis group genes in homologous recombination and double-strand break repair. *Microbiol Mol Biol Rev* 66: 630-70
- Takahara, H., Tsuji, G., Kubo, Y., Yamamoto, M., Toyoda, K., Inagaki, Y., Ichinose, Y. and Shiraishi, T. (2004) *Agrobacterium tumefaciens*-mediated transformation as a tool for random mutagenesis of *Colletotrichum trifolii*. *J Gen Plant Pathol* 70:93-96.

- Takahashi, R., Valeika, S.A. and Glass, K.W. (1992) A simple method of plasmid transformation of *E. coli* by rapid freezing. *Biotechniques* 13:711-715.
- Takken, F.L., Van Wijk, R., Michielse, C.B., Houterman, P.M., Ram, A.F. and Cornelissen, B.J. (2004) A one-step method to convert vectors into binary vectors suited for *Agrobacterium*-mediated transformation. *Curr Genet* 45:242-248.
- Talhinhas, P., Muthumeenakshi, S., Neves-Martins, J., Oliveira, H. and Sreenivasaprasad, S. (2008) *Agrobacterium*-mediated transformation and insertional mutagenesis in *Colletotrichum acutatum* for investigating varied pathogenicity lifestyles. *Mol Biotechnol* 39:57-67.
- Tanaka, N., Suzuki, K. and Yamashita, I. (2004) Evidence of horizontal gene transfer from *Agrobacterium rhizogenes* to tobacco plants during the evolutionary process. *Endocytobio Cell Res.* 15:151-162.
- Tanguay, P. and Breuil, C. (2003) Transforming the sapstaining fungus *Ophiostoma piceae* with *Agrobacterium tumefaciens*. *Can J Microbiol* 49:301-304.
- Tao, Y., Rao, P.K., Bhattacharjee, S. and Gelvin, S.B. (2004) Expression of plant protein phosphatase 2C interferes with nuclear import of the *Agrobacterium* T-complex protein VirD2. *Proc Natl Acad Sci USA* 101:5164-5169.
- Tinland, B. (1996) The integration of T-DNA into plant genomes. *Trends Plant Sci* 1: 178-184.
- Tinland, B., Koukolíková-Nicola, Z., Hall, M.N. and Hohn, B. (1992) The T-DNA-linked VirD2 protein contains two distinct functional nuclear localization signals. *Proc Natl Acad Sci USA*. 89:7442-7446.
- Tsuji, G., Fujii, S., Fujihara, N., Hirose, C., Tsuge, S., Shiraishi, T. and Kubo, Y. (2003) *Agrobacterium tumefaciens*-mediated transformation for random insertional mutagenesis in *Colletotrichum lagenarium*. *J Gen Plant Pathol* 69:230-239.
- Turk, S.C., Melchers, L.S., den Dulk-Ras, H., Regensburg-Tuïnk, A.J. and Hooykaas, P.J. (1991) Environmental conditions differentially affect *vir* gene induction in different *Agrobacterium* strains. Role of the VirA sensor protein. *Plant Mol Biol.* 16:1051-1059.
- Tzfira, T., Vaidya, M. and Citovsky, V. (2001) VIP1, an *Arabidopsis* protein that interacts with *Agrobacterium* VirE2, is involved in VirE2 nuclear import and *Agrobacterium* infectivity. *EMBO J* 20:3596-3607.
- Tzfira, T. and Citovsky, V. (2002) Partners-in-infection: host proteins involved in the transformation of plant cells by *Agrobacterium*. *Trends Cell Biol* 12:121-128.
- Tzfira, T., Li, J., Lacroix, B. and Citovsky, V. (2004) *Agrobacterium* T-DNA integration: molecules and models. *Trends Genet* 20:375-83.
- Tzfira, T., Vaidya, M. and Citovsky, V. (2004) Involvement of targeted proteolysis in plant genetic transformation by *Agrobacterium*. *Nature* 431:87-92.

References

- Uetz, P., Giot, L., Cagney, G., Mansfield, T.A., Judson, R.S., Knight, J.R., Lockshon, D., Narayan, V., Srinivasan, M., Pochart, P., *et al.* (2000) A comprehensive analysis of protein-protein interactions in *Saccharomyces cerevisiae*. *Nature* 403:623-627.
- van Attikum, H. (2003) Genetic requirements for the integration of *Agrobacterium* T-DNA in the eukaryotic genome. PhD thesis, 123 pp. Leiden University, Leiden, The Netherlands.
- van Attikum, H., Bundock, P. and Hooykaas, P.J.J. (2001) Non-homologous end-joining proteins are required for *Agrobacterium* T-DNA integration. *EMBO J* 20:6550–6558.
- van Attikum, H., Fritsch, O., Hohn, B. and Gasser, S.M. (2005) Recruitment of the INO80 complex by H2A phosphorylation links ATP-dependent chromatin remodeling with DNA double-strand break repair. *Cell* 119:777-788.
- van Attikum, H. and Hooykaas, P.J.J. (2003) Genetic requirements for the targeted integration of *Agrobacterium* T-DNA in *Saccharomyces cerevisiae*. *Nucleic Acid Res* 31:826–832.
- van Attikum, H. and Gasser, S.M. (2005) The histone code at DNA breaks: a guide to repair? *Nat Rev Mol Cell Biol* 6:757-765.
- van den Eede, G., Aarts, H., Buhk, H.J., Corthier, G., Flint, H.J., Hammes, W., Jacobsen, B., Midtvedt, T., van der Vossen, J., von Wright, A., Wackernagel, W. and Wilcks, A. (2004) The relevance of gene transfer to the safety of food and feed derived from genetically modified (GM) plants. *Food Chem Toxicol* 42:1127-1156.
- van Hemert, M. J., Deelder, A. M., Molenaar, C., Steensma, H. Y. and van Heusden G. P. H. (2003) Self-association of the Spindle Pole Body-related Intermediate Filament Protein Fin1p and Its Phosphorylation-dependent Interaction with 14-3-3 Proteins in Yeast. *J Biol Chem* 278:15049-15055.
- Veena, Jiang, H., Doerge, R.W. and Gelvin, S.B. (2003) Transfer of T-DNA and Vir proteins to plant cells by *Agrobacterium tumefaciens* induces expression of host genes involved in mediating transformation and suppresses host defense gene expression. *Plant J* 35:219-36.
- Venkateswarlu, K. and Nazar, R.N. (1991) Evidence for T-DNA mediated gene targeting to tobacco chloroplasts. *Biotechnol* 9:1103-1105.
- Vergunst, A.C., Schrammeijer, B., Den Dulk, A., Vlaam, C.M.T. de., Regensburg-Tuink, A.J., and Hooykaas, P.J.J. (2000) VirB/D4-dependent protein translocation from *Agrobacterium* into plant cells. *Science* 290:979–982.
- Vergunst, A.C., van Lier, M.C., den Dulk-Ras, A., Stuve, T.A., Ouwehand, A. and Hooykaas, P.J.J. (2005) Positive charge is an important feature of the C-terminal transport signal of the VirB/D4-translocated proteins of *Agrobacterium*. *Proc Natl Acad Sci USA* 102:832-837.
- Vijn, I. and Govers, F. (2003) *Agrobacterium tumefaciens* mediated transformation of the oomycete plant pathogen *Phytophthora infestans*. *Mol Plant Pathol* 4:459–467.

- Villemont, E., Dubois, F., Sangwan, R., Vasseur, G., Bourgeois, Y. and Sangwan-Norreel B.S. (1997) Role of the host cell cycle in the *Agrobacterium*-mediated genetic transformation of *Petunia*: evidence of an S-phase control mechanism for T-DNA transfer. *Biomed Life Sci* 201:160-172.
- Wang, J., Guo, L., Zhang, K., Wu, Q. and Lin, J. (2008) Highly efficient *Agrobacterium*-mediated transformation of *Volvariella volvacea*. *Bioresour Technol* 99:8524-8527.
- Wang, K., Herrera-Estrella, A. and Van Montagu, M. (1990) Overexpression of *virD1* and *virD2* genes in *Agrobacterium tumefaciens* enhances T-complex formation and plant transformation. *J Bacteriol* 172:4432-4440.
- Weld, R.J., Eady, C.C. and Ridgway, H.J. (2006) *Agrobacterium*-mediated transformation of *Sclerotinia sclerotiorum*. *J Microbiol Methods* 65:202-207.
- West, S.C. (2003) Molecular views of recombination proteins and their control. *Nat Rev Mol Cell Biol* 4: 1-11.
- White, D. and Chen, W. (2006) Genetic transformation of *Ascochyta rabiei* using *Agrobacterium*-mediated transformation. *Curr Genet* 49:272-280.
- Wu, J., Carmen, A.A., Kobayashi, R., Suka, N. and Grunstein, M. (2001) HDA2 and HDA3 are related proteins that interact with and are essential for the activity of the yeast histone deacetylase HDA1. *Proc Natl Acad Sci U S A* 98:4391-4396.
- Wurtele, H., Little, K.C. and Chartrand, P. (2003) Illegitimate DNA integration in mammalian cells. *Gene Ther* 10: 1791-9.
- Yang Y.J., and Lee, I. (2008) *Agrobacterium tumefaciens*-mediated Transformation of *Monascus ruber*. *J Microbiol Biotechnol* 18:754-758.
- Yuan, Z.C., Liu, P., Saenkham, P., Kerr, K. and Nester EW. (2008) Transcriptome profiling and functional analysis of *Agrobacterium tumefaciens* reveals a general conserved response to acidic conditions (pH 5.5) and a complex acid-mediated signaling involved in *Agrobacterium*-plant interactions. *J Bacteriol* 190:494-507.
- Xu, F., Zhang, K. and Grunstein, M. (2005) Acetylation in histone H3 globular domain regulates gene expression in yeast. *Cell* 121:375-385.
- Zeilinger S. (2004) Gene disruption in *Trichoderma atroviride* via *Agrobacterium*-mediated transformation. *Curr Genet* 45:54-60.
- Zewail A., Xie M.W., Xing Y., Lin L., Zhang P.F., Zou W., Saxe J.P. and Huang J. (2003) Novel functions of the phosphatidylinositol metabolic pathway discovered by a chemical genomics screen with wortmannin. *Proc Natl Acad Sci USA* 100:3345-3350.
- Zhang, W., Bone, J.R., Edmondson, D.G., Turner, B.M. and Roth S.Y. (1998) Essential and redundant functions of histone acetylation revealed by mutation of target lysines and loss of the Gcn5p acetyltransferase. *EMBO J* 17(11):3155-67
- Zhang, A., Lu, P., Dahl-Roshak, A.M., Paress, P.S., Kennedy, S., Tkacz, J.S. and An, Z. (2003) Efficient disruption of a polyketide synthase gene (*pksI*) required for melanin

- synthesis through *Agrobacterium*-mediated transformation of *Glarea lozoyensis*. Mol Genet Genomics 268:645–655.
- Zhang, P., Xu, B., Wang, Y., Li, Y., Qian, Z., Tang, S., Huan, S. and Ren, S. (2008) *Agrobacterium tumefaciens*-mediated transformation as a tool for insertional mutagenesis in the fungus *Penicillium marneffei*. Mycol Res 112:943-949.
- Zhiming, R., Zheng, M., Wei, S., Huiying, F. and Jian, Z. (2008) Transformation of Industrialized Strain *Candida glycerinogenes* with Resistant Gene zeocin via *Agrobacterium tumefaciens*. Curr Microbiol 57:12-17.
- Zhong, Y.H., Wang, X.L., Wang, T.H. and Jiang, Q. (2007) *Agrobacterium*-mediated transformation (AMT) of *Trichoderma reesei* as an efficient tool for random insertional mutagenesis. Appl Microbiol Biotechnol 73:1348-1354.
- Zhu, J., Oger, P.M., Schrammeijer, B., Hooykaas, P.J., Farrand, S.K. and Winans, S.C. (2000) The bases of crown gall tumorigenesis. J Bacteriol 182: 3885-3895.
- Zhu, Y., Nam J., Carpita, N.C., Matthysse, A.G. and Gelvin, S.B. (2003a) *Agrobacterium*-mediated root transformation is inhibited by mutation of an *Arabidopsis* cellulose synthase-like gene. Plant Physiol 133:1000-1010.
- Zhu, Y., Nam, J., Humara, J.M., Mysore, K.S., Lee, L.Y., Cao, H., Valentine, L., Li, J., Kaiser, A.D., Kopecky, A.L., Hwang, H.H., Bhattacharjee, S., Rao, P.K., Tzfira, T., Rajagopal, J., Yi, H., Veena, Yadav, B.S., Crane, Y.M., Lin, K., Larcher, Y., Gelvin, M.J., Knue, M., Ramos, C., Zhao, X., Davis, S.J., Kim, S.I., Ranjith-Kumar, C.T., Choi, Y.J., Hallan, V.K., Chattopadhyay, S., Sui, X., Ziemienowicz, A., Matthysse, A.G., Citovsky, V., Hohn, B. and Gelvin, S.B. (2003b) Identification of *Arabidopsis* rat mutants. Plant Physiol 132:494-505.
- Ziemienowicz, A., Görlich, D., Lanka, E., Hohn, B. and Rossi, L. (1999) Import of DNA into mammalian nuclei by proteins originating from a plant pathogenic bacterium. Proc Natl Acad Sci USA 96:3729–3733.
- Ziemienowicz, A., Merkle, T., Schoumacher, F., Hohn, B. and Rossi, L. (2001) Import of *Agrobacterium* T-DNA into plant nuclei. Two distinct functions of VirD2 and VirE2 proteins. Plant Cell 13:369–384.
- Zonneveld B. J. M. (1986) Cheap and simple yeast media. J Microbiol Methods 4:287-291.
- Zwiers, L.H. and De Waard, M.A. (2001) Efficient *Agrobacterium tumefaciens*-mediated gene disruption in the phytopathogen *Mycosphaerella graminicola*. Curr Genet 39:388–393.