



Universiteit  
Leiden  
The Netherlands

## **Stratum corneum model membranes : molecular organization in relation to skin barrier function**

Groen, D.

### **Citation**

Groen, D. (2011, October 25). *Stratum corneum model membranes : molecular organization in relation to skin barrier function*. Retrieved from <https://hdl.handle.net/1887/17978>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/17978>

**Note:** To cite this publication please use the final published version (if applicable).

Stratum corneum model membranes:  
molecular organization in relation to  
skin barrier function

The investigations described in this thesis were performed at the division of Drug Delivery Technology of the Leiden/Amsterdam Center for Drug Research (LACDR), Leiden University, Leiden, The Netherlands. The studies described in this thesis were financially supported by a grant from the Technology Foundation (STW, project LGP 7503). The printing of this thesis was financially supported by STW, LACDR and the Leiden University library.

Cover image: Gothic bell tower of the church of St-André in Grenoble, France (1298).

Printed by Wöhrmann Print Service, Zutphen, The Netherlands

# Stratum corneum model membranes: molecular organization in relation to skin barrier function

## **Proefschrift**

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof. mr. P.F. van der Heijden,  
volgens besluit van het College voor Promoties  
te verdedigen op dinsdag 25 oktober 2011  
klokke 15:00

door

**Daniël Groen**  
geboren te Den Haag  
in 1979

## **Promotiecommissie**

Promotor: Prof. Dr. J.A. Bouwstra

Overige leden:  
Prof. Dr. M. Danhof  
Prof. Dr. W. Jiskoot  
Prof. Dr. W.J. Briels  
Prof. Dr. M.J. Lawrence  
Prof. Dr. J.P. Abrahams

## Stellingen

Behorende bij het proefschrift

Stratum corneum model membranes:  
molecular organization in relation to skin barrier function

1. The barrier function of the skin is fundamental to life on dry land. (*D. Attenborough, Life on Earth, Little, Brown and Company, Boston, 1980*)
2. Understanding the permeability barrier function of the skin is important for rational design of transdermal drug delivery systems as well as for our understanding the etiology, and possible treatment, of a range of skin diseases in which barrier function is compromised. (*J.R. Hill and P.W. Wertz, BBA 1616, 2003, p121-126*)
3. The stratum corneum substitute, prepared with synthetic lipids only, closely mimics the stratum corneum lipid organization and can replace human stratum corneum in permeability studies. (*This thesis*)
4. Because of its adjustable lipid composition, the stratum corneum substitute is a suitable model to mimic the lipid organization in stratum corneum of diseased skin. (*This thesis*)
5. Whether an orthorhombic or hexagonal lipid packing is present in stratum corneum, is of less importance for a proper barrier function than the presence of a proper lamellar organization. (*This thesis*)
6. The presence of water is not required to form a proper lipid organization in a lipid model, mimicking that in human stratum corneum.
7. Many papers in the scientific literature on percutaneous absorption represent a complex blend of physicochemical theory and physiological practicalities. (*Brian W. Barry, Dermatological Formulations: Percutaneous Absorption, Marcel Dekker inc, New York, 1983*)
8. If you wish to make an apple pie from scratch, you must first invent the universe. (*Carl Sagan, Cosmos, 1980, p. 218.*)
9. The propositions in a thesis are a rudimentary organ that lost its function many years ago.



## **Table of contents**

<b>Chapter 1</b>	Introduction, aim and outline of this thesis	1
<b>Part I</b>		
<b>Chapter 2</b>	Two new methods for preparing a unique stratum corneum substitute	29
<b>Chapter 3</b>	Is an orthorhombic lateral packing and a proper lamellar organization important for the skin barrier function?	61
<b>Chapter 4</b>	Investigating the barrier function of skin lipid models with varying compositions	91
<b>Part II</b>		
<b>Chapter 5</b>	Model membranes prepared with ceramide EOS, cholesterol and free fatty acids form a very unique lamellar phase	121
<b>Chapter 6</b>	New insights into the stratum corneum lipid organization by x-ray diffraction analysis	151
<b>Chapter 7</b>	Disposition of ceramide in model lipid membranes determined by neutron diffraction	175
<b>Chapter 8</b>	Summary and perspectives	205



