

Boeotian landscapes. A GIS-based study for the reconstruction and interpretation of the archaeological datasets of ancient Boeotia. Farinetti, E.

Citation

Farinetti, E. (2009, December 2). Boeotian landscapes. A GIS-based study for the reconstruction and interpretation of the archaeological datasets of ancient Boeotia. Retrieved from https://hdl.handle.net/1887/14500

Version: Not Applicable (or Unknown)

License: License agreement concerning inclusion of doctoral thesis in the

<u>Institutional Repository of the University of Leiden</u>

Downloaded from: https://hdl.handle.net/1887/14500

Note: To cite this publication please use the final published version (if applicable).

LIST of FIGURES

- **Chapter I.2.2.** The archaeological / cultural datasets and the research methodology.
 - Fig.1 Ancient Boeotia and the *chorai* (ancient *polis* territories).
 - Fig.2 Model of deconstruction and reassessing of the archaeological record.
 - Fig.3 The structure of the database with the logical relationships that link the main tables within it.
 - Fig.4 Modern settlement (*choria*) and roads in Boeotia.
 - Fig.5 Physical routes of ancient Boeotia.

Chapter II.1. The Boeotian landscape: topography and environment.

- Fig.1 Boeotia general map, with main topographical features and physical routes.
- Fig.2 Map showing the distribution of different physiographical classes in Boeotia.
- Fig.3 Map showing the distribution of land capability classes in Boeotia.

Chapter II.2. The Boeotian landscape: state of archaeological research.

- Fig.1 Areas of Boeotia intensively and systematically surveyed.
- Fig.2 Graph illustrating the proportion of components discovered in the whole ancient Boeotian region within different research frameworks.

Chapter II.3.1. Central Helicon: Koroneiake.

- Fig.1 Topographical setting of the *chora* of Koroneia
- Fig.2 Longitudinal section of the *chora* of Koroneia, with the *polis* spur at the end of the Butsurati ridge visible, in front of the flat area at the entrance to the valley.
- Fig.3 Archaeological map of Koroneiake
- Fig.4 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.5 Relationship between components and the modern road network.
- Fig.6 Neolithic map of W Boeotia.
- Fig.7 EH map of W Boeotia.
- Fig.8 MH map of W Boeotia.
- Fig.9 LH map of W Boeotia.
- Fig.10 A digital model of the water fluctuations of Copais lake.
- Fig.11 Map of the main recognised features related to the various attempts at drainage

- of the basin over time (after Knauss et al. Kopais 3).
- Fig.12 Greco-Roman sites along the reconstructed lake edge (see also appendix III).
- Fig.13 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.14 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.2. Northern Helicon: Levadeia.

- Fig.1 Topographical setting of the *chora* of Levadeia.
- Fig.2 A division of the land based on the results of a cost-distance analysis from the *poleis* surrounding the lake.
- Fig.3 Archaeological map of the Levadeia area.
- Fig.4 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.5 Relationship between components and modern road network.
- Fig.6 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.7 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.3. Chaironeia valley: Chaironeiake.

- Fig.1 Topographical setting of the *chora* of Chaironeia
- Fig.2 Archaeological map of the Chaironeiake *chora*.
- Fig.3 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.4 Relationship between components and modern road network.
- Fig.5 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.6 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability

information underlain.

Chapter II.3.4. The Copais area: Orchomenos.

- Fig.1 Topographical setting of the *chora* of Orchomenos
- Fig.2 Archaeological map of the Orchomenos *chora*.
- Fig.3 Graph illustrating the proportion of components discovered in different research frameworks.
- Fig.4 Relationship between components and modern road network.
- Fig.5 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.6 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.5. The Northern mountains of the Copais: Hyettia.

- Fig.1 Topographical setting of the *chora* of Hyettos.
- Fig.2 Archaeological map of the Hyettos *chora*. The box indicates the area intensively and systematically surveyed.
- Fig.3 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.4 Graph illustrating the proportion of components discovered within different research frameworks, including Intensive and Systematic Artefact Surface Survey.
- Fig.5 Relationship between components and modern road network.
- Fig.6 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.7 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.6. The Copais area: Copai and the North-East bay

- Fig.1 Topographical setting of the *chora*.
- Fig.2 Archaeological map of the North-Copais area.
- Fig.3 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.4 Relationship between components and modern road network.
- Fig.5 Classified surface representing the cost-

- weighted distance from recognised 1^{st} and 2^{nd} rank ancient settlements.
- Fig.6 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.7. The Copais area: Akraiphiai.

- Fig.1 Topographical setting of the *chora* of Akraiphia.
- Fig.2 Archaeological map of Akraiphia chora.
- Fig.3 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.4 Relationship between components and modern road network.
- Fig.5 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.6 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.8. The Copais area: Haliartia.

- Fig.1 Topographical setting of the *chora* of Haliartos.
- Fig.2 Archaeological map of Haliartos chora.
- Fig.3 Same as fig.2, but limited to the area area intensively and systematically surveyed, with discovered sites marked.
- Fig.4 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.5 Graph illustrating the proportion of components discovered within different research frameworks, including intensive and systematic artefact surface survey.
- Fig.6 Relationship between components and modern road network.
- Fig.7 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.8 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.9. Eastern Helicon: Thespike.

- Fig.1 Topographical setting of the *chora* of Thespiae
- Fig.2 Archaeological map of Thespiae *chora*.
- Fig.3 Same as fig.2, but limited to the area

- intensively surveyed, with discovered sites marked.
- Fig.4 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.5 Graph illustrating the proportion of components discovered within different research frameworks, including intensive and systematic artefact surface survey.
- Fig.6 Relationship between components and modern road network.
- Fig.7 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.8 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.10. Three small *chorai* to the Gulf of Corinth: Siphai, Thisbe, Chorseiai.

- Fig.1 Topographical setting of the area to the Gulf of Corinth.
- Fig.2 Archaeological map of Gulf of Corinth area.
- Fig.3 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.4 Relationship between components and modern road network.
- Fig.5 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.6 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.11. The upper Asopos basin: Parasopia and Plataea.

- Fig.1 Topographical setting of the Parasopia and Plataea *chora*.
- Fig.2 Archaeological map of Parasopia and Plataea area.
- Fig.3 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.4 Relationship between components and modern road network.
- Fig.5 Neolithic map of E Boeotia.
- Fig.6 EH map of E Boeotia.
- Fig.7 MH map of E Boeotia.
- Fig.8 LH map of E Boeotia.
- Fig.9 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.

Fig.10 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.12. The Theban plain and the area of the lakes: Thebais.

- Fig.1 Topographical setting of the *chora* of Thebes
- Fig.2 Archaeological map of Thebais chora.
- Fig.3 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.4 Relationship between components and modern road network.
- Fig.5 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.6 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.13. The area of Anthedon and the Skroponeri bay: Anthedonia.

- Fig.1 Topographical setting of Anthedon *chora*.
- Fig.2 Archaeological map of Anthedon *chora*.
- Fig.3 Graph illustrating the proportion of components discovered within different research frameworks.
- Fig.4 Relationship between components and modern road network.
- Fig.5 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.
- Fig.6 Map showing the Greco-Roman settlement network, the polygons resulting from the cost-distance analysis and dots representing the known archaeological components, with land capability information underlain.

Chapter II.3.14. The Tanagra plain and Eastern Boeotia.

- Fig.1 Topographical setting of the region.
- Fig.2 Archaeological map of the Tanagrike *chora* (N part).
- Fig.3 Archaeological map of the Tanagrike *chora* (S part).
- Fig.4 Same as fig.3, but limited to the area area intensively and systematically surveyed, with discovered sites marked.
- Fig.5 Graph illustrating the proportion of components discovered within different research frameworks including intensive and systematic artefact surface survey

- (Tanagra survey project).
- Fig.6 Relationship between components and modern road network.
- Fig.7 Classified surface representing the costweighted distance from recognised 1st and 2nd rank ancient settlements.

Chapter II.4. Socio-political and cultural landscapes of ancient Boeotia.

- Fig.1 Koinotites (administrative divisions) and choria (villages) of modern Boeotia.
- Fig.2 Thiessen/Voronoi tessellation (based and on straight-line distance) compared
- Fig.3 with the results of the tessellation of space based on cost-weighted distance from major *poleis*.
- Fig.4 Histogram chart which compares *chorai* and *poleis* extensions.
- Fig.5 Map showing the geometric centres of the *chorai* polygons compared to the location of the major Boeotian *poleis*.
- Fig.6 Classified surface representing the costweighted distance from 1st and 2nd rank nucleated centres. Areas without dots indicate potential settlement chambers.
- Fig.7 5km radius area topographically corrected from *poleis* and 2nd rank settlements compared with the tessellation of space based on costweighted distance from the same points.
- Fig.8 2.5km radius area topographically corrected from *poleis* and 2nd rank settlements compared with the tessellation of space based on costweighted distance from the same points.
- Fig.9 Graph 1: occurrence of F-MF (fertile mid fertile), LF (low-fertile) and U (unsuitable for agriculture) land in the immediate territory (1/2h walking time) of the 1st and 2nd rank settlements. The interested areas (numbered on the x axis of the graph) are marked in the map in fig.10.
 - *Graph* 2: occurrence of 1st and 2nd rank settlement territories with different percentages of F-MF land.
- Fig.10 Ancient 1st and 2nd rank settlement network with ½ hour walking time radius around them.
- Fig.11a Percentage of settlement chambers associated with strong, medium, or low/absent topographical constraints in W and E Boeotia.
- Fig.11b Number of settlement chambers in each *chora* of W and E Boeotia.
- Fig.12 Recurrent occurrences of settlement foci of the main periods considered (Prehistoric, Greco-Roman, Frankish,

- Ottoman, Modern) within recognised Boeotian settlement chambers.
- Fig.13 Occurrence of settlement foci of the main periods considered (Prehistoric, Greco-Roman, Frankish, Ottoman, Modern) within recognised settlement chambers. Comparison between W and E Boeotia.
- Fig.14 Recurrence of settlement foci in the same location in the main periods considered.
- Fig.15 Allocation based on cost-surface from the modern settlements (*choria*).
- Fig.16 Rural sites recognised by the Boeotia Survey Project as in use for the Classical Early Hellenistic period in the area of Haliartos and Thespiae.
- Fig.17 PG and G map of W Boeotia.
- Fig.18 PG and G map of E Boeotia.
- Fig.19 A map of W Boeotia.
- Fig.20 A map of E Boeotia.
- Fig.21 C-H map of W Boeotia.
- Fig.22 C-H map of E Boeotia.
- Fig.23 C-H map of W Boeotia (with the addition of the components generally dated to the Greco-Roman period).
- Fig.24 C-H map of E Boeotia (with the addition of the components generally dated to the Greco-Roman period).
- Fig.25 R map of W Boeotia.
- Fig.26 R map of E Boeotia.
- Fig.27 LR map of W Boeotia.
- Fig.28 LR map of E Boeotia.
- Fig.29 Greco-Roman forts.
- Fig.30 Forts most probably belonging to the mid-late 4th C fortification system.
- Fig.31 Forts precisely located and with most probability belonging to the mid-late 4th C fortification system and viewshed analysis.
- Fig.32 Map showing Greco-Roman temples and sanctuaries and physical routes.