



Universiteit  
Leiden  
The Netherlands

## Tracing the physical and chemical evolution of low-mass protostars

Jørgensen, J.K.

### Citation

Jørgensen, J. K. (2004, October 14). *Tracing the physical and chemical evolution of low-mass protostars*. Retrieved from <https://hdl.handle.net/1887/583>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/583>

**Note:** To cite this publication please use the final published version (if applicable).

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Low-mass star formation . . . . .	1
1.1.1	The evolution of young stellar objects . . . . .	2
1.2	Techniques . . . . .	4
1.2.1	Observations . . . . .	4
1.2.2	Radiative transfer modeling . . . . .	5
1.3	This thesis . . . . .	6
1.3.1	Context . . . . .	6
1.3.2	Outline and conclusions . . . . .	7
1.4	Summary and outlook . . . . .	12
<b>2</b>	<b>Physical structure and CO abundance of low-mass protostellar envelopes</b>	<b>15</b>
2.1	Introduction . . . . .	15
2.2	Data, reduction and calibration . . . . .	18
2.2.1	The sample . . . . .	18
2.2.2	Submillimeter continuum data . . . . .	18
2.2.3	SCUBA observations of L1157 and CB244 . . . . .	20
2.2.4	Line data . . . . .	21
2.3	Continuum modeling . . . . .	23
2.3.1	Input . . . . .	23
2.3.2	Output . . . . .	24
2.3.3	Results . . . . .	26
2.3.4	Individual sources . . . . .	28
2.4	Discussion and comparison . . . . .	34
2.4.1	Power law or not? . . . . .	34
2.4.2	Geometrical effects . . . . .	36
2.4.3	Pre-stellar cores . . . . .	37
2.5	Monte Carlo modeling of CO lines . . . . .	38
2.5.1	Method . . . . .	38
2.5.2	CO abundances . . . . .	39
2.5.3	CO abundance jump or not? . . . . .	46
2.6	Conclusions . . . . .	48

<b>3</b>	<b>Molecular inventories and chemical evolution of low-mass proto-stellar envelopes</b>	<b>51</b>
3.1	Introduction . . . . .	52
3.2	Observations . . . . .	53
3.2.1	Observational details . . . . .	53
3.2.2	Resulting spectra . . . . .	54
3.3	Modeling . . . . .	60
3.3.1	Constant abundances in static models . . . . .	60
3.3.2	Shortcomings of the models; drop abundance profiles . . . . .	69
3.3.3	Effect of velocity field . . . . .	73
3.4	Discussion . . . . .	76
3.4.1	General trends and empirical correlations . . . . .	76
3.4.2	CS and SO . . . . .	80
3.4.3	HCO <sup>+</sup> and N <sub>2</sub> H <sup>+</sup> . . . . .	85
3.4.4	HCN, HNC and CN . . . . .	88
3.4.5	HC <sub>3</sub> N . . . . .	89
3.4.6	Deuterium fractionation . . . . .	94
3.4.7	The pre-stellar cores . . . . .	95
3.4.8	Comparison to other star-forming regions . . . . .	97
3.5	Conclusions . . . . .	98
<b>4</b>	<b>Molecular freeze-out as a tracer of the thermal and dynamical evolution of pre- and protostellar cores</b>	<b>103</b>
4.1	Introduction . . . . .	103
4.2	Model . . . . .	104
4.3	Discussion . . . . .	107
<b>5</b>	<b>The structure of the NGC 1333-IRAS2 protostellar system on 500 AU scales</b>	<b>111</b>
5.1	Introduction . . . . .	111
5.2	Observations . . . . .	114
5.2.1	Interferometer data . . . . .	114
5.2.2	Single-dish data . . . . .	115
5.3	The continuum emission . . . . .	116
5.3.1	A model for the continuum emission . . . . .	117
5.3.2	Parameter dependency of the continuum model . . . . .	119
5.3.3	A collapse model for the continuum emission . . . . .	123
5.4	Line emission . . . . .	126
5.4.1	Morphology . . . . .	126
5.4.2	Envelope contributions to the line emission . . . . .	130
5.5	Velocity structure beyond the envelope . . . . .	132
5.6	Conclusions . . . . .	136

---

<b>6</b>	<b>Imaging chemical differentiation around the low-mass protostar L483-mm</b>	<b>139</b>
6.1	Introduction . . . . .	139
6.2	Observations . . . . .	142
6.3	Continuum emission . . . . .	143
6.4	Line emission . . . . .	146
6.4.1	Morphology . . . . .	146
6.4.2	Velocity field . . . . .	148
6.5	Discussion . . . . .	154
6.5.1	Thermal structure, depletion of CO and resulting chemistry . . . . .	154
6.5.2	UV irradiation of outflow cavity walls . . . . .	159
6.6	Conclusions . . . . .	161
<b>7</b>	<b>On the origin of H<sub>2</sub>CO abundance enhancements in low-mass protostars</b>	<b>165</b>
7.1	Introduction . . . . .	166
7.2	Observations and data reduction . . . . .	167
7.2.1	Interferometer data . . . . .	167
7.2.2	Single-dish data . . . . .	169
7.3	Continuum emission: disk and envelope structure . . . . .	169
7.3.1	L1448-C . . . . .	169
7.3.2	IRAS 16293-2422 . . . . .	172
7.4	H <sub>2</sub> CO emission: morphology and abundance structure . . . . .	177
7.4.1	L1448-C . . . . .	177
7.4.2	IRAS 16293-2422 . . . . .	183
7.5	Origin of the H <sub>2</sub> CO emission . . . . .	193
7.5.1	Envelope and/or outflow emission? . . . . .	193
7.5.2	Photon heating of the envelope? . . . . .	195
7.5.3	Disk emission? . . . . .	195
7.5.4	Predictions for future generation telescopes . . . . .	196
7.6	Conclusions . . . . .	198
<b>8</b>	<b>The impact of shocks on the chemistry of molecular clouds</b>	<b>201</b>
8.1	Introduction . . . . .	202
8.2	Overview of observations . . . . .	204
8.3	Data . . . . .	205
8.3.1	Interferometry . . . . .	205
8.3.2	Single-dish . . . . .	207
8.3.3	Qualitative scenario . . . . .	211
8.4	Analysis . . . . .	214
8.4.1	Line intensities . . . . .	214
8.4.2	Tying interferometry and single-dish observations together . . . . .	214
8.4.3	Statistical equilibrium calculations . . . . .	216
8.5	Discussion . . . . .	221

8.5.1	Comparison to other protostellar outflows and envelopes . . . . .	221
8.5.2	Dynamical time scales . . . . .	222
8.5.3	Chemical evolution . . . . .	224
8.6	Conclusions . . . . .	227
<b>9</b>	<b>Passive heating vs. shocks in protostellar environments</b>	<b>229</b>
9.1	Introduction . . . . .	230
9.2	Observations . . . . .	231
9.2.1	General issues . . . . .	231
9.2.2	H <sub>2</sub> CO . . . . .	232
9.2.3	CH <sub>3</sub> OH . . . . .	232
9.2.4	CH <sub>3</sub> CN and other species . . . . .	235
9.3	Modeling . . . . .	236
9.3.1	H <sub>2</sub> CO . . . . .	236
9.3.2	CH <sub>3</sub> OH, CH <sub>3</sub> CN and CH <sub>3</sub> OCH <sub>3</sub> . . . . .	247
9.4	Discussion . . . . .	252
9.4.1	Hot core vs. outflow . . . . .	252
9.4.2	Comparison with IRAS 16293-2422 . . . . .	254
9.4.3	High excitation CS and HDO lines as dense gas probes . . . . .	254
9.5	Conclusions . . . . .	256
<b>10</b>	<b>Constraining the inner regions of protostellar envelopes through mid-infrared observations</b>	<b>259</b>
10.1	Introduction . . . . .	259
10.2	Sources and observations . . . . .	260
10.3	Models . . . . .	261
10.4	Applications . . . . .	266
10.5	Conclusions . . . . .	268
	<b>References</b>	<b>270</b>
	<b>Nederlandse Samenvatting</b>	<b>283</b>
	<b>Curriculum Vitae</b>	<b>287</b>
	<b>Acknowledgements</b>	<b>291</b>