



Universiteit
Leiden
The Netherlands

Molecular fingerprints of star formation throughout the Universe : a space-based infrared study

Lahuis, F.

Citation

Lahuis, F. (2007, May 9). *Molecular fingerprints of star formation throughout the Universe : a space-based infrared study*. Retrieved from <https://hdl.handle.net/1887/11950>

Version: Corrected Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/11950>

Note: To cite this publication please use the final published version (if applicable).

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 1 |
| 1.1 | Star formation | 4 |
| 1.1.1 | Low-mass star formation | 4 |
| 1.1.2 | High-mass star formation | 5 |
| 1.1.3 | Ultraluminous infrared galaxies | 6 |
| 1.2 | Infrared spectroscopic data | 7 |
| 1.3 | Infrared space instruments | 8 |
| 1.4 | Physicochemical properties | 9 |
| 1.4.1 | Hot dense regions | 10 |
| 1.4.2 | High temperature chemistry | 11 |
| 1.5 | Outline of this thesis | 11 |
| 2 | ISO-SWS Signal Capture | 13 |
| 2.1 | Introduction | 14 |
| 2.2 | SWS detectors and detector read-out | 14 |
| 2.2.1 | Detectors artifacts | 14 |
| 2.2.2 | Reset of 24 Hz read-out signal | 16 |
| 2.2.3 | Read-out electronics | 16 |
| 2.2.4 | System noise | 17 |
| 2.3 | Calibration and data reduction | 17 |
| 2.4 | Deglitching of SWS low resolution data | 19 |
| 2.5 | Requirements | 21 |
| 2.5.1 | SWS glitch detection | 22 |
| 2.5.2 | Correcting the ramp derivative | 22 |
| 2.5.3 | Slope fitting | 23 |
| 2.5.4 | Deglitching results | 23 |
| 2.6 | Conclusions | 24 |
| 3 | From Molecular Cores to Planet Forming Disks – a c2d data legacy – | 25 |
| 3.1 | Introduction | 26 |
| 3.2 | Reduction of IRS pointed observations | 29 |
| 3.2.1 | Bad/hot pixels | 29 |
| 3.2.2 | Spectral extraction | 31 |
| 3.2.3 | The IRS cross dispersion PSF | 33 |
| 3.2.4 | Spectral Response Function (SRF) | 34 |
| 3.2.5 | Error propagation | 35 |
| 3.2.6 | Defringing | 36 |
| 3.2.7 | Order matching | 37 |

| | | |
|----------|--|-----------|
| 3.3 | Data products of IRS pointed observations | 38 |
| 3.3.1 | IRS c2d products | 38 |
| 3.3.2 | Source parameters | 39 |
| 3.3.3 | Extended emission | 40 |
| 3.3.4 | Final source spectrum | 41 |
| 3.3.5 | IRS artifacts | 44 |
| 3.3.6 | Spikes | 44 |
| 3.3.7 | Edge effects | 45 |
| 3.3.8 | Module mismatches | 46 |
| 3.3.9 | Spectral features | 46 |
| 3.4 | Summary | 50 |
| 4 | ISO-SWS Spectroscopy of Gas-Phase C₂H₂ and HCN Toward Massive Young Stellar Objects | 53 |
| 4.1 | Introduction | 54 |
| 4.2 | Observations and data reduction | 56 |
| 4.2.1 | Observations and sources | 56 |
| 4.2.2 | Data reduction | 56 |
| 4.3 | Model spectra and fits | 58 |
| 4.3.1 | Synthetic spectra | 59 |
| 4.3.2 | Hot bands | 61 |
| 4.3.3 | Model fits | 62 |
| 4.4 | Results | 63 |
| 4.4.1 | AFGL 2591 | 67 |
| 4.4.2 | AFGL 2136 | 67 |
| 4.4.3 | AFGL 4176 | 67 |
| 4.4.4 | W 33 A | 68 |
| 4.4.5 | W 3 IRS 5 | 68 |
| 4.4.6 | NGC 7538 IRS 1 and IRS 9 | 68 |
| 4.4.7 | Other sources | 68 |
| 4.5 | Discussion | 69 |
| 4.5.1 | Excitation temperature | 69 |
| 4.5.2 | Column densities and abundances | 71 |
| 4.5.3 | Chemistry | 73 |
| 4.6 | Conclusions | 74 |
| 5 | c2d <i>Spitzer</i> IRS Spectra of Disks around T Tauri Stars | |
| | III. [Ne II] and H₂ gas-phase lines | 75 |
| 5.1 | Introduction | 76 |
| 5.2 | Observations | 79 |
| 5.2.1 | Source selection | 79 |
| 5.2.2 | SH mini maps | 79 |
| 5.3 | Data reduction | 80 |
| 5.3.1 | Separating disk and cloud emission – optimal extraction | 80 |
| 5.3.2 | 1-D spectra | 81 |
| 5.3.3 | Spectral analysis | 82 |

| | | |
|----------|--|------------|
| 5.4 | Results | 82 |
| 5.4.1 | Atomic fine-structure lines: Neon | 82 |
| 5.4.2 | Atomic fine-structure lines: Other species | 84 |
| 5.4.3 | Molecular hydrogen | 84 |
| 5.4.4 | Correlations | 87 |
| 5.5 | Discussion | 88 |
| 5.5.1 | [Ne II] | 88 |
| 5.5.2 | [Fe I] and [Si] | 91 |
| 5.5.3 | Molecular hydrogen | 91 |
| 5.6 | Conclusions | 93 |
| 6 | c2d <i>Spitzer</i> IRS Spectra of Embedded Protostars: Gas-phase Lines | 103 |
| 6.1 | Introduction | 104 |
| 6.2 | Observations and data reduction | 105 |
| 6.3 | Results | 107 |
| 6.3.1 | Atomic fine-structure lines | 107 |
| 6.3.2 | Molecular hydrogen | 107 |
| 6.3.3 | Correlations | 110 |
| 6.4 | Discussion | 110 |
| 6.4.1 | Extended emission | 112 |
| 6.4.2 | Spatially unresolved emission | 112 |
| 6.4.3 | Hot H ₂ | 114 |
| 6.5 | Conclusions | 115 |
| 7 | Hot Organic Molecules Toward a Young Low-mass Star: a Look at Inner Disk Chemistry | 125 |
| 7.1 | Introduction | 126 |
| 7.2 | Observations | 127 |
| 7.3 | Analysis | 128 |
| 7.4 | Discussion | 130 |
| 8 | Infrared Molecular Starburst Fingerprints in Deeply Obscured (Ultra)Luminous Infrared Galaxy Nuclei | 133 |
| 8.1 | Introduction | 134 |
| 8.2 | Observations | 135 |
| 8.3 | Analysis | 137 |
| 8.3.1 | Molecular analysis | 137 |
| 8.3.2 | Fit results | 138 |
| 8.3.3 | Abundances | 139 |
| 8.3.4 | Gas temperature | 140 |
| 8.4 | Discussion | 142 |
| 8.4.1 | Warm molecular gas in (U)LIRGs | 142 |
| 8.4.2 | AGN activity and X-ray-driven chemistry | 142 |
| 8.4.3 | Static hot-core chemistry | 144 |
| 8.4.4 | Pressure confined starburst chemistry | 144 |
| 8.5 | Summary | 145 |

| | |
|------------------------------------|------------|
| Bibliography | 147 |
| Nederlandse Samenvatting | 155 |
| Curriculum Vitae | 161 |
| Papers in Refereed Journals | 162 |
| Nawoord | 163 |