

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/19055> holds various files of this Leiden University dissertation.

Author: Talamo, Sahra

Title: Refining ^{14}C dating of bone >30,000 BP : establishing an accurate chronology for the Middle to Upper Palaeolithic transition in France

Date: 2012-06-06

**Refining ^{14}C dating of bone >30,000 BP:
Establishing an accurate chronology for the
Middle to Upper Palaeolithic transition in
France.**

Proefschrift

ter verkrijging van de graad van Doctor
aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. P.F. van der Heijden,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 6 Juni 2012
klokke 16.15 uur

door

Sahra Talamo

Geboren in 1974

te Taranto, Italy

Promotiecommissie

Promotores:

Prof. Jean-Jacques Hublin

Prof. Mike Richards

Overige Leden:

Dr. Shannon Mc Pherron

Prof. dr. Wil Roebroeks

Prof. dr. ir. Hans Van der Plicht

Dr. Alexander Verpoorte

Dit proefschrift is mede mogelijk gemaakt door *Max Planck Gesellschaft*.

“Love and marriage, they go together like a horse and carriage ... You can't have one without the other ... Try, try, try to separate them, it's an illusion...” Frank Sinatra “Love and Marriage” 1955

To my daughter Olivia

Table of Contents

<i>Table of Figures</i>	8
<i>Index of Tables</i>	10
<i>Abstract</i>	12
<i>1. Introduction</i>	14
<i>2.1 History and the present state of radiocarbon calibration</i>	18
<i>2.2 ^{14}C Dating</i>	25
<i>2.3 Fractionation</i>	27
<i>2.4 Calibration</i>	27
<i>2.5 Measurement techniques</i>	28
<i>2.5.1 Requirements for AMS</i>	29
<i>2.5.2 Advantages & disadvantages</i>	30
<i>2.6 Standard, background and error</i>	31
<i>3 Bone dating background</i>	32
<i>4 Establishing ^{14}C dating at MPI-EVA</i>	36
<i>4.1 Database entry</i>	36
<i>4.2 Pulverisation of bone</i>	37
<i>4.3 Decalcification</i>	37
<i>4.4 Removal of humics</i>	37
<i>4.5 Gelatinization</i>	38
<i>4.6 Cleaning of the filters and checking for the removal of contamination</i>	38
<i>4.7 Ultrafiltration</i>	38
<i>4.8 Freeze-drying</i>	38

4.1 Graphitization steps.....	41
4.1.1 Loading collagen into tin caps	42
4.1.2 Combustion in Elemental Analyser (EA).....	42
4.1.3 Determination of carbon yield and C:N ratio	43
4.1.4 Determination of $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ in a mass spectrometer	44
4.1.5 Cleaning the CO_2 gas containers and conditioning of the iron catalyst	46
4.1.6 Collection of CO_2 in the rigs.....	46
4.1.7 Conversion of CO_2 into graphite in the graphitizer.....	48
4.1.8 Check of the graphitization parameters	48
4.1.9 Preparation of blank samples	49
4.1.10 Preparation of shipment to an AMS facility and submission.....	49
5. Debates over Palaeolithic chronology – the reliability of ^{14}C is confirmed.....	52
6. A comparison of bone pretreatment methods for AMS dating of samples >30.000 BP.....	62
7. A Radiocarbon chronology for the complete Middle to Upper Paleolithic transitional sequence of Les Cottés (France)	72
8. Conclusion and Future work.....	84
9. References.....	88
Acknowledgments.....	94
Samenvatting	96
Summary.....	102
Curriculum Vitae	106
Publications.....	109

Table of Figures

Figure		Page
2.1	<i>Difference between the calibration data curves IntCal04 and IntCal09 in the interval 10,000 to 26,000 cal BP. The shifts are mainly caused by the change of the Cariaco time scale to the Hulu Cave U/Th time scale</i>	22
2.2	<i>Detailed view of the new calibration dataset IntCal09, including the original datasets from which IntCal09 was calculated.</i>	23-25
2.3	<i>Schematic representation of the carbon cycle and the production of ^{14}C, main carbon reservoirs are deep ocean (blue), surface ocean mixed layer (light blue), atmosphere and biosphere</i>	27
2.4	<i>Schematic representation of an AMS system</i>	31
3.1	<i>Bone composition mineral, crystalline carbonate–hydroxylapatite inorganic phase 60-70 wt%, proteins, the organic fraction 20-30 wt% and circa 10% of water</i>	33
4.1	<i>Entry page of the database at MPI</i>	38
4.2	<i>Lab protocol with all the procedures made during the pretreatment</i>	41
4.3	<i>Input of the lab protocol of the pretreatment and calculation of the % collagen</i>	42
4.4	<i>Elements of the graphitization: combustion in the EA (middle), $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ determination in the mass spectrometer (right) and the graphitizer (left)</i>	43
4.5	<i>Protocol of the elemental analyser. The peaks represent the separation of C (CO_2) and N</i>	44
4.6	<i>Input of isotope data into the database</i>	45
4.7	<i>Output page of the mass spectrometer for $\delta^{13}\text{C}$</i>	46
4.8	<i>CO_2 gas container (rig) filled with iron catalyst</i>	47
4.9	<i>Graphitization system manufacture by the Oxford laboratory</i>	48
4.10	<i>Reduction of CO_2 to graphite using iron as catalyst in an oven (top section); water vapour is removed by immersing the vertical finger of the rig into a cooling bath (left and right section)</i>	49
4.11	<i>Input of graphitization parameters into the database</i>	50
4.12	<i>Table of shipment and dating results of a sample</i>	51
4.13	<i>Input of data as reported by the AMS facility</i>	51
4.14	<i>Example of a summary sheet of an archaeological site (Les Cottés)</i>	52
1 Chap.5	<i>^{14}C calibration data in the interval 30,000 to 45,000 cal BP, Cariaco (light blue), Corals (orange dark green, red), Iberian margin marine sediments (pink)</i>	57
6.1	<i>Mammoth rib sample involved in this work</i>	63

Table of Figures

6.2	<i>Bison sample involved in this work</i>	63
1 Chap.6	<i>^{14}C ages of mammoth bone obtained from methods A to D</i>	68
2 Chap.6	<i>^{14}C ages of bison bone obtained from methods A to D</i>	69
1 Chap.7	<i>Map of Les Cottés and of Châtelperronian as well as Protoaurignacian sites in France and north of Spain (map drawn by Soressi and Roussel)</i>	76
2 Chap.7	<i>Top pane: distribution of all archaeological finds on a plan view of numbered lithics and bones. Cultural phases are indicated by color (see legend). Bottom pane: section view of excavation, samples selected are marked in red</i>	77
3 Chap.7	<i>Radiocarbon ages of the weighted means of Les Cottés. The dates are arranged according to the archaeological layer; within each layer they are sorted by depth. The bars indicate 1σ error. The asterisks indicate the outliers for the Bayesian analysis</i>	80
4 Chap.7	<i>Bayesian model build using OxCal 4.1 and IntCal09 from the radiocarbon weighted means of Les Cottés. CP=Carnivore Presence, CM= Cut Marks and HM= Human Modification (Retouchoir)</i>	81
5 Chap.7	<i>Temporal relation of the archaeological phases of Les Cottés compared to the rapid climate changes as defined by several climate archives in the northern hemisphere</i>	82

Index of Tables

Table		Page
3.I	<i>Series of experiments where I have added 10 microgram of either modern or ^{14}C free carbon to 1 mg of the original carbon deriving from different time periods</i>	34
3.II	<i>Typical values for animal bone collagen, taken from Strydonck et al. (2004)</i>	35
4.I	<i>Example of a determination of stable isotope ^{13}C and ^{15}N for the reference material of Nylon 66</i>	46
1 Chap.6	<i>Pretreatment steps for all 3 methods</i>	67
2 Chap.6	<i>Atomic C:N ratio and stable isotope analysis of collagen from the mammoth (S-EVA 2000) and bison (S-EVA 2001) bones. The collagen was prepared according to methods A-C. For $\delta^{13}\text{C}$ the standard is VPDB, for $\delta^{15}\text{N}$ the standard used is IAEA N1 and N2. Typical analytical precision is 0.01‰ for $\delta^{13}\text{C}$ and 0,2 ‰ for $\delta^{15}\text{N}$</i>	67
3a Chap.6	<i>^{14}C results of mammoth samples prepared using methods A to D. Missing values were not reported. The $\delta^{13}\text{C}$ reported is derived from AMS sample combustion procedure. OxA-V indicates that the material was combusted and graphitised/dated in Oxford, but the chemical pretreatment of the bone was done at MPI. (a) indicates split collagen (b) $\delta^{13}\text{C}$ AMS (c) No ultrafiltration step</i>	68
3b Chap.6	<i>^{14}C results of bison samples prepared using methods A to D. Missing values were not reported. The $\delta^{13}\text{C}$ reported is derived from AMS sample combustion procedure. OxA-V indicates that the material was combusted and graphitised/dated in Oxford, but the chemical pretreatment of the bone was done at MPI. (a) indicates split collagen (b) $\delta^{13}\text{C}$ AMS (c) No ultrafiltration step</i>	69
1 Chap.7	<i>Radiometric ^{14}C ages of Les Cottés obtained between 1965 and 1985 (Evin, et al., 1985, Pradel, 1967, Vogel and Waterbolk, 1967)</i>	76
2 Chap.7	<i>Cultural attribution of the different stratigraphical units (major units are in bold font)</i>	77
3 Chap.7	<i>Isotopic data, %Collagen, %C and %N and C:N for the samples taken during the 2007 and 2008 field campaigns. Radiocarbon results of Les Cottés: CPh= Culture phases, EA=Early Aurignacian, PA= Proto Aurignacian, C=Châtelperronian and M=Mousterian. (a) bone with cut marks, (b) retouchoir, (c) digested bone, (d) carnivore bite marks</i>	78
4 Chap.7	<i>Combined radiocarbon results of Les Cottés: (a) standard deviation of the aliquot. CPh= Culture phases EA=Early Aurignacian; PA= Protoaurignacian; CP=Châtelperronian; M=Mousterian</i>	79

