



Universiteit
Leiden
The Netherlands

Memory function after stress : the effects of acute stress and cortisol on memory and the inhibition of emotional distraction

Oei, N.Y.L.

Citation

Oei, N. Y. L. (2010, November 18). *Memory function after stress : the effects of acute stress and cortisol on memory and the inhibition of emotional distraction*. Retrieved from <https://hdl.handle.net/1887/16156>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/16156>

Note: To cite this publication please use the final published version (if applicable).

Reference List

- Abercrombie, H. C., Kalin, N. H., & Davidson, R. J. (2005). Acute cortisol elevations cause heightened arousal ratings of objectively nonarousing stimuli. *Emotion, 5*, 354-359.
- Abercrombie, H. C., Kalin, N. H., Thurow, M. E., Rosenkranz, M. A., & Davidson, R. J. (2003). Cortisol variation in humans affects memory for emotionally laden and neutral information. *Behavioral Neuroscience, 117*, 505-516.
- Abercrombie, H. C., Speck, N. S., & Monticelli, R. M. (2006). Endogenous cortisol elevations are related to memory facilitation only in individuals who are emotionally aroused. *Psychoneuroendocrinology, 31*, 187-196.
- Achim, A. M. & Lepage, M. (2005). Dorsolateral prefrontal cortex involvement in memory post-retrieval monitoring revealed in both item and associative recognition tests. *NeuroImage, 24*, 1113-1121.
- Ackerman, P. L., Beier, M. E., & Boyle, M. O. (2002). Individual differences in working memory within a nomological network of cognitive and perceptual speed abilities. *Journal of Experimental Psychology: General, 131*, 567-589.
- Aerni, A., Traber, R., Hock, C., Roozendaal, B., Schelling, G., Papassotiropoulos, A. et al. (2004). Low-dose cortisol for symptoms of posttraumatic stress disorder. *American Journal of Psychiatry, 161*, 1488-1490.
- Anticevic, A., Repovs, G., & Barch, D. M. (2010). Resisting emotional interference: brain regions facilitating working memory performance during negative distraction. *Cognitive, Affective and Behavioral Neuroscience, 10*, 159-173.
- Arnsten, A. F. (1997). Catecholamine regulation of the prefrontal cortex. *Journal of Psychopharmacology, 11*, 151-162.
- Arnsten, A. F. (2000). Stress impairs prefrontal cortical function in rats and monkeys: role of dopamine D1 and norepinephrine alpha-1 receptor mechanisms. *Progress in Brain Research, 126*, 183-192.
- Arnsten, A. F. (2007). Catecholamine and second messenger influences on prefrontal cortical networks of "representational knowledge": a rational bridge between genetics and the symptoms of mental illness. *Cerebral Cortex, 17 Suppl 1*, i6-15.

Arnsten, A. F. (2009). Stress signalling pathways that impair prefrontal cortex structure and function. *Nature Reviews Neuroscience*, *10*, 410-422.

Arnsten, A. F. & Goldman-Rakic, P. S. (1998). Noise stress impairs prefrontal cortical cognitive function in monkeys: evidence for a hyperdopaminergic mechanism. *Archives of General Psychiatry*, *55*, 362-368.

Arnsten, A. F. & Li, B. M. (2005). Neurobiology of executive functions: catecholamine influences on prefrontal cortical functions. *Biological Psychiatry*, *57*, 1377-1384.

Arnsten, A. F., Mathew, R., Ubriani, R., Taylor, J. R., & Li, B. M. (1999). Alpha-1 noradrenergic receptor stimulation impairs prefrontal cortical cognitive function. *Biological Psychiatry*, *45*, 26-31.

Aron, A. R. (2007). The neural basis of inhibition in cognitive control. *The Neuroscientist : a review journal bringing neurobiology, neurology and psychiatry*, *13*, 214-228.

Aron, A. R., Robbins, T. W., & Poldrack, R. A. (2004). Inhibition and the right inferior frontal cortex. *Trends in Cognitive Sciences*, *8*, 170-177.

Arrindell, W. A. & Ettema, J. H. M. (1986). *SCL-90. Handleiding bij een multidimensionele psychopathologie-indicator*. Lisse: Swets & Zeitlinger B.V.

Axmacher, N., Elger, C. E., & Fell, J. (2009). Working memory-related hippocampal deactivation interferes with long-term memory formation. *Journal of Neuroscience*, *29*, 1052-1060.

Axmacher, N., Mormann, F., Fernandez, G., Cohen, M. X., Elger, C. E., & Fell, J. (2007). Sustained neural activity patterns during working memory in the human medial temporal lobe. *Journal of Neuroscience*, *27*, 7807-7816.

Axmacher, N., Schmitz, D. P., Wagner, T., Elger, C. E., & Fell, J. (2008). Interactions between medial temporal lobe, prefrontal cortex, and inferior temporal regions during visual working memory: a combined intracranial EEG and functional magnetic resonance imaging study. *Journal of Neuroscience*, *28*, 7304-7312.

Baddeley, A. & Della, S. S. (1996). Working memory and executive control. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences*, *351*, 1397-1403.

- Beckham, J. C., Crawford, A. L., & Feldman, M. E. (1998). Trail making test performance in Vietnam combat veterans with and without posttraumatic stress disorder. *Journal of Traumatic Stress, 11*, 811-819.
- Beckmann, C. F., Jenkinson, M., & Smith, S. M. (2003). General multilevel linear modeling for group analysis in fMRI. *NeuroImage, 20*, 1052-1063.
- Berridge, C. W. (2008). Noradrenergic modulation of arousal. *Brain Research: Brain Research Reviews, 58*, 1-17.
- Berridge, C. W. & Waterhouse, B. D. (2003). The locus coeruleus-noradrenergic system: modulation of behavioral state and state-dependent cognitive processes. *Brain Research: Brain Research Reviews, 42*, 33-84.
- Birnbaum, S., Gobeske, K. T., Auerbach, J., Taylor, J. R., & Arnsten, A. F. (1999). A role for norepinephrine in stress-induced cognitive deficits: alpha-1-adrenoceptor mediation in the prefrontal cortex. *Biological Psychiatry, 46*, 1266-1274.
- Blair, K. S., Smith, B. W., Mitchell, D. G., Morton, J., Vythilingam, M., Pessoa, L. et al. (2007). Modulation of emotion by cognition and cognition by emotion. *NeuroImage, 35*, 430-440.
- Bouma, E. M., Riese, H., Ormel, J., Verhulst, F. C., & Oldehinkel, A. J. (2009). Adolescents' cortisol responses to awakening and social stress; effects of gender, menstrual phase and oral contraceptives. The TRAILS study. *Psychoneuroendocrinology, 34*, 884-893.
- Bradley, M. M. & Lang, P. J. (1994). Measuring emotion: the Self-Assessment Manikin and the Semantic Differential. *Journal of Behavior Therapy and Experimental Psychiatry, 25*, 49-59.
- Bremner, J. D. (2002). Neuroimaging studies in post-traumatic stress disorder. *Current Psychiatry Reports, 4*, 254-263.
- Bremner, J. D. (2006). Stress and brain atrophy. *CNS & Neurological Disorders Drug Targets, 5*, 503-512.
- Bremner, J. D., Krystal, J. H., Southwick, S. M., & Charney, D. S. (1996). Noradrenergic mechanisms in stress and anxiety: II. Clinical studies. *Synapse, 23*, 39-51.

Bremner, J. D. & Narayan, M. (1998). The effects of stress on memory and the hippocampus throughout the life cycle: implications for childhood development and aging. *Development and psychopathology*, 10, 871-885.

Bremner, J. D., Vythilingam, M., Vermetten, E., Afzal, N., Nazeer, A., Newcomer, J. W. et al. (2004a). Effects of dexamethasone on declarative memory function in posttraumatic stress disorder. *Psychiatry Research*, 129, 1-10.

Bremner, J. D., Vythilingam, M., Vermetten, E., Anderson, G., Newcomer, J. W., & Charney, D. S. (2004b). Effects of glucocorticoids on declarative memory function in major depression. *Biological Psychiatry*, 55, 811-815.

Brewin, C. R. & Smart, L. (2005). Working memory capacity and suppression of intrusive thoughts. *Journal of Behavior Therapy and Experimental Psychiatry*, 36, 61-68.

Brown, M. W. & Aggleton, J. P. (2001). Recognition memory: what are the roles of the perirhinal cortex and hippocampus? *Nature Reviews Neuroscience*, 2, 51-61.

Brunet, A., Orr, S. P., Tremblay, J., Robertson, K., Nader, K., & Pitman, R. K. (2008). Effect of post-retrieval propranolol on psychophysiologic responding during subsequent script-driven traumatic imagery in post-traumatic stress disorder. *Journal of Psychiatric Research*, 42, 503-506.

Buchanan, T. W., Brechtel, A., Sollers, J. J., & Lovallo, W. R. (2001). Exogenous cortisol exerts effects on the startle reflex independent of emotional modulation. *Pharmacology, Biochemistry and Behavior*, 68, 203-210.

Buchanan, T. W. & Lovallo, W. R. (2001). Enhanced memory for emotional material following stress-level cortisol treatment in humans. *Psychoneuroendocrinology*, 26, 307-317.

Buchanan, T. W., Tranel, D., & Adolphs, R. (2006). Impaired memory retrieval correlates with individual differences in cortisol response but not autonomic response. *Learning and Memory*, 13, 382-387.

Buckner, R. L. & Wheeler, M. E. (2001). The cognitive neuroscience of remembering. *Nature Reviews Neuroscience*, 2, 624-634.

Bunge, S. A., Ochsner, K. N., Desmond, J. E., Glover, G. H., & Gabrieli, J. D. (2001). Prefrontal regions involved in keeping information in and out of mind. *Brain*, 124, 2074-2086.

- Buss, C., Wolf, O. T., Witt, J., & Hellhammer, D. H. (2004). Autobiographic memory impairment following acute cortisol administration. *Psychoneuroendocrinology*, *29*, 1093-1096.
- Cabeza, R., Dolcos, F., Graham, R., & Nyberg, L. (2002). Similarities and differences in the neural correlates of episodic memory retrieval and working memory. *NeuroImage*, *16*, 317-330.
- Cabeza, R., Dolcos, F., Prince, S. E., Rice, H. J., Weissman, D. H., & Nyberg, L. (2003). Attention-related activity during episodic memory retrieval: a cross-function fMRI study. *Neuropsychologia*, *41*, 390-399.
- Cabeza, R., Locantore, J. K., & Anderson, N. D. (2003). Lateralization of prefrontal activity during episodic memory retrieval: evidence for the production-monitoring hypothesis. *Journal of Cognitive Neuroscience*, *15*, 249-259.
- Cahill, L., Gorski, L., & Le, K. (2003). Enhanced human memory consolidation with post-learning stress: interaction with the degree of arousal at encoding. *Learning and Memory*, *10*, 270-274.
- Cahill, L., Prins, B., Weber, M., & McGaugh, J. L. (1994). Beta-adrenergic activation and memory for emotional events. *Nature*, *371*, 702-704.
- Cahill, L. & van Stegeren, A. H. (2003). Sex-related impairment of memory for emotional events with beta-adrenergic blockade. *Neurobiology of Learning and Memory*, *79*, 81-88.
- Cai, W. H., Blundell, J., Han, J., Greene, R. W., & Powell, C. M. (2006). Postreactivation glucocorticoids impair recall of established fear memory. *Journal of Neuroscience*, *26*, 9560-9566.
- Campo, P., Maestu, F., Capilla, A., Fernandez, S., Fernandez, A., & Ortiz, T. (2005). Activity in human medial temporal lobe associated with encoding process in spatial working memory revealed by magnetoencephalography. *European Journal of Neuroscience*, *21*, 1741-1748.
- Cave, C. B. & Squire, L. R. (1992). Intact verbal and nonverbal short-term memory following damage to the human hippocampus. *Hippocampus*, *2*, 151-163.
- Cerqueira, J. J., Almeida, O. F., & Sousa, N. (2008). The stressed prefrontal cortex. Left? Right! *Brain, behavior, and immunity*, *22*, 630-638.

Cerqueira, J. J., Mailliet, F., Almeida, O. F., Jay, T. M., & Sousa, N. (2007). The prefrontal cortex as a key target of the maladaptive response to stress. *Journal of Neuroscience*, *27*, 2781-2787.

Chamberlain, S. R., Muller, U., Blackwell, A. D., Robbins, T. W., & Sahakian, B. J. (2006). Noradrenergic modulation of working memory and emotional memory in humans. *Psychopharmacology (Berl)*, *188*, 397-407.

Chao, L. L. & Knight, R. T. (1995). Human prefrontal lesions increase distractibility to irrelevant sensory inputs. *Neuroreport*, *6*, 1605-1610.

Chao, L. L. & Knight, R. T. (1998). Contribution of human prefrontal cortex to delay performance. *Journal of Cognitive Neuroscience*, *10*, 167-177.

Clark, C. R., McFarlane, A. C., Morris, P., Weber, D. L., Sonkkilla, C., Shaw, M. et al. (2003). Cerebral function in posttraumatic stress disorder during verbal working memory updating: a positron emission tomography study. *Biological Psychiatry*, *53*, 474-481.

Coluccia, D., Wolf, O. T., Kollias, S., Roozendaal, B., Forster, A., & de Quervain, D. J. F. (2008). Glucocorticoid Therapy-Induced Memory Deficits: Acute versus Chronic Effects. *Journal of Neuroscience*, *28*, 3474-3478.

Corbin, L. & Marquer, J. (2008). Effect of a simple experimental control: The recall constraint in Sternberg's memory scanning task. *The European Journal of Cognitive Psychology*, *20*, 913-935.

Cunningham-Bussel, A. C., Root, J. C., Butler, T., Tuescher, O., Pan, H., Epstein, J. et al. (2009). Diurnal cortisol amplitude and fronto-limbic activity in response to stressful stimuli. *Psychoneuroendocrinology*, *34*, 694-704.

Curtis, C. E. & D'Esposito, M. (2003). Persistent activity in the prefrontal cortex during working memory. *Trends in Cognitive Sciences*, *7*, 415-423.

D'Esposito, M., Cooney, J. W., Gazzaley, A., Gibbs, S. E., & Postle, B. R. (2006). Is the prefrontal cortex necessary for delay task performance? Evidence from lesion and fMRI data. *Journal of the International Neuropsychological Society*, *12*, 248-260.

D'Esposito, M. & Postle, B. R. (1999). The dependence of span and delayed-response performance on prefrontal cortex. *Neuropsychologia*, *37*, 1303-1315.

- D'Esposito, M., Postle, B. R., Ballard, D., & Lease, J. (1999). Maintenance versus manipulation of information held in working memory: an event-related fMRI study. *Brain & Cognition*, *41*, 66-86.
- Daffner, K. R., Mesulam, M. M., Holcomb, P. J., Calvo, V., Acar, D., Chabrierie, A. et al. (2000). Disruption of attention to novel events after frontal lobe injury in humans. *Journal of Neurology, Neurosurgery, and Psychiatry*, *68*, 18-24.
- Davidson, P. S., Anaki, D., Ciaramelli, E., Cohn, M., Kim, A. S., Murphy, K. J. et al. (2008). Does lateral parietal cortex support episodic memory? Evidence from focal lesion patients. *Neuropsychologia*, *46*, 1743-1755.
- de Fockert, J. W., Rees, G., Frith, C. D., & Lavie, N. (2001). The role of working memory in visual selective attention. *Science*, *291*, 1803-1806.
- De Kloet, E. R., Oitzl, M. S., & Joëls, M. (1999). Stress and cognition: are corticosteroids good or bad guys? *Trends in neurosciences*, *22*, 422-426.
- De Kloet, E. R., Vreugdenhil, E., Oitzl, M. S., & Joëls, M. (1998). Brain corticosteroid receptor balance in health and disease. *Endocrine reviews*, *19*, 269-301.
- de Quervain, D. J., Aerni, A., & Roozendaal, B. (2007). Preventive effect of beta-adrenoceptor blockade on glucocorticoid-induced memory retrieval deficits. *American Journal of Psychiatry*, *164*, 967-969.
- de Quervain, D. J., Henke, K., Aerni, A., Treyer, V., McGaugh, J. L., Berthold, T. et al. (2003). Glucocorticoid-induced impairment of declarative memory retrieval is associated with reduced blood flow in the medial temporal lobe. *European Journal of Neuroscience*, *17*, 1296-1302.
- de Quervain, D. J., Roozendaal, B., & McGaugh, J. L. (1998). Stress and glucocorticoids impair retrieval of long-term spatial memory. *Nature*, *394*, 787-790.
- de Quervain, D. J. F., Roozendaal, B., Nitsch, R. M., McGaugh, J. L., & Hock, C. (2000). Acute cortisone administration impairs retrieval of long-term declarative memory in humans. *Nature Neuroscience*, *3*, 313-314.
- de Quervain, D. J. F. & Margraf, J. (2008). Glucocorticoids for the treatment of post-traumatic stress disorder and phobias: A novel therapeutic approach. *European Journal of Pharmacology*, *583*, 365-371.

de Ruiter, M. B. (2005). *Neural correlates of nonclinical dissociation*. University of Amsterdam.

de Vries, G.-J. & Olf, M. (2009). The lifetime prevalence of traumatic events and posttraumatic stress disorder in the Netherlands. *Journal of Traumatic Stress, 22*, 259-267.

Declaration of Helsinki (2000). *52nd WMA General Assembly* Edinburgh, Scotland.

DeMartino, B., Strange, B. A., & Dolan, R. J. (2008). Noradrenergic neuromodulation of human attention for emotional and neutral stimuli. *Psychopharmacology (Berl)*, *197*, 127-136.

Diorio, D., Viau, V., & Meaney, M. J. (1993). The role of the medial prefrontal cortex (cingulate gyrus) in the regulation of hypothalamic-pituitary-adrenal responses to stress. *Journal of Neuroscience, 13*, 3839-3847.

Dolcos, F., Diaz-Granados, P., Wang, L., & McCarthy, G. (2008). Opposing influences of emotional and non-emotional distracters upon sustained prefrontal cortex activity during a delayed-response working memory task. *Neuropsychologia, 46*, 326-335.

Dolcos, F., Kragel, P., Wang, L., & McCarthy, G. (2006). Role of the inferior frontal cortex in coping with distracting emotions. *Neuroreport, 17*, 1591-1594.

Dolcos, F. & McCarthy, G. (2006). Brain systems mediating cognitive interference by emotional distraction. *Journal of Neuroscience, 26*, 2072-2079.

Dolcos, F., Miller, B., Kragel, P., Jha, A., & McCarthy, G. (2007). Regional brain differences in the effect of distraction during the delay interval of a working memory task. *Brain Research, 1152*, 171-181.

Domes, G., Heinrichs, M., Rimmele, U., Reichwald, U., & Hautzinger, M. (2004). Acute stress impairs recognition for positive words--association with stress-induced cortisol secretion. *Stress, 7*, 173-181.

Dressendorfer, R. A., Kirschbaum, C., Rohde, W., Stahl, F., & Strasburger, C. J. (1992). Synthesis of a cortisol-biotin conjugate and evaluation as a tracer in an immunoassay for salivary cortisol measurement. *The Journal of Steroid Biochemistry and Molecular Biology, 43*, 683-692.

- Drevets, W. C. & Raichle, M. E. (1998). Suppression of regional cerebral blood during emotional versus higher cognitive implications for interactions between emotion and cognition. *Cognition & Emotion*, *12*, 353-385.
- Egner, T., Etkin, A., Gale, S., & Hirsch, J. (2008). Dissociable neural systems resolve conflict from emotional versus nonemotional distracters. *Cerebral Cortex*, *18*, 1475-1484.
- Eldridge, L. L., Knowlton, B. J., Furmanski, C. S., Bookheimer, S. Y., & Engel, S. A. (2000). Remembering episodes: a selective role for the hippocampus during retrieval. *Nature Neuroscience*, *3*, 1149-1152.
- Elzinga, B. M., Bakker, A., & Bremner, J. D. (2005). Stress-induced cortisol elevations are associated with impaired delayed, but not immediate recall. *Psychiatry Research*, *134*, 211-223.
- Elzinga, B. M. & Bremner, J. D. (2002). Are the neural substrates of memory the final common pathway in posttraumatic stress disorder (PTSD)? *Journal of Affective Disorders*, *70*, 1-17.
- Elzinga, B. M. & Roelofs, K. (2005). Cortisol-induced impairments of working memory require acute sympathetic activation. *Behavioral Neuroscience*, *119*, 98-103.
- Elzinga, B. M., Schmahl, C. G., Vermetten, E., van Dyck, R., & Bremner, J. D. (2003). Higher cortisol levels following exposure to traumatic reminders in abuse-related PTSD. *Neuropsychopharmacology*, *28*, 1656-1665.
- Erthal, F. S., de, O. L., Mocaiber, I., Pereira, M. G., Hado-Pinheiro, W., Volchan, E. et al. (2005). Load-dependent modulation of affective picture processing. *Cognitive, Affective and Behavioral Neuroscience*, *5*, 388-395.
- Etkin, A., Egner, T., Peraza, D. M., Kandel, E. R., & Hirsch, J. (2006). Resolving emotional conflict: a role for the rostral anterior cingulate cortex in modulating activity in the amygdala. *Neuron*, *51*, 871-882.
- Etkin, A. & Wager, T. D. (2007). Functional neuroimaging of anxiety: a meta-analysis of emotional processing in PTSD, social anxiety disorder, and specific phobia. *American Journal of Psychiatry*, *164*, 1476-1488.
- Fehm-Wolfsdorf, G., Soherr, U., Arndt, R., Kern, W., Fehm, H. L., & Nagel, D. (1993). Auditory reflex thresholds elevated by stress-induced cortisol secretion. *Psychoneuroendocrinology*, *18*, 579-589.

Forman, S. D., Cohen, J. D., Fitzgerald, M., Eddy, W. F., Mintun, M. A., & Noll, D. C. (1995). Improved assessment of significant activation in functional magnetic resonance imaging (fMRI): use of a cluster-size threshold. *Magnetic Resonance in Medicine*, *33*, 636-647.

Friston, K. J., Worsley, K. J., Frackowiak, R. J. S., Mazziotta, J. C., & Evans, A. C. (1994). Assessing the significance of focal activations using their spatial extent. *Human Brain Mapping*, *1*, 210-220.

Fuster, J. M. & Alexander, G. E. (1971). Neuron activity related to short-term memory. *Science*, *173*, 652-654.

Galletly, C., Clark, C. R., McFarlane, A. C., & Weber, D. L. (2001). Working memory in Posttraumatic Stress Disorder An event-related potential study. *Journal of Traumatic Stress*, *14*, 295-309.

Gazzaley, A., Clapp, W., Kelley, J., McEvoy, K., Knight, R. T., & D'Esposito, M. (2008). Age-related top-down suppression deficit in the early stages of cortical visual memory processing. *Proceedings of the National Academy of Sciences U.S.A.*, *105*, 13122-13126.

Gazzaley, A., Cooney, J. W., Rissman, J., & D'Esposito, M. (2005). Top-down suppression deficit underlies working memory impairment in normal aging. *Nature Neuroscience*, *8*, 1298-1300.

Goldman-Rakic, P. S. (1995). Cellular basis of working memory. *Neuron*, *14*, 477-485.

Grossman, R., Yehuda, R., Golier, J., McEwen, B., Harvey, P., & Maria, N. S. (2006). Cognitive effects of intravenous hydrocortisone in subjects with PTSD and healthy control subjects. *Annals of the New York Academy of Sciences*, *1071*, 410-421.

Het, S., Ramlow, G., & Wolf, O. T. (2005). A meta-analytic review of the effects of acute cortisol administration on human memory. *Psychoneuroendocrinology*, *30*, 771-784.

Het, S. & Wolf, O. T. (2007). Mood changes in response to psychosocial stress in healthy young women: effects of pretreatment with cortisol. *Behavioral Neuroscience*, *121*, 11-20.

Hou, C., Liu, J., Wang, K., Li, L., Liang, M., He, Z. et al. (2007). Brain responses to symptom provocation and trauma-related short-term memory recall

- in coal mining accident survivors with acute severe PTSD. *Brain Research*, 1144, 165-174.
- Imholz, B. P., Wieling, W., van Montfrans, G. A., & Wesseling, K. H. (1998). Fifteen years experience with finger arterial pressure monitoring: assessment of the technology. *Cardiovascular Research*, 38, 605-616.
- Jaeggi, S. M., Buschkuhl, M., Jonides, J., & Perrig, W. J. (2008). Improving fluid intelligence with training on working memory. *Proceedings of the National Academy of Sciences U.S.A.*, 105, 6829-6833.
- Jenkinson, M., Bannister, P., Brady, M., & Smith, S. (2002). Improved optimization for the robust and accurate linear registration and motion correction of brain images. *NeuroImage*, 17, 825-841.
- Jenkinson, M. & Smith, S. (2001). A global optimisation method for robust affine registration of brain images. *Medical image analysis*, 5, 143-156.
- Jha, A. P., Fabian, S. A., & Aguirre, G. K. (2004). The role of prefrontal cortex in resolving distractor interference. *Cognitive, Affective and Behavioral Neuroscience*, 4, 517-527.
- Joëls, M., Pu, Z., Wiegert, O., Oitzl, M. S., & Krugers, H. J. (2006). Learning under stress: how does it work? *Trends in Cognitive Sciences*, 10, 152-158.
- Joormann, J. & Gotlib, I. H. (2008). Updating the contents of working memory in depression: interference from irrelevant negative material. *Journal of Abnormal Psychology*, 117, 182-192.
- Kane, M. J. & Engle, R. W. (2002). The role of prefrontal cortex in working-memory capacity, executive attention, and general fluid intelligence: an individual-differences perspective. *Psychonomic Bulletin & Review*, 9, 637-671.
- Karlsgodt, K. H., Shirinyan, D., Van Erp, T. G., Cohen, M. S., & Cannon, T. D. (2005). Hippocampal activations during encoding and retrieval in a verbal working memory paradigm. *NeuroImage*, 25, 1224-1231.
- Kemeny, S., Ye, F. Q., Birn, R., & Braun, A. R. (2005). Comparison of continuous overt speech fMRI using BOLD and arterial spin labeling. *Human Brain Mapping*, 24, 173-183.
- Kensinger, E. A. & Corkin, S. (2003). Effect of negative emotional content on working memory and long-term memory. *Emotion*, 3, 378-393.

Kern, S., Oakes, T. R., Stone, C. K., McAuliff, E. M., Kirschbaum, C., & Davidson, R. J. (2008). Glucose metabolic changes in the prefrontal cortex are associated with HPA axis response to a psychosocial stressor. *Psychoneuroendocrinology*, *33*, 517-529.

Khan, S., Liberzon, I., & Abelson, J. L. (2004). Effects of propranolol on symptom and endocrine responses to pentagastrin. *Psychoneuroendocrinology*, *29*, 1163-1171.

Kirschbaum, C. & Hellhammer, D. H. (1989). Salivary cortisol in psychobiological research: an overview. *Neuropsychobiology*, *22*, 150-169.

Kirschbaum, C. & Hellhammer, D. H. (1994). Salivary cortisol in psychoneuroendocrine research: recent developments and applications. *Psychoneuroendocrinology*, *19*, 313-333.

Kirschbaum, C., Kudielka, B. M., Gaab, J., Schommer, N. C., & Hellhammer, D. H. (1999). Impact of gender, menstrual cycle phase, and oral contraceptives on the activity of the hypothalamus-pituitary-adrenal axis. *Psychosomatic Medicine*, *61*, 154-162.

Kirschbaum, C., Pirke, K. M., & Hellhammer, D. H. (1993). The 'Trier Social Stress Test'--a tool for investigating psychobiological stress responses in a laboratory setting. *Neuropsychobiology*, *28*, 76-81.

Kirschbaum, C., Wolf, O. T., May, M., Wippich, W., & Hellhammer, D. H. (1996). Stress- and treatment-induced elevations of cortisol levels associated with impaired declarative memory in healthy adults. *Life Sciences*, *58*, 1475-1483.

Kizildere, S., Gluck, T., Zietz, B., Scholmerich, J., & Straub, R. H. (2003). During a corticotropin-releasing hormone test in healthy subjects, administration of a beta-adrenergic antagonist induced secretion of cortisol and dehydroepiandrosterone sulfate and inhibited secretion of ACTH. *European Journal of Endocrinology*, *148*, 45-53.

Konishi, S., Wheeler, M. E., Donaldson, D. I., & Buckner, R. L. (2000). Neural correlates of episodic retrieval success. *NeuroImage*, *12*, 276-286.

Kriegeskorte, N., Simmons, W. K., Bellgowan, P. S., & Baker, C. I. (2009). Circular analysis in systems neuroscience: the dangers of double dipping. *Nature Neuroscience*, *12*, 535-540.

- Kudielka, B. M., Fischer, J. E., Metzenthin, P., Helfricht, S., Preckel, D., & von, K. R. (2007). No effect of 5-day treatment with acetylsalicylic acid (aspirin) or the beta-blocker propranolol (Inderal) on free cortisol responses to acute psychosocial stress: a randomized double-blind, placebo-controlled study. *Neuropsychobiology*, *56*, 159-166.
- Kudielka, B. M., Schommer, N. C., Hellhammer, D. H., & Kirschbaum, C. (2004). Acute HPA axis responses, heart rate, and mood changes to psychosocial stress (TSST) in humans at different times of day. *Psychoneuroendocrinology*, *29*, 983-992.
- Kuhlmann, S., Kirschbaum, C., & Wolf, O. T. (2005a). Effects of oral cortisol treatment in healthy young women on memory retrieval of negative and neutral words. *Neurobiology of Learning and Memory*, *83*, 158-162.
- Kuhlmann, S., Piel, M., & Wolf, O. T. (2005b). Impaired memory retrieval after psychosocial stress in healthy young men. *Journal of Neuroscience*, *25*, 2977-2982.
- Kuhlmann, S. & Wolf, O. T. (2005). Cortisol and memory retrieval in women: influence of menstrual cycle and oral contraceptives. *Psychopharmacology (Berl)*, *183*, 65-71.
- Kuhlmann, S. & Wolf, O. T. (2006a). Arousal and cortisol interact in modulating memory consolidation in healthy young men. *Behavioral Neuroscience*, *120*, 217-223.
- Kuhlmann, S. & Wolf, O. T. (2006b). A non-arousing test situation abolishes the impairing effects of cortisol on delayed memory retrieval in healthy women. *Neuroscience Letters*, *399*, 268-272.
- Lang, P. J., Bradley, M. M., & Cuthbert, B. N. (2001). *International Affective Picture System (IAPS): instruction manual and affective ratings*. (Rep. No. Technical report A-5). The center for research in Psychophysiology, University of Florida.
- Lavie, N. (2005). Distracted and confused?: selective attention under load. *Trends in Cognitive Sciences*, *9*, 75-82.
- Lavie, N., Hirst, A., de Fockert, J. W., & Viding, E. (2004). Load theory of selective attention and cognitive control. *Journal of Experimental Psychology.General*, *133*, 339-354.

Lepage, M., Ghaffar, O., Nyberg, L., & Tulving, E. (2000). Prefrontal cortex and episodic memory retrieval mode. *Proceedings of the National Academy of Sciences U.S.A.*, *97*, 506-511.

Lewis, M. J., Groom, G. V., Barber, R., & Henderson, A. H. (1981). The effects of propranolol and acebutolol on the overnight plasma levels of anterior pituitary and related hormones. *British Journal of Clinical Pharmacology*, *12*, 737-742.

Liberzon, I., King, A. P., Britton, J. C., Phan, K. L., Abelson, J. L., & Taylor, S. F. (2007). Paralimbic and medial prefrontal cortical involvement in neuroendocrine responses to traumatic stimuli. *American Journal of Psychiatry*, *164*, 1250-1258.

Liberzon, I. & Sripada, C. S. (2008). The functional neuroanatomy of PTSD: a critical review. *Progress in Brain Research*, *167*, 151-169.

Liston, C., McEwen, B. S., & Casey, B. J. (2009). Psychosocial stress reversibly disrupts prefrontal processing and attentional control. *Proceedings of the National Academy of Sciences U.S.A.*, *106*, 912-917.

Luethi, M., Meier, B., & Sandi, C. (2008). Stress effects on working memory, explicit memory, and implicit memory for neutral and emotional stimuli in healthy men. *Frontiers in behavioral neuroscience*, *2*, 5.

Lundstrom, B. N., Ingvar, M., & Petersson, K. M. (2005). The role of precuneus and left inferior frontal cortex during source memory episodic retrieval. *NeuroImage*, *27*, 824-834.

Lupien, S. J., Gillin, C. J., & Hauger, R. L. (1999). Working memory is more sensitive than declarative memory to the acute effects of corticosteroids: a dose-response study in humans. *Behavioral Neuroscience*, *113*, 420-430.

Lupien, S. J. & Lepage, M. (2001). Stress, memory, and the hippocampus: can't live with it, can't live without it. *Behavioural Brain Research*, *127*, 137-158.

Lupien, S. J. & McEwen, B. S. (1997). The acute effects of corticosteroids on cognition: integration of animal and human model studies. *Brain Research: Brain Research Reviews*, *24*, 1-27.

Lupien, S. J., McEwen, B. S., Gunnar, M. R., & Heim, C. (2009). Effects of stress throughout the lifespan on the brain, behaviour and cognition. *Nature Reviews Neuroscience*, *10*, 434-445.

- Lupien, S. J., Wilkinson, C. W., Briere, S., Menard, C., Ng Ying Kin, N. M., & Nair, N. P. (2002a). The modulatory effects of corticosteroids on cognition: studies in young human populations. *Psychoneuroendocrinology*, *27*, 401-416.
- Lupien, S. J., Wilkinson, C. W., Briere, S., Ng Ying Kin, N. M., Meaney, M. J., & Nair, N. P. (2002b). Acute modulation of aged human memory by pharmacological manipulation of glucocorticoids. *Journal of Clinical Endocrinology & Metabolism*, *87*, 3798-3807.
- Maheu, F. S., Collicutt, P., Kornik, R., Moszkowski, R., & Lupien, S. J. (2005a). The perfect time to be stressed: a differential modulation of human memory by stress applied in the morning or in the afternoon. *Progress in Neuropsychopharmacology & Biological Psychiatry*, *29*, 1281-1288.
- Maheu, F. S., Jooper, R., Beaulieu, S., & Lupien, S. J. (2004). Differential effects of adrenergic and corticosteroid hormonal systems on human short- and long-term declarative memory for emotionally arousing material. *Behavioral Neuroscience*, *118*, 420-428.
- Maheu, F. S., Jooper, R., & Lupien, S. J. (2005b). Declarative memory after stress in humans: differential involvement of the beta-adrenergic and corticosteroid systems. *Journal of Clinical Endocrinology & Metabolism*, *90*, 1697-1704.
- Manoach, D. S., Schlag, G., Siewert, B., Darby, D. G., Bly, B. M., Benfield, A. et al. (1997). Prefrontal cortex fMRI signal changes are correlated with working memory load. *Neuroreport*, *8*, 545-549.
- Mao, Z. M., Arnsten, A. F., & Li, B. M. (1999). Local infusion of an alpha-1 adrenergic agonist into the prefrontal cortex impairs spatial working memory performance in monkeys. *Biological Psychiatry*, *46*, 1259-1265.
- Maratos, E. J., Allan, K., & Rugg, M. D. (2000). Recognition memory for emotionally negative and neutral words: an ERP study. *Neuropsychologia*, *38*, 1452-1465.
- McEwen, B. S. (2004). Protection and damage from acute and chronic stress: allostasis and allostatic overload and relevance to the pathophysiology of psychiatric disorders. *Annals of the New York Academy of Sciences*, *1032*, 1-7.
- McEwen, B. S. (2007). Physiology and neurobiology of stress and adaptation: central role of the brain. *Physiological reviews*, *87*, 873-904.

McGaugh, J. L. (2000). Memory—a century of consolidation. *Science*, *287*, 248–251.

McGaugh, J. L., Cahill, L., & Roozendaal, B. (1996). Involvement of the amygdala in memory storage: interaction with other brain systems. *Proceedings of the National Academy of Sciences U.S.A.*, *93*, 13508–13514.

McGaugh, J. L. & Roozendaal, B. (2002). Role of adrenal stress hormones in forming lasting memories in the brain. *Current Opinion in Neurobiology*, *12*, 205–210.

McNally, R. J. (1998). Experimental approaches to cognitive abnormality in posttraumatic stress disorder. *Clinical Psychology Review*, *18*, 971–982.

Miller, E. K. & Cohen, J. D. (2001). An integrative theory of prefrontal cortex function. *Annual Review of Neuroscience*, *24*, 167–202.

Minzenberg, M. J., Watrous, A. J., Yoon, J. H., Ursu, S., & Carter, C. S. (2008). Modafinil shifts human locus coeruleus to low-tonic, high-phasic activity during functional MRI. *Science*, *322*, 1700–1702.

Mitchell, D. G., Luo, Q., Mondillo, K., Vythilingam, M., Finger, E. C., & Blair, R. J. (2008). The interference of operant task performance by emotional distracters: an antagonistic relationship between the amygdala and frontoparietal cortices. *NeuroImage*, *40*, 859–868.

Mizoguchi, K., Ishige, A., Takeda, S., Aburada, M., & Tabira, T. (2004). Endogenous glucocorticoids are essential for maintaining prefrontal cortical cognitive function. *Journal of Neuroscience*, *24*, 5492–5499.

Mizoguchi, K., Yuzurihara, M., Ishige, A., Sasaki, H., Chui, D. H., & Tabira, T. (2000). Chronic stress induces impairment of spatial working memory because of prefrontal dopaminergic dysfunction. *Journal of Neuroscience*, *20*, 1568–1574.

Moore, K. A., Clark, C. R., McFarlane, A. C., Brown, G. C., Puce, A., & Taylor, D. J. (2008). Abnormal recruitment of working memory updating networks during maintenance of trauma-neutral information in post-traumatic stress disorder. *Psychiatry Research*, *163*, 156–170.

Morey, R. A., Dolcos, F., Petty, C. M., Cooper, D. A., Hayes, J. P., LaBar, K. S. et al. (2009). The role of trauma-related distractors on neural systems for

- working memory and emotion processing in posttraumatic stress disorder. *Journal of Psychiatric Research*, 43, 809–817.
- Muller, N. G. & Knight, R. T. (2006). The functional neuroanatomy of working memory: contributions of human brain lesion studies. *Neuroscience*, 139, 51–58.
- Muller, U., Mottweiler, E., & Bublak, P. (2005). Noradrenergic blockade and numeric working memory in humans. *Journal of Psychopharmacology*, 19, 21–28.
- Murchison, C. F., Zhang, X. Y., Zhang, W. P., Ouyang, M., Lee, A., & Thomas, S. A. (2004). A distinct role for norepinephrine in memory retrieval. *Cell*, 117, 131–143.
- Newcomer, J. W., Selke, G., Melson, A. K., Hershey, T., Craft, S., Richards, K. et al. (1999). Decreased memory performance in healthy humans induced by stress-level cortisol treatment. *Archives of General Psychiatry*, 56, 527–533.
- Nyberg, L., Marklund, P., Persson, J., Cabeza, R., Forkstam, C., Petersson, K. M. et al. (2003). Common prefrontal activations during working memory, episodic memory, and semantic memory. *Neuropsychologia*, 41, 371–377.
- Oei, N. Y., Elzinga, B. M., Wolf, O. T., de Ruitter, M. B., Damoiseaux, J. S., Kuijter, J. P. A. et al. (2007). Glucocorticoids decrease hippocampal and prefrontal activation during declarative memory retrieval in young men. *Brain Imaging and Behavior*, 1, 31–41.
- Oei, N. Y., Everaerd, W. T., Elzinga, B. M., van Well, S., & Bermond, B. (2006). Psychosocial stress impairs working memory at high loads: an association with cortisol levels and memory retrieval. *Stress*, 9, 133–141.
- Oei, N. Y., Tollenaar, M. S., Elzinga, B. M., & Spinhoven, P. (2010). Propranolol reduces emotional distraction in working memory: a partial mediating role of propranolol-induced cortisol increases? *Neurobiology of Learning and Memory*, 93, 388–395.
- Oei, N. Y., Tollenaar, M. S., Spinhoven, P., & Elzinga, B. M. (2009). Hydrocortisone reduces emotional distracter interference in working memory. *Psychoneuroendocrinology*, 34, 1284–1293.
- Ohman, A., Flykt, A., & Esteves, F. (2001). Emotion drives attention: detecting the snake in the grass. *Journal of Experimental Psychology: General*, 130, 466–478.

Oitzl, M. S., Champagne, D. L., van der Veen, R., & De Kloet, E. R. (2009). Brain development under stress: Hypotheses of glucocorticoid actions revisited. *Neuroscience and biobehavioral reviews*, Doi:10.1016/j.neubiorev.2009.07.006.

Oitzl, M. S., van Haarst, A. D., Sutanto, W., & De Kloet, E. R. (1995). Corticosterone, brain mineralocorticoid receptors (MRs) and the activity of the hypothalamic-pituitary-adrenal (HPA) axis: the Lewis rat as an example of increased central MR capacity and a hyporesponsive HPA axis. *Psychoneuroendocrinology*, *20*, 655-675.

Okuda, S., Roozendaal, B., & McGaugh, J. L. (2004). Glucocorticoid effects on object recognition memory require training-associated emotional arousal. *Proceedings of the National Academy of Sciences U.S.A.*, *101*, 853-858.

Olesen, P. J., Westerberg, H., & Klingberg, T. (2004). Increased prefrontal and parietal activity after training of working memory. *Nature Neuroscience*, *7*, 75-79.

Olson, I. R. & Berryhill, M. (2009). Some surprising findings on the involvement of the parietal lobe in human memory. *Neurobiology of Learning and Memory*, *91*, 155-165.

Onur, O. A., Walter, H., Schlaepfer, T. E., Rehme, A. K., Schmidt, C., Keysers, C. et al. (2009). Noradrenergic enhancement of amygdala responses to fear. *Social Cognitive and Affective Neuroscience*, *4*, 119-126.

Perlstein, W. M., Elbert, T., & Stenger, V. A. (2002). Dissociation in human prefrontal cortex of affective influences on working memory-related activity. *Proceedings of the National Academy of Sciences U.S.A.*, *99*, 1736-1741.

Pessoa, L., Padmala, S., & Morland, T. (2005). Fate of unattended fearful faces in the amygdala is determined by both attentional resources and cognitive modulation. *NeuroImage*, *28*, 249-255.

Pitman, R. K. & Delahanty, D. L. (2005). Conceptually driven pharmacologic approaches to acute trauma. *CNS Spectrums*, *10*, 99-106.

Pitman, R. K., Sanders, K. M., Zusman, R. M., Healy, A. R., Cheema, F., Lasko, N. B. et al. (2002). Pilot study of secondary prevention of posttraumatic stress disorder with propranolol. *Biological Psychiatry*, *51*, 189-192.

Poldrack, R. A. (2007). Region of interest analysis for fMRI. *Social Cognitive and Affective Neuroscience*, *2*, 67-70.

- Postle, B. R. (2005). Delay-period activity in the prefrontal cortex: one function is sensory gating. *Journal of Cognitive Neuroscience*, *17*, 1679-1690.
- Postle, B. R. (2006). Working memory as an emergent property of the mind and brain. *Neuroscience*, *139*, 23-38.
- Preacher, K. J. & Hayes, A. F. (2004). SPSS and SAS procedures for estimating indirect effects in simple mediation models. *Behavior Research Methods, Instruments, & Computers*, *36*, 717-731.
- Preacher, K. J., Rucker, D. D., & Hayes, A. F. (2007). Assessing moderated mediation hypotheses: Theory, methods, and prescriptions. *Multivariate Behavioral Research*, *42*, 185-227.
- Putman, P., Hermans, E. J., Koppeschaar, H., van Schijndel, A., & van Honk, J. (2007). A single administration of cortisol acutely reduces preconscious attention for fear in anxious young men. *Psychoneuroendocrinology*, *32*, 793-802.
- Qin, S., Hermans, E. J., van Marle, H. J., Luo, J., & Fernandez, G. (2009). Acute psychological stress reduces working memory-related activity in the dorsolateral prefrontal cortex. *Biological Psychiatry*, *66*, 25-32.
- Ramos, B. P. & Arnsten, A. F. (2007). Adrenergic pharmacology and cognition: focus on the prefrontal cortex. *Pharmacology & Therapeutics*, *113*, 523-536.
- Ramos, B. P., Colgan, L., Nou, E., Ovadia, S., Wilson, S. R., & Arnsten, A. F. (2005). The beta-1 adrenergic antagonist, betaxolol, improves working memory performance in rats and monkeys. *Biological Psychiatry*, *58*, 894-900.
- Ranganath, C., Cohen, M. X., Dam, C., & D'Esposito, M. (2004). Inferior temporal, prefrontal, and hippocampal contributions to visual working memory maintenance and associative memory retrieval. *Journal of Neuroscience*, *24*, 3917-3925.
- Ranganath, C. & D'Esposito, M. (2001). Medial temporal lobe activity associated with active maintenance of novel information. *Neuron*, *31*, 865-873.
- Ranganath, C. & D'Esposito, M. (2005). Directing the mind's eye: prefrontal, inferior and medial temporal mechanisms for visual working memory. *Current Opinion in Neurobiology*, *15*, 175-182.

- Ranganath, C., Johnson, M. K., & D'Esposito, M. (2003). Prefrontal activity associated with working memory and episodic long-term memory. *Neuropsychologia*, *41*, 378-389.
- Ranganath, C. & Paller, K. A. (1999). Frontal brain activity during episodic and semantic retrieval: insights from event-related potentials. *Journal of Cognitive Neuroscience*, *11*, 598-609.
- Ranganath, C. & Paller, K. A. (2000). Neural correlates of memory retrieval and evaluation. *Brain Research, Cognitive Brain Research*, *9*, 209-222.
- Reist, C., Duffy, J. G., Fujimoto, K., & Cahill, L. (2001). beta-Adrenergic blockade and emotional memory in PTSD. *International Journal of Neuropsychopharmacology*, *4*, 377-383.
- Resnick, H. S., Yehuda, R., & Acierno, R. (1997). Acute post-rape plasma cortisol, alcohol use, and PTSD symptom profile among recent rape victims. *Annals of the New York Academy of Sciences*, *821*, 433-436.
- Resnick, H. S., Yehuda, R., Pitman, R. K., & Foy, D. W. (1995). Effect of previous trauma on acute plasma cortisol level following rape. *American Journal of Psychiatry*, *152*, 1675-1677.
- Rissman, J., Gazzaley, A., & D'Esposito, M. (2008). Dynamic adjustments in prefrontal, hippocampal, and inferior temporal interactions with increasing visual working memory load. *Cerebral Cortex*, *18*, 1618-1629.
- Roosendaal, B. (2000). 1999 Curt P. Richter award. Glucocorticoids and the regulation of memory consolidation. *Psychoneuroendocrinology*, *25*, 213-238.
- Roosendaal, B. (2002). Stress and memory: opposing effects of glucocorticoids on memory consolidation and memory retrieval. *Neurobiology of Learning and Memory*, *78*, 578-595.
- Roosendaal, B. (2003). Systems mediating acute glucocorticoid effects on memory consolidation and retrieval. *Progress in Neuropsychopharmacology & Biological Psychiatry*, *27*, 1213-1223.
- Roosendaal, B., Barsegyan, A., & Lee, S. (2008). Adrenal stress hormones, amygdala activation, and memory for emotionally arousing experiences. *Progress in Brain Research*, *167*, 79-97.

- Roosendaal, B., de Quervain, D. J., Schelling, G., & McGaugh, J. L. (2004a). A systemically administered beta-adrenoceptor antagonist blocks corticosterone-induced impairment of contextual memory retrieval in rats. *Neurobiology of Learning and Memory*, *81*, 150-154.
- Roosendaal, B., Griffith, Q. K., Buranday, J., de Quervain, D. J., & McGaugh, J. L. (2003). The hippocampus mediates glucocorticoid-induced impairment of spatial memory retrieval: dependence on the basolateral amygdala. *Proceedings of the National Academy of Sciences U.S.A.*, *100*, 1328-1333.
- Roosendaal, B., Hahn, E. L., Nathan, S. V., de Quervain, D. J., & McGaugh, J. L. (2004b). Glucocorticoid effects on memory retrieval require concurrent noradrenergic activity in the hippocampus and basolateral amygdala. *Journal of Neuroscience*, *24*, 8161-8169.
- Roosendaal, B. & McGaugh, J. L. (1997). Basolateral amygdala lesions block the memory-enhancing effect of glucocorticoid administration in the dorsal hippocampus of rats. *European Journal of Neuroscience*, *9*, 76-83.
- Roosendaal, B., McReynolds, J. R., & McGaugh, J. L. (2004c). The basolateral amygdala interacts with the medial prefrontal cortex in regulating glucocorticoid effects on working memory impairment. *Journal of Neuroscience*, *24*, 1385-1392.
- Roosendaal, B., Okuda, S., de Quervain, D. J., & McGaugh, J. L. (2006). Glucocorticoids interact with emotion-induced noradrenergic activation in influencing different memory functions. *Neuroscience*, *138*, 901-910.
- Roosendaal, B., Portillo-Marquez, G., & McGaugh, J. L. (1996). Basolateral amygdala lesions block glucocorticoid-induced modulation of memory for spatial learning. *Behavioral Neuroscience*, *110*, 1074-1083.
- Sakai, K. & Passingham, R. E. (2004). Prefrontal Selection and Medial Temporal Lobe Reactivation in Retrieval of Short-term Verbal Information. *Cerebral Cortex*, *14*, 914-921.
- Sakai, K., Rowe, J. B., & Passingham, R. E. (2002). Active maintenance in prefrontal area 46 creates distractor-resistant memory. *Nature Neuroscience*, *5*, 479-484.
- Sapolsky, R. M., Romero, L. M., & Munck, A. U. (2000). How do glucocorticoids influence stress responses? Integrating permissive, suppressive, stimulatory, and preparative actions. *Endocrine reviews*, *21*, 55-89.

Schelling, G., Briegel, J., Roozendaal, B., Stoll, C., Rothenhausler, H. B., & Kapfhammer, H. P. (2001). The effect of stress doses of hydrocortisone during septic shock on posttraumatic stress disorder in survivors. *Biological Psychiatry*, *50*, 978-985.

Schelling, G., Kilger, E., Roozendaal, B., de Quervain, D. J., Briegel, J., Dagge, A. et al. (2004a). Stress doses of hydrocortisone, traumatic memories, and symptoms of posttraumatic stress disorder in patients after cardiac surgery: a randomized study. *Biological Psychiatry*, *55*, 627-633.

Schelling, G., Roozendaal, B., & de Quervain, D. J. (2004b). Can posttraumatic stress disorder be prevented with glucocorticoids? *Annals of the New York Academy of Sciences*, *1032*, 158-166.

Schelling, G., Roozendaal, B., Krauseneck, T., Schmoelz, M., DE, Q. D., & Briegel, J. (2006). Efficacy of hydrocortisone in preventing posttraumatic stress disorder following critical illness and major surgery. *Annals of the New York Academy of Sciences*, *1071*, 46-53.

Schelstraete, M. A. & Hupet, M. (2002). Cognitive aging and inhibitory efficiency in the Daneman and Carpenter's working memory task. *Experimental aging research*, *28*, 269-279.

Schoofs, D., Preuss, D., & Wolf, O. T. (2008). Psychosocial stress induces working memory impairments in an n-back paradigm. *Psychoneuroendocrinology*, *33*, 643-653.

Schwabe, L., Romer, S., Richter, S., Dockendorf, S., Bilak, B., & Schachinger, H. (2009). Stress effects on declarative memory retrieval are blocked by a beta-adrenoceptor antagonist in humans. *Psychoneuroendocrinology*, *34*, 446-454.

Schwabe, L. & Wolf, O. T. (2009). Stress prompts habit behavior in humans. *Journal of Neuroscience*, *29*, 7191-7198.

Shannon, B. J. & Buckner, R. L. (2004). Functional-anatomic correlates of memory retrieval that suggest nontraditional processing roles for multiple distinct regions within posterior parietal cortex. *Journal of Neuroscience*, *24*, 10084-10092.

Shin, L. M., Rauch, S. L., & Pitman, R. K. (2006). Amygdala, medial prefrontal cortex, and hippocampal function in PTSD. *Annals of the New York Academy of Sciences*, *1071*, 67-79.

- Shrout, P. E. & Bolger, N. (2002). Mediation in experimental and non-experimental studies: new procedures and recommendations. *Psychological Methods*, 7, 422-445.
- Simeckova, M., Jansky, L., Lesna, I. I., Vybiral, S., & Sramek, P. (2000). Role of beta adrenoceptors in metabolic and cardiovascular responses of cold exposed humans. *Journal of Thermal Biology*, 25, 437-442.
- Simons, J. S. & Spiers, H. J. (2003). Prefrontal and medial temporal lobe interactions in long-term memory. *Nature Reviews Neuroscience*, 4, 637-648.
- Skinner, E. I., Fernandes, M. A., & Grady, C. L. (2009). Memory networks supporting retrieval effort and retrieval success under conditions of full and divided attention. *Experimental Psychology*, 56, 386-396.
- Skosnik, P. D., Chatterton, R. T., Jr., Swisher, T., & Park, S. (2000). Modulation of attentional inhibition by norepinephrine and cortisol after psychological stress. *International Journal of Psychophysiology*, 36, 59-68.
- Smeets, T., Wolf, O. T., Giesbrecht, T., Sijstermans, K., Telgen, S., & Joëls, M. (2009). Stress selectively and lastingly promotes learning of context-related high arousing information. *Psychoneuroendocrinology*, 34, 1152-1161.
- Smith, E. E. & Jonides, J. (1999). Storage and executive processes in the frontal lobes. *Science*, 283, 1657-1661.
- Smith, S. M. (2002). Fast robust automated brain extraction. *Human Brain Mapping*, 17, 143-155.
- Smith, S. M., Jenkinson, M., Woolrich, M. W., Beckmann, C. F., Behrens, T. E., Johansen-Berg, H. et al. (2004). Advances in functional and structural MR image analysis and implementation as FSL. *NeuroImage*, 23 Suppl 1, S208-S219.
- Snodgrass, J. G. & Corwin, J. (1988). Pragmatics of measuring recognition memory: applications to dementia and amnesia. *Journal of Experimental Psychology: General*, 117, 34-50.
- Soltysik, D. A. & Hyde, J. S. (2008). High spatial resolution increases the specificity of block-design BOLD fMRI studies of overt vowel production. *NeuroImage*, 41, 389-397.

Soravia, L. M., Heinrichs, M., Aerni, A., Maroni, C., Schelling, G., Ehlert, U. et al. (2006). Glucocorticoids reduce phobic fear in humans. *Proceedings of the National Academy of Sciences U.S.A.*, *103*, 5585-5590.

Spielberger, C. D. (1983). *Manual for the State-Trait Anxiety Inventory (STAI)*. Palo Alto, CA: Consulting Psychologists Press.

Sreenivasan, K. K. & Jha, A. P. (2007). Selective attention supports working memory maintenance by modulating perceptual processing of distractors. *Journal of Cognitive Neuroscience*, *19*, 32-41.

Sternberg, S. (1966). High-speed scanning in human memory. *Science*, *153*, 652-654.

Sternberg, S. (1969). Memory-scanning: mental processes revealed by reaction-time experiments. *American Scientist*, *57*, 421-457.

Strange, B. A. & Dolan, R. J. (2004). Beta-adrenergic modulation of emotional memory-evoked human amygdala and hippocampal responses. *Proceedings of the National Academy of Sciences U.S.A.*, *101*, 11454-11458.

Strange, B. A. & Dolan, R. J. (2007). Beta-adrenergic modulation of oddball responses in humans. *Behavioral and Brain Functions*, *3*, 29.

Sullivan, R. M. & Gratton, A. (2002). Prefrontal cortical regulation of hypothalamic-pituitary-adrenal function in the rat and implications for psychopathology: side matters. *Psychoneuroendocrinology*, *27*, 99-114.

Talairach, J. & Tournoux, P. (1988). *Co-Planar stereotaxic atlas of the human brain. 3-dimensional proportional system: an approach to cerebral imaging*. Stuttgart, Germany: Thieme.

Tollenaar, M. S., Elzinga, B. M., Spinhoven, P., & Everaerd, W. (2009). Immediate and prolonged effects of cortisol, but not propranolol, on memory retrieval in healthy young men. *Neurobiology of Learning and Memory*, *91*, 23-31.

van der Kolk, B. A. (1994). The body keeps the score: memory and the evolving psychobiology of posttraumatic stress. *Harvard review of psychiatry*, *1*, 253-265.

van Marle, H. J., Hermans, E. J., Qin, S., & Fernandez, G. (2009). From specificity to sensitivity: How acute stress affects amygdala processing of biologically salient stimuli. *Biological Psychiatry*, *66*, 649-655.

- van Stegeren, A. H. (2008). The role of the noradrenergic system in emotional memory. *Acta Psychologica*, *127*, 532-541.
- van Stegeren, A. H., Everaerd, W., Cahill, L., McGaugh, J. L., & Gooren, L. J. (1998). Memory for emotional events: differential effects of centrally versus peripherally acting beta-blocking agents. *Psychopharmacology (Berl)*, *138*, 305-310.
- van Stegeren, A. H., Goekoop, R., Everaerd, W., Scheltens, P., Barkhof, F., Kuijjer, J. P. et al. (2005). Noradrenaline mediates amygdala activation in men and women during encoding of emotional material. *NeuroImage*, *24*, 898-909.
- van Stegeren, A. H., Wolf, O. T., Everaerd, W., & Rombouts, S. A. (2008). Interaction of endogenous cortisol and noradrenaline in the human amygdala. *Progress in Brain Research*, *167*, 263-268.
- Vasa, R. A., Pine, D. S., Masten, C. L., Vythilingam, M., Collin, C., Charney, D. S. et al. (2009). Effects of yohimbine and hydrocortisone on panic symptoms, autonomic responses, and attention to threat in healthy adults. *Psychopharmacology (Berl)*, *204*, 445-455.
- Vedhara, K., Hyde, J., Gilchrist, I. D., Tytherleigh, M., & Plummer, S. (2000). Acute stress, memory, attention and cortisol. *Psychoneuroendocrinology*, *25*, 535-549.
- Veltman, D. J., Rombouts, S. A. R. B., & Dolan, R. J. (2003). Maintenance versus manipulation in verbal working memory revisited: an fMRI study. *NeuroImage*, *18*, 247-256.
- Veltmeyer, M. D., Clark, C. R., McFarlane, A. C., Felmingham, K. L., Bryant, R. A., & Gordon, E. (2005). Integrative assessment of brain and cognitive function in post-traumatic stress disorder. *Journal of Integrative Neuroscience*, *4*, 145-159.
- Vincent, J. L., Snyder, A. Z., Fox, M. D., Shannon, B. J., Andrews, J. R., Raichle, M. E. et al. (2006). Coherent spontaneous activity identifies a hippocampal-parietal memory network. *Journal of Neurophysiology*, *96*, 3517-3531.
- Viru, A., Viru, M., Karelson, K., Janson, T., Siim, K., Fischer, K. et al. (2007). Adrenergic effects on adrenocortical cortisol response to incremental exercise to exhaustion. *European Journal of Applied Physiology*, *100*, 241-245.

- Vythilingam, M., Lawley, M., Collin, C., Bonne, O., Agarwal, R., Hadd, K. et al. (2006). Hydrocortisone impairs hippocampal-dependent trace eyeblink conditioning in post-traumatic stress disorder. *Neuropsychopharmacology*, *31*, 182-188.
- Wagner, A. D., Shannon, B. J., Kahn, I., & Buckner, R. L. (2005). Parietal lobe contributions to episodic memory retrieval. *Trends in Cognitive Sciences*, *9*, 445-453.
- Wang, L., LaBar, K. S., Smoski, M., Rosenthal, M. Z., Dolcos, F., Lynch, T. R. et al. (2008). Prefrontal mechanisms for executive control over emotional distraction are altered in major depression. *Psychiatry Research*, *163*, 143-155.
- Wechsler, D. (1997). *Wechsler Adult intelligence Scale-Third Edition*. San Antonio: The Psychological Corporation.
- Wechsler, D. (1981). *The Wechsler Adult Intelligence Scale-Revised*. New York: Harcourt Brace Jovanovich, Inc.
- Wheeler, M. E. & Buckner, R. L. (2003). Functional dissociation among components of remembering: control, perceived oldness, and content. *Journal of Neuroscience*, *23*, 3869-3880.
- Wilde, G. J. S. (1963). *Neurotische labiliteit gemeten volgens de vragenlijstmethode*. Amsterdam: van Rossen.
- Williams, A. D. & Moulds, M. L. (2007). An investigation of the cognitive and experiential features of intrusive memories in depression. *Memory*, *15*, 912-920.
- Windmann, S. & Kutas, M. (2001). Electrophysiological correlates of emotion-induced recognition bias. *Journal of Cognitive Neuroscience*, *13*, 577-592.
- Wolf, O. T. (2003). HPA axis and memory. *Best Practice & Research - Clinical Endocrinology & Metabolism*, *17*, 287-299.
- Wolf, O. T., Convit, A., McHugh, P. F., Kandil, E., Thorn, E. L., de Santi, S. et al. (2001a). Cortisol differentially affects memory in young and elderly men. *Behavioral Neuroscience*, *115*, 1002-1011.
- Wolf, O. T., Kuhlmann, S., Buss, C., Hellhammer, D. H., & Kirschbaum, C. (2004). Cortisol and memory retrieval in humans: influence of emotional valence. *Annals of the New York Academy of Sciences*, *1032*, 195-197.

- Wolf, O. T., Schommer, N. C., Hellhammer, D. H., McEwen, B. S., & Kirschbaum, C. (2001b). The relationship between stress induced cortisol levels and memory differs between men and women. *Psychoneuroendocrinology*, *26*, 711-720.
- Woolrich, M. W., Behrens, T. E., Beckmann, C. F., Jenkinson, M., & Smith, S. M. (2004). Multilevel linear modelling for fMRI group analysis using Bayesian inference. *NeuroImage*, *21*, 1732-1747.
- Woolrich, M. W., Ripley, B. D., Brady, M., & Smith, S. M. (2001). Temporal autocorrelation in univariate linear modeling of fMRI data. *NeuroImage*, *14*, 1370-1386.
- Worsley, K. J., Evans, A. C., Marrett, S., & Neelin, P. (1992). A three-dimensional statistical analysis for CBF activation studies in human brain. *Journal of Cerebral Blood Flow and Metabolism*, *12*, 900-918.
- Yang, H., Zhou, Z., Liu, Y., Ruan, Z., Gong, H., Luo, Q. et al. (2007). Gender difference in hemodynamic responses of prefrontal area to emotional stress by near-infrared spectroscopy. *Behavioural Brain Research*, *178*, 172-176.
- Yehuda, R., Harvey, P. D., Buchsbaum, M., Tischler, L., & Schmeidler, J. (2007). Enhanced effects of cortisol administration on episodic and working memory in aging veterans with PTSD. *Neuropsychopharmacology*, *32*, 2581-2591.
- Yoon, J. H., Curtis, C. E., & D'Esposito, M. (2006). Differential effects of distraction during working memory on delay-period activity in the prefrontal cortex and the visual association cortex. *NeuroImage*, *29*, 1117-1126.
- Young, A. H., Sahakian, B. J., Robbins, T. W., & Cowen, P. J. (1999). The effects of chronic administration of hydrocortisone on cognitive function in normal male volunteers. *Psychopharmacology (Berl)*, *145*, 260-266.
- Zarahn, E., Rakitin, B., Abela, D., Flynn, J., & Stern, Y. (2005). Positive evidence against human hippocampal involvement in working memory maintenance of familiar stimuli. *Cerebral Cortex*, *15*, 303-316.

Curriculum Vitae

In January 2002, Nicole Oei (Amsterdam, 1967) received a Master's degree in psychology (cum laude) from the University of Amsterdam, specializing in clinical psychology. Her Master's thesis was supervised by Prof. Dr. Walter Everaerd. She stayed at the department of clinical psychology as a junior researcher doing experimental studies into stress and memory (2002-2003). After this, she moved to Leiden University, first as a research assistant at the Institute of Psychology (Clinical, Health and Neuropsychology unit), and later (2004) worked towards her PhD, with Prof. Dr. Philip Spinhoven and Dr. Bernet Elzinga as supervisors, at the Leiden Institute for Brain and Cognition (LIBC), and the Clinical, Health and Neuropsychology unit. She currently works as a postdoctoral researcher for Dr. Stephanie Both (LIBC, LUMC).