



Universiteit
Leiden
The Netherlands

A continent-wide framework for local and regional stratigraphies

Gijssel, K. van

Citation

Gijssel, K. van. (2006, November 22). *A continent-wide framework for local and regional stratigraphies*. Retrieved from <https://hdl.handle.net/1887/4985>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4985>

Note: To cite this publication please use the final published version (if applicable).

REFERENCES

- AGASSIZ, L. (1840) Etudes sur les glaciers, Jent & Gassmann, Neuchatel, 346 pp.
- AGER, D. V. (1973) More Gaps than Record. In: The Nature of the Stratigraphical Record. MacMillan, London.
- AGER, D. V. (1981) The Nature of the Stratigraphical Record. MacMillan, London.
- AGUIRRE, E. & PASINI, G. (1985) The Pliocene-Pleistocene Boundary. *Episodes*, 8 (2), 116-120.
- ALDUC, D., AUFFRET, J. P., CARPENTIER, G., LAUTRIDOU, J. P., LEFEBVRE, D. & PORCHER, M. (1979) Nouvelles données sur le Pleistocene Orientale. *Bulletin d'Informations de Géoloques du Bassin de Paris*, 16, 27-34.
- ALEKSEEV, M. N. (1996) Possible 'Cromerian Complex' equivalent sequences in the Russian Plain. In: The early Middle Pleistocene in Europe (Ed. by C. Turner), pp. 273-278. Balkema, Rotterdam.
- AMERICAN COMMISSION ON STRATIGRAPHIC NOMENCLATURE. (1961) Code of Stratigraphic Nomenclature. *Bulletin of the American Association of Petroleum Geologists*, 45, 646-665.
- ANDERSEN, S. T. (1965) Interglacialer og interstadialer i Danmarks kvartaer. *Meddelelser fra Dansk Geologisk Forening*, 15, 486-506.
- ANDERSSON, I. G. (1906) Solifluction, a component of subaerial denudation. *Journal of Geology*, 14, 171-178.
- ANTOINE, P. (1990) Chronostratigraphie et environnement du Paléolithique du bassin de la Somme, Publications du CERP, no.2, Lille.
- ANTOINE, P. (1994) The Somme valley terrace system (northern France): a model of river response to Quaternary climatic variations since 800,000 BP. *Terra Nova*, 6, 453-464.
- ANTOINE, P., AUGUSTE, P., BAHAIN, J. J., COUDRET, P., DEPAEPE, P., FAGNART, J. P., FALGUÈRES, C., MONTUGNE, M., FRECHEN, M., HATTÉ, C., LAMOTTE, A., LAURENT, M., LIMONDIN-LOZOUET, N., LOCHT, J.-L., MERCIER, N., MOIGNE, A. M., MUNAUT, A. V., PONEL, P. & ROUSSEAU, D.-D. (2003) Paléoenvironnements pléistocènes et peuplements paléolithiques dans le bassin de la Somme (nord de la France). *Bulletin de la Société préhistorique française*, 100 (1), 5-28.
- ARDUINO, G. (1759/1760) Letters of Giovanni Arduino to Antonio Vallisnieri dated Jan 31, 1759 and March 30, 1759. Published in *Nuovo raccolta di opuscoli scientifici e filologici del padre abate Angiolo Calogieri*, 6, 99-180.
- ATKINSON, T. C., BRIFFA, K. R. & COOPE, G. R. (1987) Seasonal temperatures in Britain during the past 22,000 years, reconstructed using beetle remains. *Nature*, 325, 587-592.
- AUBRY, M. P., BERGGREN, W. A., VAN COUVERING, J. A. & STEININGER, F. (1999) Problems in chronostratigraphy: stages, series, unit and boundary stratotypes, global stratotype section and point and tarnished golden spikes. *Earth Science Reviews*, 46, 99-108.
- BAKER, V. R. (1983) Late-Pleistocene fluvial systems. In: Late-Quaternary Environments of the United States, 1: The Late Pleistocene (Ed. by H. E. Wright), pp. 115-189. University of Minnesota Press, Minneapolis.
- BARD, E. (2001) Extending the Calibrated Radiocarbon Record. *Science*, 292, 2443-2444.
- BARD, E. & BROECKER, W. S. (ed.) (1992) The last deglaciation: absolute and radiocarbon chronologies, 344 pp.
- BARTHOLOMÄUS, W. A. & ELSNER, H. (1995) Quartär bei Helmstedt. Über den derzeitigen quartärgeologischen Aufschlussstand im Braunkohlen-Tagebau Schöningen-Südfeld. *Der Geschiebesammler*, 28 (2), 63-72.
- BASSINOT, F. C., LABEYRIE, L. D., VINCENT, E., QUIDELLEUR, X., SHACKLETON, N. J. & LANCELOT, Y. (1994) The astronomical theory of climate and the age of the Brunhes-Matuyama magnetic reversal. *Earth and Planetary Science Letters*, 126, 91-108.
- BAUCH-HENNING, A., ERLENKEUSER, H., JUNG-SIMON, J. A. & THIEDE, J. (2000) Surface and deep water changes in the subpolar North Atlantic during Termination II and the last deglaciation. *Paleoceanography*, 15 (1), 76-84.
- BAUMANN, K.-H., LAKSCHEWITZ, K. S., MANGERUD, J., SPIELHAGEN, R. F., WOLF-WELLING, T. C. W., HENRICH, R. & KASSENS, H. (1995) Reflection of Scandinavian Ice Sheet fluctuations in Norwegian Sea sediments during the past 150,000 years. *Quaternary Research*, 43, 185-197.
- BERTHELSEN, A. (1978) The methodology of kineto-stratigraphy as applied to glacial geology. *Bulletin of the Geological Society of Denmark*, 27 (Special Issue), 25-38.
- BGR & Unesco. (1965-1995) International Quaternary Map of Europe: sheets C4 Berlin, B4 London, C3 Oslo, C10 Bern.
- BIBUS, E. (1974) Abtragungs- und Bodenbildungsphasen im Risslöss. *Eiszeitalter und Gegenwart*, 25, 166-182.
- BIBUS, E. (1980) Zur Relief-, Boden- und Sedimententwicklung am unteren Mittelrhein. *Frankfurter Geowissenschaftliche Arbeiten*, D (1), 1-295.
- BIBUS, E. & SEMMEL, A. (1977) Über die Auswirkung quartärer Tektonik auf die Altpleistozänen Mittelrhein-Terrassen. *Catena*, 4, 385-408.
- BIJLSMA, S. (1981) Fluvial sedimentation from the Fennoscandian area into the north-west European basin during the Late Cenozoic. *Geologie en Mijnbouw*, 60, 337-345.
- BITTMANN, F. (1990) Neue Biostratigraphische Korrelation des Kärlicher Interglazials (Neuwieder Becken/Mittelrhein). In: *Rheingeschichte zwischen Mosel und Maas* (Ed. by W. Schirmer), pp. 67-70. Deutsche Quartärvereinigung, Hannover.
- BITTMANN, F. (1992) The Kärlich Interglacial, Middle Rhine region, Germany; Vegetation history and stratigraphic position. *Vegetation History and Archaeobotany*, 1, 243-258.
- BITTMANN, F. & MÜLLER, H. (1996) The Kärlich interglacial site and its correlation with the Bilshausen sequence. In: The early Middle Pleistocene in Europe (Ed. by C. Turner), pp. 187-193. Balkema, Rotterdam.
- BLACKWELL, B. & SCHWARZ, H. P. (1986) U-Series Analysis of the Lower Travertine at Ehringsdorf, D.D.R. *Quaternary Research*, 25, 215-222.
- BOENIGK, W. (1990) Die pleistozänen Rheinterrassen und deren Bedeutung für die Gliederung des Eiszeitalters in Mitteleuropa. In: *Eiszeitforschung* (Ed. by H. Liedtke), pp.

- 130-140. Wissenschaftliche Buchgesellschaft, Darmstadt.
- BOENIGK, W. (1991) Terrassenakkumulation und Erosion am Mittel- und Niederrhein. In: *Festschrift zur Vollendung des 70. Lebensjahres von Karl Brunnacker* (Ed. by A. Aktas and W. Boenigk), pp. 69-80. Geologisches Institut der Universität zu Köln, Köln.
- BOENIGK, W. (1995) Terrassenstratigraphie des Mittelpleistozän am Niederrhein und Mittelrhein. *Mededelingen Rijks Geologische Dienst*, 52, 71-81.
- BOENIGK, W. (2002) The Pleistocene drainage pattern in the Lower Rhine Basin. *Geologie en Mijnbouw / Netherlands Journal of Geosciences*, 81 (2), 201-209.
- BOENIGK, W., BRELIE, G. V. D., BRUNNACKER, K., KOCH, A., SCHLICKUM, W. R. & STRAUCH, F. (1974) Zur Pliozän-Pleistozän-Grenze im Bereich der Ville (Niederrheinische Bucht). *Newsletters in Stratigraphy*, 3 (4), 219-241.
- BOENIGK, W. & FRECHEN, M. (1997) Stratigraphie des Pleistozänsprofils Ariendorf am Mittelrhein. In: *Ariendorf. Quaternary deposits and Palaeolithic excavations in the Karl Schneider gravel pit* (Ed. by E. Turner). Verlag des Römisch-Germanischen Zentralmuseums, Mainz.
- BOENIGK, W. & FRECHEN, M. (2001) Zur Geologie der Kärlich Hauptwand. *Mainzer geowiss. Mitt.* (30), 123-194.
- BONIFAY, M. F. (1990) Relations between palaeoclimatology and Plio-Pleistocene stratigraphic data in West European countries. In: *European Neogene Mammal Chronology* (Ed. by E. Lindsay, V. Fahlbusch and P. Mein), pp. 475-485. Plenum Press, New York.
- BÖSE, M. (1990) Methodisch-stratigraphische Studien und paläomorphologische Untersuchungen zum Pleistozän südlich der Ostsee. In: *Berliner Geographische Abhandlungen*, Vol. 51, pp. 1-114.
- BOSINSKI, G., BRUNNACKER, K., LANSER, K. P., STEPHAN, S., URBAN, B. & WÜRGES, K. (1980) Alt-paläolithische Funde von Kärlich, Kreis Mayen-Koblenz (Neuwieder Becken). *Archäologisches Korrespondenzblatt*, 10, 295-314.
- BOULTON, G. S. (1990) Sedimentary and sea level changes during glacial cycles and their control on glacimarine facies architecture. In: *Glacimarine Environments: Processes and Sediments* (Ed. by J. A. Dowdeswell and J. D. Scourse), pp. 15-52. Geological Society Special Publication No. 53.
- BOULTON, G. S., DALGLEISH, N., HULTON, N. & VAN GIJSSEL, K. (1997) Reconstruction of mid- and late Quaternary climate and environmental change in Europe. In: *Simulation of the effects of long-term climatic change on groundwater flow and the safety of geological disposal sites*, Report EUR 17793 EN (Ed. by G. S. Boulton and F. Curle), pp. 29-66. Office for Official Publications of the European Community, Luxembourg.
- BOULTON, G. S. & HINDMARSH, R. C. A. (1987) Sediment deformation beneath glaciers: rheology and geological consequences. *Journal of Geophysical Research*, 92 (B9), 9059-9082.
- BOULTON, G. S. & JONES, A. S. (1979) Stability of temperate ice caps and ice sheets resting on beds of deformable sediment. *Journal of Glaciology*, 24, 29-43.
- BOULTON, G. S., SMITH, G. D., JONES, A. S. & NEWSOME, J. (1985) Glacial geology and glaciology of the last mid-latitude ice sheets. *Journal of the Geological Society of London*, 142, 447-474.
- BOURDIER, F., CHALINE, J., MUNAUT, A. V. & PUSSÉGUR, J. J. (1974) La très haute nappe alluviale de la Somme. *Bulletin Ass. Franc. Et. Quat.*, 11, 137-143.
- BOWEN, D. Q. (1978) *Quaternary Geology; A Stratigraphic Framework for Multidisciplinary Work*, Pergamon Press, Oxford, 221 pp.
- BRIDGLAND, D. R. (1994) *Quaternary of the Thames*. 1st ed., Chapman and Hall, London, 441 pp.
- BRIDGLAND, D. R. & D'OLIER, B. (1995) The Pleistocene evolution of the Thames and Rhine drainage systems in the southern North Sea basin. In: *Island Britain: a Quaternary perspective* (Ed. by R. C. Preece), pp. 27-45. Geological Society of London Special Publication No. 96.
- BRIDGLAND, D. R. & MADDY, D. (2002) Global correlation of long Quaternary fluvial sequences: a review of baseline knowledge and possible methods and criteria for establishing a database. *Netherlands Journal of Geosciences / Geologie en Mijnbouw*, 81 (3-4), 265-281.
- BRIDGLAND, D. R. & SCHREVE, D. C. (2001) River terrace formation in synchrony with long-term climatic fluctuation: examples from SE England. In: *River Basin Sediment Systems: Archives of Environmental Change* (Ed. by D. Maddy, M. Macklin and J. Woodward), pp. 229-248. Balkema.
- BROECKER, W. S. & VAN DONK, J. (1970) Insolation changes, ice volumes and the ^{18}O -record in deep sea cores. *Reviews Geophysical Space Phys.*, 8, 169-198.
- BRUNNACKER, K. (1986) Quaternary stratigraphy in the Lower Rhine Area and northern Alpine Foothills. *Quaternary Science Reviews*, 5, 371-379.
- BRUNNACKER, K., BOENIGK, W., DOLEZALEK, B., KEMPF, E. K., KOCH, A., MENTZEN, H., RAZI RAD, M. & WINTER, K. P. (1978) Die Mitteltäler am Niederrhein zwischen Köln und Mönchengladbach. *Fortschr. Geol. Rheinld. u. Westf.*, 28, 277-324.
- BRUNNACKER, K., BOENIGK, W., KOCH, A. & TILLMANNS, W. (1976) Die Matuyama/Brunhes-Grenze am Rhein und an der Donau. *N. Jb. Geol. Paläont. Abh.*, 151, 358-378.
- BRUNNACKER, K., LÖHR, H., BOENIGK, W., PUSSÉGUR, J. J. & POPLIN, F. (1975) Quartär-Aufschlüsse bei Ariendorf am unteren Mittelrhein. *Mainzer Naturwissenschaftliches Archiv*, 14, 93-141.
- BRUNNACKER, K., STREIT, R. & SCHIRMER, W. (1969) Die Aufbau des Quartär-Profil von Kärlich/Neuwieder Becken (Mittelrhein). *Mainzer Naturwiss. Arch.*, 8, 102-133.
- BUCKLAND, W. (1823) *Reliquiae Diluviane; or observations on the organic remains contained in caves, fissures and diluvial gravel and on other geological phenomena attesting the action of a universal diluge.*, John Murray, London, 303 pp.
- BUTZER, K. W. (1978) Environment and archeology. 2nd ed., Aldine, Chicago.
- BUTZER, K. W. & ISAAC, G. L. (1975) Delimitation of the geologic time term 'Middle Pleistocene'. In: *Stratigraphy, ecology and culture change in the Middle Pleistocene*, Appendix 2 (Ed. by K. W. Butzer and G. L. Isaac), pp. 901-903. Mouton Publishers, The Hague.
- CAMERON, T. D. J., SCHÜTTENHELM, R. T. E. & LABAN, C. (1989) Middle and Upper Pleistocene and Holocene stratigraphy in the southern North Sea between 52° and 54°N, 20 to 40°E. In: *The Quaternary and Tertiary geology of the Southern Bight, North Sea* (Ed. by J. P. Henriet, G. de Moor and M. de Batist), pp. 119-135, Ghent.

- CAMERON, T. D. J., STOKER, M. S. & LONG, D. (1987) The history of Quaternary sedimentation in the UK sector of the North Sea basin. *Journal of the Geological Society of London*, 144, 43-58.
- CAMERON, T. D. J., VAN DOORN, D., LABAN, C. & STREIF, H. (1993) Geology of the southern North Sea Basin. In: *Coastlines of the Southern North Sea* (Ed. by R. Hillen and H. J. Verhagen), pp. 14-26. American Society of Civil Engineers, New York.
- CATT, J. A. (1988) Soils of the Plio-Pleistocene: do they distinguish types of interglacial? *Philosophical Transactions of The Royal Society of London*, B 318, 539-557.
- CATT, J. A. (1995) Soils in aeolian sequences as evidence of Quaternary climatic change: Problems and possible solutions. In: *Wind-blown sediments in the Quaternary record*, Quaternary Proceedings, No. 4 (Ed. by E. Derbyshire), pp. 39-68.
- CEPEK, A. G. (1967) Stand und Probleme der Quartärstratigraphie im Nordteil der DDR. *Ber. dt. Ges. geol. Wiss.*, Reihe A, 12 (3/4), 375-404.
- CEPEK, A. G., ERD, K. & ZWIRNER, R. (1981) Drei Inter-glaziale in einer mittel- bis jungpleistozänen Schichtenfolge östlich von Berlin. *Zeitschrift für Angewandte Geologie*, 27 (9), 397-405.
- CEPEK, A. G., HELLWIG, D., LIPPSTREU, L., LOHDE, H., ZIERMANN, H. & ZWIRNER, R. (1975) Zum Stand der Gliederung des Saale-Komplexes im mittleren Teil der DDR. *Zeitschrift für geologischen Wissenschaften*, 3 (8), 1049-1075.
- COMBOURIEU-NEBOUT, N. & VERGNAUD-GRAZZINI, C. (1991) Late Pliocene Northern Hemisphere glaciation: the continental and marine responses in the central Mediterranean. *Quaternary Science Reviews*, 10, 319-334.
- COOKE, H. B. S. (1984) Recognizing different Quaternary chronologies: a multidisciplinary problem. In: *Correlation of Quaternary chronologies* (Ed. by W. C. Mahaney), pp. 1-13. Geobooks, Norwich (UK).
- COOPE, G. R. (1977) Quaternary Coleoptera as aids in the interpretation of environmental history. In: *British Quaternary studies, recent advances* (Ed. by F. W. Shotton), pp. 55-68. Clarendon Press, Oxford.
- DANSGAARD, W., JOHNSEN, S. J., CLAUSEN, H. B., DAHL-JENSEN, D., GUNDESTRUP, N. S., HAMMER, C. U., HVIDBERG, C. S., STEFFENSEN, J. P., SVEIN-BJÖRNSDOTTIR, A. E., JOUZEL, J. & BOND, G. (1993) Evidence for general instability of past climate from a 250-kyr ice-core record. *Nature*, 364, 218-220.
- DANSGAARD, W., JOHNSEN, S. J., CLAUSEN, H. B. & LANGWAY JR, C. C. (1971) Climatic record revealed by the Camp Century ice core. In: *The Late Cenozoic Glacial Ages* (Ed. by K. K. Turekian), pp. 37-56. Yale University Press, New Haven.
- DE BEAULIEU, J.-L., ANDRIEUF-PONEL, V., REILLE, M., GRUGER, E., TZEDAKIS, P. C. & SVOBODA, H. (2001) An attempt at correlation between the Velay pollen sequence and the Middle Pleistocene stratigraphy from central Europe. *Quaternary Science Reviews*, 20, 1593-1602.
- DE BEAULIEU, J.-L. & REILLE, M. (1987) A 140,000 year long sequence at Les Echets (France). In: *Congress of the International Union for Quaternary Research*, Vol. 12, pp. 126.
- DE BEAULIEU, J.-L. & REILLE, M. (1992) The last climatic cycle at la Grande Pile (Vosges, France): A new pollen profile. *Quaternary Science Reviews*, 11, 431-438.
- DE BEAULIEU, J.-L. & REILLE, M. (1995) Pollen records from the Velay craters: A review and correlation of the Holsteinian Interglacial with isotopic stage 11. *Mededelingen Rijks Geologische Dienst*, 52, 59-70.
- DE GEER, G. (1912) A geochronology of the last 12000 years. In: *Congr. Géol. Int. Stockholm 1910*, C.R., pp. 241-253.
- DE JONG, J. (1988) Climatic variability during the past three million years, as indicated by vegetational evolution in northwest Europe and with emphasis on data from The Netherlands. *Philosophical Transactions of The Royal Society of London*, B (318), 603-617.
- DERBYSHIRE, E. (ed.) (1995) *Wind-blown sediments in the Quaternary Record*, J. Wiley & Sons, Chichester.
- DESNOYERS, J. (1829) Observations sur un ensemble de dépôts marins. *Annales des Sciences naturelles (Paris)*, 171-214, 402-491.
- DESPRAT, S., SÁNCHEZ-GOÑI, M. F., TURON, J. L., MC-MANUS, J. F., LOUTRE, M. F., DUPRAT, J., MALAIZE, B., PEYRON, O. & PEYPOUQUET, J. P. (2005) Is vegetation responsible for glacial inception during periods of muted insolation changes? *Quaternary Science Reviews*, 24 (12-13), 1361-1374.
- DING, Z., RUTTER, N. W., JINGTAI, H. & LIU, T. (1992) A coupled environmental system formed at about 2.5 Ma in East Asia. *Paleaeogeography, Palaeoclimatology, Palaeoecology*, 94, 223-242.
- DODONOV, A. E. (1991) Loess of central Asia. *Geo Journal*, 24, 185-194.
- DODONOV, A. E. & BAIGUZINA, L. L. (1995) Loess stratigraphy of central Asia: palaeoclimate and palaeoenvironmental aspects. *Quaternary Science Reviews*, 14, 707-720.
- EHLERS, J. (1983) The glacial history of North-West Europe. In: *Glacial Deposits in North-West Europe* (Ed. by J. Ehlers), pp. 229-238. Balkema, Rotterdam.
- EHLERS, J. (1990) Reconstructing the dynamics of the North-West European Pleistocene Ice Sheets. *Quaternary Science Reviews*, 9, 71-83.
- EHLERS, J. (1996) Quaternary and glacial geology, John Wiley & Sons, Chichester, 578 pp.
- EHLERS, J., GIBBARD, P. L. & ROSE, J. (1991) Glacial deposits of Britain and Europe: general overview. In: *Glacial deposits in Great Britain and Ireland* (Ed. by J. Ehlers, P. L. Gibbard and J. Rose), pp. 493-501? Balkema, Rotterdam.
- EHLERS, J., MEYER, K.-D. & STEPHAN, H.-J. (1984) Pre-Weichselian Glaciations of North-West Europe. *Quaternary Science Review*, 3, 1-40.
- EISSMANN, L. (1975) Das Quartär der Leipziger Tieflandsbucht und angrenzender Gebiete um Saale und Elbe; Modell einer Landschaftsentwicklung am Rand der europäischen Kontinentalvereisung. *Schr.-R. geol. Wiss.*, 2, 1-263.
- EISSMANN, L. (1981) Periglaziäre Prozesse und Permafroststrukturen aus sechs Kaltzeiten des Quartärs. Ein Beitrag zur Periglazialgeologie aus der Sicht des Saale-Elbe-Gebietes. *Altenburger Naturwissenschaftliche Forschungen*, 1, 1-171.
- EISSMANN, L. (1990) Das mitteleuropäische Umfeld der Eem-vorkommen des Saale-Elbe-Gebietes und Schlussfolgerungen zur Stratigraphie des jüngeren Quartärs. *Altenburger Naturwissenschaftliche Forschungen*, 5, 11-48.

- EISSMANN, L. (1994) Grundzüge der Quartärgeologie Mitteldeutschlands (Sachsen, Sachsen-Anhalt, Südbrandenburg, Thüringen). In: Das Quartär Mitteldeutschlands: Ein Leitfaden und Exkursionsführer. Mit einer Übersicht über das Präquartär des Saale-Elbe-gebietes (Ed. by L. Eissmann and T. Litt), pp. 55-114. Altenburger Naturwissenschaftliche Forschungen, Heft 7.
- EISSMANN, L. (1997) Das quartäre Eiszeitalter in Sachsen und Nordostthüringen. Altenburger Naturwissenschaftliche Forschungen, 8, 1-98.
- EISSMANN, L., LITT, T. & WANSA, S. (1995) Elsterian and Saalian deposits in their type area in central Germany. In: Quaternary deposits in North-East Europe (Ed. by J. Ehlers, S. Kozarski and P. L. Gibbard), pp. 439-464. Balkema, Rotterdam.
- EISSMANN, L. & MÜLLER, A. (1979) Leitlinien der Quartärentwicklung im Norddeutschen Tiefland. Zeitschrift für Geologische Wissenschaften, 7 (4), 451-462.
- ELLWANGER, D., BIBUS, E., BLUDAU, W., KOSEL, M. & MERKT, J. (1995) Baden-Württemberg. In: Das Quartär Deutschlands (Ed. by L. Benda), pp. 255-295. Gebrüder Bornträger, Berlin/Stuttgart.
- EMERY, D. & MYERS, K. (1996) Sequence stratigraphy, Blackwell Science, Oxford, 297 pp.
- EMILIANI, C. (1955) Pleistocene paleotemperatures. Journal of Geology, 63, 539-578.
- ERD, K. (1965) Pollenanalytische Untersuchungen im Altpleistozän von Voigtstedt in Thüringen. Paläontologische Abhandlungen, A II (2-3), 259-272.
- ERD, K. (1970) Pollenanalytical classification of the Middle Pleistocene in the German Democratic Republic. Palaeogeography, Palaeoclimatology, Palaeoecology, 8, 129-145.
- ERD, K. (1973) Pollenanalytische Gliederung des Pleistozäns der Deutschen Demokratischen Republik. Zeitschrift für geologischen Wissenschaften, 1 (9), 1087-1103.
- EYLES, N. & MCCABE, A. M. (1991) Glaciomarine deposits of the Irish Sea basin. The role of glacio-isostatic disequilibrium. In: Glacial Deposits in Great Britain and Ireland (Ed. by J. Ehlers, P. L. Gibbard and J. Rose), pp. 311-331. Balkema, Rotterdam.
- FELIX-HENNIGSEN, P. (ed.) (1983) Palaeosols and their stratigraphical interpretation, Balkema, Rotterdam, 289-295 pp.
- FIELD, M. A., HUNTLEY, B. & MÜLLER, H. (1994) Eemian climate fluctuations observed in a European pollen record. Nature, 371, 779-783.
- FINK, J. & KUKLA, G. (1977) Pleistocene climates in Central Europe: at least 17 interglacials after the Olduvai Event. Quaternary Research, 7, 363-371.
- FISHER, W. L. & MCGOWEN, J. H. (1967) Depositional systems in the Wilcox Group of Texas and their relationship to the occurrence of oil and gas: Gulf Coast. Assoc. Geol. Soc. Trans., 17, 287-315.
- FLINT, R. F. (1971) Glacial and Quaternary geology. 3rd ed., Wiley, New York, 892 pp.
- FORBES, E. (1846) On the connection between the distribution of the existing fauna and flora of the British Isles, and the geological changes which have affected their area, especially during the epoch of the northern drift. Great Britain Geological Survey, Memoir 1, 336-432.
- FRAZIER, D. E. (1974) Depositional episodes: their relationship to the Quaternary stratigraphic frame in the Northwestern portion of the Gulf Basin. Geological circular Bureau of Economic Geology, 74 (1), 1-28.
- FRECHEN, J. (1959) Die Tuffe des Laacher Vulkangebietes als quartärgeologische Leitgesteine und Zeitmarken. Fortschr. Geol. Rheinld. u. Westf., 4, 363-370.
- FRECHEN, J. & DODONOV, A. E. (1998) Loess chronology of the middle and upper Pleistocene in Tadzhikistan. Geologische Rundschau, 87 (1), 2-20.
- FRECHEN, J. & LIPPOLT, H. J. (1965) Kalium-Argon-Daten zum Alter des Laacher Vulkanismus, der Rheinterrassen und der Eiszeiten. Eiszeitalter und Gegenwart, 16, 5-30.
- FRECHEN, M. (1991) Interpretation physikalischer Datierungen in der Quartärforschung. In: Festschrift zur Vollendung des 70. Lebensjahres von Karl Brunnacker (Ed. by A. Aktas and W. Boenigk), pp. 99-112. Geologisches Institut der Universität Köln, Sonderveröffentlichungen, 82, Köln.
- FRECHEN, M. (1993) Thermoluminescence dating of aeolian sediments from Germany. Jeomorfoloji Dergisi, 20, 37-48.
- FRENCH, H. M. (1976) The periglacial environment, Longman, London, 309 pp.
- FROMM, K. (1987) Paläomagnetische Bestimmungen zur Korrelierung altpleistozäner Terrassen am Mittelrhein. Mainzer geowissenschaftliche Mitteilungen, 16, 7-29.
- FUCHS, G., VON GEHLEN, K., MÄLZER, H., MURAWSKI, H. & SEMMEL, A. (ed.) (1983) Plateau Uplift, The Rhenish Shield - a Case History, Springer, Heidelberg, 411 pp.
- FUHRMANN, R., HEINRICH, W.-D., MAI, D. H. & WIEGANK, F. (1977) Untersuchungen am Prälsterholtzeitlichen Löss von Mahlis (Bezirk Leipzig). Zeitschrift für geologischen Wissenschaften, 5 (6), 717-743.
- FUHRMANN, U. (1983) Kalium-Argon Untersuchungen an neogenen Vulkaniten des Rheinischen Schides.
- GÁBRIS, G. & NÁDOR, A. (2006) Long-term fluvial archives in Hungary: responses of the Danube and Tisza rivers to tectonic movements and climatic changes during the Quaternary. Quaternary Science Reviews (in press).
- GALLOWAY, W. E. (1989) Genetic stratigraphic sequences in basin analysis I: Architecture and genesis of flooding-surface bounded depositional units. American Association of Petroleum Geologists Bulletin, 73, 125-142.
- GASCOYNE, M., SCHWARCZ, H. P. & FORD, D. C. (1983) U-series ages of speleothem from NW England. Philosophical Transactions of The Royal Society of London, B 301, 143.
- GAUDZINSKI, S., BITTMAN, F., BOENIGK, W., FRECHEN, M. & KOLFSCHOTEN, T. V. (1996) Palaeoecology and archaeology of the Kärlich- Seeufer Open-Air Site (Middle Pleistocene) in the Central Rhineland, Germany. Quaternary Research, 46, 319-334.
- GAUDZINSKI, S., BITTMANN, F., BOENIGK, W., FRECHEN, M. & VAN KOLFSCHOTEN, T. (1995) The Middle Pleistocene open-air site Kärlich-Seeufer (Central Rhineland, Germany). Quaternary Research.
- GEHL, O. (1961) Neue Ergebnisse über das marine Eem und zur Gliederung des Jungpleistozäns in Nordwest Mecklenburg. Geologie, 10, 396-408.
- GEIKIE, A. (1895) The Great Ice Age and its relationship to the antiquity of man. 3rd ed., Stanford, London, 850 pp.
- GEYH, M. & SCHLEICHER, H. (1990) Absolute age determination: physical and chemical dating methods and their application, Springer, Berlin, 503 pp.

- GIBBARD, P. L. (1985) The Pleistocene history of the Middle Thames Valley, Cambridge University Press, Cambridge, 155 pp.
- GIBBARD, P. L. (1988) The history of the great Northwest European rivers during the past three million years. Phil. Trans. R. Soc. London, B (318), 559-602.
- GIBBARD, P. L. (2003) Definition of the Middle-Upper Pleistocene Boundary. Global and Planetary Change, 36 (3), 201-208.
- GIBBARD, P. L., BOREHAM, S., COHEN, K. M. & MORELLO, A. (2004) Global chronostratigraphical correlation table for the last 2.7 million years. Subcommission on Quaternary Stratigraphy (International Commission on Stratigraphy), Cambridge.
- GIBBARD, P. L. & VAN KOLFSCHOTEN, T. (2004) The Pleistocene and Holocene Epochs. In: A Geologic Time Scale 2004 (Ed. by F. Gradstein, J. Ogg and A. Smith), pp. 441-452, Cambridge.
- GIBBARD, P. L. & WEST, R. G. (2000) Quaternary chronostratigraphy: the nomenclature of terrestrial sequences. Boreas, 29, 329-336.
- GIBBARD, P. L., WEST, R. G., ZAGWIJN, W. H., BALSON, P. S., BURGER, A. W., FUNNELL, B. M., JEFFERY, D. H., JONG, J. D., KOLFSCHOTEN, T. V., LISTER, A. M., MEIJER, T., NORTON, P. E. P., PREECE, R. C., ROSE, J., STUART, A. J., WHITEMAN, C. A. & ZALASIEWICZ, J. A. (1991) Early and Early Middle Pleistocene correlations in the southern North Sea Basin. Quaternary Science Reviews, 10, 23-52.
- GIGNOUX, M. (1913) Les Formations marines pliocenes et quaternaires de l'Italie du Sud et de la Sicilie. Annales de l'Université de Lyon, N.S. I Sc. Med., 36, 24-693.
- GRADSTEIN, F. M. (2002) Future Directions in Stratigraphy. Episodes, 25 (2).
- GRUBE, F., CHRISTENSEN, S. & VOLLMER, T. (1986) Glaciations in North-West Germany. In: Quaternary Glaciations in the Northern Hemisphere (Ed. by V. Sibrava, D. Q. Bowen and G. M. Richmond), pp. 347-358. Pergamon Press, Oxford.
- GRÜGER, E. (1983) Untersuchungen zur Gliederung des und Vegetationsgeschichte des Mittelpaläozans am Samerberg in Oberbayern. Geologica Bavaria, 84, 21-40.
- GUIOT, J., PONS, A., BEAULIEU, D. J. L. & REILLE, M. (1989) A 140,000-year continental climate reconstruction from two European pollen records. Nature, 338, 309-313.
- GUIOT, J., REILLE, M., DE BEAULIEU, J.-L. & PONS, A. (1992) Calibration of the climatic signal in a new pollen sequence from La Grande Pile. Climate Dynamics, 6, 259-264.
- GUNDLACH, J. & SPEETZEN, E. (1990) Untersuchungen zur Petrographie und Genese der drenthestadialen Grundmoräne im Westmünsterland (Westfälische Bucht, NW-Deutschland). N. Jb. Geol. Paläont. Abh., 181 (1-3), 471-499.
- HAESAERTS, P. (1984) Quaternary stratigraphy. Bulletin de la Société Belge d'Etudes Géographiques, 53 (2), 51-53.
- HAESAERTS, P. (1990) Stratigraphical approach to the Pleistocene deposits of the Schneider quarry at Ariendorf (Middle Rhine, Germany). In: Rheingeschichte zwischen Mosel und Maas, Deuqua-Führer 1 (Ed. by W. Schirmer), pp. 112-114. Deutsche Quartarvereinigung, Hannover.
- HAESAERTS, P. & MESTDAGH, H. (2000) Pedosedimentary evolution of the last interglacial and early glacial sequence in the European loess belt from Belgium to central Russia. Geologie en Mijnbouw / Netherlands Journal of Geosciences, 79 (2/3), 313-324.
- HAGEMAN, B. P. (1969) Report of the Commission on the Holocene 1957: Etudes sur le Quaternaire dans le monde. In: VIIth INQUA Congres, pp. 679, Paris.
- HANCOCK, J. M. (1977) The historic development of concepts of biostratigraphic correlation. In: Concepts and methods of biostratigraphy (Ed. by E. G. Kaufmann and J. E. Hazel), pp. 3-22. Dowden, Hutchinson and Ross, Stroudsburg, Pa.
- HAUG, E. (1910-1913) Traité de géologie, 2, Colin, Paris, 539-928 pp.
- HAYS, J. D., IMBRIE, J. & SHACKLETON, N. J. (1976) Variations in the earth's orbit: pacemaker of the Ice Ages. Science, 194, 1121-1132.
- HEAD, M. J., SEIDENKRANTZ, M.-S., JANCZYK-KOPIKOWA, Z., MARKS, L. & GIBBARD, P. L. (2004) Last Interglacial (Eemian) hydrographic conditions in the southeastern Baltic Sea, NE Europe, based on dinoflagellate cysts. Quaternary International, 129, 1-12.
- HEDBERG, H. D. (1976) International Stratigraphic Guide. A guide to stratigraphic classification terminology and procedure, John Wiley & Sons, New York, 200 pp.
- HEIJNIS, H. (1992) Uranium/Thorium dating of Late Pleistocene peat deposits in NW Europe. PhD thesis, University of Groningen, 149 pp.
- HEIJNIS, H. & VAN DER PLICHT, J. (1992) Uranium/Thorium dating of Late Pleistocene peat deposits in NW Europe, uranium/thorium isotope systematics and open-system behaviour of peat layers. Chemical Geology (Isotope Geoscience Section), 94, 161-171.
- HEIM, J., LAUTRIDOU, J. P., MAUCORPS, J., PUSSÉGUR, J. J., SOMMÉ, J. & THEVENIN, A. (1982) Achenheim: Une sequence-type des loess du pléistocène moyen. Bulletin Ass. Franc. Et. Quat., 19, 147-159.
- HENNIG, G. J., GRÜN, R., BRUNNACKER, K. & PECSI, M. (1983) 230Th/234U- sowie ESR-Altersbestimmungen einiger Travertine in Ungarn. Eiszeitalter und Gegenwart, 33, 9-19.
- HESEMANN, J. (1930) Wie sammelt und verwertet man kristalline Geschiebe. Sitz.-Ber. geol. L.-Anst., 5, 188-196.
- HESEMANN, J. (1934) Ergebnisse und Aussichten einiger Methoden zur Feststellung und Verteilung kristalliner Leitgeschiebe. Jb. preuß. geol. L.-Anst., Berlin, 55, 1-27.
- HOLLAND, C. H. (1998) Chronostratigraphy (Global Standard Stratigraphy): a personal perspective. In: Unlocking the Stratigraphical Record (Ed. by P. Doyle and M. R. Bennett), pp. 383-392. J. Wiley & Sons, Chichester.
- HOOGHIEMSTRA, H & RAN, E. (1994) Late Pliocene-Pleistocene high resolution pollen sequence of Colombia: an overview of climatic change. Quaternary International vol:21 pg:63
- HORACEK, I. (1990) On the community context of the arvicolid Quaternary evolution. In: Int.Symp.Evol.Phyl.Biostr. Arvicoliids, pp. 201-222, Praha.
- HOSELMANN, C. (1994) Stratigraphie des Hauptterrassenbereichs am unteren Mittelrhein. PhD thesis, Universität Köln, 235 pp.
- HOUMARK-NIELSEN, M. (1987) Pleistocene stratigraphy and glacial history of the central part of Denmark. Bulletin of the Geological Society of Denmark, 36, 1-189.
- HUTTON, J. (1795) Theory of the Earth, 2, Creech, Edinburgh, 567 pp.
- HUXTABLE, J. (1993) Further thermoluminescence dates for

- burnt flints from Maastricht-Belvédère and a finalised thermoluminescence age for the Unit IV Middle Palaeolithic sites. Mededelingen Rijks Geologische Dienst, N. S., 47, 31-40.
- HUXTABLE, J. & AITKEN, M. J. (1985) Thermoluminescence dating results for the palaeolithic site Maastricht-Belvédère. Mededelingen Rijks Geologische Dienst, 39, 41-44.
- IMBRIE, J., HAYS, J. D., MARTINSON, D. G., MACINTYRE, A., MIX, A., MORLEY, J. J., PISIAS, N. G., PRELL, W. L. & SHACKLETON, N. J. (1984) The orbital theory of Pleistocene climate: support from a revised chronology of the marine d₁₈O record. In: Milankovich and Climate, Part I (Ed. by A. L. Berger and J. Imbrie), pp. 269-305. Reidel, Dordrecht.
- JANSCZYK-KOPIKOWA, Z. (1975) Flory interglacjalu mazowieckiego w Ferdinandowie. Biuletyn Insytutu Geologicznego, 290, 5-96.
- JELGERSMA, S. (1961) Holocene sea-level changes in the Netherlands. Meded. Geol. Stichting C-VI, 7, 1-100.
- JESSEN, K. & MILTHERS, V. (1928) Stratigraphical and paleontological studies of interglacial freshwater deposits in Jutland and Northwest Germany. Danmarks Geologiske Undersogelse, 2 (Raekke 49), 1-142.
- JOHNSON, R. G. (1982) Brunhes-Matuyama magnetic reversal dated at 790,000 yr BP by marine-astronomical correlations. Quaternary Research, 17, 135-147.
- JUNGBLUTH, J. H. (1918) Die Terrassen des Rheins von Andernach bis Bonn. Verh. naturhist. Ver. preuss. Rheinld. Westf., 73, 1-103.
- KAISER, E. (1903) Die Ausbildung des Rhein-Tales zwischen Neuwieder Becken und Bonn-Cölner Bucht. Verhandlungen des 14. Deutschen Geographentages Köln, 206-215.
- KARTE. (1987) Pleistocene periglacial conditions and geomorphology in north central Europe. In: Periglacial processes and landforms in Britain and Ireland (Ed. by J. Boardman), pp. 67-75. Cambridge University Press, Cambridge.
- KEILHACK, K. (1896) Die Geikiesche Gliederung der nordeuropäischen Glazialablagerungen. Jahrbuch der Königlich Preussischen Geologischen Landesamt für 1895, 111-124.
- KEILHACK, K. (1926) Das Quartär. In: Grundzüge der Geologie, Vol. 2 (Ed. by W. Salomon), Stuttgart.
- KERNAY, M. P. (1959) An interglacial tufa from Hitchin, Hertfordshire. Proceedings of the Geologists Association, 70 (4), 322-337.
- KING, W. B. R. (1955) The Pleistocene epoch in England. Quarterly Journal of the Geological Society of London, 111, 187-208.
- KING, W. B. R. & OAKLEY, K. P. (1949) Definition of the Pliocene-Pleistocene boundary. Nature, 63, 186-187.
- KLOSTERMANN, J. (1992) Das Quartär der Niederrheinischen Bucht. Ablagerungen der letzten Eiszeit am Niederrhein, Geologisches Landesamt Nordrhein-Westfalen, Krefeld, 200 pp.
- KNUDSEN, K. L. (1985) Correlation of Saalian, Eemian and Weichselian foraminiferal zones in North Jutland. Bulletin of the Geological Society of Denmark, 33, 325-339.
- KNUDSEN, K. L. (1987) Foraminifera of the Late Elsterian - Holsteinian deposits of the Tornskov area in South Jutland. Danmarks Geologiske Undersogelse, B 10, 7-31.
- KOCI, A., SCHIRMER, W. & BRUNNACKER, K. (1973) Paläomagnetische Daten aus dem mittleren Pleistozän des Rhein- Main-Raumes. N. Jb. Geol. Paläont. Mh., 9, 545-554.
- KRASNENKOV, R. V., IOSSIFOVA, Y. I. & SEMENOV, V. V. (1997) The Upper Don drainage basin: an important strato-region for climatic stratigraphy of the early Middle Pleistocene (the early Neopleistocene of Russia), abstract in English. Geosynthos, 82-96.
- KRZYSZKOWSKI, D. (1991) Middle Pleistocene stratigraphy of Poland: a review. Proc. Geol. Ass., 102 (3), 201-215.
- KUKLA, G. & AN, Z. (1989) Loess stratigraphy in central China. Palaeogeography, Palaeoclimatology, Palaeoecology, 72, 203-225.
- KUKLA, G. & CILEK, V. (1996) Plio-Pleistocene megacycles: record of climate and tectonics. Palaeogeography, Palaeoclimatology, Palaeoecology, 120, 171-194.
- KUKLA, G. & LOZEK, V. (1961) Loesses and related deposits. Instytut Geologiczny, Prace (XXXIV), 11-28.
- KUKLA, G. J. (1975) Loess stratigraphy of Central Europe. In: After the Australopithecines: stratigraphy, ecology, and culture change in the Middle Pleistocene (Ed. by K. W. Butzer and G. L. Isaac), pp. 99-188. Mouton, The Hague/ Paris.
- KUKLA, G. J. (1977) Pleistocene land-sea correlations. I. Europe. Earth Science Reviews, 13, 307-374.
- KUKLA, G. J. (1987) Pleistocene climates in China and Europe compared to the oxygen isotope record. Palaeoecology of Africa, 18, 37-45.
- KUKLA, G. J., BENDER, M. L., BEAULIEU, D. J. L., BOND, G., BROECKER, W. S., CLEVERINGA, P., GAVIN, J. E., HERBERT, T. D., IMBRIE, J., JOUZEL, J., KEIGWIN, L. D., KNUDSEN, K. L., MCMANUS, J. F., MERKT, J., MUHS, D. R., MÜLLER, H., POORE, R. Z., PORTER, S. C., SERET, G., SHACKLETON, N. J., TURNER, C., TZEDAKIS, P. C. & WINograd, I. J. (2002) Last Interglacial Climates. Quaternary Research, 58, 2-13.
- KUKLA, G. J., HELLER, F., MING, L. M., CHUN, X. T. & AN, Z. (1988) Pleistocene climates in China dated by magnetic susceptibility. Geology, 16, 811-814.
- KUKLA, J. (1970) Correlations between loesses and deep-sea sediments. Geologiska foreningen i Stockholm Forhandling, 92 (2), 148-180.
- LABAN, C. (1995) The Pleistocene glaciations in the Dutch sector of the North Sea. PhD thesis, Universiteit van Amsterdam, 194 pp.
- LAMBECK, K. (1993) Glacial rebound of the British Isles. II: A high-resolution, high precision model. Geophysical Journal International, 115, 960-990.
- LANGEREIS, C. G., DEKKERS, M. J., DE LANGE, G. J., PATERNE, M. & SANTVOORT, P. J. M. (1997) Magnetostratigraphy and astronomical calibration of the last 1.1 Myr from an eastern Mediterranean piston core and dating of short events in the Brunhes. Geophysical Journal International, 129, 75-94.
- LAURITZEN, S.-E. (1991) Uranium Series dating the speleothems: a glacial chronology for Nordland, Norway for the last 600 ka. Striae, 34, 127-133.
- LAURITZEN, S.-E. (1995) High-resolution paleotemperature proxy record for the last interglaciation based on Norwegian speleothems. Quaternary Research, 43, 133-146.
- LAUTRIDOU, J. P. (1982) The Quaternary of Normandy. Bulletin du Centre de Géomorphologie du C.N.R.S., 26, 1-88.
- LEHMANN, J. G. (1756) Versuch einer Geschichte von Flötz-Gebirgen, betreffend deren Entstehung, Lage, Berlin, 76

- pp.
- LEOPOLD, L. B. & WOLMAN, M. G. (1957) River Channel Patterns: Braided, Meandering and Straight, Professional Paper 282-B, Geological Survey, United States Department of the Interior, Washington, 85 pp.
- LIBBY, W. F. (1955) Radiocarbon dating. 2nd ed., Chicago.
- LINDNER, L. (1981) Organogenic deposits of the Mazovian Interglacial (Mindel II / Riss I) in the middle Vistula Basin, compared to coeval European localities. *Acta Geologica Polonica*, 31 (1-2), 111-126.
- LINDNER, L. (1988) Stratigraphy and extents of Pleistocene continental glaciations in Europe. *Acta Geologica Polonica*, 38, 63-83.
- LINDNER, L. & BRYK CZYNSKA, E. (1980) Organogenic deposits at Zbojno by Predborz, western slopes of the Holy Cross Mts., and their bearing on stratigraphy of the Pleistocene of Poland. *Acta Geologica Polonica*, 30, 153-163.
- LINKE, G., KATZENBERG, O. & R. GRÜN. (1985) Description and ESR dating of the Holsteinian interglacial. *Quaternary Science Reviews*, 4, 319-331.
- LIPPOLT, H. J., FUHRMANN, U. & HRADETZKY, H. (1986) 40Ar/39Ar age determinations on sanidines of the Eifel Volcanic Field (FRG): Constraints on age and duration of a Middle Pleistocene cold period. *Chem. Geol.*, 59, 187-204.
- LITT, T. (1994) Paläökologie, Paläobotanik und Stratigraphie des Jungquartärs im nordmitteleuropäischen Tiefland unter besonderer Berücksichtigung des Elbe-Saale-Gebietes. In: *Dissertationes Botanicae*, Vol. 227, pp. 185. J. Cramer, Berlin - Stuttgart.
- LITT, T. & TURNER, C. (1993) Arbeitsergebnisse der Subkommission für Europäische Quartärstratigraphie: Die Saalesequenz in der Typusregion (Berichte der SEQS 10). Eiszeitalter und Gegenwart, 43, 125-128.
- LONG, D., LABAN, C., STREIF, H., CAMERON, T. D. J. & SCHUTTENHELM, R. T. E. (1988) The sedimentary record of climatic variation in the southern North Sea. *Philosophical Transactions of The Royal Society of London*, B 318, 523-537.
- LOURENS, L. J., ANTONARAKOU, A., HILGEN, F. J., VAN HOOF, A. A. M., VERGNAUD-GRAZZINI, C. & ZACHARIASSE, W. J. (1996) Evaluation of the Plio-Pleistocene astronomical timescale. *Paleoceanography*, 11, 391-413.
- LOZEK, V. (1965) Das problem der Lössbildung und die Lössmollusken. *Eiszeitalter und Gegenwart*, 16, 61-75.
- LÜTGE, H. (1984) Stratigraphie und Tektonik in den stark deformierten Braunkohlenflözen am Sudweststrand des Tagebaues Alverstorf. MSc (unpubl.), TU Clausthal-Zellerfeld, 48 pp.
- LÜTTIG, G. (1958) Methodische Fragen der Geschiebeforschung. *Geologisches Jahrbuch*, 75, 361-418.
- LÜTTIG, G. (1974) Geological history of the river Weser (Northwest Germany). In: *L'évolution quaternaire des bassins fluviaux de la mer du Nord meridionale*, pp. 21-34. Centenaire de la Societe geologie de Belgique, Liege.
- LYELL, C. (1833) Principles of Geology. 3rd ed., J. Murray, London, 398 pp.
- LYELL, C. (1839) Nouveau éléments de géologie, Pitois-Levrault, Paris, 648 pp.
- LYELL, C. (1853) Principles of Geology, or the modern changes of the earth and its inhabitants considered as illustrative of geology. 9th ed., J. Murray, London, 835 pp.
- LYELL, C. (1863) Geological Evidences of the Antiquity of Man: With Remarks on Theories of the Origin of Species by Variation, Murray, London, 520 pp.
- LYKKE-ANDERSON, A.-L. (1987) A Late Saalian, Eemian and Weichselian marine sequence at Norre Lyngby, Vendsysel, Denmark. *Boreas*, 16, 345-357.
- MAKOWSKA, A. (1986) Morza plejstocenskie w Polsce - osady, wiek i paleogeografia (Pleistocene seas in Poland - sediments, age and palaeogeography). *Prace Instytutu Geologicznego*, 120, 1-74.
- MANGERUD, J. (1983) The glacial history of Norway. In: *Glacial deposits in North-west Europe* (Ed. by J. Ehlers), pp. 3-9. Balkema, Rotterdam.
- MANGERUD, J. (1991) The Last Ice Age in Scandinavia. *Striae*, 34, 15-30.
- MANGERUD, J. (1991) The Scandinavian Ice Sheet through the last interglacial/glacial cycle. In: *Klimageschichtliche Probleme der letzten 130000 Jahre, Paleoklimaforschung 1* (Ed. by B. Frenzel), pp. 307-330. G. Fischer, Stuttgart.
- MANGERUD, J., JANSEN, E. & LANDVIK, J. Y. (1996) Late Cenozoic history of the Scandinavian and Barents Sea ice sheets. *Global and Planetary Change*, 12, 11-26.
- MANIA, D. (1973) Paläökologie, Faunenentwicklung und Stratigraphie des Eiszeitalters im mittleren Elbe-Saalegebiet auf Grund von Molluskengesellschaften. *Geologie*, 21 (Beiheft 78/79), 1-175.
- MANIA, D. (1989) Stratigraphie, Ökologie und Paläolithikum des Mittel- und Jungpleistozäns im Elbe-Saalegebiet. *Ethnographisches-Archäologisches Zeitschrift*, 30, 636-663.
- MANIA, D. (1992) Neumark-Nord - ein fossilreiches Interglazial im Geiseltal. *Cranium*, 9 (2), 53-76.
- MANIA, D. (1993) Die Terrassen-Travertin-Sequenz von Bilzingsleben. *Ethnographisch - Archäologische Zeitschrift*, 34, 554-575.
- MANIA, D. (1993) Homo erectus von Bilzingsleben - seine Kultur und Umwelt. *Forschungsergebnisse seit 1987. Ethnographisch - Archäologische Zeitschrift*, 34, 478-510.
- MARKS, L. (1991) Attempt of Correlation of the Saale Glaciation in Central European Lowland. *Bulletin of the Polish Academy of Sciences, Earth Sciences*, 39 (2), 187-198.
- MARTINSON, D. G., PISIAS, N. G., HAYS, J. D., IMBRIE, J., MOORE, T. C. & SHACKLETON, N. J. (1987) Age dating and the orbital theory of the ice ages: development of a high-resolution 0 to 300,000 year chronostratigraphy. *Quaternary Research*, 27, 1-29.
- MEIJER, T. (1986) Non-marine mollusc biozonation of Quaternary deposits in the Netherlands.
- MEIJER, T. & CLEVERINGA, P. (2003) Aminostratigraphy of the Netherlands; Correlations and implications. In: *Early/Middle Pleistocene transitions: the land-ocean evidence. Abstracts International Conference*, April 4th 2003, pp. 11-13. University of Cambridge, Cambridge.
- MEIJER, T. & PREECE, R. C. (1995) Malacological evidence relating to the insularity of the British Isles during the Quaternary. In: *Island Britain: a Quaternary perspective* (Ed. by R. C. Preece), pp. 89-110. Geological Society.
- MEIJER, T. & PREECE, R. C. (2000) A review of the occurrence of *Corbicula* in the Pleistocene of north-west Europe. *Geologie en Mijnbouw / Netherlands Journal of Geosciences*, 79 (2/3), 241-255.
- MENKE, B. (1968) Beiträge zur Biostratigraphie des Mittelpaläozäns in Norddeutschland. *Meyniiana*, 18, 35-42.
- MENKE, B. (1980) Wacken, Elster-Glazial, marines Holstein-Interglazial und Wacken-Warmzeit. In: *Quartär-Exkursionen*, 111

- sion in Schleswig-Holstein (Ed. by H. E. Stremme and B. Menke), pp. 26-35. Geologisches Landesamt Schleswig-Holstein, Kiel.
- MENKE, B. & TYNNI, R. (1984) Das Eeminterglazial und das Weichselfrühglazial von Rederstall/Dithmarschen und ihre Bedeutung für die mitteleuropäische Jungpleistozän-Gliederung. *Geologisches Jahrbuch Reihe A*, 76, 3-120.
- MEYER, K.-D. (1983) Saalian end moraines in Lower Saxony. In: *Glacial deposits in North-west Europe* (Ed. by J. Ehlers), pp. 335-342. Balkema, Rotterdam.
- MIALL, A. D. (1984) *Principles of sedimentary basin analysis*, Springer, New York, 490 pp.
- MIALL, A. D. (1985) Architectural-element analysis: a new method of facies analysis applied to fluvial deposits. *Earth Science Reviews*, 22, 261-308.
- MIALL, A. D. (1990) *Principles of sedimentary basin analysis*. 2nd ed., Springer, Berlin, Heidelberg, New York.
- MIALL, A. D. (1997) *The geology of stratigraphic sequences*, Springer, Berlin, 433 pp.
- MITCHUM, R. M., VAIL, P. R. & THOMSON III, S. (1977) Seismic stratigraphy and global changes of sea level; Part 2: The depositional sequence as a basic unit for stratigraphic analysis. *Memoir - Am. Ass. Petroleum Geol.*, 26, 53-62.
- MOJSKI, J. E. (1982) Outline of the Pleistocene stratigraphy in Poland. *Biuletyn Instytutu Geologicznego*, 343, 9-29.
- MOJSKI, J. E. (1985) Quaternary geology of Poland, Warsaw, 244 pp.
- MOMMERSTEEG, H. J. P. M., LOUTRE, M. F., YOUNG, R., WIJMSTRA, T. A. & HOOGHIEMSTRA, H. (1995) Orbital forced frequencies in the 975000 year pollen record from Tenagi Philippon (Greece). *Climate Dynamics*, 1995 (11), 4-24.
- MORDZIOL, C. (1913) Geologische Wanderungen durch das Diluvium und Tertiär der Umgebung von Koblenz (Neuwieder Becken). *Die Rheinlande*, 5, 1-82.
- MÖRNER, N.-A. (ed.) (1980) Earth rheology, isostacy and eustacy: proceedings of the earth rheology and late Cenozoic isostatic movements, an interdisciplinary symposium held in Stockholm, Sweden, July 31-August 8, 1977, Wiley, Chichester, 599 pp.
- MÜCKENHAUSEN, E. (1959) Die stratigraphische Gliederung des Löss-Komplexes von Kärlich im Neuwieder Becken. *Fortschr. Geol. Rheinld. u. Westf.*, 4, 283-300.
- MÜLLER, A. (1973) Beitrag zum Quartär des Elbegebietes zwischen Riesa und Wittenberg unter besonderer Berücksichtigung der Elbtalwanne. *Zeitschrift für Geologische Wissenschaften*, 1, 1105-1122.
- MÜLLER, H. (1965) Eine pollenanalytische Neubearbeitung des Interglazialprofils von Bilshausen (Unter-Eichsfeld). *Geologisches Jahrbuch*, 83, 327-352.
- MÜLLER, H. (1974) Pollenanalytische Untersuchungen und Jahresschichtzählungen an der holstein-zeitlichen Kieselgur von Münster-Breloch. *Geologisches Jahrbuch (A)*, 21, 107-140.
- MÜLLER, H. (1992) Climate changes during and at the end of the interglacials of the Cromerian Complex. In: *Start of a glacial* (Ed. by G. J. Kukla and E. Went), pp. 51-69. Springer, Berlin.
- NORTH AMERICAN COMMITTEE ON STRATIGRAPHIC NOMENCLATURE. (1983) North American Stratigraphic Code. American Association of Petroleum Geologists, 67, 841-875.
- NUMMEDAL, D. & SWIFT, D. J. P. (1987) Transgressive stratigraphy at sequence-bounding unconformities, some principles derived from Holocene and Cretaceous examples. In: *Sea level fluctuation and coastal evolution* (Ed. by D. Nummedal, H. Pilkey Orrin and J. D. Howard), pp. 241-260. Soc. of Economic Paleontologists and Mineralogists, Special Publication 41.
- PARETO. (1865) in Vai (1997)..
- PARTRIDGE, T. C. (1997) Reassessment of the position of the Plio-Pleistocene boundary: Is there a case for lowering it to the Gauss-Matuyama palaeomagnetic reversal? *Quaternary International*, 40 (1), 5-10.
- PECSI, M. & SCHWEIZER, F. (1992) Long-term terrestrial records of the Middle Danubian basin. *Quaternary International*, 17, 5-14.
- PENCK, A. (1879) Die Geschiebeformation Norddeutschlands. *Zeitschrift der Deutschen Geologischen Gesellschaft*, 31, 117-203.
- PENCK, A. (1922) Die Terrassen des Isartales in den Alpen. *Sonderbericht Preuss. Akad. Wiss., Phys.-Math.*
- PENCK, A. & BRÜCKNER, E. (1901-1909) *Die Alpen im Eiszeitalter*, Tauchnitz, Leipzig, 1199 pp.
- PENTECOST, A. (1995) The Quaternary travertine deposits of Europe and Asia Minor. *Quaternary Science Reviews*, 14, 1005-1028.
- PETIT, J. R., JOUZEL, J., RAYNAUD, D., BARKOV, N. I., BARNOLA, J. M., BASILE, I., BENDER, M., CHAPPELLAZ, J., DAVIS, M., DELAYGUE, G., DEMOTTE, M., KOTLYAKOV, V. M., LEGRAND, M., LIPENKOV, V. Y., LORIUS, C., PÉPIN, L., RITZ, C., SALTZMAN, E. & STIEVENARD, M. (1999) Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica. *Nature*, 399, 429-436.
- PICARD, K. (1960) Zur Untergliederung der 'Saalevereisung' im Westen Schleswig-Holstein. *Z. dt. geol. Ges.*, 112, 316-325.
- PLAYFAIR, J. (1802) *Illustrations of the Huttonian theory of the Earth*, Cadell and Davies, London.
- POHLIG, H. (1913) L'étage à "Elephas trogontherii" sur le Bas-Rhine. *Bull. Soc. Géol. Belgique.*, 27, 142-147.
- PREECE, R. C. (2001) Molluscan evidence for differentiation of interglacials within the 'Cromerian Complex'. *Quaternary Science Reviews*, 20 (16-17), 1643-1656.
- PREECE, R. C., LEWIS, S. G., WYMER, J. J., BRIDGLAND, D. R. & PARFITT, S. (1991) Beeches Pit, West Stow, Suffolk (TL 798719). *Quaternary Research Association London*.
- QUITZOW, H. W. (1956) Die Terrassengliederung im nieder-rheinischen Tiefland. *Geologie en Mijnbouw, N.S.*, 18, 357-373.
- RAPPOL, M. (1983) Glacigenic properties of till. PhD thesis, University of Amsterdam, 225 pp.
- RAPPOL, M. (1987) Saalian tills in the Netherlands: A review. In: *Tills and glaciotectonics* (Ed. by J. J. M. Van der Meer), pp. 3-21. Balkema, Rotterdam.
- RAYMO, M. E. & RUDDIMAN, W. F. (1992) Tectonic forcing of Cenozoic climate. *Nature*, 359, 117-122.
- RAZI-RAD, M. (1976) Schwermineraluntersuchungen zur Quatärstratigraphie am Mittelrhein. Sonderveröffentlichungen Geologisches Institut der Universität zu Köln, 28.
- REBOUL, H. (1833) *Géologie de la Période Quaternaire et Introduction a l'histoire ancienne*, F.G. Levrault, Paris, 222 pp.
- REID, C. (1882) *The Geology of the Country around Cromer, Memoirs of the Geological Survey*, England and Wales,

- London.
- REILLE, M. & DE BEAULIEU, J.-L. (1995) Long Pleistocene Pollen Records from the Praclaux Crater, South-Central France. *Quaternary Research*, 44, 205-215.
- RICHMOND, G. M. (1996) The INQUA-approved provisional Lower/Middle Pleistocene boundary. In: *The early Middle Pleistocene in Europe* (Ed. by C. Turner), pp. 319-327. Balkema, Rotterdam.
- RICHMOND, G. M. & FULLERTON, D. S. (1986) Quaternary glaciations in the United States of America. In: *Quaternary glaciations in the Northern Hemisphere* (Ed. by V. Sibrava, D. Q. Bowen and G. M. Richmond), pp. 3-200. Pergamon Press, Oxford.
- ROBERTS, M. B., GAMBLE, C. S. & BRIDGLAND, D. R. (1995) The earliest occupation of Europe: The British Isles. In: *The earliest occupation of Europe* (Ed. by W. Roebroeks and T. v. Kolfschoten), pp. 165-191. University of Leiden/European Science Foundation, Leiden.
- ROBERTS, M. B. & PARFITT, S. A. (ed.) (1999) Boxgrove: A Middle Pleistocene hominid site at Eartham Quarry, Boxgrove, West Sussex.
- ROBERTS, M. B., STRINGER, C. B. & PARFITT, S. A. (1994) A hominid tibia from Middle Pleistocene sediments at Boxgrove, UK. *Nature*, 369, 311-313.
- ROEBROEKS, W. & KOLFSCHOTEN, T. V. (1994) The earliest occupation of Europe: a short chronology. *Antiquity*, 68, 489-503.
- ROEBROEKS, W. & KOLFSCHOTEN, T. V. (1995) The earliest occupation of Europe: A reappraisal of artefactual and chronological evidence. In: *The earliest occupation of Europe* (Ed. by W. Roebroeks and T. v. Kolfschoten), pp. 297-315. University of Leiden/European Science Foundation, Leiden.
- ROEBROEKS, W. & TUFFREAU, A. (1999) Palaeoenvironment and settlement patterns of the Northwest European Middle Palaeolithic. In: *The Middle Palaeolithic occupation of Europe* (Ed. by W. Roebroeks and C. Gamble), pp. 121-138. University of Leiden / European Science Foundation, Leiden.
- ROSAUER, E. & FRECHEN, J. (1960) Carbonate concretions in Kärlicher loess profile, Rheinland. In: *Proceedings of the Iowa Academy of Science*, Vol. 67, pp. 346-356.
- ROSE, J. (1989) *Quaternary Type Sections: Imagination or Reality?* (Ed. by J. Rose and C. Schlüchter). Balkema, Rotterdam.
- ROTH, G. (1995) Mollusken aus dem mittelpaläozänen "Kärlicher Interglazial" der Tongrube bei Kärlich (Neuwieder Becken/Mittelrhein). *Jahrbuch des Römisch-Germanischen Zentralmuseums Mainz*, 39.
- ROUSSEAU, D.-D. & PUSSÉGUR, J. J. (1990) A 350,000 year climatic record from the loess sequence of Achenheim, Alsace, France. *Boreas*, 19 (3), 203-216.
- ROWE, P.-J., ATKINSON, T. C. & TURNER, C. (1999) U-series dating of the Hoxnian interglacial deposits at Marks Tey, Essex, England. *Journal of Quaternary Science*, 14 (7), 693-702.
- ROZYCKI, S. Z. (1978) From Mochty to a synthesis of the Polish Pleistocene. *Annales de la Société Géologique de Pologne*, 48 (445-478).
- RZECHOWSKI, J. (1986) Pleistocene till stratigraphy in Poland. *Quaternary Science Reviews*, 5, 365-372.
- SALVADOR, A. S. (ed.) (1994) International stratigraphic guide: A guide to stratigraphic classification, terminology and procedure. 2 ed., International Union of Geological Sciences / Geological Society of America, Trondheim / Boulder, 214 pp.
- SÁNCHEZ-GOÑI, M. F., EYNAUD, F., TURON, J.-L. & SHACKLETON, N. J. (1999) High-resolution palynological record of the Iberian peninsula: direct land-sea correlation for the last interglacial complex. *Earth and Planetary Science Letters*, 171, 123-137.
- SARNTHEIN, M., STREMME, G. & MANGINI, A. (1986) The Holstein interglacial: Time-stratigraphic position and correlation to stable-isotope stratigraphy of deep-sea sediments. *Quaternary Research*, 26, 283-298.
- SCHIMPER, W. P. (1837) in Vai, G.B. (1997).
- SCHIRMER, W. (1970) Das jüngere Pleistozän in der Tongrube Kärlich am Mittelrhein. *Mainzer Naturwiss. Arch.*, 9, 257-284.
- SCHIRMER, W. (1990) *Rheingeschichte zwischen Mosel und Maas*, Dequa-Führer 1, 295 pp.
- SCHIRMER, W. (1995) Quaternary field trips in Central Europe., INQUA-congress, Berlin 1. Regional field trips, Verlag Dr. F. Pfeil, München.
- SCHLOSS, L. L. (1963) Sequences in the cratonic interior of North America. *Geol. Soc. Am. Bull.*, 74, 93-113.
- SCHMINCKE, H.-U. & MERTES, H. (1979) Pliocene and Quaternary Volcanic Phases in the Eifel-Volcanic Fields. *Naturwissenschaften*, 66, 614-615.
- SCHOCH, R. M. (1989) Stratigraphy: principles and methods, Van Norstrand Reinhold, New York, 375 pp.
- SCHREVE, D. C. (2001) Differentiation of the British late Middle Pleistocene interglacials: the evidence from mammalian biostratigraphy. *Quaternary Science Reviews*, 20 (16-17), 1693-1705.
- SCHREVE, D. C. (2001) Mammalian evidence from Middle Pleistocene fluvial sequences for complex environmental change at the oxygen isotope substage level. *Quaternary International*, 79, 65-74.
- SCHREVE, D. C. & BRIDGLAND, D. R. (2002) Correlation of English and German Middle Pleistocene fluvial sequences based on mammalian biostratigraphy. *Netherlands Journal of Geosciences / Geologie en Mijnbouw*, 81 (3-4), 357-373.
- SCHREVE, D. C. & THOMAS, G. N. (2001) Critical issues in European Quaternary Biostratigraphy. *Quaternary Science Reviews*, 20 (16-17), 1577-1582.
- SCHUMM, S. A. (1977) *The Fluvial System*, Wiley-Interscience, New York, 335 pp.
- SCHUMM, S. A. (1993) River response to base level change: implications for sequence stratigraphy. *Journal of Geology*, 101, 279-294.
- SCHWARCZ, H. P., GRÜN, R., LATHAM, A. G., MANIA, D. & BRUNNACKER, K. (1988) The Bilzingsleben Archaeological Site: New Dating Evidence. *Archaeometry*, 30, 5-17.
- SEFKOW, E. (1986) Geologische Untersuchungen in der Tongrube Kärlich und am Kärlicher Berg. Unveröff. Dipl. Arbeit, Geol. Inst. Univ. Cologne, 60 pp.
- SEGUENZA. (1868) in Vai, G.B. (1997).
- SEIDENKRANTZ, M.-S., BORNMALM, L., JOHNSEN, S. J., KNUDSEN, K. L., KUIJPERS, A., LAURITZEN, S.-E., LEROY, S. A. G., MERGEAI, I., SCHWEGER, C. E. & VAN VLIET-LANOË, B. (1996) Two-step deglaciation at the oxygen isotope stage 6/5e transition: the Zeifen-Kattegat climate oscillation. *Quaternary Science Reviews*, 15, 63-75.
- SEIDENKRANTZ, M.-S., KNUDSEN, K. L. & KRISTENSEN,

- P. (2000) Marine late Saalian to Eemian environments and climatic variability in the Danish shelf area. *Geologie en Mijnbouw / Netherlands Journal of Geosciences*, 79 (2/3), 335-343.
- SEIDENKRANTZ, M.-S., KRISTENSEN, P. & KNUDSEN, K. L. (1995) Marine evidence for climatic stability during the last interglacial in shelf records from northwest Europe. *Journal of Quaternary Science*, 10, 77-82.
- SEJRUP, H. P., AARSETH, I., ELLINGSEN, K. L., REITHER, E., JANSEN, E., LOVLIE, R., BENT, A., BRIGHAM-GRETTE, J., LARSEN, E. & STOKER, M. S. (1987) Quaternary stratigraphy of the Fladen area, central North Sea: a multidisciplinary study. *Journal of Quaternary Science*, 2, 35-58.
- SEJRUP, H. P. & E. LARSEN. (1991) Eemian-Early Weichselian N-S temperature gradients; North Atlantic-NW Europe. *Quaternary International*, 10-12, 161-166.
- SHACKLETON, N. J. (1977) Oxygen isotope stratigraphy of the Middle Pleistocene. In: *British Quaternary Studies: Recent Advances* (Ed. by F. W. Shotton), pp. 1-16. Clarendon Press, Oxford.
- SHACKLETON, N. J. (1987) Oxygen Isotopes, Ice Volume and Sea Level. *Quaternary Science Reviews*, 6, 183-190.
- SHACKLETON, N. J. (1997) The deep sea record and the Pliocene-Pleistocene boundary. *Quaternary International*, 40 (1), 33-35.
- SHACKLETON, N. J., AN, Z., DODONOV, A. E., GAVIN, J. E., KUKLA, G. J., RANOV, V. A. & ZHOU, L. P. (1995) Accumulation rate of loess in Tadzhikistan and China: Relationship with global ice volume cycles. *Quaternary Proceedings*, 4, 1-6.
- SHACKLETON, N. J., BACKMAN, J., ZIMMERMAN, H., KENT, D. V., HALL, M. A., ROBERTS, D. G., SCHNITKER, D., BALDAUF, J. G., DESPRARIES, A., HOMRIGHAUSEN, R., HUDDLESTUN, P. F., KEENE, J. B., KALTENBACK, A. J., KRUMSIK, K. A. O., MORTON, A. C., MURRAY, J. W. & WEST-BERG-SMITH, J. (1984) Oxygen isotope calibrations of the onset of ice-rafting in DSDP site 552A: history of glaciation in the North Atlantic regions. *Nature*, 307 (620-633).
- SHACKLETON, N. J., BERGER, A. & PELTIER, W. R. (1990) An alternative astronomical calibration of the lower Pleistocene timescale based on ODP Site 677. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 81, 251-261.
- SHACKLETON, N. J. & OPDYKE, N. D. (1973) Oxygen isotope and palaeomagnetic stratigraphy of equatorial Pacific core V28-238: oxygen isotope temperatures and ice volumes on a 105 and a 106 year scale. *Quaternary Research*, 3, 39-55.
- SIBRAVA, V., BOWEN, D. Q. & RICHMOND, G. M. (ed.) (1986) Quaternary glaciations in the Northern Hemisphere, 514 pp.
- SJÖRRING, S. (1983) The glacial history of Denmark. In: *Glacial deposits in North-West Europe*, 1 (Ed. by J. Ehlers), pp. 163-179. Balkema, Rotterdam.
- SOMMÉ, J., PAEPE, R., BAETEMAN, C., BEYENS, L., CUNAT, N., GEERAERTS, R., HARDY, R. F., HUS, J., JUVIGNE, E., MATHIEU, L., THOREZ, J. & VAN-HOORNE, R. (1978) La formation d'Herzele: un nouveau stratotype du Pleistocene moyen marin de la Mer du nord. *Bulletin de l'Association française pour l'étude du Quaternaire*, 1, 2, 3, 81-149.
- STAMP, L. D. (1921) On the cycles of sedimentation in the Eocene strata of the Anglo-France-Belgium Basin. *Geol. Mag.*, 58, 108-114.
- STEIN, C. & LINSE, A. R. (ed.) (1993) Effects of Scale on Archaeological and Geoscientific Perspectives, Geological Society of America Special Paper 28, Boulder, Colo.
- STEINICH, G. (1992) Quartargeologie der Ostseekuste Mecklenburg-Vorpommern, pp. 5-46. Deuqua Exkursionsfuhrer 1992, Kiel.
- STENO, N. (1669) *De solido intra solidum naturaliter contento dissertationes prodomus*, Florence, 76 pp.
- STOKER, M. S. & BENT, A. (1985) Middle Pleistocene glacial and glaciomarine sedimentation in the west central North Sea. *Boreas*, 14, 325-332.
- STRAHL, J. (1999) Holstein - and other interglacial deposits in the Upper Allertal (Morsleben area and Ummendorf). In: *Tagungsband und Excursionsfuhrer*, Vol. 66, pp. 41-42. Tagung der Arbeitgemeinschaft Nordwestdeutscher Geologen.
- STREMME, H. E. (1998) Correlation of Quaternary pedostatigraphy from western to eastern Europe. *Catena*, 34, 105-112.
- STRUNK, H. (1983) Pleistocene diapiric upturnings of lignites and clayey sediments as periglacial phenomena in Central Europe. In: *Proceedings 4th International Conference on Permafrost*, Fairbanks, Alaska, pp. 1200-1204. Academic Press, Washington D.C.
- SUC, J.-P., BERTINI, A., LEROY, S. A. G. & SUBALLYOVA, D. (1997) Towards the lowering of the Plio/Pleistocene boundary to the Gauss-Matuyama Reversal. *Quaternary International*, 40 (1), 37-42.
- SUGGATE, R. P. & WEST, R. G. (1969) Stratigraphic nomenclature and subdivision in the Quaternary. In: *Working Group for Stratigraphic Nomenclature, INQUA Commission for Stratigraphy* (unpublished discussion document).
- THIEME, H. (1996) Altpaläolithische Wurfspeere aus Schöningen, Niedersachsen - Ein Vorbericht. *Archäologisches Korrespondenzblatt*, 26, 377-393.
- THIEME, H. & MAIER, R. (1995) Archäologische Ausgrabungen im Braunkohlentagebau Schöningen, Landkreis Helmstedt, Hannover.
- THIEME, H. & MANIA, D. (1993) "Schöningen 12" - ein mittelpleistozänes Interglazialvorkommen im Nordharzvorland mit paläolithischen Funden. *Ethnographisch-Archäologische Zeitschrift*, 34, 610-619.
- THIEME, H., MANIA, D., URBAN, B. & VAN KOLFSCHOTEN, T. (1993) Schöningen (Nordharzvorland). Eine altpaläolithische Fundstelle aus dem Mittleren Eiszeitalter. *Archäologisches Korrespondenzblatt*, 23, 147-163.
- TIEDEMANN, R., SARNTHEIN, M. & SHACKLETON, N. J. (1994) Astronomic time scale for the Pliocene Atlantic d18O and dust flux records of Ocean Drilling Program Site 659. *Paleoceanography*, 9, 619-638.
- TUFFREAU, A. & ANTOINE, P. (1995) The earliest occupation of Europe: Continental Northwestern Europe. In: *The earliest occupation of Europe* (Ed. by W. Roebroeks and T. v. Kolschoten), pp. 147-163. University of Leiden/European Science Foundation, Leiden.
- TURNER, C. (1970) Middle Pleistocene deposits at Marks Tey, Essex. *Philosophical Transactions of The Royal Society of London*, B 257, 373-440.
- TURNER, C. (1975) The correlation and duration of Middle Pleistocene interglacial periods in Northwest Europe. In: *After the Australopithecines* (Ed. by K. W. Butzer and G.

- L. Isaac), pp. 259-308. Mouton, The Hague.
- TURNER, C. (1996) A brief summary of the early Middle Pleistocene in Europe. In: The early Middle Pleistocene in Europe (Ed. by C. Turner), pp. 295-317. Balkema, Rotterdam.
- TURNER, C. (2000) The Eemian interglacial in the North European plain and adjacent areas. *Geologie en Mijnbouw / Netherlands Journal of Geosciences*, 79 (2/3), 217-231.
- TURNER, C. (2002) Formal Status and Vegetational Development of the Eemian Interglacial in Northwestern and Southern Europe. *Quaternary Research*, 58, 41-44.
- TURNER, C. (2002) Problems of the Duration of the Eemian Interglacial in Europe North of the Alps. *Quaternary Research*, 58, 45-48.
- TURNER, C. & WEST, R. G. (1968) The subdivision and zonation of interglacial periods. *Eiszeitalter und Gegenwart*, 19, 93-101.
- TURNER, E. (1989) Miesenheim I: A lower palaeolithic site in the Middle Rhineland (Neuwied Basin), FRG. *Ethnographisch - Archäologische Zeitschrift*, 30, 521-531.
- TURNER, E. (1995) Ariendorf. In: The Palaeolithic and Mesolithic of the Rhineland (Ed. by G. Bosinski, M. Street and M. Baales), München.
- TURNER, E. (ed.) (1997) Ariendorf. Quaternary deposits and Palaeolithic excavations in the Karl Schneider gravel pit, Verlag des Römisch-Germanischen Zentralmuseums, Mainz, 184 pp.
- TURNER, E. (ed.) (2000) Miesenheim I. Excavations at a lower Palaeolithic site in the Central Rhineland of Germany, Verlag des Römisch-Germanischen Zentralmuseums, Mainz, 147 pp.
- TYRACEK, J. (1997) The Quaternary/Tertiary boundary in continental sediments of the Bohemian Massif. *Quaternary International*, 40, 23-26.
- TYRACEK, J. (2001) Upper Cenozoic fluvial history in the Bohemian Massif. *Quaternary International*, 79, 37-53.
- TZEDAKIS, P. C., ANDRIEU, V., DE BEAULIEU, J.-L., BIRKS, H. J. B., CROWHURST, S., FOLLIERI, M., HOOGHiemstra, H., MAGRI, D., REILLE, M., SADORI, L., SHACKLETON, N. J. & WIJMSTRA, T. A. (2001) Establishing a terrestrial chronological framework as a basis for biostratigraphical comparisons. *Quaternary Science Reviews*, 20 (16-17), 1583-1592.
- TZEDAKIS, P. C., ANDRIEU, V., DE BEAULIEU, J.-L., CROWHURST, S., FOLLIERI, M., HOOGHiemstra, H., MAGRI, D., REILLE, M., SADORI, L., SHACKLETON, N. J. & WIJMSTRA, T. A. (1997) Comparison of terrestrial and marine records of changing climate of the last 500,000 years. *Earth and Planetary Science Letters*, 150, 171-176.
- URBAN, B. (1983) Biostratigraphic correlation of the Kärlich interglacial, Northwestern Germany. *Boreas*, 12, 83-90.
- URBAN, B. (1991) Zusammenfassung biostratigraphischer Ergebnisse holstein- und saalezeitlicher Vorkommen im Tagebau Schöningen, Ldkrs. Helmstedt. In: *Festschrift zur Vollendung des 70. Lebensjahres von Karl Brunnacker* (Ed. by A. Aktas and W. Boenigk), pp. 329-342. Geologisches Institut der Universität zu Köln, Köln.
- URBAN, B. (1993) Mittelpleistozäne Interglaziale im Tagebau Schöningen. *Ethnographisch - Archäologische Zeitschrift*, 34, 620-621.
- URBAN, B. (1995) Palynological evidence of younger Middle Pleistocene Interglacials (Holsteinian, Reinsdorf and Schöningen) in the Schöningen open cast lignite mine (eastern Lower Saxony, Germany). *Mededelingen Rijks Geologische Dienst*, 52, 175-186.
- URBAN, B., ELSNER, H., HÖLZER, A., MANIA, D. & ALBRECHT, B. (1991) Eine Eem- und frühweichselzeitliche Abfolge im Tagebau Schöningen, Landkreis Helmstedt. *Eiszeitalter und Gegenwart*, 41, 85-99.
- URBAN, B., LENHARD, R., MANIA, D. & ALBRECHT, B. (1991) Mittelpleistozän im Tagebau Schöningen, Ldkr. Helmstedt. *Zeitschrift der Deutschen Geologischen Gesellschaft*, 142, 351-372.
- URBAN, B., THIEME, H. & ELSNER, H. (1988) Biostratigraphische, quartärgeologische und urgeschichtliche Belege aus dem Tagebau "Schöningen", Ldkr. Helmstedt. *Z. dt. geol. Ges.*, 139, 123-154.
- VAI, G. B. (1997) Twisting or stable Quaternary boundary? A perspective on the glacial Late Pliocene concepts. *Quaternary International*, 40 (1), 11-22.
- VAN DEN BERG, M. W. (1996) Fluvial sequences of the Maas. A 10 Ma record of neotectonics and climate change at various time-scales. PhD thesis, Agricultural University Wageningen, 181 pp.
- VAN DEN BOGAARD, C., VAN DEN BOGAARD, P. & SCHMINCKE, H.-U. (1989) Quartärgeologisch-tephrostratigraphische Neuaufnahme und Interpretation des Pleistozänprofils Kärlich. *Eiszeitalter und Gegenwart*, 39, 62-86.
- VAN DEN BOGAARD, P. & SCHMINCKE, H.-U. (1988) Aschenlagen als quartäre Zeitmarken in Mitteleuropa. *Die Geowissenschaften*, 6 (3), 75-84.
- VAN DEN BOGAARD, P. & SCHMINCKE, H.-U. (1990) Die Entwicklungsgeschichte des Mittelrheinraumes und die Eruptionsgeschichte des Osteifel-Vulkanfeldes. In: *Rheingeschichte zwischen Mosel und Maas* (Ed. by W. Schirmer), pp. 166-190. Deuqua-Führer, Hannover.
- VAN DER HAMMEN, T., WIJMSTRA, T. A. & ZAGWIJN, H. W. (1971) The floral record of the Late Cenozoic of Europe. In: The Late Cenozoic Glacial Ages (Ed. by K. K. Turekian), pp. 391-424. Yale University Press, New Haven, Conn.
- VAN DER PLASSCHE, O. (1982) Sea-level change and water-level movements in the Netherlands during the Holocene. PhD thesis, Free University, Amsterdam (also in Mededelingen Rijks Geol. Dienst, 36 (1)), 93 pp.
- VAN DER VLERK, I. M. (1953) The importance of the use of local subdivisions of the Pleistocene. *Actes du IV Congrès International du Quaternaire*. Roma-Pisa (Instituto Italiano di Paleontologica Umana, Roma).
- VAN DER VLERK, I. M. (1959) Problems and principles of Tertiary and Quaternary stratigraphy. *Quarterly Journal of the Geological Society London*, 105, 49-64.
- VAN DER WATEREN, F. M. (1981) Glacial tectonics at the Kwintelooyen sandpit, Rhenen, The Netherlands. *Mededelingen Rijks Geologische Dienst*, 35 (7), 252-268.
- VAN KOLFSCHOTEN, T. (1990) Die Kleinsäger von Ariendorf. In: *Rheingeschichte zwischen Mosel und Maas*, Deuqua-Führer 1 (Ed. by W. Schirmer), pp. 117-120. Deutsche Quartärvereinigung, Hannover.
- VAN KOLFSCHOTEN, T. (1990) The evolution of the mammal fauna in the Netherlands and the Middle Rhine area (Western Germany) during the late Middle Pleistocene. *Mededelingen Rijks Geologische Dienst*, 43(3), 1-69.
- VAN KOLFSCHOTEN, T. (1990) Miesenheim I bei Andernach. In: *Rheingeschichte zwischen Mosel und Maas*, 4 (Ed. by W. Schirmer). Deutsche Quartärvereinigung, Hannover.

- VAN KOLFSCHOTEN, T. & ROEBROEKS, W. (1985) Maastricht-Belvédère: stratigraphy, palaeoenvironment and archaeology of the Middle and Late Pleistocene deposits. *Mededelingen Rijks Geologische Dienst*, 39(1), 1-121.
- VAN KOLFSCHOTEN, T. & TURNER, E. (1996) Early Middle Pleistocene mammalian faunas from Karlich and Miesenheim I and their biostratigraphical implications. In: *The early Middle Pleistocene in Europe* (Ed. by C. Turner), pp. 227-253. Balkema, Rotterdam.
- VAN LEEUWEN, R. J. W., BEETS, D. J. & BOSCH, J. H. A. (2000) Amsterdam-Terminal borehole, the Netherlands. *Geologie en Mijnbouw/Netherlands Journal of Geosciences*, 79, 161-196.
- VAN MONTFRANS, H. M. (1971) Palaeomagnetic dating in the North Sea basin. PhD thesis, University of Amsterdam (also in *Earth and Planetary Science Letters*, 11, p. 226-235), 133 pp.
- VAN VLIET-LANOË, B. (1995) Solifluction et transferts illuviaux dans les formations periglaciaires litées. Etat de question. *Geomorphologie*, 2, 85-111.
- VAN WAGONER, J. C., MITCHUM, R. M., CAMPION, K. M. & RAHMANIAN, V. D. (1990) Siliclastic sequence stratigraphy in well logs, cores and outcrops: Concepts for high-resolution correlation of time and facies. *Am. Ass. Petrol. Geol. Methods in Exploration Series*, 7.
- VAN WEERT, F. H. A., VAN GIJSSEL, K., LEIJNSE, A. & BOULTON, G. S. (1997) The effects of Pleistocene glaciations on the geohydrological system of Northwest Europe. *Journal of Hydrology*, 195, 137-159.
- VANDENBERGHE, J. (1985) Palaeoenvironment and stratigraphy during the last glacial in the Belgian-Dutch border region. *Quaternary Research*, 24, 23-38.
- VANDENBERGHE, J. (2000) A global perspective of the European chronostratigraphy for the past 650 ka. *Quaternary Science Reviews*, 19, 1701-1707.
- VANDENBERGHE, J. (2001) Permafrost during the Pleistocene in North West and Central Europe. In: *Permafrost response on Economic Development, Environmental Security and Natural Resources* (Ed. by R. Paepe and V. Melnikov), pp. 185-194. Kluwer Academic Publishers.
- VEKLICH, M. F. (1969) La stratigraphie des loess d'Ukraine. In: *La stratigraphie des loess d'Europe* (Ed. by J. Fink), pp. 145-150. Bull. Assoc. Fr. Etude Quat., Suppl.
- VEKLICH, M. F., MATVIISHINA, Z. N. & IVCHENKO, A. S. (1993) Stratigraphical schemes of the Pliocene and Pleistocene sediments of Ukraine [in Russian]. Naukova Dumka, Kiev, 76 pp.
- VELICHKO, A. A. (ed.) (1984) Late Quaternary Environments of the Soviet Union, Longman, London, 327 pp.
- VELICHKO, A. A. (1990) Loess-paleosol formation on the Russian Plain. *Quaternary International*, 7/8, 103-114.
- VELICHKO, A. A. & FAUSTOVA, M. A. (1986) Glaciations in the East European region of the USSR. *Quaternary Science Reviews*, 5, 447-461.
- VELTKAMP, T. & VAN DEN BERG, M. W. (1993) Three-dimensional modelling of Quaternary fluvial dynamics in a climato-tectonic dependent system. A case study of the Maas record (Maastricht, The Netherlands). *Global and Planetary Change*, 8, 203-218.
- VENETZ, I. (1821) Mémoire sur l'extension des anciens glacières.
- VENTRIS, P. A. (1996) Hoxnian Interglacial freshwater and marine deposits in Northwest Norfolk, England and their implications for sea-level reconstruction. *Quaternary Science Reviews*, 15 (5-6), 437-450.
- VOLLBRECHT, J. (1994) Die älteste Besiedlung des Rheinlandes (Kärlich). *Ethnographisch - Archäologische Zeitschrift*, 35, 1-9.
- VON BUCH, L. (1815) Über die Verbreitung grosser Alpenge-schiebe. *Abhandlungen der Physikalischen Klasse der Akademie der Wissenschaften Berlin* 1804-1811, 161-186.
- VON KOENIGSWALD, W. & VAN KOLFSCHOTEN, T. (1996) The Mimomys-Arvicola boundary and the enamel thickness quotient (SDQ) of Arvicola as stratigraphic markers in the Middle Pleistocene. In: *The early Middle Pleistocene in Europe* (Ed. by C. Turner), pp. 211-226. Balkema, Rotterdam.
- VON MORLOT, A. (1855) Quartäre Gebilde des Rhonegebiets. *Neues Jahrbuch für Mineralogie und Geologie* (1855), 719-721.
- WALKER, M. J. C., JOHNSEN, S. J., STEFFENSEN, J. P., GIBBARD, P. L., HOEK, W. Z., LOWE, J., ANDREWS, J., CWYNAR, L., HUGHEN, K., KERSHAW, P., KROMER, B., LITT, T., NAKAGAWA, T., NEWNHAM, R. & SCHWANDER, J. (in press) A proposal for the Global Stratotype Section and Point (GSSP) and Global Standard Stratigraphic Age (GSSA) for the base of the Holocene Series/Epoch (Quaternary System/Period).
- WALKER, R. G. (ed.) (1980) Facies models. 3rd ed., Geoscience Canada, Reprint Series 1, 211 pp.
- WASHBURN, A. L. (1979) *Geocryology*, Arnold, E., London, 406 pp.
- WEERTS, H. J. T., CLEVERINGA, P., EBBING, J. H. J., DE LANG, F. D. & WESTERHOFF, W. E. (2003) In: *De lithostratigrafische indeling van Nederland. Formaties in het Tertiair en Kwartair*. Rapport 03-051-A, NITG-TNO, Utrecht.
- WEST, R. G. (1957) Interglacial deposits at Bobbitshole, Ipswich. *Philosophical Transactions of The Royal Society of London*, B 241, 1-31.
- WEST, R. G. (1963) Problems of the British Quaternary. *Proceedings of the Geologists Association*, 74, 147-186.
- WEST, R. G. (1968) *Pleistocene Geology and Biology*. 1st ed., Longman, London, 377 pp.
- WEST, R. G. (1980) Pre-glacial Pleistocene of the Norfolk and Suffolk coasts, Cambridge University Press, Cambridge, 203 pp.
- WEST, R. G. (1988) The record of the cold stages. *Phil. Trans. R. Soc. London*, B 318, 523-528.
- WEST, R. G. (1996) Outline of the stratigraphy and vegetational history of the Cromer Forest-bed Formation. In: *The early Middle Pleistocene in Europe* (Ed. by C. Turner), pp. 1-8. Balkema, Rotterdam.
- WESTERHOFF, W. E., WONG, T. E. & DE MULDER, E. F. J. (2003) Deel 3: Opbouw van de ondergrond. In: *De ondergrond van Nederland* (Ed. by E. F. J. De Mulder, M. C. Geluk, I. I. Ritsema, W. E. Westerhoff and T. E. Wong), pp. 247-352. Wolters-Noordhoff, Groningen, Houten.
- WHEELER, H. E. (1958) Time stratigraphy. *American Association of Petroleum Geologists Bulletin*, 42, 1047-1063.
- WIEGANK, F. (1979) Palaeomagnetic dating and correlation of Quaternary deposits in the G.D.R. In: *Quaternary glaciations in the Northern Hemisphere* (Ed. by V. Sibrava and F. W. Shotton), pp. 254-262. IUGS-INQUA, Prague.
- WIJMSTRA, T. A. (1969) Palynology of the first 30 metres of a 120 m deep section in northern Greece (Macedonia). Ac-

- ta Botanica Neerlandica, 18, 511.
- WIJMSTRA, T. A. & SMIT, A. (1976) Palynology of the middle part (30-78 metres) of the 120 m deep section in northern Greece (Macedonia). *Acta Botanica Neerlandica*, 25, 297-312.
- WINDHEUSER, H. & BRUNNACKER, K. (1978) Zeitstellung und Tephrostratigraphie des quartären Osteifel-Vulkanismus. *Geologisches Jahrbuch Hessen*, 106, 261-271.
- WINDHEUSER, H., MEYER, W. & BRUNNACKER, K. (1982) Verbreitung, Zeitstellung und Ursachen des Quartären Vulkanismus in der Osteifel. *Zeitschrift Geomorph. N.F. Suppl. Bd.*, 42, 177-194.
- WINGFIELD, R. (1990) The origin of major incisions within the Pleistocene deposits of the North sea. *Marine Geology*, 91, 31-52.
- WINograd, I. J., COPLEN, T. B., LANDWEHR, J. M., RIGGS, A. C., LUDWIG, K. R., SZABO, B. J., KOLE-SAR, P. T. & REVESZ, K. M. (1992) Continuous 500,000 year climate record from vein calcite in Devil's Hole, Nevada. *Science*, 258, 255-260.
- WINTLE, A. G. (1987) Thermoluminescence dating of loess. In: *Loess and Environment*, suppl. 9 (Ed. by M. Pesci), pp. 103-115. *Catena*, Braunschweig.
- WOILLARD, G. M. (1978) Grande Pile peat bog: a continuous pollen record for the last 140,000 years. *Quaternary Research*, 9, 1-21.
- WOILLARD, G. M. (1980) The pollen record of Grande Pile (N.E. France) and the climate chronology through the last interglacial-glacial cycle. In: J. Chaline (ed.). *Problèmes de stratigraphie quaternaire en France et dans les pays, limitrophes*, 95-113, Dijon.
- WOLDSTEDT, P. (1929) Das Eiszeitalter. Grundlinien einer Geologie des Diluviums, Enke, Stuttgart, 406 pp.
- WOLDSTEDT, P. (1947) Die Strahlungskurve von Milankovitch und die Zahl der Eis- und Zwischeneiszeiten in Norddeutschland. *Geol. Rundsch.*, 35, 23-25.
- WOLDSTEDT, P. (1954) Das Eiszeitalter. Grundlinien einer Geologie des Quartärs, Band 1, Enke, Stuttgart.
- WOLDSTEDT, P. & DUPHORN, K. (1974) Norddeutschland und angrenzende Gebiete im Eiszeitalter. 3rd ed., K.F. Koehler Verlag, Stuttgart, 500 pp.
- WÜRGES, K. (1984) Altpaläolithische Funde aus der Tongrube Kärlich (Schicht H, unten), Kreis Mayen-Koblenz/Neuwieder Becken. *Archäologisches Korrespondenzblatt*, 14, 17-22.
- ZAGWIJN, W. H. (1961) Vegetation, climate and radiocarbon datings in the Late Pleistocene of the Netherlands. Part I. Eemian and Early Weichselian. *Mededelingen Geol. Stichting N.S.*, 14, 15-45.
- ZAGWIJN, W. H. (1971) Subdivision of the "Cromerian" in the Netherlands; pollen analysis, palaeomagnetism and sedimentary. *Geologie en Mijnbouw*, 50, 41-58.
- ZAGWIJN, W. H. (1973) Pollenanalytic studies of Holsteinian and Saalian Beds in The Northern Netherlands. *Mededelingen Rijks Geologische Dienst*, N.S. 24, 139-156.
- ZAGWIJN, W. H. (1974) The palaeogeographic evolution of the Netherlands during the Quaternary. *Geologie en Mijnbouw*, 53 (6), 369-385.
- ZAGWIJN, W. H. (1975) Indeling van het Kwartair op grond van veranderingen in vegetatie en klimaat. In: *Toelichtingen bij geologische overzichtskaarten van Nederland* (Ed. by W. H. Zagwijn and C. J. Van Staalduin), pp. 109-114. *Rijks Geologische Dienst*, Haarlem.
- ZAGWIJN, W. H. (1979) Early and Middle Pleistocene coast-lines in the southern North Sea basin. In: *The Quaternary History of the North Sea*, 2 (Ed. by E. Oele, R. T. E. Schuttenhelm and A. J. Wiggers), pp. 31-42. *Acta Univ. Ups. Symp. Univ. Upps. Annum Quingentesimum Celebrantis*, Uppsala.
- ZAGWIJN, W. H. (1983) Sea-level changes in the Netherlands during the Eemian. *Geologie en Mijnbouw*, 437-450.
- ZAGWIJN, W. H. (1986) The Pleistocene of the Netherlands with special reference to glaciation and terrace formation. In: *Quaternary glaciations in the northern Hemisphere* (Ed. by V. Sibrava, D. Q. Bowen and G. M. Richmond), pp. 341-345. *Pergamon Press*, Cambridge.
- ZAGWIJN, W. H. (1989) The Netherlands during the Tertiary and the Quaternary: A case history of Coastal Lowland Evolution. *Geologie en Mijnbouw*, 68, 107-120.
- ZAGWIJN, W. H. (1989) Vegetation and climate during the warmer intervals in the Late Pleistocene of Western and Central Europe. *Quaternary International*, 3/4, 57-67.
- ZAGWIJN, W. H. (1992) The beginning of the Ice Age in Europe and its major subdivisions. *Quaternary Science Reviews*, 11, 583-591.
- ZAGWIJN, W. H., VAN MONTFRANS, H. M. & ZANDSTRA, J. G. (1971) Subdivision of the "Cromerian" in the Netherlands: pollenanalysis, palaeomagnetism and sedimentary petrology. *Geologie en Mijnbouw*, 50, 41-58.
- ZAGWIJN, W. H. & VAN STAALDUINEN, C. J. (ed.) (1975) *Toelichting bij geologische overzichtskaarten van Nederland*, Rijks Geologische Dienst, Haarlem, 134 pp.
- ZANDSTRA, J. G. (1971) Geologisch onderzoek in de stuwwal van de oostelijke Veluwe bij Hattem en Wapenveld. *Mededelingen Rijks Geol. Dienst*, N.S., 22, 215-260.
- ZANDSTRA, J. G. (1974) Over de uitkomsten van nieuwe zwerfsteen tellingen en een keileemtypenindeling van Nederland. *Grondboor en Hamer*, 28, 95-108.
- ZANDSTRA, J. G. (1987) Explanation to the map "Fennoscandian crystalline erratics of Saalian age in the Netherlands". In: *Tills and glaciotectonics* (Ed. by J. J. M. Van der Meer), pp. 127-132. Balkema, Rotterdam.
- ZIEGLER, P. A. (1994) Cenozoic rift system of western and central Europe: an overview. *Geologie en Mijnbouw*, 73, 99-127.
- ZÖLLER, L., STREMME, H. & WAGNER, G. A. (1988) Thermoluminiscenz-Datierung an Löss-Paläoboden-Sequenzen von Nieder-, Mittel- und Oberrhein/BRD. *Chemical Geology (Isotope Geoscience Section)*, 7, 39-62.
- ZUBAKOV, V. A. & BORZENKOVA, I. I. (1990) Global palaeoclimate of the late Cenozoic, *Developments in Palaeontology and Stratigraphy* 12, Elsevier, Amsterdam, 456 pp.