



Universiteit
Leiden
The Netherlands

A metabolomic approach to thrips resistance in tomato

Romero González, R.R.

Citation

Romero González, R. R. (2011, October 11). *A metabolomic approach to thrips resistance in tomato*. Retrieved from <https://hdl.handle.net/1887/17920>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/17920>

Note: To cite this publication please use the final published version (if applicable).

- Agnely, M. and Thiebaut, D. (1997) Dual-mode high-speed counter-current chromatography: retention, resolution and examples. *Journal of Chromatography A* 790(1-2), 17-30.
- Allen, W.R. and Broadbent, A.B. (1986) Transmission of tomato spotted wilt virus in ontario greenhouses by *Frankliniella-occidentalis*. *Canadian Journal of Plant Pathology* 8(1), 33-38.
- Allwood, J.W., Ellis, D.I. and Goodacre, R. (2008) Metabolomic technologies and their application to the study of plants and plant-host interactions. *Physiologia Plantarum* 132(2), 117-135.
- Allwood, J.W., Ellis, D.I., Heald, J.K., Goodacre, R. and Mur, L.A.J. (2006) Metabolomic approaches reveal that phosphatidic and phosphatidyl glycerol phospholipids are major discriminatory non polar metabolites in responses by *Brachypodium distachyon* to challenge by *Magnaporthe grisea*. *The Plant Journal* 46(3), 351-368.
- Annadana, S., Peters, J., Gruden, K., Schipper, A., Outchkourov, N. and Beekwilder, M. (2002) Effects of cysteine protease inhibitors on oviposition rate of the western flower thrips, *Frankliniella occidentalis*. *Journal of Insect Physiology* 48(7), 701-706.
- Antonious, G.F., Dahlman, D.L. and Hawkins, L.M. (2003) Insecticidal and acaricidal performance of methyl ketones in wild tomato leaves. *Bulletin of Environmental Contamination and Toxicology* 71(2), 400-407.
- Antonious, G.F., Kochhar, T.S. and Simmons, A.M. (2005) Natural products: Seasonal variation in trichome counts and contents in *Lycopersicon hirsutum* f. *glabratum*. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes* 40(4), 619-631.
- Appel, H.M. (1993) Phenolics in ecological interactions - The importance of oxidation. *Journal of Chemical Ecology* 19(7), 1521-1552.
- Arany, A., de Jong, T., Kim, H., van Dam, N., Choi, Y., Verpoorte, R. and van der Meijden, E. (2008) Glucosinolates and other metabolites in the leaves of *Arabidopsis thaliana* from natural populations and their effects on a generalist and a specialist herbivore. *Chemoecology* 18(2), 65-71.
- Bai, Y., Huang, C.-C., van der Hulst, R., Meijer-Dekens, F., Bonnema, G. and Lindhout, P. (2003) QTLs for tomato powdery mildew resistance (*Oidium lycopersici*) in *Lycopersicon parviflorum* G1.1601 co-localize with two qualitative powdery mildew resistance genes. *Molecular Plant-Microbe Interactions* 16(2), 169-176.
- Bai, Y.L. and Lindhout, P. (2007) Domestication and breeding of tomatoes: What have we gained and what can we gain in the future? *Annals of Botany* 100, 1085-1094.
- Baldin, E.L.L., Vendramim, J.D. and Lourencao, A.L. (2005) Resistance of tomato genotypes to the whitefly *Bemisia tabaci* (Gennadius) biotype B (Hemiptera : Aleyrodidae). *Neotropical Entomology* 34(3), 435-441.
- Ben-Israel, I., Yu, G., Austin, M., Bhuiyan, N., Auldridge, M., Nguyen, T., Schauvinhold, I., Noel, J., Pichersky, E. and Fridman, E. (2009) Multiple biochemical and morphological factors underlie the production of methylketones in tomato trichomes. *Plant Physiology* 151(4), 1952.

- Beninger, C.W., Abou-Zaid, M.M., Kistner, A.L.E., Hallett, R.H., Iqbal, M.J., Grodzinski, B. and Hall, J.C. (2004) A flavanone and two phenolic acids from *Chrysanthemum morifolium* with phytotoxic and insect growth regulating activity. *Journal of Chemical Ecology* 30(3), 589-606.
- Berthod, A. (2007) Countercurrent chromatography and the journal of liquid chromatography: A love story. *Journal of Liquid Chromatography & Related Technologies* 30(9-12), 1447-1463.
- Berthod, A. and Hassoun, M. (2006) Using the liquid nature of the stationary phase in countercurrent chromatography - IV. The cocurrent CCC method. *Journal of Chromatography A* 1116(1-2), 143-148.
- Berthod, A., Ruiz-Angel, M.J. and Carda-Broch, S. (2003) Elution-extrusion countercurrent chromatography. Use of the liquid nature of the stationary phase to extend the hydrophobicity window. *Analytical Chemistry* 75(21), 5886-5894.
- Bi, J.L., Felton, G.W., Murphy, J.B., Howles, P.A., Dixon, R.A. and Lamb, C.J. (1997a) Do plant phenolics confer resistance to specialist and generalist insect herbivores? *Journal of Agricultural and Food Chemistry* 45(11), 4500-4504.
- Bi, J.L., Murphy, J.B. and Felton, G.W. (1997b) Antinutritive and oxidative components as mechanisms of induced resistance in cotton to *Helicoverpa zea*. *Journal of Chemical Ecology* 23(1), 97-117.
- Bleeker, P.M., Diergaarde, P.J., Ament, K., Guerra, J., Weidner, M., Schutz, S., de Both, M.T.J., Haring, M.A. and Schuurink, R.C. (2009) The role of specific tomato volatiles in tomato-whitefly interaction. *Plant Physiology* 151(2), 925-935.
- Bleeker, P.M., Diergaarde, P.J., Ament, K., Schutz, S., Johne, B., Dijkink, J., Hiemstra, H., de Gelder, R., de Both, M.T.J., Sabelis, M.W., Haring, M.A. and Schuurink, R.C. (2011) Tomato-produced 7-epizingiberene and R-curcumene act as repellents to whiteflies. *Phytochemistry* 72(1), 68-73.
- Bouayed, J., Rammal, H., Dicko, A., Younos, C. and Soulimani, R. (2007) Chlorogenic acid, a polyphenol from *Prunus domestica* (Mirabelle), with coupled anxiolytic and antioxidant effects. *Journal of the Neurological Sciences* 262(1-2), 77-84.
- Breedon, D.C. and Coates, R.M. (1994) 7-Epizingiberene, a novel bisabolane sesquiterpene from wild tomato leaves. *Tetrahedron* 50(38), 11123-11132.
- Brodbeck, B.V., Stavisky, J., Funderburk, J.E., Andersen, P.C. and Olson, S.M. (2001) Flower nitrogen status and populations of *Frankliniella occidentalis* feeding on *Lycopersicon esculentum*. *Entomologia Experimentalis et Applicata* 99(2), 165-172.
- Brodsgaard, H. (1994) Insecticide resistance in european and african strains of western flower thrips (Thysanoptera, Thripidae) tested in a new residue-on-glass test. *Journal of Economic Entomology* 87(5), 1141-1146.
- Burke, A., B., Goldsby, G., Mudd and B., J. (1987) Polar epicuticular lipids of *Lycopersicon pennellii*. *Phytochemistry* 26(9).
- Cacace, G., M., Landau, M., E., Ramsden and J., J. (1997) The Hofmeister series: salt and solvent effects on interfacial phenomena. *Quarterly Reviews of Biophysics* 30(03), 241-277.
- Camacho-Cristobal, J., Lunar, L., Lafont, F., Baumert, A. and Gonzalez-Fontes, A. (2004) Boron deficiency causes accumulation of chlorogenic acid and caffeoyl polyamine conjugates in tobacco leaves. *Journal of Plant Physiology* 161(7), 879-881.
- Campbell, J., Canene-Adams, K., Lindshield, B., Boileau, T., Clinton, S. and Erdman, J. (2004) Tomato phytochemicals and prostate cancer risk. *The Journal of Nutrition* 134(12), 3486S-3492S.

- Canady, M.A., Ji, Y. and Chetelat, R.T. (2006) Homeologous recombination in *Solanum lycopersicoides* introgression lines of cultivated tomato. *Genetics* 174(4), 1775-1788.
- Carter, C., Sacalis, J. and Gianfagna, T. (1989) Zingiberene and resistance to Colorado potato beetle in *Lycopersicon hirsutum* f. *hirsutum*. *Journal of Agricultural and Food Chemistry* 37(1), 206-210.
- Chatzivasileiadis, E., Boon, J. and Sabelis, M. (1999) Accumulation and turnover of 2-tridecanone in *Tetranychus urticae* and its consequences for resistance of wild and cultivated tomatoes. *Experimental and Applied Acarology* 23(12), 1011-1021.
- Cheng, J.C., Dai, F., Zhou, B., Yang, L. and Liu, Z.L. (2007) Antioxidant activity of hydroxycinnamic acid derivatives in human low density lipoprotein: Mechanism and structure-activity relationship. *Food Chemistry* 104(1), 132-139.
- Chiang, L.C., Chiang, W., Chang, M.Y., Ng, L.T. and Lin, C.C. (2002) Antiviral activity of *Plantago major* extracts and related compounds *in vitro*. *Antiviral Research* 55(1), 53-62.
- Childers, C.C. (1997) Feeding and oviposition injuries to plants. In: T. Lewis (Ed), *Thrips as crop pests*, pp. 505-537. CAB International, New York, USA.
- Choi, Y.H., Tapias, E.C., Kim, H.K., Lefeber, A.W.M., Erkelens, C., Verhoeven, J.T.J., Brzin, J., Zel, J. and Verpoorte, R. (2004) Metabolic discrimination of *Catharanthus roseus* leaves infected by phytoplasma using ¹H-NMR spectroscopy and multivariate data analysis. *Plant Physiology* 135(4), 2398.
- Clifford, M.N., Johnston, K.L., Knight, S. and Kuhnert, N. (2003) Hierarchical scheme for LC-MSn identification of chlorogenic acids. *Journal of Agricultural and Food Chemistry* 51(10), 2900-2911.
- Clifford, M.N., Kellard, B. and Birch, G.G. (1989) Characterisation of chlorogenic acids by simultaneous isomerisation and transesterification with tetramethylammonium hydroxide. *Food Chemistry* 33(2), 115-123.
- Coates, R.M., Denissen, J.F., Juvik, J.A. and Babka, B.A. (1988) Identification of alpha-santalenoic and endo-beta-bergamotenoic acids as moth oviposition stimulants from wild tomato leaves. *Journal of Organic Chemistry* 53(10), 2186-2192.
- Coley, P.D., Bryant, J.P. and Chapin, F.S. (1985) Resource availability and plant antiherbivore defense. *Science* 230(4728), 895-899.
- Comino, C., Hehn, A., Moglia, A., Menin, B., Bourgaud, F., Lanteri, S. and Portis, E. (2009) The isolation and mapping of a novel hydroxycinnamoyltransferase in the globe artichoke chlorogenic acid pathway. *BMC Plant Biology* 9(1), 30-43.
- Crozier, A., Jaganath, I.B. and Clifford, M.N. (2009) Dietary phenolics: chemistry, bioavailability and effects on health. *Natural Product Reports* 26(8), 1001-1043.
- Daughtrey, M.L., Jones, R.K., Moyer, J.W., Daub, M.E. and Baker, J.R. (1997) Tospoviruses strike the greenhouse industry - INSV has become a major pathogen on flower crops. *Plant Disease* 81(11), 1220-1230.
- Davis, J., Yu, D.Z., Evans, W., Gokirmak, T., Chetelat, R.T. and Stotz, H.U. (2009) Mapping of loci from *Solanum lycopersicoides* conferring resistance or susceptibility to *Botrytis cinerea* in tomato. *Theoretical and Applied Genetics* 119(2), 305-314.
- Day, M.F. and Rzykiewicz, H. (1954) Physiological studies on Thrips in relation to transmission of tomato spotted wilt virus. *Australian Journal of Biological Sciences* 7(3), 274-281.

- de Jager, C., Butôt, R., Klinkhamer, P., de Jong, T., Wolff, K. and van der Meijden, E. (1995) Genetic variation in chrysanthemum for resistance to *Frankliniella occidentalis*. *Entomologia Experimentalis et Applicata* 77(3), 277-287.
- de Jager, C.M., Butot, R.P.T., van der Meijden, E. and Verpoorte, R. (1996) The role of primary and secondary metabolites in chrysanthemum resistance to *Frankliniella occidentalis*. *Journal of Chemical Ecology* 22(11), 1987-1999.
- de Resende, J.T.V., Maluf, W.R., Faria, M.V., Pfann, A.Z. and do Nascimento, E.R. (2006) Acylsugars in tomato leaflets confer resistance to the South American tomato pinworm, *Tuta absoluta* Meyr. *Scientia Agricola* 63(1), 20-25.
- de Resendel, J.T.V., Maluf, W.R., Cardoso, M.D., Faria, M.V., Goncalves, L.D. and do Nascimento, I.R. (2008) Resistance of tomato genotypes with high level of acylsugars to *Tetranychus evansi* Baker & Pritchard. *Scientia Agricola* 65(1), 31-35.
- Deborde, C., Maucourt, M., Baldet, P., Bernillon, S., Biais, B., Talon, G., Ferrand, C., Jacob, D., Ferry-Dumazet, H., de Daruvar, A., Rolin, D. and Moing, A. (2009) Proton NMR quantitative profiling for quality assessment of greenhouse-grown tomato fruit. *Metabolomics* 5(2), 183-198.
- Delannay, E., Toribio, A., Boudesocque, L., Nuzillard, J.M., Zeches-Hanrot, M., Dardennes, E., Le Dour, G., Sapi, J. and Renault, J.H. (2006) Multiple dual-mode centrifugal partition chromatography, a semi-continuous development mode for routine laboratory-scale purifications. *Journal of Chromatography A* 1127(1-2), 45-51.
- Dimock, M.B., Kennedy, G.G. and Williams, W.G. (1982) Toxicity studies of analogs of 2-tridecanone, a naturally-occurring toxicant from a wild tomato. *Journal of Chemical Ecology* 8(5), 837-842.
- Duffey, S. (1986) Plant glandular trichomes: their potential role in defense against insects. In: B. Juniper and R. Southwood (Eds), *Insects and plant surface*, pp. 151-172. Arnold, London, UK.
- Eichenseer, H., Bi, J.L. and Felton, G.W. (1998) Indiscrimination of *Manduca sexta* larvae to overexpressed and underexpressed levels of phenylalanine ammonia-lyase in tobacco leaves. *Entomologia Experimentalis et Applicata* 87(1), 73-78.
- Eigenbrode, S., Trumble, J., Millar, J. and White, K. (1994) Topical toxicity of tomato sesquiterpenes to the beet armyworm and the role of these compounds in resistance derived from an accession of *Lycopersicon hirsutum* f. *typicum*. *Journal of Agricultural and Food Chemistry* 42(3), 807-810.
- Eshed, Y. and Zamir, D. (1995) An introgression line population of *Lycopersicon pennellii* in the cultivated tomato enables the identification and fine mapping of yield-associated QTL. *Genetics* 141(3), 1147-1162.
- FAO. (2008) FAO Statistical Database. <http://faostat.fao.org/>.
- Farah, A., de Paulis, T., Trugo, L.C. and Martin, P.R. (2005) Effect of roasting on the formation of chlorogenic acid lactones in coffee. *Journal of Agricultural and Food Chemistry* 53(5), 1505-1513.
- Felton, G.W. (1989) Activation of plant foliar oxidases by insect feeding reduces nutritive quality of foliage for noctuid herbivores. *Journal of Chemical Ecology* 15(12), 2667.
- Felton, G.W., Donato, K.K., Broadway, R.M. and Duffey, S.S. (1992) Impact of oxidized plant phenolics on the nutritional quality of dietary-protein to a noctuid herbivore, *Spodoptera exigua*. *Journal of Insect Physiology* 38(4), 277-285.
- Ferreres, F., Sousa, C., Valentao, P., Pereira, J.A., Seabra, R.M. and Andrade, P.B. (2007) Tronchuda cabbage flavonoids uptake by *Pieris brassicae*. *Phytochemistry* 68(3), 361-367.

- Fobes, J.F., Mudd, J.B. and Marsden, M.P.F. (1985) Epicuticular lipid-accumulation on the leaves of *Lycopersicon-Pennellii* (Corr) Darcy and *Lycopersicon-Esculentum* Mill. *Plant Physiology* 77(3), 567-570.
- Forkner, R.E. and Hare, J.D. (2000) Genetic and environmental variation in acyl glucose ester production and glandular and nonglandular trichome densities in *Datura wrightii*. *Journal of Chemical Ecology* 26(12), 2801-2823.
- Frei, A., Blair, M.W., Cardona, C., Beebe, S.E., Gu, H. and Dorn, S. (2005) QTL mapping of resistance to thrips palmi Karny in common bean. *Crop Science* 45(1), 379-387.
- Frelichowski Jr, J. and Juvik, J. (2001) Sesquiterpene carboxylic acids from a wild tomato species affect larval feeding behavior and survival of *Helicoverpa zea* and *Spodoptera exigua* (Lepidoptera: Noctuidae). *Journal of Economic Entomology* 94(5), 1249-1259.
- Freucht, W. and Treutter, D. (1999) The role of flavan-3-ols and proanthocyanidins in plant defence In: S. Inderjit, K.M.M. Dakshini and C.L. Foy (Eds), *Principles and practices in plant ecology*, pp. 307-338. CRC Press, Boca Raton, USA.
- Galati, G. and O'Brien, P.J. (2004) Potential toxicity of flavonoids and other dietary phenolics: significance for their chemopreventive and anticancer properties. *Free Radical Biology and Medicine* 37(3), 287-303.
- Galili, G. and Hofgen, R. (2002) Metabolic engineering of amino acids and storage proteins in plants. *Metabolic Engineering* 4(1), 3-11.
- Galvez, H.F., Fernandez, E.C. and Hautea, D.M. (2005) Molecular mapping of resistance to thrips in potato. *Philippine Agricultural Scientist* 88(3), 268-280.
- Gentile, A.G. and Stoner, A.K. (1968) Resistance in *Lycopersicon* and *Solanum* species to potato aphid. *Journal of Economic Entomology* 61(5), 1152-&.
- German, T.L., Ullman, D.E. and Moyer, J.W. (1992) Tospoviruses-diagnosis, molecular-biology, phylogeny, and vector relationships. *Annual Review of Phytopathology* 30, 315-348.
- Ghasemi, J. and Shamsipur, M. (1995) Spectrophotometric study of the thermodynamics of interaction of some metal ions with murexide in binary acetonitrile-dimethylsulfoxide mixtures. *Journal of Coordination Chemistry* 36(3), 183-194.
- Giovanucci, E., Ascherio, A., Rimm, E.B., Stampfer, M.J., Colditz, G.A. and Willett, W.C. (1995) Intake of carotenoids and retinol in relation to risk of prostate-cancer. *Journal of the National Cancer Institute* 87(23), 1767-1776.
- Goffreda, J. and Mutschler, M. (1987) Potato aphid feeding response to *lycopersicon-pennellii* type-IV trichome exudate and trichome exudate components. *HortScience* 22(5), 1073-1073.
- Goffreda, J.C., Steffens, J.C. and Mutschler, M.A. (1990) Association of epicuticular sugars with aphid resistance in hybrids with wild tomato. *Journal of The American Society for Horticultural Science* 115(1), 161-165.
- Goldbach, R. and Peters, D. (1994) Possible causes of the emergence of tospovirus diseases. *Seminars in Virology* 5(2), 113-120.
- Grover, P.K. and Ryall, R.L. (2004) Critical appraisal of salting-out and its implications for chemical and biological sciences. *Chemical Reviews* 105(1), 1-10.
- Guerrero, G. and Suarez, M. (2001) Chlorogenic acids as a potential criterion in coffee genotype selections. *Journal of Agricultural and Food Chemistry* 49(5), 2454-2458.

- Gur, A., Semel, Y., Cahaner, A. and Zamir, D. (2004) Real time QTL of complex phenotypes in tomato interspecific introgression lines. *Trends in Plant Science* 9(3), 107-109.
- Harrewijn, P., Tjallingii, W.F. and Mollema, C. (1996) Electrical recording of plant penetration by western power thrips. *Entomologia Experimentalis et Applicata* 79(3), 345-353.
- Hawthorne, D.J., Shapiro, J.A., Tingey, W.M. and Mutschler, M.A. (1992) Trichome-borne and artificially applied acylsugars of wild tomato deter feeding and oviposition of the leafminer *Liriomyza trifolii*. *Entomologia Experimentalis et Applicata* 65(1), 65-73.
- Heinz, K.M. and Zalom, F.G. (1995) Variation in trichome-based resistance to *bemisia-argentifolii* (Homoptera, Aleyrodidae) oviposition on tomato. *Journal of Economic Entomology* 88(5), 1494-1502.
- Hoffmann, L., Maury, S., Martz, F., Geoffroy, P. and Legrand, M. (2003) Purification, cloning, and properties of an acyltransferase controlling shikimate and quinate ester intermediates in phenylpropanoid metabolism. *Journal of Biological Chemistry* 278(1), 95 - 103.
- Hunter, W.B. and Ullman, D.E. (1989) Analysis of mouthpart movements during feeding of *Frankliniella occidentalis* (pergande) and *F. schultzei trybom* (Thysanoptera : Thripidae). *International Journal of Insect Morphology and Embryology* 18(2-3), 161-171.
- Hutton, S.F., Scott, J.W., Yang, W.C., Sim, S.C., Francis, D.M. and Jones, J.B. (2010) Identification of QTL associated with resistance to bacterial spot race T4 in tomato. *Theoretical and Applied Genetics* 121(7), 1275-1287.
- Ikonen, A., Tahvanainen, J. and Roininen, H. (2001) Chlorogenic acid as an antiherbivore defence of willows against leaf beetles. *Entomologia Experimentalis et Applicata* 99(1), 47-54.
- Immaraju, J., Paine, T., Bethke, J., Robb, K. and Newman, J. (1992) Western flower thrips (Thysanoptera, Thripidae) resistance to insecticides in coastal california greenhouses. *Journal of Economic Entomology* 85(1), 9-14.
- Isman, M.B. and Duffey, S.S. (1982a) Phenolic compounds in foliage of commercial tomato cultivars as growth-inhibitors to the fruitworm, *Heliothis zea*. *Journal of The American Society for Horticultural Science* 107(1), 167-170.
- Isman, M.B. and Duffey, S.S. (1982b) Toxicity of tomato phenolic-compounds to the fruitworm, *Heliothis zea*. *Entomologia Experimentalis et Applicata* 31(4), 370-376.
- Ito, Y. (2002) Centrifugal precipitation chromatography: Novel fractionation method for biopolymers, based on their solubility. *Journal of Liquid Chromatography & Related Technologies* 25(13-15), 2039-2064.
- Janmaat, A.F., de Kogel, W.J. and Woltering, E.J. (2002) Enhanced fumigant toxicity of p-cymene against *Frankliniella occidentalis* by simultaneous application of elevated levels of carbon dioxide. *Pest Management Science* 58(2), 167-173.
- Jansen, J.J., Allwood, J.W., Marsden-Edwards, E., van der Putten, W.H., Goodacre, R. and van Dam, N.M. (2009) Metabolomic analysis of the interaction between plants and herbivores. *Metabolomics* 5(1), 150-161.
- Jansen, M.P.T. and Stamp, N.E. (1997) Effects of light availability on host plant chemistry and the consequences for behavior and growth of an insect herbivore. *Entomologia Experimentalis et Applicata* 82(3), 319-333.
- Jensen, S.E. (2000) Insecticide resistance in the western flower thrips, *Frankliniella occidentalis*. *Integrated Pest Management Reviews* 5(2), 131-146.
- Johnson, K.S. and Felton, G.W. (1996) Potential influence of midgut pH and redox potential on protein utilization in insect herbivores. *Archives of Insect Biochemistry and Physiology* 32(1), 85-105.
- Johnson, K.S. and Felton, G.W. (2001) Plant phenolics as dietary antioxidants for herbivorous insects: A test with genetically modified tobacco. *Journal of Chemical Ecology* 27(12), 2579-2597.

- Kalyanaraman, B., Premovic, P.I. and Sealy, R.C. (1987) Semiquinone anion radicals from addition of amino-acids, peptides, and proteins to quinones derived from oxidation of catechols and catecholamines - an electron-spin-resonance spin stabilization study. *Journal of Biological Chemistry* 262(23), 11080-11087.
- Kamenetzky, L., Asis, R., Bassi, S., de Godoy, F., Bermudez, L., Fernie, A.R., Van Sluys, M.-A., Vrebalov, J., Giovannoni, J.J., Rossi, M. and Carrari, F. (2010) Genomic analysis of wild tomato introgressions determining metabolism- and yield-associated traits. *Plant Physiol.* 152(4), 1772-1786.
- Kang, J.H., Liu, G.H., Shi, F., Jones, A.D., Beaudry, R.M. and Howe, G.A. (2010) The tomato odorless-2 mutant is defective in trichome-based production of diverse specialized metabolites and broad-spectrum resistance to insect herbivores. *Plant Physiology* 154(1), 262-272.
- Kennedy, G.G. and Barbour, J.D. (1992) Resistance variation in natural and managed systems. In: R.S. Fritz and E.L. Slims (Eds), *Plant resistance to herbivores and pathogens: ecology, evolution, and genetics*, pp. 29. The University of Chicago Press, Chicago, USA.
- Kennedy, G.G. and Henderson, W.R. (1978) Laboratory assay for resistance to tobacco hornworm in *Lycopersicon* and *Solanum*-Spp. *Journal of The American Society for Horticultural Science* 103(3), 334-336.
- Kennedy, G.G. and Sorenson, C.F. (1985) Role of glandular trichomes in the resistance of *Lycopersicon hirsutum* f *glabratum* to Colorado potato beetle (Coleoptera, Chrysomelidae). *Journal of Economic Entomology* 78(3), 547-551.
- King, R.R., Calhoun, L.A., Singh, R.P. and Boucher, A. (1990) Sucrose esters associated with glandular trichomes of wild *Lycopersicon* species. *Phytochemistry* 29(7), 2115-2118.
- Kirk, W.D.J. and Terry, L.I. (2003) The spread of the western flower thrips *Frankliniella occidentalis* (Pergande). *Agricultural and Forest Entomology* 5(4), 301-310.
- Kirsh, V.A., Mayne, S.T., Peters, U., Chatterjee, N., Leitzmann, M.F., Dixon, L.B., Urban, D.A., Crawford, E.D. and Hayes, R.B. (2006) A prospective study of lycopene and tomato product intake and risk of prostate cancer. *Cancer Epidemiology Biomarkers & Prevention* 15(1), 92-98.
- Kohler, G.R. and St Clair, D.A. (2005) Variation for resistance to aphids (Homoptera : Aphididae) among tomato inbred backcross lines derived from wild *Lycopersicon* species. *Journal of Economic Entomology* 98(3), 988-995.
- Krishnan, P., Kruger, N.J. and Ratcliffe, R.G. (2005) Metabolite fingerprinting and profiling in plants using NMR. *Journal of Experimental Botany* 56(410), 255-265.
- Kumar, N.K.K., Ullman, D.E. and Cho, J.J. (1995) Resistance among *Lycopersicon* species to *Frankliniella occidentalis* (Thysanoptera, thripidae). *Journal of Economic Entomology* 88(4), 1057-1065.
- Lang, S.P. and Tibbitts, T.W. (1983) Factors controlling intumescence development on tomato plants. *Journal of the American Society for Horticultural Science* 108(1), 93-98.
- Lapouge, C. and Cornard, J.P. (2007) Reaction pathways involved in the mechanism of Al-III chelation with caffeic acid: Catechol and carboxylic functions competition. *ChemPhysChem* 8(3), 473-479.
- Lawson, D., Lunde, C. and Mutschler, M. (1997) Marker-assisted transfer of acylsugar-mediated pest resistance from the wild tomato, *Lycopersicon pennellii*, to the cultivated tomato, *Lycopersicon esculentum*. *Molecular Breeding* 3(4), 307-317.
- Lawton, J.H., Brown, K.C., Crawley, M.J., Way, M.J., Holdgate, M.W., May, R.M., Southwood, R. and O'Connor, R.J. (1986) The population and community ecology of invading insects. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 314(1167), 607-617.

- Le Gall, G., Colquhoun, I.J., Davis, A.L., Collins, G.J. and Verhoeven, M.E. (2003) Metabolite profiling of tomato (*Lycopersicon esculentum*) using H NMR spectroscopy as a tool to detect potential unintended effects following a genetic modification. *Journal of Agricultural and Food Chemistry* 51(9), 2447-2456.
- Lee, K.W. and Lee, H.J. (2006) The roles of polyphenols in cancer chemoprevention. *BioFactors* 26(2), 105-121.
- Leiss, K., Choi, Y., Verpoorte, R. and Klinkhamer, P. (2010) An overview of NMR-based metabolomics to identify secondary plant compounds involved in host plant resistance. *Phytochemistry Reviews*. In press.
- Leiss, K.A., Choi, Y.H., Abdel-Farid, I.B., Verpoorte, R. and Klinkhamer, P.G.L. (2009a) NMR metabolomics of thrips (*Frankliniella occidentalis*) resistance in senecio hybrids. *Journal of Chemical Ecology* 35(2), 219-229.
- Leiss, K.A., Maltese, F., Choi, Y.H., Verpoorte, R. and Klinkhamer, P.G.L. (2009b) Identification of chlorogenic acid as a resistance factor for thrips in chrysanthemum. *Plant Physiology* 150(3), 1567-1575.
- Lewis, T., ed. (1997) *Thrips as crop pests*. CAB international, Wallingford, UK.
- Li, L. and Steffens, J.C. (2002) Overexpression of polyphenol oxidase in transgenic tomato plants results in enhanced bacterial disease resistance. *Planta* 215(2), 239-247.
- Li, X.C., Schuler, M.A. and Berenbaum, M.R. (2007) Molecular mechanisms of metabolic resistance to synthetic and natural xenobiotics. *Annual Review of Entomology* 52, 231-253.
- Liedl, B.E., Lawson, D.M., White, K.K., Shapiro, J.A., Cohen, D.E., Carson, W.G., Trumble, J.T. and Mutschler, M.A. (1995) Acylsugars of wild tomato *Lycopersicon pennellii* alters settling and reduces oviposition of *Bemisia argentifolii* (Homoptera : Aleyrodidae). *Journal of Economic Entomology* 88(3), 742-748.
- Lindshield, B.L., Canene-Adams, K. and Erdman, J.W. (2007) Lycopeneoids: Are lycopene metabolites bioactive? *Archives of Biochemistry and Biophysics* 458(2), 136-140.
- Lotito, S.B. and Frei, B. (2006) Consumption of flavonoid-rich foods and increased plasma antioxidant capacity in humans: Cause, consequence, or epiphenomenon? *Free Radical Biology And Medicine* 41(12), 1727-1746.
- Lu, H.T., Jiang, Y. and Chen, F. (2004) Application of preparative high-speed counter-current chromatography for separation of chlorogenic acid from *Flos Ionicerae*. *Journal of Chromatography A* 1026(1-2), 185-190.
- Lu, Y., Liu, R., Berthod, A. and Pan, Y. (2008) Rapid screening of bioactive components from *Zingiber cassumunar* using elution-extrusion counter-current chromatography. *Journal of Chromatography A* 1181(1-2), 33-44.
- Luckwill, L.C. (1943) *The genus Lycopersicon: An historical, biological and taxonomic survey of the wild and domesticated tomatoes*. Aberdeen University Press, Aberdeen, UK.
- Macdonald, O.C. (1993) Susceptibility of western flower thrips, *Frankliniella-occidentalis* (Pergande) to fumigation with methyl-bromide. *Annals of Applied Biology* 123(3), 531-537.
- Macel, M., Bruinsma, M., Dijkstra, S.M., Ooijendijk, T., Niemeyer, H.M. and Klinkhamer, P.G.L. (2005) Differences in effects of pyrrolizidine alkaloids on five generalist insect herbivore species. *Journal of Chemical Ecology* 31(7), 1493-1508.
- Mantel, W.P. and van de Vrie, M. (1988) De Californische trips, *Frankliniella occidentalis*, een nieuwe schadelijke tripssoort in de tuinbouw onder glas in Nederland. *Entomologische Berichten* 48(9), 140-144.
- Melo, G.A., Shimizu, M.M. and Mazzafera, P. (2006) Polyphenoloxidase activity in coffee leaves and its role in resistance against the coffee leaf miner and coffee leaf rust. *Phytochemistry* 67(3), 277-285.

- Miles, P.W. and Oertli, J.J. (1993) The significance of antioxidants in the aphid-plant interaction - The redox hypothesis. *Entomologia Experimentalis et Applicata* 67(3), 275-283.
- Miles, P.W. and Peng, Z. (1989) Studies on the salivary physiology of plant bugs - Detoxification of phytochemicals by the salivary peroxidase of aphids. *Journal of Insect Physiology* 35(11), 865-872.
- Minorsky, P.V. (2002) The hot and the classic. *Plant Physiology* 130(3), 1077-1078.
- Mirnezhad, M., Romero-Gonzalez, R.R., Leiss, K.A., Choi, Y.H., Verpoorte, R. and Klinkhamer, P.G.L. (2010) Metabolomic analysis of host plant resistance to thrips in wild and cultivated tomatoes. *Phytochemical Analysis* 21(1), 110-117.
- Moco, S., Bino, R.J., Vorst, O., Verhoeven, H.A., de Groot, J., van Beek, T.A., Vervoort, J. and de Vos, C.H.R. (2006) A liquid chromatography-mass spectrometry-based metabolome database for tomato. *Plant Physiology* 141(4), 1205-1218.
- Mollema, C. and Cole, R.A. (1996) Low aromatic amino acid concentrations in leaf proteins determine resistance to *Frankliniella occidentalis* in four vegetable crops. *Entomologia Experimentalis et Applicata* 78(3), 325-333.
- Momotaz, A., Scott, J.W. and Schuster, D.J. (2010) Identification of quantitative trait loci conferring resistance to *Bemisia tabaci* in an F-2 population of *Solanum lycopersicum* x *Solanum habrochaites* accession LA1777. *Journal of the American Society for Horticultural Science* 135(2), 134-142.
- Monforte, A.J. and Tanksley, S.D. (2000) Development of a set of near isogenic and backcross recombinant inbred lines containing most of the *Lycopersicon hirsutum* genome in a *L-esculentum* genetic background: A tool for gene mapping and gene discovery. *Genome* 43(5), 803-813.
- Mound, L.A. (2005) Thysanoptera: Diversity and interactions. *Annual Review of Entomology* 50, 247-269.
- Muchero, W., Ehlers, J.D. and Roberts, P.A. (2010) QTL analysis for resistance to foliar damage caused by Thrips *tabaci* and *Frankliniella schultzei* (Thysanoptera: Thripidae) feeding in cowpea [*Vigna unguiculata* (L.) Walp.]. *Molecular Breeding* 25(1), 47-56.
- Muigai, S.G., Bassett, M.J., Schuster, D.J. and Scott, J.W. (2003) Greenhouse and field screening of wild *Lycopersicon* germplasm for resistance to the whitefly *Bemisia argentifolii*. *Phytoparasitica* 31(1), 27-38.
- Muigai, S.G., Schuster, D.J., Snyder, J.C., Scott, J.W., Bassett, M.J. and McAuslane, H.J. (2002) Mechanisms of resistance in *Lycopersicon* germplasm to the whitefly *Bemisia argentifolii*. *Phytoparasitica* 30(4), 347-360.
- Mutschler, M.A., Doerge, R.W., Liu, S.C., Kuai, J.P., Liedl, B.E. and Shapiro, J.A. (1996) QTL analysis of pest resistance in the wild tomato *Lycopersicon pennellii*: QTLs controlling acylsugar level and composition. *Theoretical and Applied Genetics* 92(6), 709-718.
- Nakatani, N., Kayano, S., Kikuzaki, H., Sumino, K., Katagiri, K. and Mitani, T. (2000) Identification, quantitative determination, and antioxidative activities of chlorogenic acid isomers in prune (*Prunus domestica* L.). *Journal of Agricultural and Food Chemistry* 48(11), 5512-5516.
- Napper, D.H. and Netschey, A. (1971) Studies of the steric stabilization of colloidal particles. *Journal of Colloid and Interface Science* 37(3), 528-535.
- Nicholson, J.K., Lindon, J.C. and Holmes, E. (1999) Metabonomics: understanding the metabolic responses of living systems to pathophysiological stimuli via multivariate statistical analysis of biological NMR spectroscopic data. *Xenobiotica* 29(11), 1181-1189.
- Niggeweg, R., Michael, A.J. and Martin, C. (2004) Engineering plants with increased levels of the antioxidant chlorogenic acid. *Nature Biotechnology* 22(6), 746-754.

- Nonomura, T., Xu, L., Wada, M., Kawamura, S., Miyajima, T., Nishitomi, A., Kakutani, K., Takikawa, Y., Matsuda, Y. and Toyoda, H. (2009) Trichome exudates of *Lycopersicon pennellii* form a chemical barrier to suppress leaf-surface germination of *Oidium neolycopersici* conidia. *Plant Science* 176(1), 31-37.
- Oksman-Caldentey, K.-M. and Inzé, D. (2004) Plant cell factories in the post-genomic era: new ways to produce designer secondary metabolites. *Trends In Plant Science* 9(9), 433-440.
- Omo-Ikerodah, E.E., Fawole, I. and Fatokun, C.A. (2008) Genetic mapping of quantitative trait loci (QTLs) with effects on resistance to flower bud thrips (*Megalurothrips sjostedti*) identified in recombinant inbred lines of cowpea (*Vigna unguiculata* (L.) Walp). *African Journal of Biotechnology* 7(3), 263-270.
- Outchkourov, N.S., De Kogel, W.J., Schuurman-de Bruin, A., Abrahamson, M. and Jongsma, M.A. (2004) Specific cysteine protease inhibitors act as deterrents of western flower thrips, *Frankliniella occidentalis* (Pergande), in transgenic potato. *Plant Biotechnology Journal* 2(5), 439-448.
- Overy, S.A., Walker, H.J., Malone, S., Howard, T.P., Baxter, C.J., Sweetlove, L.J., Hill, S.A. and Quick, W.P. (2005) Application of metabolite profiling to the identification of traits in a population of tomato introgression lines. *Journal of Experimental Botany* 56(410), 287-296.
- Paini, D.R., Funderburk, J.E., Jackson, C.T. and Reitz, S.R. (2007) Reproduction of four thrips species (Thysanoptera : Thripidae) on uncultivated hosts. *Journal of Entomological Science* 42(4), 610-615.
- Parejo, I., Jauregui, O., Sanchez-Rabaneda, F., Viladomat, F., Bastida, J. and Codina, C. (2004) Separation and characterization of phenolic compounds in fennel (*Foeniculum vulgare*) using liquid chromatography-negative electrospray ionization tandem mass spectrometry. *Journal of Agricultural and Food Chemistry* 52(12), 3679-3687.
- Parrella, G., Gognalons, P., Gebre-Selassie, K., Vovlas, C. and Marchoux, G. (2003) An update of the host range of tomato spotted wilt virus. *Journal of Plant Pathology* 85(4), 227-264.
- Peng, Z. and Miles, P. (1988a) Acceptability of catechin and its oxidative condensation products to the rose aphid, *Macrosiphum rosae*. *Entomologia Experimentalis et Applicata* 47(3), 255-265.
- Peng, Z. and Miles, P. (1988b) Studies on the salivary physiology of plant bugs - function of the catechol oxidase of the rose aphid. *Journal of Insect Physiology* 34(11), 1027-1033.
- Peng, Z. and Miles, P.W. (1991) Oxidases in the gut of an aphid, *Macrosiphum rosae* (L) and their relation to dietary phenolics. *Journal of Insect Physiology* 37(10), 779-787.
- Pereira, G.V.N., Maluf, W.R., Goncalves, L.D., do Nascimento, D.R., Gomes, L.A.A. and Licursi, V. (2008) Selection towards high acylsugar levels in tomato genotypes and its relationship with resistance to spider mite (*Tetranychus evansi*) and to the South American pinworm (*Tuta absoluta*). *Ciencia e Agrotecnologia* 32(3), 996-1004.
- Phuc, T.D., Prudent, M., Sulpice, R., Causse, M. and Fernie, A.R. (2010) The Influence of fruit load on the tomato pericarp metabolome in a *Solanum chmielewskii* introgression line population. *Plant Physiology* 154(3), 1128-1142.
- Rasband, W.S. (1997) ImageJ, U. S. National Institutes of Health, Bethesda, Maryland, USA, <http://rsb.info.nih.gov/ij/> USA.
- Reitz, S. (2009) Biology and ecology of the western flower thrips (Thysanoptera: Thripidae): the making of a pest. *The Florida Entomologist* 92(1), 7-13.
- Reitz, S.R. (2002) Seasonal and within plant distribution of *Frankliniella* thrips (Thysanoptera : Thripidae) in north Florida tomatoes. *Florida Entomologist* 85(3), 431-439.

- Reitz, S.R. (2005) Biology and ecology of flower thrips in relation to tomato spotted wilt virus. *Acta Horticulturae (ISHS)* 695, 75-84.
- Rice-Evans, C., Miller, N. and Paganga, G. (1997) Antioxidant properties of phenolic compounds. *Trends in Plant Science* 2(4), 152-159.
- Ridsdill-Smith, T., Jiang, Y. and Ghisalberti, E. (1995) A method to test compounds for feeding deterrence towards redlegged earth mite (Acarina: Pentheleidae). *Annals of Applied Biology* 127(3), 593-600.
- Riley, D.G. and Pappu, H.R. (2004) Tactics for management of thrips (Thysanoptera : Thripidae) and tomato spotted wilt virus in tomato. *Journal of Economic Entomology* 97(5), 1648-1658.
- Robinson, W.E., Cordeiro, M., AbdelMalek, S., Jia, Q., Chow, S.A., Reinecke, M.G. and Mitchell, W.M. (1996) Dicafeoylquinic acid inhibitors of human immunodeficiency virus integrase: Inhibition of the core catalytic domain of human immunodeficiency virus integrase. *Molecular Pharmacology* 50(4), 846-855.
- Rossi, M., Goggin, F.L., Milligan, S.B., Kaloshian, I., Ullman, D.E. and Williamson, V.M. (1998) The nematode resistance gene Mi of tomato confers resistance against the potato aphid. *Proceedings of the National Academy of Sciences of the United States of America* 95(17), 9750-9754.
- Rousseaux, M.C., Jones, C.M., Adams, D., Chetelat, R., Bennett, A. and Powell, A. (2005) QTL analysis of fruit antioxidants in tomato using *Lycopersicon pennellii* introgression lines. *Theoretical and Applied Genetics* 111(7), 1396-1408.
- Saeed, A.I., Sharov, V., White, J., Li, J., Liang, W., Bhagabati, N., Braisted, J., Klapa, M., Currier, T., Thiagarajan, M., Sturn, A., Snuffin, M., Rezantsev, A., Popov, D., Ryltsov, A., Kostukovich, E., Borisovsky, I., Liu, Z., Vinsavich, A., Trush, V. and Quackenbush, J. (2003) TM4: A free, open-source system for microarray data management and analysis. *Biotechniques* 34(2), 374-378.
- Saeidi, Z., Mallik, B. and Kulkarni, R. (2007) Inheritance of glandular trichomes and two-spotted spider mite resistance in cross *Lycopersicon esculentum* "Nandi" and *L. pennellii* "LA2963". *Euphytica* 154(1), 231-238.
- Satake, T., Kamiya, K., An, Y., Oishi, T. and Yamamoto, J. (2007) The anti-thrombotic active constituents from *Centella asiatica*. *Biological & Pharmaceutical Bulletin* 30(5), 935-940.
- Scalbert, A., Morand, C., Manach, C. and Remesy, C. (2002) Absorption and metabolism of polyphenols in the gut and impact on health. *Biomedicine & Pharmacotherapy* 56(6), 276-282.
- Schauer, N. and Fernie, A.R. (2006) Plant metabolomics: towards biological function and mechanism. *Trends in Plant Science* 11(10), 508-516.
- Schauer, N., Semel, Y., Roessner, U., Gur, A., Balbo, I., Carrari, F., Pleban, T., Perez-Melis, A., Bruedigam, C., Kopka, J., Willmitzer, L., Zamir, D. and Fernie, A.R. (2006) Comprehensive metabolic profiling and phenotyping of interspecific introgression lines for tomato improvement. *Nature Biotechnology* 24(4), 447-454.
- Schauer, N., Zamir, D. and Fernie, A.R. (2005) Metabolic profiling of leaves and fruit of wild species tomato: a survey of the *Solanum lycopersicum* complex. *Journal of Experimental Botany* 56(410), 297-307.
- Schilmiller, A., Shi, F., Kim, J., Charbonneau, A.L., Holmes, D., Jones, A.D. and Last, R.L. (2010) Mass spectrometry screening reveals widespread diversity in trichome specialized metabolites of tomato chromosomal substitution lines. *Plant Journal* 62(3), 391-403.
- Shadle, G.L., Wesley, S.V., Korth, K.L., Chen, F., Lamb, C. and Dixon, R.A. (2003) Phenylpropanoid compounds and disease resistance in transgenic tobacco with altered expression of L-phenylalanine ammonia-lyase. *Phytochemistry* 64(1), 153-161.

- Shapiro, J.A., Steffens, J.C. and Mutschler, M.A. (1994) Acylsugars of the wild tomato *Lycopersicon Pennellii* in relation to geographic distribution of the species. *Biochemical Systematics And Ecology* 22(6), 545-561.
- Shipp, J.L., Wang, K. and Binns, M.R. (2000) Economic injury levels for western flower thrips (Thysanoptera : Thripidae) on greenhouse cucumber. *Journal of Economic Entomology* 93(6), 1732-1740.
- Silva, B.A., Ferreres, F., Malva, J.O. and Dias, A.C.P. (2005) Phytochemical and antioxidant characterization of *Hypericum perforatum* alcoholic extracts. *Food Chemistry* 90(1-2), 157-167.
- Silva, V.D., Cardoso, M.D., de Moraes, J.C., Pimentel, F.A., Goncalves, L.D. and Neri, D.K.P. (2008) Characterization and evaluation of synthetic acylsugar on the behavior of the whitefly *Bemisia tabaci* (Gennadius, 1886) b biotype (Hemiptera: Aleyrodidae) in tomato plant. *Ciencia e Agrotecnologia* 32(5), 1408-1412.
- Simmons, A.M. (1994) Oviposition on vegetables by *Bemisia tabaci* (Homoptera, Aleyrodidae) - Temporal and leaf surface factors. *Environmental Entomology* 23(2), 381-389.
- Simmons, A.T. and Gurr, G.M. (2005) Trichomes of *Lycopersicon* species and their hybrids: effects on pests and natural enemies. *Agricultural and Forest Entomology* 7(4), 265-276.
- Simmons, A.T., Gurr, G.M., McGrath, D., Martin, P.M. and Nicol, H.I. (2004) Entrapment of *Helicoverpa armigera* (Hubner) (Lepidoptera : Noctuidae) on glandular trichomes of *Lycopersicon* species. *Australian Journal of Entomology* 43(2), 196-200.
- Simmons, A.T., Gurr, G.M., McGrath, D., Nicol, H.I. and Martin, P.M. (2003) Trichomes of *Lycopersicon* spp. and their effect on *Myzus persicae* (Sulzer) (Hemiptera : Aphididae). *Australian Journal of Entomology* 42(4), 373-378.
- Singh, P. (1983) A general-purpose laboratory diet mixture for rearing insects. *Insect Science and its Application* 4(4), 357-362.
- Snyder, J.C. and Carter, C.D. (1985) Trichomes on Leaves of *Lycopersicon-Hirsutum*, *Lycopersicon-Esculentum* and Their Hybrids. *Euphytica* 34(1), 53-64.
- Snyder, J.C., Simmons, A.M. and Thacker, R.R. (1998) Attractancy and ovipositional response of adult *Bemisia argentifolii* (Homoptera : Aleyrodidae) to type IV trichome density on leaves of *Lycopersicon hirsutum* grown in three day-length regimes. *Journal of Entomological Science* 33(3), 270-281.
- Summers, C.B. and Felton, G.W. (1994) Prooxidant effects of phenolic acids on the generalist herbivore *Helicoverpa zea* (Lepidoptera: Noctuidae): Potential mode of action for phenolic compounds in plant anti-herbivore chemistry. *Insect Biochemistry and Molecular Biology* 24(9), 943-953.
- Tanksley, S.D. and McCouch, S.R. (1997) Seed banks and molecular maps: Unlocking genetic potential from the wild. *Science* 277(5329), 1063-1066.
- Teulon, D.A.J. (1992) Laboratory technique for rearing western flower thrips (Thysanoptera, Thripidae). *Journal of Economic Entomology* 85(3), 895-899.
- Thoquet, P., Olivier, J., Sperisen, C., Rogowsky, P., Prior, P., Anais, G., Mangin, B., Bazin, B., Nazer, R. and Grimsley, N. (1996) Polygenic resistance of tomato plants to bacterial wilt in the French West Indies. *Molecular Plant-Microbe Interactions* 9(9), 837-842.
- Tikunov, Y., Lommen, A., de Vos, C.H.R., Verhoeven, H.A., Bino, R.J., Hall, R.D. and Bovy, A.G. (2005) A novel approach for nontargeted data analysis for metabolomics. Large-scale profiling of tomato fruit volatiles. *Plant Physiology* 139(3), 1125-1137.
- Tommasini, M.G. and Maini, S. (1995) *Frankliniella occidentalis* and other thrips harmful to vegetables and ornamental crops in Europe. *Wageningen Agricultural University Papers* 95(1), 1-42.

- Treutter, D. (2006) Significance of flavonoids in plant resistance: a review. *Environmental Chemistry Letters* 4(3), 147.
- Trugo, L.C. and Macrae, R. (1984) Chlorogenic acid composition of instant coffees. *Analyst* 109(3), 263-266.
- Tsao, R., Marvin, C.H., Broadbent, A.B., Friesen, M., Allen, W.R. and McGarvey, B.D. (2005) Evidence for an isobutylamide associated with host-plant resistance to western flower thrips, *Frankliniella occidentalis*, in chrysanthemum. *Journal of Chemical Ecology* 31(1), 103-110.
- Uitenbroek, D.G. (1997) Binomial. SISA. <http://www.quantitativeskills.com/sisa/distributions/binomial.htm>.
- Ulbrich, B. and Zenk, M. (1979) Partial purification and properties of p-hydroxycinnamoyl-CoA:quinic acid hydroxycinnamoyl transferase from higher plants. *Phytochemistry* 18(8), 929 - 933.
- van der Hoeven, R., Monforte, A., Breeden, D., Tanksley, S. and Steffens, J. (2000) Genetic control and evolution of sesquiterpene biosynthesis in *Lycopersicon esculentum* and *L. hirsutum*. *The Plant Cell Online* 12(11), 2283.
- Verpoorte, R., Choi, Y. and Kim, H. (2007) NMR-based metabolomics at work in phytochemistry. *Phytochemistry Reviews* 6(1), 3-14.
- Verpoorte, R., Choi, Y. and Kim, H. (2010) Metabolomics: Will it Stay? *Phytochemical Analysis* 21(1), 2-3.
- Verpoorte, R., Choi, Y., Mustafa, N. and Kim, H. (2008) Metabolomics: back to basics. *Phytochemistry Reviews* 7(3), 525-537.
- Villegas, R. and Kojima, M. (1986) Purification and characterization of Hydroxycinnamoyl D-Glucose: quinic acid hydroxycinnamoyl transferase in the root of sweet potato, *Ipomoea batatas* lam. *The Journal of Biological Chemistry* 261, 8729 - 8733.
- Walters, D.S. and Steffens, J.C. (1990) Branched-chain amino-acid-metabolism in the biosynthesis of *Lycopersicon pennellii* glucose esters. *Plant Physiology* 93(4), 1544-1551.
- Wang, T., Jiang, X., Yang, L. and Wu, S. (2008) pH-gradient counter-current chromatography isolation of natural antioxidant chlorogenic acid from *Lonicera japonica* Thumb. using an upright coil planet centrifuge with three multi-layer coils connected in series. *Journal of Chromatography A* 1180(1-2), 53-58.
- Welter, S.C., Rosenheim, J.A., Johnson, M.W., Mau, R.F.L. and Gusukumaminato, L.R. (1990) Effects of thrips-palmi and western flower thrips (Thysanoptera, Thripidae) on the yield, growth, and carbon allocation pattern in cucumbers. *Journal of Economic Entomology* 83(5), 2092-2101.
- Weston, P., Johnson, D., Burton, H. and Snyder, J. (1989) Trichome secretion composition, trichome densities, and spider mite resistance of ten accessions of *Lycopersicon hirsutum*. *Journal of the American Society for Horticultural Science* 114(3), 492-498.
- Widarto, H.T., Van Der Meijden, E., Lefeber, A.W.M., Erkelens, C., Kim, H.K., Choi, Y.H. and Verpoorte, R. (2006) Metabolomic differentiation of *Brassica rapa* following herbivory by different insect instars using two-dimensional nuclear magnetic resonance spectroscopy. *Journal of Chemical Ecology* 32(11), 2417-2428.
- Wijkamp, I., VandeWetering, F., Goldbach, R. and Peters, D. (1996) Transmission of tomato spotted wilt virus by *Frankliniella occidentalis*; Median acquisition and inoculation access period. *Annals of Applied Biology* 129(2), 303-313.
- Wildman, R.E.C., ed. (2007) *Handbook of nutraceuticals and functional foods*. 2nd ed. CRC Press, Boca Raton, FL.
- Williamson, G., Day, A.J., Plumb, G.W. and Couteau, D. (2000) Human metabolic pathways of dietary flavonoids

and cinnamates. *Biochemical Society Transactions* 28(Part 2), 16-22.

Xiang, T., Xiong, Q.B., Ketut, A.I., Tezuka, Y., Nagaoka, T., Wu, L.J. and Kadota, S. (2001) Studies on the hepatocyte protective activity and the structure-activity relationships of quinic acid and caffeic acid derivatives from the flower buds of *Lonicera bournei*. *Planta Medica* 67(4), 322-325.

Yano, K. (1987) Minor components from growing buds of *Artemisia capillaris* that act as insect antifeedants. *Journal of Agricultural and Food Chemistry* 35(6), 889-891.

Zamir, D. (2001) Improving plant breeding with exotic genetic libraries. *Nature Reviews Genetics* 2(12), 983-989.

Zhang, Y. and Cremer, P.S. (2006) Interactions between macromolecules and ions: the Hofmeister series. *Current Opinion in Chemical Biology* 10(6), 658-663.