



Universiteit
Leiden
The Netherlands

Health complaints : testing a causal role of activated illness-memory in symptom reporting

Meerman, E.E.

Citation

Meerman, E. E. (2014, March 26). *Health complaints : testing a causal role of activated illness-memory in symptom reporting*. Retrieved from <https://hdl.handle.net/1887/24913>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/24913>

Note: To cite this publication please use the final published version (if applicable).

References

- Aarts, H., Custers, R., & Holland, R. W. (2007). The nonconscious cessation of goal pursuit: when goals and negative affect are coactivated. *Journal of Personality and Social Psychology*, 92(2), 165-78.
- Aarts, H., Custers, R., & Marien, H. (2008). Preparing and motivating behavior outside of awareness. *Science*, 319(5870), 1639.
- Aarts, H., & Dijksterhuis, A. (2003). The silence of the library: environment, situational norm, and social behavior. *Journal of Personality and Social Psychology*, 84(1), 18-28.
- Aarts, H., Dijksterhuis, A., & Midden, C. (1999). To plan or not to plan? goal achievement or interrupting the performance of mundane behaviors. *European Journal of Social Psychology*, 29(8), 971-979.
- Afzal, M., Potokar, J. P., Probert, C. S. J., & Munafò, M. R. (2006). Selective processing of gastrointestinal symptom-related stimuli in irritable bowel syndrome. *Psychosomatic Medicine*, 68(5), 758-61.
- Arnold, B. S., Alpers, G. W., Süß, H., Friedel, E., Kosmützky, G., Geier, A., & Pauli, P. (2008). Affective pain modulation in fibromyalgia, somatoform pain disorder, back pain, and healthy controls. *European Journal of Pain*, 12(3), 329-38.
- Asmundson, G. J., Kuperos, J. L., & Norton, G. R. (1997). Do patients with chronic pain selectively attend to pain-related information?: preliminary evidence for the mediating role of fear. *Pain*, 72(1-2), 27-32.
- Bargh, J. A., & Chartrand, T. L. (2000). The mind in the middle: a practical guide to priming and automaticity research. In H. T. Reis & C. M. Judd (Eds.), *Handbook of Research Methods in Social and Personality Psychology* (pp. 253-285). Cambridge University Press.
- Bargh, J. A., Chen, M., & Burrows, L. (1996). Automaticity of social behavior: direct effects of trait construct and stereotype-activation on action. *Journal of Personality and Social Psychology*, 71(2), 230-44.
- Barsky, A. J., Cleary, P. D., & Klerman, G. L. (1992). Determinants of perceived health status of medical outpatients. *Social Science Medicine*, 34(10), 1147-1154.
- Barsky, A. J., Goodson, J. D., Lane, R. S., & Cleary, P. D. (1988). The amplification of somatic symptoms. *Psychosomatic Medicine*, 50(5), 510-519.
- Barsky, A. J., & Wyshak, G. (1990). Hypochondriasis and somatosensory amplification. *The British Journal of Psychiatry*, 157, 404-9.
- Bentler, P. M., & Wu, E. J. C. (2005). *EQS 6.1 For Windows*. Multivariate Software Inc.
- Bogaerts, K., Janssens, T., De Peuter, S., Van Diest, I., & Van den Bergh, O. (2010). Negative affective pictures can elicit physical symptoms in high habitual symptom reporters. *Psychology & Health*, 25(6), 685-98.
- Borkenau, P., Paelecke, M., & Yu, R. (2009). Personality and lexical decision times for evaluative words. *European Journal of Personality*, 24(2), 123-136.
- Brosschot, J. F. (2002). Cognitive-emotional sensitization and somatic health complaints. *Scandinavian Journal of Psychology*, 43(2), 113-21.
- Brosschot, J. F., & Van der Doef, M. (2006). Daily worrying and somatic health complaints: testing the effectiveness of a simple worry reduction intervention. *Psychology & Health*, 21(1), 19-31.
- Brown, R. J. (2004). Psychological mechanisms of medically unexplained symptoms: an integrative conceptual model. *Psychological Bulletin*, 130(5), 793-812.
- Charash, M., & McKay, D. (2002). Attention bias for disgust. *Journal of Anxiety Disorders*, 16(5), 529-541.
- Cioffi, D. (1991). Beyond attentional strategies: cognitive-perceptual model of somatic interpretation. *Psychological Bulletin*, 109(1), 25-41.
- Cioffi, D., & Holloway, J. (1993). Delayed costs of suppressed pain. *Journal of Personality and Social Psychology*, 64(2), 274-282.
- Collins, A. M., & Loftus, E. F. (1975). A spreading-activation theory of semantic processing. *Psychological Review*, 82(6), 407-428.
- Crano, W. D., & Brewer, M. B. (2002). Social cognition methods: measuring implicit thoughts and feelings. In *Principles and Methods of Social Research* (Second.). Mahwah, N.J.: Lawrence Erlbaum Associates.
- Creed, F., Barsky, A. J., & Leiknes, K. A. (2011). Epidemiology: prevalence, causes

- and consequences. In F. Creed, P. Henningsen, & P. Fink (Eds.), *Medically Unexplained Symptoms, Somatisation and Bodily Distress: Developing Better Clinical Services* (pp. 1-43). Cambridge: Cambridge University Press.
- Crombez, G., Hermans, D., & Adriaensen, H. (2000). The emotional stroop task and chronic pain: what is threatening for chronic pain sufferers? *European Journal of Pain*, 4(1), 37-44.
- Crombez, G., Van Ryckeghem, D. M. L., Eccleston, C., & Van Damme, S. (2013). Attentional bias to pain-related information: a meta-analysis. *Pain*, 154(4), 497-510.
- Crombez, G., Vlaeyen, J. W., Heuts, P. H., & Lysens, R. (1999). Pain-related fear is more disabling than pain itself: evidence on the role of pain-related fear in chronic back pain disability. *Pain*, 80(1-2), 329-39.
- Cunningham, W. A., Preacher, K. J., & Banaji, M. R. (2001). Implicit attitude measures: consistency, stability, and convergent validity. *Psychological Science*, 12(2), 163-170.
- De Wied, M., & Verbaten, M. N. (2001). Affective pictures processing, attention, and pain tolerance. *Pain*, 90(1-2), 163-72.
- Deary, V., Chalder, T., & Sharpe, M. (2007). The cognitive behavioural model of medically unexplained symptoms: a theoretical and empirical review. *Clinical Psychology Review*, 27(7), 781-797.
- Diers, M., Koeppe, C., Yilmaz, P., Thieme, K., Markela-Lerenc, J., Schiltenswolf, M., et al.. (2008). Pain ratings and somatosensory evoked responses to repetitive intramuscular and intracutaneous stimulation in fibromyalgia syndrome. *Journal of Clinical Neurophysiology*, 25(3), 153-160.
- Dijksterhuis, A. (2004). I like myself but i don't know why: enhancing implicit self-esteem by subliminal evaluative conditioning. *Journal of Personality and Social Psychology*, 86(2), 345-55.
- Dillmann, J., Miltner, W. H. R., & Weiss, T. (2000a). Semantic priming and the cortical processing of painful laser-heat stimuli. *Journal of Psychophysiology*, 14(1), 56-57.
- Dillmann, J., Miltner, W. H., & Weiss, T. (2000b). The influence of semantic priming on event-related potentials to painful laser-heat stimuli in humans. *Neuroscience Letters*, 284(1-2), 53-6.
- Dirkzwager, A. J. E., & Verhaak, P. F. M. (2007). Patients with persistent medically unexplained symptoms in general practice: characteristics and quality of care. *BMC Family Practice*, 8, 33.
- Dohrenbusch, R., Scholz, O. B., & Ott, R. (2006). Conscious and preconscious uses of memory in patients with depressive and somatoform disorders. *Journal of Psychopathology and Behavioral Assessment*, 28(2), 69-77.
- Doyen, S., Klein, O., Pichon, C.-L., & Cleeremans, A. (2012). Behavioral priming: it's all in the mind, but whose mind? (J. Lauwereyns, Ed.) *PloS One*, 7(1), e29081.
- Duddu, V., Isaac, M. K., & Chaturvedi, S. K. (2006). Somatization, somatosensory amplification, attribution styles and illness behaviour: a review. *International Review of Psychiatry*, 18(1), 25-33.
- Edwards, L. C., Pearce, S. A., & Beard, R. W. (1995). Remediation of pain-related memory bias as a result of recovery from chronic pain. *Journal of Psychosomatic Research*, 39(2), 175-181.
- Edwards, R. R., Kronfli, T., Haythornthwaite, J. A., Smith, M. T., McGuire, L., & Page, G. G. (2008). Association of catastrophizing with interleukin-6 responses to acute pain. *Pain*, 140(1), 135-44.
- Edwards, R. R., Smith, M. T., Stonerock, G., & Haythornthwaite, J. A. (2006). Pain-related catastrophizing in healthy women is associated with greater temporal summation of and reduced habituation to thermal pain. *The Clinical Journal of Pain*, 22(8), 730-7.
- Engelen, U., De Peuter, S., Victoir, A., Van Diest, I., & Van Den Bergh, O. (2006). Verdere validering van de positive and negative affect schedule (panas) en vergelijking van twee nederlandse versies. *Gedrag & Gezondheid*, 34(2), 89-102.
- Eriksen, H. R., Ihlebaek, C., & Ursin, H. (1999). A scoring system for subjective health complaints (shc). *Scandinavian Journal of Public Health*, 27(1), 63-72.
- Eriksen, H. R., Svendsrød, R., Ursin, G., & Ursin, H. (1998). Prevalence of subjective health complaints in the nordic european countries in 1993. *European Journal of*

- Public Health*, 8(4), 294-298.
- Eriksen, H. R., & Ursin, H. (2004). Subjective health complaints, sensitization, and sustained cognitive activation (stress). *Journal of Psychosomatic Research*, 56(4), 445-8.
- Escobar, J. I., Waitzkin, H., Silver, R. C., Gara, M., & Holman, A. (1998). Abridged somatization: a study in primary care. *Psychosomatic Medicine*, 60(4), 466-472.
- Fenigstein, A., Scheier, M. F., & Buss, A. H. (1975). Public and private self-consciousness: assessment and theory. *Journal of Consulting and Clinical Psychology*, 43(4), 522-527.
- Filipkowski, K. B., Smyth, J. M., Rutchick, A. M., Santuzzi, A. M., Adya, M., Petrie, K. J., & Kaptein, A. A. (2010). Do healthy people worry? modern health worries, subjective health complaints, perceived health, and health care utilization. *International Journal of Behavioral Medicine*, 17(3), 182-8.
- Fink, P., Sørensen, L., Engberg, M., Holm, M., & Munk-Jørgensen, P. (1999). Somatization in primary care. prevalence, health care utilization, and general practitioner recognition. *Psychosomatics*, 40(4), 330-8.
- Flor, H., Knost, B., & Birbaumer, N. (1997). Processing of pain- and body-related verbal material in chronic pain patients: central and peripheral correlates. *Pain*, 73, 413-421.
- Förster, J., Liberman, N., & Higgins, E. (2005). Accessibility from active and fulfilled goals. *Journal of Experimental Social Psychology*, 41(3), 220-239.
- Gendolla, G. H. E., Abele, A. E., Andrei, A., Spurr, D., & Richter, M. (2005). Negative mood, self-focused attention, and the experience of physical symptoms: the joint impact hypothesis. *Emotion*, 5(2), 131-144.
- Gibbs-Gallagher, N., Palsson, O. S., Levy, R. L., Meyer, K., Drossman, D. A., & Whitehead, W. E. (2001). Selective recall of gastrointestinal-sensation words: evidence for a cognitive-behavioral contribution to irritable bowel syndrome. *American Journal of Gastroenterology*, 96(4), 1133-1138.
- Godinho, F., Magnin, M., Frot, M., Perchet, C., & García-Larrea, L. (2006). Emotional modulation of pain: is it the sensation or what we recall? *The Journal of Neuroscience*, 26(44), 11454-61.
- González, J. L., Mercado, F., Barjola, P., Carretero, I., López-López, A., Bullones, M. A., Alonso, M. (2010). Generalized hypervigilance in fibromyalgia patients: an experimental analysis with the emotional stroop paradigm. *Journal of Psychosomatic Research*, 69(3), 279-287.
- Greenwald, A. G., & Farnham, S. D. (2000). Using the implicit association test to measure self-esteem and self-concept. *Journal of Personality and Social Psychology*, 79(6), 1022-1038.
- Greenwald, A. G., McGhee, D. E., & Schwartz, J. L. (1998). Measuring individual differences in implicit cognition: the implicit association test. *Journal of Personality and Social Psychology*, 74(6), 1464-80.
- Greenwald, A. G., Nosek, B. A., & Banaji, M. R. (2003). Understanding and using the implicit association test: i. an improved scoring algorithm. *Journal of Personality and Social Psychology*, 85(2), 197-216.
- Hall, K. E. (2011). *The role of somatic amplification in physical symptom reporting*.
- Henningsen, P., Zimmermann, T., & Sattel, H. (2003). Medically unexplained physical symptoms, anxiety, and depression: a meta-analytic review. *Psychosomatic Medicine*, 65(4), 528-533.
- Henningsen, P., Zipfel, S., & Herzog, W. (2007). Management of functional somatic syndromes. *Lancet*, 369(9565), 946-55.
- Hermans, D., & De Houwer, J. (1994). Affective and subjective familiarity ratings of 740 dutch words. *Psychologica Belgica*, 34(2-3), 115-139.
- Higgins, E. T., King, G. A., & Mavin, G. H. (1982). Individual construct accessibility and subjective impressions and recall. *Journal of Personality and Social Psychology*, 43(1), 35-47.
- Hiller, W., Fichter, M. M., & Rief, W. (2003). A controlled treatment study of somatoform disorders including analysis of healthcare utilization and cost-effectiveness. *Journal of Psychosomatic Research*, 54(4), 369-380.
- Hofmann, W., De Houwer, J., Perugini, M., Baeyens, F., & Crombez, G. (2010). Evaluative conditioning in humans: a meta-analysis. *Psychological Bulletin*, 136(3), 390-421.

- Hou, R., Moss-Morris, R., Bradley, B. P., Peveler, R., & Mogg, K. (2008). Attentional bias towards health-threat information in chronic fatigue syndrome. *Journal of Psychosomatic Research*, 65(1), 47-50.
- Hull, J. G., Slone, L. B., Meteyer, K. B., & Matthews, A. R. (2002). The nonconsciousness of self-consciousness. *Journal of Personality and Social Psychology*, 83(2), 406-424.
- Idler, E. L., & Benyamini, Y. (1997). Self-rated health and mortality: a review of twenty-seven community studies. *Journal of Health and Social Behavior*, 38(1), 21-37.
- Ihlebaek, C., Eriksen, H. R., & Ursin, H. (2002). Prevalence of subjective health complaints (shc) in norway. *Scandinavian Journal of Public Health*, 30(1), 20-29.
- Jackson, J. L., George, S., & Hinchey, S. (2009). Medically unexplained physical symptoms. *Journal of General Internal Medicine*, 24(4), 540-542.
- Jackson, J. L., & Passamonti, M. (2005). The outcomes among patients presenting in primary care with a physical symptom at 5 years. *Journal of General Internal Medicine*, 20(11), 1032-7.
- Jamner, L. D., Girdler, S. S., Shapiro, D., & Jarvik, M. E. (1998). Pain inhibition, nicotine, and gender. *Experimental and Clinical Psychopharmacology*, 6, 96-106.
- Jørgensen, E., & Pedersen, A. R. (1998). *How to obtain those nasty standard errors from transformed data and why they should not be used* (pp. 1-20). Tjele, Denmark.
- Kabat-Zinn, J. (1982). An outpatient program in behavioral medicine for chronic pain based on the practice of mindfulness meditation. *General Hospital Psychiatry*, 4, 33-47.
- Kállai, I., Barke, A., & Voss, U. (2004). The effects of experimenter characteristics on pain reports in women and men. *Pain*, 112(1-2), 142-7.
- Karademas, E. C., Sideridis, G. D., & Kafetsios, K. (2008). Health-related information processing and recent health problems: evidence from a modified stroop task. *Journal of Health Psychology*, 13(1), 28-38.
- Kawakami, K., Dovidio, J. F., & Dijksterhuis, A. (2003). Effect of social category priming on personal attitudes. *Psychological Science*, 14(4), 315-319.
- Keefe, F. J., Brown, G. K., Wallston, K. A., & Caldwell, D. S. (1989). Coping with rheumatoid arthritis pain: catastrophizing as a maladaptive strategy. *Pain*, 37(1), 51-6.
- Keller, F., Gunasekharan, S., Mayo, N., & Corley, M. (2009). Timing accuracy of web experiments: a case study using the webexp software package. *Behavior Research Methods*, 41(1), 1-12.
- Khan, A. A., Khan, A., Harezlak, J., Tu, W., & Kroenke, K. (2003). Somatic symptoms in primary care: etiology and outcome. *Psychosomatics*, 44(6), 471-8.
- Kiefer, M. (2002). The n400 is modulated by unconsciously perceived masked words: further evidence for an automatic spreading activation account of n400 priming effects. *Brain Research*, 13(1), 27-39.
- Kindt, M., & Brosschot, J. F. (1998). Stability of cognitive bias for threat cues in phobia. *Journal of Psychopathology and Behavioral Assessment*, 20(4), 351-367.
- Kirmayer, L. J., Groleau, D., Looper, K. J., & Dao, M. D. (2004). Explaining medically unexplained symptoms. *Canadian Journal of Psychiatry. Revue Canadienne de Psychiatrie*, 49(10), 663-72.
- Kolk, A. M., Hanewald, G. J. F. P., Schagen, S., & Gijsbers van Wijk, C. M. T. (2002). Predicting medically unexplained physical symptoms and health care utilization. a symptom-perception approach. *Journal of Psychosomatic Research*, 52(1), 35-44.
- Konnopka, A., Schaefer, R., Heinrich, S., Kaufmann, C., Lupp, M., Herzog, W., & König, H.-H. (2012). Economics of medically unexplained symptoms: a systematic review of the literature. *Psychotherapy and Psychosomatics*, 81(5), 265-75.
- Koole, S. L., Smeets, K., Van Knippenberg, A., & Dijksterhuis, A. (1999). The cessation of rumination through self-affirmation. *Journal of Personality and Social Psychology*, 77(1), 111-125.
- Kroenke, K. (2007). Efficacy of treatment for somatoform disorders: a review of randomized controlled trials. *Psychosomatic Medicine*, 69(9), 881-888.
- Kroenke, K., & Mangelsdorff, A. D. (1989). Common symptoms in ambulatory care: incidence, evaluation, therapy, and outcome. *American Journal of Medicine*, 86(3), 262-266.

- Kroenke, K., & Price, R. K. (1993). Symptoms in the community: prevalence, classification, and psychiatric comorbidity. *Archives of Internal Medicine*, 153(21), 2474-2480.
- Kroenke, K., Spitzer, R. L., deGruy, F. V., I., Hahn, S. R., Linzer, M., Williams, J. B. W., & Al., E. (1997). Multisomatoform disorder: an alternative to undifferentiated somatoform disorder for the somatizing patient in primary care. *Archives General Psychiatry*, 54(4), 352-358.
- Kroenke, K., Spitzer, R. L., Williams, J. B. W., Linzer, M., Hahn, S. R., deGruy, F. V., I., & Al., E. (1994). Physical symptoms in primary care: predictors of psychiatric disorders and functional impairment. *Archives Family Medicine*, 3(9), 774-779.
- Lacourt, T., Houtveen, J., & Van Doornen, L. (2013). "Functional somatic syndromes, one or many?" An answer by cluster analysis. *Journal of Psychosomatic Research*, 74(1), 6-11.
- Lambeek, L. C., Van Tulder, M. W., Swinkels, I. C. S., Koppes, L. L. J., Anema, J. R., & Van Mechelen, W. (2011). The trend in total cost of back pain in the Netherlands in the period 2002 to 2007. *Spine*, 36(13), 1050-8.
- Leventhal, H., Diefenbach, M., & Leventhal, E. A. (1992). Illness cognition: using common sense to understand treatment adherence and affect cognition interactions. *Cognitive Therapy and Research*, 16(2), 143-163.
- Leventhal, H., Leventhal, E. A., & Contrada, R. J. (1998). Self-regulation, health, and behavior: a perceptual-cognitive approach. *Psychology & Health*, 13(4), 717-733.
- Levy, B. R. (1996). Improving memory in old age through implicit self-stereotyping. *Journal of Personality and Social Psychology*, 71(6), 1092-107.
- Levy, B. R., Hausdorff, J. M., Hencke, R., & Wei, J. Y. (2000). Reducing cardiovascular stress with positive self-stereotypes of aging. *The Journals of Gerontology Series B Psychological Sciences and Social Sciences*, 55, 205-213.
- Lieberman, M. D. (2012). Results we can believe in: shaping up psychological science. *Psychology Today*.
- Lim, S.-L., & Kim, J.-H. (2005). Cognitive processing of emotional information in depression, panic, and somatoform disorder. *Journal of Abnormal Psychology*, 114(1), 50-61.
- Lowery, B. S., Eisenberger, N. I., Hardin, C. D., & Sinclair, S. (2007). Long-term effects of subliminal priming on academic performance. *Basic and Applied Social Psychology*, 29(2), 151-157.
- MacLeod, C., Rutherford, E., Campbell, L., Ebsworthy, G., & Holker, L. (2002). Selective attention and emotional vulnerability: assessing the causal basis of their association through the experimental manipulation of attentional bias. *Journal of Abnormal Psychology*, 111(1), 107-123.
- Macmillan, N. (2005). Detection theory a user's guide. Mahwah, N.J.: Lawrence Erlbaum.
- Marple, R. L., Kroenke, K., Lucey, C. R., Wilder, J., & Lucas, C. A. (1997). Concerns and expectations in patients presenting with physical complaints: frequency, physician perceptions and actions, and 2-week outcome. *Archives Internal Medicine*, 157(13), 1482-1488.
- Martens, M. P., & Haase, R. F. (2006). Advanced applications of structural equation modeling in counseling psychology research. *The Counseling Psychologist*, 34(6), 878-911.
- Martin, A., Buech, A., Schwenk, C., & Rief, W. (2007). Memory bias for health-related information in somatoform disorders. *Journal of Psychosomatic Research*, 63(6), 663-671.
- Matre, D., Casey, K. L., & Knardahl, S. (2006). Placebo-induced changes in spinal cord pain processing. *The Journal of Neuroscience*, 26(2), 559-63.
- Mayou, R., Bass, C., & Sharpe, M. (1995). Overview of epidemiology, classification and aetiology. In R. Mayou, C. Bass, & M. Sharpe (Eds.), *Treatment of Functional Somatic Symptoms*. Oxford: Oxford University Press.
- Meerman, E. E., Brosschot, J. F., Van der Togt, S. A. M., & Verkuil, B. (2013). The effect of subliminal evaluative conditioning of cognitive self-schema and illness schema on pain tolerance. *International Journal of Behavioral Medicine*, 20(4), 627-635.
- Meerman, E. E., Brosschot, J. F., & Verkuil, B. (2012). The effect of priming illness memory on pain tolerance: a failed

- replication. *Journal of Psychosomatic Research*, 72(5), 408-9.
- Meerman, E. E., Verkuil, B., & Brosschot, J. F. (2011). Decreasing pain tolerance outside of awareness. *Journal of Psychosomatic Research*, 70(3), 250-257.
- Meyer, D. E., & Schvaneveldt, R. W. (1971). Facilitation in recognizing pairs of words: evidence of a dependence between retrieval operations. *Journal of Experimental Psychology*, 90(2), 227-234.
- Miller, G. A., & Chapman, J. P. (2001). Misunderstanding analysis of covariance. *Journal of Abnormal Psychology*, 110(1), 40-48.
- Miller, L. C., Murphy, R., & Buss, A. H. (1981). Consciousness of body: private and public. *Journal of Personality and Social Psychology*, 41(2), 397-406.
- Nastase, A., Ioan, S., Braga, R. I., Zagrean, L., & Moldovan, M. (2007). Coffee drinking enhances the analgesic effect of cigarette smoking. *NeuroReport*, 18(9), 921-924.
- Nezu, A. M., Nezu, C. M., & Lombardo, E. R. (2001). Cognitive-behavior therapy for medically unexplained symptoms: a critical review of the treatment literature. *Behavior Therapy*, 32, 537-583.
- Nimnuan, C., Hotopf, M., & Wessely, S. (2001). Medically unexplained symptoms: an epidemiological study in seven specialties. *Journal of Psychosomatic Research*, 51(1), 361-7.
- Nimnuan, C., Rabe-Hesketh, S., Wessely, S., & Hotopf, M. (2001). How many functional somatic syndromes? *Journal of Psychosomatic Research*, 51(4), 549-557.
- Norman, W., & Shallice, T. (1986). Attention to action. In R. J. Davidson, G. E. Schwartz, & D. Shapiro (Eds.), *Consciousness and Self Regulation: Advances in Research and Theory*, Vol. 4 (pp. 1-18). New York: Plenum.
- Nosek, B. A., & Banaji, M. R. (2005). The go/no-go association task. *Social Cognition*, 19(6), 625-666.
- Nosek, B. A., Greenwald, A. G., & Banaji, M. R. (2005). Understanding and using the implicit association test: ii. method variables and construct validity. *Personality & Social Psychology Bulletin*, 31(2), 166-80.
- Nosek, B. A., Greenwald, A. G., & Banaji, M. R. (2007). The implicit association test at age 7: a methodological and conceptual review. In J. A. Bargh (Ed.), *Automatic Processes in Social Thinking and Behavior*. (Vol. 663, pp. 265-292). Psychology Press.
- Page, L. A., & Wessely, S. (2003). Medically unexplained symptoms: exacerbating factors in the doctor-patient encounter. *Journal of The Royal Society of Medicine*, 96(5), 223-7.
- Pearce, J., & Morley, S. (1989). An experimental investigation of the construct validity of the mcgill pain questionnaire. *Pain*, 39(1), 115-121.
- Pennebaker, J. W. (1982a). Selective monitoring of illness symptoms. In *The Psychology of Physical Symptoms* (p. 48). New York: Springer-Verlag.
- Pennebaker, J. W. (1982b). *The Psychology of Physical Symptoms*. New York: Springer-Verlag.
- Pennebaker, J. W., & Lightner, J. M. (1980). Competition of internal and external information in an exercise setting. *Journal of Personality and Social Psychology*, 39(1), 165-74.
- Petrie, K. J., Broadbent, E. A., Kley, N., Moss-Morris, R., Horne, R., & Rief, W. (2005). Worries about modernity predict symptom complaints after environmental pesticide spraying. *Psychosomatic Medicine*, 67(5), 778-82.
- Peveler, R., Kilkenny, L., & Kinmonth, A. L. (1997). Medically unexplained physical symptoms in primary care: a comparison of self-report screening questionnaires and clinical opinion. *Journal of Psychosomatic Research*, 42(3), 245-52.
- Pierce, T., & Lydon, J. (1998). Priming relational schemas: effects of contextually activated and chronically accessible interpersonal expectations on responses to a stressful event. *Journal of Personality and Social Psychology* (Vol. 75, pp. 1441-1448).
- Pincus, T., Fraser, L., & Pearce, S. (1998). Do chronic pain patients "stroop" on pain stimuli? *The British Journal of Clinical Psychology*, 37(1), 49-58.
- Pincus, T., & Morley, S. (2001). Cognitive-processing bias in chronic pain: a review and integration. *Psychological Bulletin*, 127(5), 599-617.
- Pincus, T., Pearce, S., McClelland, A., & Isenberg, D. (1995). Endorsement and memory bias of self-referential pain stimuli in depressed pain patients. *The*

- British Journal of Clinical Psychology*, 34(2), 267-277.
- Price, D. D., McGrath, P. A., Rafii, A., & Buckingham, B. (1983). The validation of visual analogue scales as ratio scale measures for chronic and experimental pain. *Pain*, 17(1), 45-56.
- Quirin, M., Bode, R. C., & Kuhl, J. (2011). Recovering from negative events by boosting implicit positive affect. *Cognition & Emotion*, 25(3), 559-570.
- Riebel, K., Egloff, B., & Witthöft, M. (2013). The implicit health-related self-concept in somatoform disorders. *Journal of Behavior Therapy and Experimental Psychiatry*, 44(3), 335-342.
- Rief, W., & Barsky, A. J. (2005). Psychobiological perspectives on somatoform disorders. *Psychoneuroendocrinology*, 30(10), 996-1002.
- Rief, W., & Broadbent, E. (2007). Explaining medically unexplained symptoms-models and mechanisms. *Clinical Psychology Review*, 27(7), 821-41.
- Riketta, M., & Dauenheimer, D. (2003). Manipulating self-esteem with subliminally presented words. *European Journal of Social Psychology*, 33(5), 679-699.
- Riley, J. L., Robinson, M. E., Wise, E. a., & Price, D. D. (1999). A meta-analytic review of pain perception across the menstrual cycle. *Pain*, 81(3), 225-35.
- Rodrigues, A. C., Verne, G. N., Schmidt, S., & Mauderli, A. P. (2005). Hypersensitivity to cutaneous thermal nociceptive stimuli in irritable bowel syndrome. *Pain*, 115(1-2), 5-11.
- Rome, H. P., & Rome, J. D. (2000). Limbically augmented pain syndrome (LAPS): kindling, corticolimbic sensitization, and the convergence of affective and sensory symptoms in chronic pain disorders. *Pain Medicine*, 1(1), 7-23.
- Rutchick, A. M., & Slepian, M. L. (2013). Handling ibuprofen increases pain tolerance and decreases perceived pain intensity in a cold pressor test. *PloS One*, 8(3), e56175.
- Rygh, L. J., Svendsen, F., Fiskå, A., Haugan, F., Hole, K., & Tjølsen, A. (2005). Long-term potentiation in spinal nociceptive systems--how acute pain may become chronic. *Psychoneuroendocrinology*, 30(10), 959-64.
- Schoth, D. E., Delgado Nunes, V., & Liossi, C. (2012). Attentional bias towards pain-related information in chronic pain; a meta-analysis of visual-probe investigations. *Clinical Psychology Review*, 32(1), 13-25.
- Sha, M. C., Callahan, C. M., Counsell, S. R., Westmoreland, G. R., Stump, T. E., & Kroenke, K. (2005). Physical symptoms as a predictor of health care use and mortality among older adults. *The American Journal of Medicine*, 118(3), 301-6.
- Simmons, J. P., Nelson, L. D., & Simonsohn, U. (2011). False-positive psychology: undisclosed flexibility in data collection and analysis allows presenting anything as significant. (H. E. Nissen, H. K. Klein, & R. Hirschheim, Eds.) *Psychological Science*, 22(11), 1359-66.
- Skelton, J. A., & Strohmets, D. B. (1990). Priming symptom reports with health-related cognitive activity. *Personality and Social Psychology Bulletin*, 16(3), 449-464.
- Smith, G. R., Monson, R. A., & Ray, D. C. (1986). Patients with multiple unexplained symptoms: their characteristics, functional health, and health care utilization. *Archives of Internal Medicine*, 146(1), 69-72.
- Smith, R. C., & Dwamena, F. C. (2007). Classification and diagnosis of patients with medically unexplained symptoms. *Journal of General Internal Medicine*, 22(5), 685-91.
- Smith, R. C., Gardiner, J. C., Lyles, J. S., Sirbu, C., Dwamena, F. C., Hodges, A., ... Goddeeris, J. (2005). Exploration of dsm-iv criteria in primary care patients with medically unexplained symptoms. *Psychosomatic Medicine*, 67(1), 123-9.
- Snider, B. S., Asmundson, G. J., & Wiese, K. C. (2000). Automatic and strategic processing of threat cues in patients with chronic pain: a modified stroop evaluation. *The Clinical Journal of Pain*, 16(2), 144-154.
- Spalding, L. R., & Hardin, C. D. (1999). Unconscious unease and self-handicapping: behavioral consequences of individual differences in implicit and explicit self-esteem. *Psychological Science*, 10(6), 535-539.
- Speckens, A. E., Spinhoven, P., Sloekers, P. P., Bolk, J. H., & Van Hemert, A. M.

- (1996). *A validation study of the Whitely Index, the Illness Attitude Scales, and the Somatosensory Amplification Scale in general medical and general practice patients*. *Journal of Psychosomatic Research* (Vol. 40, pp. 95-104).
- Srull, T. K., & Wyer, R. S. (1979). The role of category accessibility in the interpretation of information about persons: some determinants and implications. *Journal of Personality and Social Psychology*, 37(10), 1660-1672.
- Staud, R., Cannon, R. C., Mauderli, A. P., Robinson, M. E., Price, D. D., & Vierck, C. J. (2003). Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome. *Pain*, 102(1-2), 87-95.
- Stegen, K., Diest, I. Van, Van De Woestijne, K. P., & De Bergh, O. V. (2001). Do persons with negative affect have an attentional bias to bodily sensations? *Cognition & Emotion*, 15(6), 813-829.
- Steyerberg, W., & Harrell, F. (2003). Statistical models for prognostication. In M. Max & J. Lynn (Eds.), *Interactive Textbook of Symptom Research: Methods and Opportunities*.
- Stuss, D. T., Pogue, J., Buckle, L., & Bondar, J. (1994). Characterization of stability of performance in patients with traumatic brain injury: variability and consistency on reaction time tests. *Neuropsychology*, 8(3), 316-324.
- Sullivan, M. J. L., Bishop, S. R., & Pivik, J. (1995). The pain catastrophizing scale: development and validation. *Psychological Assessment*, 7(4), 524-532.
- Sullivan, M. J. L., & Neish, N. R. (1998). Catastrophizing, anxiety and pain during dental hygiene treatment. *Community Dentistry and Oral Epidemiology*, 26(5), 344-9.
- Sullivan, M. J. L., Rouse, D., Bishop, S., & Johnston, S. (1997). Thought suppression, catastrophizing, and pain. *Cognitive Therapy and Research*, 21(5), 555-568.
- Sullivan, M. J. L., Stanish, W., Waite, H., Sullivan, M., & Tripp, D. A. (1998). Catastrophizing, pain, and disability in patients with soft-tissue injuries. *Pain*, 77(3), 253-260.
- Sullivan, M. J. L., Thorn, B., Haythornthwaite, J. A., Keefe, F., Martin, M., Bradley, L. A., & Lefebvre, J. C. (2001). Theoretical perspectives on the relation between catastrophizing and pain. *The Clinical Journal of Pain*, 17(1), 52-64.
- Suls, J., & Fletcher, B. (1985). Self-attention, life stress, and illness: a prospective study. *Psychosomatic Medicine*, 47(5), 469-81.
- Tabachnick, B. G., & Fidell, L. S. (2007). *Using Multivariate Statistics (5th Ed.)*. Using Multivariate Statistics 5th Ed. Allyn & Bacon/Pearson Education.
- Turk, D. C., & Rudy, T. E. (1992). Cognitive factors and persistent pain: a glimpse into pandora's box. *Cognitive Therapy and Research*, 16(2), 99-122.
- Uhlmann, E. L., Leavitt, K., Menges, J. I., Koopman, J., Howe, M., & Johnson, R. E. (2012). Getting explicit about the implicit: a taxonomy of implicit measures and guide for their use in organizational research. *Organizational Research Methods*, 15(4), 553-601.
- Ursin, H. (1997). Sensitization, somatization, and subjective health complaints. *International Journal of Behavioral Medicine*, 4(2), 105-116.
- Van den Bergh, O., Winters, W., Devriese, S., & Van Diest, I. (2002). Learning subjective health complaints. *Scandinavian Journal of Psychology*, 43(2), 147-52.
- Van Hemert, A. M., Hengeveld, M. W., Bolk, J. H., Rooijmans, H. G., & Vandenbroucke, J. P. (1993). Psychiatric disorders in relation to medical illness among patients of a general medical out-patient clinic. *Psychological Medicine*, 23(1), 167-73.
- Vassend, O., & Skrandal, A. (1999). The role of negative affectivity in self assessment of health: a structural equation approach. *Journal of Health Psychology*, 4(4), 465-82.
- Verkuil, B., Brosschot, J. F., De Beurs, D. P., & Thayer, J. F. (2009). Effects of explicit and implicit perseverative cognition on cardiac recovery after cognitive stress. *International Journal of Psychophysiology*, 74(3), 220-8.
- Verkuil, B., Brosschot, J. F., Meerman, E. E., & Thayer, J. F. (2012). Effects of momentary assessed stressful events and worry episodes on somatic health complaints. *Psychology & Health*, 27(2), 141-58.
- Verkuil, B., Brosschot, J. F., & Thayer, J. F. (2007). A sensitive body or a sensitive

- mind? associations among somatic sensitization, cognitive sensitization, health worry, and subjective health complaints. *Journal of Psychosomatic Research*, 63(6), 673–81.
- Vlaeyen, J. W., & Crombez, G. (1999). Fear of movement/(re)injury, avoidance and pain disability in chronic low back pain patients. *Manual Therapy*, 4(4), 187–95.
- Vleeming, R. G., & Engelse, J. A. (1981). Assessment of private and public self-consciousness: a dutch replication. *Journal of Personality Assessment*, 45(4), 385–389.
- Watson, D., Clark, L. A., & Tellegen, A. (1988). Development and validation of brief measures of positive and negative affect: the panas scales. *Journal of Personality and Social Psychology*, 54(6), 1063–1070.
- Watson, D., & Pennebaker, J. W. (1989). Health complaints, stress, and distress: exploring the central role of negative affectivity. *Psychological Review*, 96(2), 234–54.
- Wessely, S., & Nimnuan, C. (1999). Functional somatic syndromes: one or many? *Lancet*, 354(9182), 936–939.
- Wessely, S., & White, P. D. (2004). There is only one functional somatic syndrome. *The British Journal of Psychiatry*, 185(2), 95–6.
- West, S. G., Aiken, L. S., & Krull, J. L. (1996). Experimental personality designs: analyzing categorical by continuous variable interactions. *Journal of Personality*, 64(1), 1–48.
- Whiteside, A., Hansen, S., & Chaudhuri, A. (2004). Exercise lowers pain threshold in chronic fatigue syndrome. *Pain*, 109(3), 497–499.
- Williams, L. E., & Bargh, J. A. (2008). Experiencing physical warmth promotes interpersonal warmth. *Science*, 322(5901), 606–7.
- Williams, P. G., Wasserman, M. S., & Lotto, A. J. (2003). Individual differences in self-assessed health: an information-processing investigation of health and illness cognition. *Health Psychology*, 22(1), 3–11.
- Williams, P. G., & Wiebe, D. J. (2000). Individual differences in self-assessed health: gender, neuroticism and physical symptom reports. *Personality and Individual Differences*, 28(5), 823–835.
- Wittchen, H.-U., & Jacobi, F. (2005). Size and burden of mental disorders in europe--a critical review and appraisal of 27 studies. *European Neuropsychopharmacology*, 15(4), 357–76.
- Witthöft, M., Gerlach, A. L., & Bailer, J. (2006). Selective attention, memory bias, and symptom perception in idiopathic environmental intolerance and somatoform disorders. *Journal of Abnormal Psychology*, 115(3), 397–407.
- Wooley, S. C., Blackwell, B., & Winget, C. (1978). A learning theory model of chronic illness behavior: theory, treatment, and research. *Psychosomatic Medicine*, 40(5), 379–401.
- Yong, E. (2012). Nobel laureate challenges psychologists to clean up their act. *Nature News*.
- Young, J. E., Klosko, J. S., & Weishaar, M. E. (2003). *Schema Therapy: A Practitioner's Guide*. New York (Vol. 2003, p. 436). Guilford.