



Universiteit
Leiden
The Netherlands

Stellar radio beacons for Galactic astrometry

Quiroga Nunez, L.H.

Citation

Quiroga Nunez, L. H. (2020, March 12). *Stellar radio beacons for Galactic astrometry*. Retrieved from <https://hdl.handle.net/1887/86289>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/86289>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/86289> holds various files of this Leiden University dissertation.

Author: Quiroga Nuñez, L.H.

Title: Stellar radio beacons for Galactic astrometry

Issue Date: 2020-03-12

Stellar radio beacons
for Galactic astrometry

Stellar radio beacons for Galactic astrometry

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof.mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 12 maart 2020
klokke 15:00 uur

door

Luis Henry Quiroga Nuñez

geboren te Bogotá, Colombia
in 1989

Promotiecommissie

Promotors: Prof. dr. H. J. van Langevelde
Dr. A. G. A. Brown

Overige leden: Prof. dr. K. H. Kuijken
Prof. dr. A. G. G. M. Tielens
Prof. dr. Y. M. Pihlström University of New Mexico
Dr. A. Brunthaler Max-Planck-Institut
für Radioastronomie
Prof. dr. H. J. A. Rottgering

ISBN: 978-94-6402-117-2

Cover design by Juan Sebastián Leal at Blackbird Studios (Colombia)

Dedicada a aquellos seres amados que se fueron
y que llegaron a mi vida durante este PhD:
Miguel & Chiara

*“Start by doing what is necessary, then do what is possible
and suddenly you will be doing the impossible”*

–Francesco d’ Assisi

Contents

1	Introduction	1
1.1	Historical review of the Milky Way	3
1.2	The importance of Galactic plane studies	5
1.2.1	Spiral Structure	5
1.2.2	The inner Galaxy: Galactic bulge	6
1.3	Precise astrometric measurements	8
1.3.1	Hipparcos mission	8
1.3.2	<i>Gaia</i> revolution	9
1.3.3	Advantages of radio astrometry	10
1.4	Masers as tracers of stellar populations	10
1.4.1	Maser theory in Astronomy	11
1.4.2	VLBI maser projects	14
1.5	This thesis	17
1.6	Outlook	19
2	Resolving the distance controversy for Sharpless 269: A kink in the Outer arm	23
2.1	Introduction	25
2.2	Observations	26
2.3	Results	27
2.3.1	Elongated water maser emission	27
2.3.2	Astrometric measurements for S269	30
2.3.3	Cross-matching with Gaia DR2	32
2.4	Discussion	32
2.4.1	Long-lived and extended water maser emission	32
2.4.2	S269 astrometric parameters	35
2.4.3	Membership in the Perseus or outer arm	37
2.4.4	Outer arm structure	38
2.4.5	Optical members of the same stellar association	40
2.5	Conclusions	41
2.6	Appendix	42
2.6.1	Additional Tables	42
3	Simulated Galactic maser distribution to constrain the Milky Way	45
3.1	Introduction	47
3.2	Model for the 6.7 GHz methanol maser distribution in the spiral structure	48
3.2.1	Initial parameters	49
3.2.2	Spatial distribution	49
3.2.3	Velocity distribution	52
3.2.4	Methanol masers represented in the model	53
3.2.5	Luminosity distribution	53
3.2.6	Error allocation	53
3.2.7	Fitting procedure	54
3.3	Results	55
3.3.1	Luminosity function for 6.7 GHz methanol masers	56

3.3.2	Galactic parameters and selection of sample	58
3.3.3	Parameter correlations	61
3.4	Discussion	62
3.4.1	Luminosity function of 6.7 GHz methanol masers	62
3.4.2	Galactic parameters analysis	62
3.5	Conclusions	65
4	Characterizing the evolved stellar population in the Galactic foreground	67
4.1	Introduction	69
4.2	Cross-match between radio, IR and optical observations	70
4.2.1	BAaDE target sample selection	73
4.2.2	Cross-match description	73
4.2.3	Refining the <i>BAaDE-Gaia</i> sample	75
4.2.4	Resulting cross-match: <i>local</i> sample	77
4.3	Results	77
4.3.1	Features of the <i>BAaDE-Gaia</i> sample	77
4.3.2	The <i>local</i> sample	83
4.4	Discussion	84
4.4.1	Absolute magnitudes for the foreground Mira population	84
4.4.2	Bolometric magnitudes for the foreground Mira population	84
4.4.3	Mira distribution around the Sun	88
4.4.4	Period-Luminosity relations	90
4.4.5	<i>SiO</i> maser emission from Mira variables	91
4.5	Conclusions	91
5	Different radio emission from Ross 867-8: Astrometric application at several λ	95
5.1	Introduction	97
5.2	Observations	98
5.3	Results	98
5.3.1	Radio Light Curves	101
5.4	Discussion	103
5.4.1	Identical stellar origin	103
5.4.2	Nature of the flare emission	103
5.4.3	Historical radio observations	103
5.4.4	Probability of observing during a non-flaring event	105
5.4.5	Comparison of stellar properties with respect to a similar binary system	105
5.5	Summary and conclusions	107
5.6	Appendix	108
5.6.1	SPAM pipeline for GMRT data on Ross 867-868	108
5.6.2	LOFAR observations	109
5.6.3	Radio observations for NVSS J171949+263007 and for Ross 867-8	109
	Bibliography	113
	Nederlandse Samenvatting	123
	English Summary	127
	Resumen en Español	131

List of Publications	135
Curriculum Vitae	137
Acknowledgments	139