



Universiteit
Leiden
The Netherlands

Analysis of ^{13}C and ^{15}N isotopes from Eurasian Quaternary fossils: Insights in diet, climate and ecology

Kuitem, M.

Citation

Kuitem, M. (2020, May 14). *Analysis of ^{13}C and ^{15}N isotopes from Eurasian Quaternary fossils: Insights in diet, climate and ecology*. Retrieved from <https://hdl.handle.net/1887/87893>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/87893>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/87893> holds various files of this Leiden University dissertation.

Author: Kuitens, M.

Title: Analysis of ^{13}C and ^{15}N isotopes from Eurasian Quaternary fossils: Insights in diet, climate and ecology

Issue Date: 2020-05-14

References

- Adams, T.S., Sterner, R.W., 2000. The effect of dietary nitrogen content on trophic level ^{15}N enrichment. *Limnology and Oceanography* **45** (3), 601-607.
- Agam, A., Barkai, R., 2018. Elephant and Mammoth Hunting during the Paleolithic: A Review of the Relevant Archaeological, Ethnographic and Ethno-Historical Records. *Quaternary* **1** (3), 1-28.
- Aitken, S.N., Whitlock, M.C., 2013. Assisted gene flow to facilitate local adaptation to climate change. *Annual review of ecology, evolution, and systematics* **44**, 367-388.
- Ambrose, S.H., 1990. Preparation and characterization of bone and tooth collagen for isotopic analysis. *Journal of Archaeological Science* **17**, 431-451.
- Ambrose, S.H., 1991. Effects of diet, climate and physiology on nitrogen isotope abundances in terrestrial foodwebs. *Journal of Archaeological Science* **18**, 293-317.
- Ambrose, S.H., 1993. Isotopic analysis of palaeodiets: methodical and interpretive considerations. In: Sandford, M.K. (Ed.) *Investigation of ancient human tissue: chemical analysis in anthropology*. Gordon & Breach (New York), 59-130.
- Ambrose, S.H., 2000. Controlled diet and climate experiments on nitrogen isotope ratios of rats. In: Ambrose, S.H., Katzenberg, M.A. (Eds.). *Biogeochemical approaches to paleodietary analysis*. Kluwer Academic/Plenum Publishers (New York), 243-259.
- Ambrose, S.H., DeNiro, M.J., 1986. The isotopic ecology of East African mammals. *Oecologia* **69**, 395-406.
- Amkreutz, L., Verpoorte, A., Waters-Rist, A., Niekus, M., van Heekeren, V., van der Merwe, L., van der Plicht, J., Glimmerveen, J., Stapert, D., Johansen, L., 2018a. What lies beneath... Late Glacial human occupation of the submerged North Sea landscape. *Antiquity* **92**, 22-37.
- Amkreutz, L., Verpoorte, A., Waters-Rist, A., Niekus, M., van Heekeren, V., van der Merwe, L., van der Plicht, J., Glimmerveen, J., Stapert, D., Johansen, L., 2018b. IJstijdjagers op de bodem van de Noordzee. *Cranium* **35**, 41-45.
- Andreev, A.A., Schirrmeister, L., Tarasov, P.E., Ganapolski, A., Brovkin, V., Siegert, C., Wetterich, S., Hubbertsen, H.-W., 2011. Vegetation and climate history in the Laptev Sea region (Arctic Siberia) during Late Quaternary inferred from pollen records. *Quaternary Science Reviews* **30**, 2182-2199.
- Arneborg, J., Heinemeier, J., Lynnerup, N., Nielsen, H.L., Rude, N., Sveinbjornsdotir, A.E., 1999. Change of diet of the Greenland Vikings determined from stable carbon isotope analysis. *Radiocarbon* **41**, 157-168.
- Arppe, L., Karhu, J.A., Vartanyan, S., Drucker, D.G., Ehu-Sihvola, H., Bocherens, H., 2019. Thriving or surviving? The isotopic record of the Wrangel Island woolly mammoth population. *Quaternary Science Reviews* **222**, 105884.
- Badeck, F.-W., Tcherkez, G., Nogués, S., Piel, C., Ghashghaie, J., 2005. Postphotosynthetic fractionation of stable carbon isotopes between plant organs—a widespread phenomenon. *Rapid Communications in Mass Spectrometry* **19**, 1381-1391.

- Bassis, J.N., Petersen, S.V., Mac Cathles, L., 2017. Heinrich events triggered by ocean forcing and modulated by isostatic adjustment. *Nature* **542**, 332.
- Ben-David, M., Shochat, E., Adams, L., 2001. Utility of stable isotope analysis in studying foraging ecology of herbivores: examples from moose and caribou. *Alces* **37**, 421-434.
- Blinnikov, M.S., Gaglioti, B.V., Walker, D.A., Wooller, M.J., Zazula, G.D., 2011. Pleistocene graminoid-dominated ecosystems in the Arctic. *Quaternary Science Reviews* **30** (21-22), 2906-2929.
- Bocherens, H., Drucker, D., Billiou, D., Moussa, I., 2005. Une nouvelle approche pour évaluer l'état de conservation de l'os et du collagène pour les mesures isotopiques (datation au radiocarbone, isotopes stables du carbone et de l'azote). *L'Anthropologie* **109** (3), 557-567.
- Bocherens, H., 2003. Isotopic biogeochemistry and the paleoecology of the mammoth steppe fauna. In: Reumer, J.W.F., de Vos, J., Mol, D. (Eds.). *Advances in mammoth research (Proceedings of the Second International Mammoth Conference, Rotterdam, May 16–20 1999)*. *Deinsea* **9**, pp. 57–76.
- Bocherens, H., Billiou, D., Patou-Mathis, M., Bonjean, D., Otte, M., Mariotti, A., 1997a. Paleobiological implications of the isotopic signatures (^{13}C , ^{15}N) of fossil mammal collagen in Scladina Cave (Sclayn, Belgium). *Quaternary Research* **48**, 370-380.
- Bocherens, H., Billiou, D., Patou-Mathis, M., Otte, M., Bonjean, D., Toussaint, M., Mariotti, A., 1999. Palaeoenvironmental and palaeodietary implications of isotopic biogeochemistry of late interglacial Neandertal and mammal bones in Scladina Cave (Belgium). *Journal of Archaeological Science* **26** (6), 599-607.
- Bocherens, H., Drucker, D., 2003. Trophic level isotopic enrichments for carbon and nitrogen in collagen: case studies from recent and ancient terrestrial ecosystems. *International Journal of Osteoarchaeology* **13**, 46-53.
- Bocherens, H., Drucker, D.G., 2007. Terrestrial Teeth and Bones. In: Elias, S.A. (Ed.). *Encyclopedia of Quaternary Research*, 309–317.
- Bocherens, H., Fizet, M., Mariotti, A., Gangloff, R.A., Burns, J.A., 1994. Contribution of biochemistry (^{13}C , ^{15}N , ^{18}O) to the paleoecology of mammoths (*Mammuthus primigenius*). *Historical Biology* **7** (3), 187-202.
- Bocherens, H., Germonpré, M., Toussaint, M., Semal, P., 2013. XVII. Stable isotopes. In: Semal, P., Hauzeur, A. (Eds.). *Spy Cave: State of 125 Years of Pluridisciplinary Research on the Bette-aux-Rotches from Spy (Jemeppe-sur-Sambre, Province of Namur, Belgium)*. Royal Belgian Institute of Natural Sciences, 357-371.
- Bocherens, H., Michaux, J., Garcia Talavera, F., van der Plicht, J., 2006b. Extinction of endemic vertebrates on islands: the case of the giant rat *Canariomys bravoii* (Mammalia, Rodentia) on Tenerife (Canary Islands, Spain). *Comptes Rendus Palévol* **5** (7), 885-891.
- Bocherens, H., Pacaud, G., Lazarev, P.A., Mariotti, A., 1996. Stable isotope abundances (^{13}C , ^{15}N) in collagen and soft tissues from Pleistocene mammals from Yakutia:

- Implications for the palaeobiology of the mammoth steppe. *Palaeogeography, Palaeoclimatology, Palaeoecology* **126**, 31–44.
- Bocherens, H., Tresset, A., Wiedemann, F., Giligny, F., Lafage, F., Lanchon, Y., Mariotti, A., 1997b. Bone diagenetic evolution in two French Neolithic sites. *Bulletin de la Société Géologique de France* **168** (5), 555–564.
- Bocherens, K., Drucker, D.G., Billiou, D., Geneste, J.M., van der Plicht, J., 2006a. Bears and humans in Chauvet Cave (Vallon-Pont-d’Arc, Ardèche, France): insights from stable isotopes and radiocarbon dating of bone collagen. *Journal of Human Evolution* **50**, 370–376.
- Boeskorov, G. G., Lazarev, P.A., Sher, A.V., Davydov, S.P., Bakulina, N.T., Shchelchkova, M.V., Binladen, J., Willerslev, E., Buigues, B., Tikhonov, A.N., 2011. Woolly rhino discovery in the lower Kolyma River. *Quaternary Science Reviews* **30**, 2262–2272.
- Boeskorov, G.G., 2006. Arctic Siberia: refuge of the Mammoth fauna in the Holocene. *Quaternary international* **142**, 119–123.
- Boeskorov, G.G., Potapova, O.R., Protopopov, A.V., Plotnikov, V.V., Maschenko, E.N., Shchelchkova, M.V., Petrova, E.A., Kowalczyk, R., van der Plicht, J., Tikhonov, A.N., 2018. A study of a frozen mummy of a wild horse from the Holocene of Yakutia, East Siberia, Russia. *Mammal Research* **63** (3), 307–314.
- Boivin, N.L., Zeder, M.A., Fuller, D.Q., Crowther, A., Larson, G., Erlandson, J.M., Denham, T., Petraglia, M.D., 2016. Ecological consequences of human niche construction: Examining long-term anthropogenic shaping of global species distributions. *Proceedings of the National Academy of Sciences* **113** (23), 6388–6396.
- Braje, T.J., Erlandson, J.M., 2013. Human acceleration of animal and plant extinctions: A Late Pleistocene, Holocene, and Anthropocene continuum. *Anthropocene* **4**, 14–23.
- Braun, I.M., Palombo, M.R., 2012. *Mammuthus primigenius* in the cave and portable art: An overview with a short account on the elephant fossil record in Southern Europe during the last glacial. *Quaternary International* **276**, 61–76.
- Braunisch, V., Bollmann, K., Graf, R.F., Hirzel, A.H., 2008. Living on the edge—modelling habitat suitability for species at the edge of their fundamental niche. *Ecological modelling* **214** (2–4), 153–167.
- Brigham-Grette, J., Gualtieri, L., 2004. Response to Grosswald and Hughes (2004), Brigham-Grette et al. (2003), “Chlorine-36 and ¹⁴C Chronology support a limited last glacial maximum across central Chukotka, northeastern Siberia, and no Beringian ice Sheet,” and Gualtieri et al. (2003), “Pleistocene raised marine deposits on Wrangel Island, northeastern Siberia: implications for Arctic ice sheet history”. *Quaternary Research* **62**, 227–232.
- Britton, K., Gaudzinski-Windheuser, S., Roebroeks, W., Kindler, L., Richards, M.P., 2012. Stable isotope analysis of well-preserved 120,000-year-old herbivore bone collagen from the Middle Palaeolithic site of Neumark-Nord 2, Germany reveals niche separation between bovids and equids. *Palaeogeography, Palaeoclimatology, Palaeoecology* **333–334**, 168–177.

- Brock, F., Higham, T., Bronk Ramsey, C., 2010. Pre-screening techniques for identification of samples suitable for radiocarbon dating of poorly preserved bones. *Journal of Archaeological Science* **37**, 855–865.
- Brock, F., Wood, R., Higham, T.F.G., Ditchfield, P., Bayliss, A., Bronk Ramsey C., 2012. Reliability of nitrogen content (% N) and carbon: nitrogen atomic ratios (C:N) as indicators of collagen preservation suitable for radiocarbon dating. *Radiocarbon* **54**, 879–886.
- Bronk Ramsey, C., 2009. Bayesian analysis of radiocarbon dates. *Radiocarbon* **51**, 337–360.
- Broughton, J.M., Weitzel, E.M., 2018. Population reconstructions for humans and megafauna suggest mixed causes for North American Pleistocene extinctions. *Nature communications* **9**, 5441.
- Busschers, F., Westerhof, W., van Heteren, S., 2013. *Het stratigrafisch raamwerk voor de geologische opbouw van het zandwingebied Maasvlakte 2. Rapport 1 van het geoarcheologisch en paleontologisch onderzoek zandwingebied en buitencontour Maasvlakte 2*. TNO (Utrecht).
- Busschers, F.S., Wesselingh, F., Kars, R.H., Versluijs-Helder, M., Wallinga, J., Bosch, J.H.A., Timmer, J., Nierop, K.G.J., Meijer, T., Bunnik, F.P.M., De Wolf, H., 2014. Radiocarbon Dating of Late Pleistocene Marine Shells from the Southern North Sea. *Radiocarbon* **56**, 1151–1166.
- Cambridge, T., Kooyman, B., Theodor, J.M., 2019. Diet reconstructions for end-Pleistocene *Mammot americanum* and *Mammotbus* based on comparative analysis of mesowear, microwear, and dental calculus in modern *Loxodonta africana*. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 109403.
- Carr, S.J., Holmes, R.V.D., van der Meer, J.J.M., Rose, J., 2006. The Last Glacial Maximum in the North Sea Basin: micromorphological evidence of extensive glaciation. *Journal of Quaternary Science* **21** (2), 131–153.
- Caut, S., Angulo, E., Courchamp, F., 2008. Caution on isotopic model use for analyses of consumer diet. *Canadian Journal of Zoology* **86** (5), 438–445.
- Chase, J.M., Leibold, M.A., 2003. *Ecological niches: linking classical and contemporary approaches*. University of Chicago Press (Chicago).
- Cohen, K.M., Gibbard, P.L., Weerts, H.J.T., 2014. North Sea palaeo-geographical reconstructions for the last 1 Ma. *Netherlands Journal of Geosciences* **93**, 7–29.
- Cohen, K.M., MacDonald, K., Joordens, J.C.A., Roebroeks, W., and Gibbard, P.L., 2011. Earliest occupation of north-west Europe: a coastal perspective. *Quaternary International* **271**, 70–83.
- Cook, G.T., Bonsall, C., Hedges, R.E.M., McSweeney, K.M., Boronean, V., Pettitt, P.B., 2001. A freshwater diet-derived ^{14}C reservoir effect at the Stone Age sites in the Iron Age gorge. *Radiocarbon* **43**, 453–460.
- Cooper, A., Turney, C., Hughen, K.A., Brook, B.W., McDonald, H.G., Bradshaw, C.J.A., 2015. Abrupt warming events drove Late Pleistocene Holarctic megafaunal turnover. *Science* **349**, 602–606.

- Craig, H., 1953. The geochemistry of the stable carbon isotopes. *Geochimica et Cosmochimica Acta* **3** (2-3), 53-92.
- Cubas, M., Peyroteo-Stijerna, R., Fontanals-Coll, M., Llorente-Rodríguez, L., Lucquin, A., Craig, O.E., Colonese, A.C., 2019. Long-term dietary change in Atlantic and Mediterranean Iberia with the introduction of agriculture: a stable isotope perspective. *Archaeological and Anthropological Sciences* **11**, 3825-3836.
- Debruyne, R., Chu, G., King, C.E., Bos, K., Kuch, M., Schwarz, C., Szpak, P., Gröcke, D.R., Matheus, P., Zazula, G., Guthrie, D., Froese, D., Buigues, B., de Marliave, C., Flemming, C., Poinar, D., Fisher, D., Southon, J., Tikhonov, A.N., MacPhee, R.D.E., Poinar, H.N., 2008. Out of America: ancient DNA evidence for a New World origin of Late Quaternary woolly mammoths. *Current Biology* **18**, 1320-1326.
- Dee, M.W., Palstra, S.W.L., Aerts-Bijma, A.Th., Bleeker, M.O., de Bruijn, S., Ghebru, F., Jansen, H.G., Kuitens, M., Paul, D., Richie, R.R., Spriensma, J.J., Scifo, A., van Zonneveld, D., Verstappen-Dumoulin, B.M.A.A., Wietzes-Land, P., Meijer, H.A.J., 2019. Radiocarbon Dating at Groningen: New and Updated Chemical Pretreatment Procedures. *Radiocarbon*, 1-12. DOI:10.1017/RDC.2019.101.
- Dehn, L.A., Sheffield, G.G., Follmann, E.H., Duffy, L.K., Thomas, D.L., O'Hara, T.M., 2007. Feeding ecology of phocid seals and some walrus in the Alaskan and Canadian Arctic as determined by stomach contents and stable isotope analysis. *Polar Biology* **30**, 167-181.
- De Loecker, D., 2010. *Great Yarmouth dredging license Area 240, Norfolk, United Kingdom. Preliminary report on the lithic artefacts*. Unpublished manuscript, Faculty of Archaeology, Leiden University (Leiden).
- DeNiro, M.J., 1985. Postmortem preservation and alteration of in vivo bone collagen isotope ratios in relation to paleodietary reconstruction. *Nature* **317** (6040), 806-809.
- DeNiro, M.J., Epstein, S., 1976. You are what you eat (plus a few ‰): the carbon isotope cycle in food chains. *Geological Society of America* **6**, 834.
- DeNiro, M.J., Epstein, S., 1981. Influence of diet on the distribution of nitrogen isotopes in animals. *Geochimica et Cosmochimica Acta* **45**, 341-351.
- Di Febbraro, M., Carotenuto, F., Castiglione, S., Russo, D., Loy, A., Maiorano, L., Raia, P., 2017. Does the jack of all trades fare best? Survival and niche width in Late Pleistocene megafauna. *Journal of Biogeography* **44**, 2828-2838.
- Doppler, T., Gerling, C., Heyd, V., Knipper, C., Kuhn, T., Lehmann, M.F., Pike, A.W.G., Schibler, J., 2017. Landscape opening and herding strategies: Carbon isotope analyses of herbivore bone collagen from the Neolithic and Bronze Age lakeshore site of Zurich-Mozartstrasse, Switzerland. *Quaternary International* **436**, 18-28.
- Drucker, D.G., Bocherens, H., Péan, S., 2014. Isotopes stables (^{13}C , ^{15}N) du collagène des mammouths de Mezhyrich (Epigravettien, Ukraine): implications paléoécologiques. *L'Anthropologie* **118**, 504-517.
- Drucker, D., Bocherens, H., Bridault, A., Billiou, D., 2003a. Carbon and nitrogen isotopic composition of red deer (*Cervus elaphus*) collagen as a tool for tracking

- palaeoenvironmental change during the Late-Glacial and Early Holocene in the northern Jura (France). *Palaeogeography, Palaeoclimatology, Palaeoecology* **195** (3-4), 375-388.
- Drucker, D.G., Bocherens, H., 2009. Carbon stable isotopes of mammal bones as tracers of canopy development and habitat use in temperate and boreal contexts. In: Creighton, J.D., Roney, P.J. (Eds.). *Forests canopies: Forest production, ecosystem health, and climate conditions*. Nova Science Publishers (USA), 103-109.
- Drucker, D.G., Bocherens, H., Billiou, D., 2003b. Evidence for shifting environmental conditions in Southwestern France from 33000 to 15000 years ago derived from carbon-13 and nitrogen-15 natural abundances in collagen of large herbivores. *Earth and Planetary Science Letters* **216**, 163-173.
- Drucker, D.G., Bridault, A., Hobson, K.A., Szuma, E., Bocherens, H., 2008. Can carbon-13 abundances in large herbivores track canopy effect in temperature and boreal ecosystems? Evidence from modern and ancient ungulates. *Palaeogeography, Palaeoclimatology, Palaeoecology* **266**, 69-82.
- Drucker, D.G., Hobson, K.A., Ouellet, J.-P., Courtois, R., 2010. Influence of forage preferences and habitat use on ^{13}C and ^{15}N abundance in wild caribou (*Rangifer tarandus caribou*) and moose (*Alces alces*) from Canada. *Isotopes in Environmental and Health Studies* **46**, 107-121.
- Drucker, D.G., Stevens, R.E., Germonpré, M., Sablin, M.V., Péan, S., Bocherens, H., 2018. Collagen stable isotopes provide insights into the end of the mammoth steppe in the central East European plains during the Epigravettian. *Quaternary Research* **90** (3), 457-469.
- Drucker, D.G., Vercoutere, C., Chiotti, L., Nespoulet, R., Crépin, L., Conard, N.J., Münzel, S.C., Higham, T., van der Plicht, J., Lázníčková-Galetová, M. and Bocherens, H., 2015. Tracking possible decline of woolly mammoth during the Gravettian in Dordogne (France) and the Ach Valley (Germany) using multi-isotope tracking (^{13}C , ^{14}C , ^{15}N , ^{34}S , ^{18}O). *Quaternary International* **360**, 304-317.
- Elias, S.A., Crocker, B., 2008. The Bering Land Bridge: a moisture barrier to the dispersal of steppe-tundra biota? *Quaternary Science Reviews* **27**, 2473-2483.
- Firestone, R.B., West, A., Kennett, J.P., Becker, L., Bunch, T.E., Revay, Z.S., Schultz, P.H., Belgia, T., Kennett, D.J., Erlandson, J.M., Dickenson, O.J., Goodyear, A.C., Harris, R.S., Howard, G.A., Kloosterman, J.B., Lechler, P., Mayewski, P.A., Montgomery, J., Poreda, R., Darrah, T., Que Hee, S.S., Smith, A.R., Stich, A., Topping, W., Wittke, J.H., Wolbach, W.S., 2007. Evidence for an extraterrestrial impact 12,900 years ago that contributed to the megafaunal extinctions and the Younger Dryas cooling. *Proceedings of the National Academy of Sciences* **104** (41), 16016-16021.
- Fischer, A., Olsen, J., Richards, M., Heinemeier, J., Sveinbjornsdottir, A.E., Bennike, P., 2007. Coast-inland mobility and diet in the Danish Mesolithic and Neolithic: evidence from stable isotope values of humans and dogs. *Journal of Archaeological Science* **34**, 2125-2150.

- Fox-Dobbs, K., Leonard, J.A., Koch, P.L., 2008. Pleistocene megafauna from eastern Beringia: Paleoecological and paleoenvironmental interpretations of stable carbon and nitrogen isotope and radiocarbon records. *Palaeogeography, Palaeoclimatology, Palaeoecology* **261**, 30–46.
- Fox, D.L., Fisher, D.C., Vartanyan S., Tikhonov, A.N., Mol, D., Buigues, B., 2007. Paleoclimatic implications of oxygen isotopic variation in late Pleistocene and Holocene tusks of *Mammuthus primigenius* from northern Eurasia. *Quaternary International* **169–170**, 154–165.
- Fry, E., Kim, S.K., Chigurapti, S., Mika, K.M., Ratan, A., Dammermann, A., Mitchell, B.J., Miller, W., Lynch, V.J., 2018. Functional architecture of deleterious genetic variants in the Wrangel Island mammoth genome. *BioRxiv* 137455, DOI: <https://doi.org/10.1101/137455>.
- Fuller, B.T., Fuller, J.L., Sage, N.E., Harris, D.A., O’Connell, T.C., Hedges, R.E.M., 2005. Nitrogen balance and $\delta^{15}\text{N}$: why you’re not what you eat during nutritional stress. *Rapid Communication in Mass Spectrometry* **19**, 2497–2506.
- Gaffney, V., Thomsen, K., Fitch, S. (Eds.). 2007. Mapping Doggerland: the Mesolithic landscapes of the southern North Sea. *Archaeopress* (Oxford).
- Gannes, L.Z., Martínez del Río C., Koch, P., 1998. Natural abundance variations in stable isotopes and their potential uses in animal physiological ecology. *Comparative Biochemistry and Physiology* **119A** (3), 725–737.
- Gebert, C., Verheyden-Tixier, H., 2001. Variations of diet composition of red deer (*Cervus elaphus* L.) in Europe. *Mammal Review* **31**, 189–201.
- van Geel, B., Aptroot, A., Baittinger, C., Birks, H.H., Bull, I.D., Cross, H.B., Evershed, R.P., Gravendeel, B., Kompanje, E.J.O., Kuperus, P., Mol, D., Nierop, K.G.J., Pals, J.P., Tikhonov, A.N., van Reenen, G., van Tienderen, P.H., 2008. The ecological implications of a Yakutian mammoth’s last meal. *Quaternary Research* **69**, 361–376.
- van Geel, B., Guthrie, R.D., Altmann, J.G., Broekens, P., Bull, I.D., Gill, F.L., Jansen, B., Nieman, A.M., Gravendeel, B., 2011. Mycological evidence of coprophagy from the feces of an Alaskan Late Glacial mammoth. *Quaternary Science Reviews* **30**, 2289–2303.
- Gerasimov, D.V., Giria, E.Y., Pitul’ko, V.V., Tikhonov, A.N., 2006. New Materials for the interpretation of the Chertov Ovrag Site on Wrangel Island. In: Dumond, D.E., Bland, R.L. (Eds.). *Archaeology in Northeast Asia: on the pathway to Bering Strait*. Museum of Natural and Cultural History, and Department of Anthropology, University of Oregon, 203–206.
- Gill, J.L., 2014. Ecological impacts of the late Quaternary megaherbivore extinctions. *New Phytologist* **201**, 1163–1169.
- Glimmerveen, J., Mol, D., Post, K., Reumer, J.F.W, van der Plicht, J., de Vos, J., van Geel, B., van Reenen, G., Pals, J.P., 2004. The North Sea project: the first paleontological, palynological and archaeological results. In: Flemming, N.C. (Ed.) *Submarine prehistoric archaeology of the North Sea*. CBA Research Report **141**, 43–52.
- Glimmerveen, J., Mol, D., van der Plicht, J., 2006. The Pleistocene Reindeer of the North

- Sea: initial paleontological data and archaeological remarks. *Quaternary International* **142-143**, 242-246.
- Graham, R.W., Belmecheri, S., Choy, K., Culleton, B.J., Davies, L.J., Froese, D., Heintzman, P.D., Hritz, C., Kapp, J.D., Newsom, L.A., Rawcliffe, R., Saulnier-Talbot, É., Shapiro, B., Wang, Y., Williams, J.W., Wooller, M.J., 2016. Timing and causes of mid-Holocene mammoth extinction on St. Paul Island, Alaska. *Proceedings of the National Academy of Sciences* **113**, 9310–9314.
- de Groot, P.A., 2004. *Handbook of Stable Isotope Analytical Techniques*. Elsevier (Amsterdam).
- Gualtieri, L., Vartanyan, S.L., Brigham-Grette, J., Anderson, P.M., 2005. Evidence for an ice-free Wrangel Island, northeast Siberia during the Last Glacial Maximum. *Boreas* **34**, 264-273.
- Guil-Guerrero, J.L., Tikhonov, A., Ramos-Bueno, R.P., Grigoriev, S., Protopopov, A., Savvinov, G., González-Fernández, M.J., 2018. Mammoth resources for hominins: from omega-3 fatty acids to cultural objects. *Journal of Quaternary Science* **33**, 455-463.
- Guiry, E.J., Hepburn, J.C. and Richards, M.P., 2016. High-resolution serial sampling for nitrogen stable isotope analysis of archaeological mammal teeth. *Journal of Archaeological Science* **69**, 21-28.
- Guthrie R.D., 2006. New carbon dates link climatic change with human colonization and Pleistocene extinctions. *Nature* **441**, 207–209.
- Guthrie, R.D., 1982. Mammals of the mammoth steppe as paleoenvironmental indicators. In: Hopkins, D.M., Matthews, J.V., Schweger, C.E., Young S.B. (Eds.). *Paleoecology of Beringia*. Academic Press (New York), 179-191.
- Guthrie, R.D., 1990. *Frozen fauna of the mammoth steppe: The story of Blue Babe*. University of Chicago Press, (Chicago and London).
- Guthrie, R.D., 2001. Origin and causes of the mammoth steppe: a story of cloud cover, woolly mammoth tooth pits, buckles, and inside-out Beringia. *Quaternary Science Reviews* **20**, 549-574.
- Harari, Y.N., 2015. *Sapiens: A Brief History of Humankind*. Anchor books.
- Harbeck, M., Grupe, G., 2009. Experimental chemical degradation compared to natural diagenetic alteration of collagen: implications for collagen quality indicators for stable isotope analysis. *Archaeological and Anthropological Sciences* **1** (1), 43-57.
- Haynes, G., 2007. A review of some attacks on the overkill hypothesis, with special attention to misrepresentations and doubletalk. *Quaternary International* **169-170**, 84-94.
- Haynes, G., 2009. Introduction to the volume. In: Haynes, G., (Ed.). *American Megafaunal Extinctions at the End of the Pleistocene*. Springer (Dordrecht), pp. 1-20.
- Hedges, R.E.M., Millard, A.R., 1995. Bones and groundwater: Towards the modelling of diagenetic processes. *Journal of Archaeological Science* **22**, 155-164.
- Hedges, R.E.M., Reynard, L.M., 2007. Nitrogen isotopes and the trophic level of humans in archaeology. *Journal of Archaeological Science* **34**, 1240-1251.
- van Heteren, S., Meekes, J.A.C., Bakker, M.A.J., Gaffney, V., Fitch, S., Gearey, B.R., Paap,

- B.F., 2014. Reconstructing North Sea palaeolandscapes from 3D and high-density 2D seismic data: an overview. *Netherlands Journal of Geosciences* **93**, 31-42.
- Hijma, M., Westerhoff W., Roebroeks W., van Kolfschoten, Th., Cohen, K., 2011. Cultureel erfgoed in de Noordzee: hoe gaan we er mee om? *ARCHEObrief* **15** (3), 31-6.
- Hijma, M.P., Cohen, K.M., Roebroeks, W., Westerhoff, W.E., Busschers, F.S., 2012. Pleistocene Rhine-Thames landscapes: geological background for hominin occupation of the southern North Sea region. *Journal of Quaternary Science* **27** (1), 17-39.
- Hobbie, E.A., Högborg, P., 2012. Nitrogen isotopes link mycorrhizal fungi and plants to nitrogen dynamics. *New Phytologist* **196**, 367–382.
- Hobson, K.A., Alisauskas, R.T., Clark, R.G., 1993. Stable-nitrogen isotope enrichment in avian tissues due to fasting and nutritional stress: implications for isotopic analyses of diet. *The Condor* **95** (2), 388-394.
- Hoffecker, J.F., Elias, S.A., 2007. *Human ecology of Beringia*. Columbia University Press (New York).
- Högborg, P., 1997. Tansley Review No. 95. ^{15}N natural abundance in soil-plant systems. *New Phytologist* **137**, 179–203.
- Högborg, P., Högbom, L., Schinkel, H., Högborg, M., Johannisson, C., Wallmark, H., 1996. ^{15}N abundance of surface soils, roots and mycorrhizas in profiles of European forest soils. *Oecologia* **108**, 207-214.
- Hopkins, D.M., 1982. Aspects of the paleogeography of Beringia during the Late Pleistocene. In: Hopkins, D.M., Matthews, J.V., Schweger, C.E., Young, S.B. (Eds.). *Paleoecology of Beringia*. Academic Press, 3-28.
- Huckriede, R., 1967. Neues zur Geologie des Elms (Niedersachsen). *Geologica et Palaeontologica* **1**, 87-95.
- Hufthammer, A.K., Svendsen, J.I., Pavlov, P., 2019. Animals and humans in the European Russian Arctic towards the end of the last Ice Age and during the mid-Holocene time. *Boreas* **48** (2), 387-406.
- Iacumin, P., Di Matteo, A., Nikolaev, V., Kuznetsova, T.V., 2010. Climate information from C, N and O stable isotope analyses of mammoth bones from northern Siberia. *Quaternary International* **212**, 206–212.
- Iacumin, P., Nikolaev, V., Ramigni, M., 2000. C and N stable isotope measurements on Eurasian fossil mammals, 40 000 to 10 000 years BP: Herbivore physiologies and palaeoenvironmental reconstruction. *Palaeogeography, Palaeoclimatology, Palaeoecology* **163**, 33–47.
- Ineshin, E.M., Teten'kin, A.V., 2019. Humans and the environment in northern Baikal Siberia during the Late Pleistocene. *Cambridge Scholars Publishing* (Newcastle upon Tyne, UK).
- Jacob, E., Querci, D., Caparros, M., Ruiz, C. B., Higham, T., Devière, T., 2018. Nitrogen content variation in archaeological bone and its implications for stable isotope

- analysis and radiocarbon dating. *Journal of Archaeological Science* **93**, 68–73.
- Jans, M.M.E., 2005. *Histological Characterization of Diagenetic Alteration of Archaeological Bone*. Doctoral thesis. Institute for Geo and Bioarchaeology, VU University Amsterdam.
- Johnson, C.N., 2009. Determinants of loss of mammal species during the late Quaternary ‘megafauna’ extinctions: life history and ecology, but not body size. *Proceedings of the Royal Society B* **269**, 2221–2227.
- Jones, A.M., O’Connell, T.C., Young, E.D., Scott, K., Buckingham, C.M., Iacumin, P., Brasier, M.D., 2001. Biogeochemical data from well preserved 200 ka collagen and skeletal remains. *Earth and Planetary Science Letters* **193** (1–2), 143–149.
- Jürgensen, J., Drucker, D.G., Stuart, A.J., Schneider, M., Buuveibaatar, B., Bocherens, H., 2017. Diet and habitat of the saiga antelope during the late Quaternary using stable carbon and nitrogen isotope ratios. *Quaternary Science Reviews* **160**, 150–161.
- Kahlke, R.D., 2015. The maximum geographic extension of Late Pleistocene *Mammuthus primigenius* (Proboscidea, Mammalia) and its limiting factors. *Quaternary International* **379**, 147–154.
- Kamjan, S., Rosalind, G., Balasse, M., Çakırlar, C., Raemaekers, D. The role of specialized cattle farming in the Neolithic Dutch Delta: results from stable isotope ($\delta^{18}\text{O}$, $\delta^{13}\text{C}$, $\delta^{15}\text{N}$) and zooarchaeological analyses. Forthcoming.
- Keigwin, L.D., Donnelly, J.P., Cook, M.S., Driscoll, N.W., Brigham-Grette, J., 2006. Rapid sea-level rise and Holocene climate in the Chukchi Sea. *Geology* **34**, 861–864.
- van Klinken, G.J., 1999. Bone collagen quality indicators for palaeodietary and radiocarbon measurements. *Journal of Archaeological Science* **26**, 687–695.
- van Klinken, G.J., van der Plicht, J., Hedges, R.E.M., 1994. Bone $^{13}\text{C}/^{12}\text{C}$ ratios reflect (paleo-) climatic variations. *Geophysical Research Letters* **21**, 445–448.
- Koch, P.L. 2007. Isotopic study of the biology of modern and fossil vertebrates. In: Michener R., Lajtha, K. (Eds.) *Stable isotopes in Ecology and Environmental Science*. Blackwell Publishing (Oxford), 99–154.
- Koch, P.L., Barnosky, A.D., 2006. Late Quaternary extinctions: state of the debate. *Annual Review of Ecology, Evolution, and Systematics* **37**, 215–250.
- Kohn, M.J., 1999. You are what you eat. *Science* **283**, 335–336.
- Kohn, M.J., 2010. Carbon isotope composition of terrestrial C_3 plants as indicators of (paleo)ecology and (paleo) climate. *Proceedings of the National Academy of Sciences* **107**, 19691–19695.
- van Kolfschoten, T., 2012. The Schöningen mammalian fauna in biostratigraphical perspective. In: Behre, K.-E. (Ed.). *Die chronologische Einordnung der paläolithischen Fundstelle von Schöningen/The chronological setting of the Palaeolithic sites of Schöningen*. Verlag des Römisch-Germanischen Zentralmuseums (Mainz), 113–124.
- van Kolfschoten, T., 2014. The Palaeolithic locality Schöningen (Germany): a review of the mammalian record. *Quaternary International* **326–327**, 469–480.
- van Kolfschoten, T., van Asperen, E., Voormolen, B., 2007. Die Großsäugerfauna von Schöningen. In: Thieme, H. (Ed.). *Die Schöninger Speere. Mensch und Jagd von 400*

- 000 Jahren. Konrad Theiss Verlag GmbH (Stuttgart/Niedersächsisches Landesamt für Denkmalpflege Hannover), 76-86.
- van Kolfschoten, T., Buhrs, E., Verheijen, I. 2015. The larger mammal fauna from the Lower Paleolithic Schöningen Spear site and its contribution to hominin subsistence. *Journal of Human Evolution* **89**, 138-153.
- van Kolfschoten, T., Laban, C., 1995. Pleistocene terrestrial mammal faunas from the North Sea Area. *Mededelingen Rijks Geologische Dienst* **52**, 135-151.
- van Kolfschoten, T., Parfitt, S.A., Serangeli, J., Bello, S.M., 2015b. Lower Paleolithic bone tools from the 'Spear Horizon' at Schöningen (Germany). *Journal of Human Evolution* **89**, 226-263.
- Kosintsev, P., Mitchell, K.J., Devière, T., van der Plicht, J., Kuitens, M., Petrova, E., Tikhonov, A., Higham, T., Comeskey, D., Turney, C., Cooper, A., van Kolfschoten, T., Stuart, A.J., Lister, A.M., 2019. Evolution and extinction of the giant rhinoceros *Elasmotherium sibiricum* sheds light on late Quaternary megafaunal extinctions. *Nature Ecology & Evolution* **3** (1), 31-38.
- Kuitens, M., De Loecker, D., van Kolfschoten, T., Borst, W., van Doesburg, J., van der Es, H.P. Opdebeeck, J., Otte, A., Reumer, J.W.F., van Tongeren, O., Weerts, H.J.T., Wesselingh, F., 2013. *Succesvol botvangen. Rapport 4 van het geo-archeologisch en paleontologisch onderzoek zandwingebied en buitencontour Maasvlakte 2*. Faculty of Archaeology, Leiden University (Leiden).
- Kuitens, M., van Kolfschoten, T., De Loecker, D., Busschers, F.S., 2015b. Geoarchaeological and palaeontological research in the Maasvlakte 2 sand extraction zone and on the artificially created Maasvlakte 2 beach: a synthesis. *BOORrapporten* **48**.
- Kuitens, M., van Kolfschoten, T., van der Plicht, J., 2015c. Elevated $\delta^{15}\text{N}$ values in mammoths: a comparison with modern elephants. *Archaeological and Anthropological Sciences* **7** (3), 289-295.
- Kuitens, M., van Kolfschoten, T., Tikhonov, A.N., van der Plicht, J., 2019. Woolly mammoth $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values remained amazingly stable throughout the last ~50,000 years in north-eastern Siberia. *Quaternary International* **500**, 120-127.
- Kuitens, M., van der Plicht, J., Drucker, D.G., van Kolfschoten, T., Palstra, S.W.L., Bocherens, H., 2015a. Carbon and Nitrogen isotopes of well-preserved Middle Pleistocene bone collagen from Schöningen (Germany) and their palaeoecological implications. *Journal of Human Evolution* **89**, 105-113.
- Kuitens, M., van der Plicht, J., forthcoming. Fossil Bones from the North Sea: Stable Isotopes. Paleontos, accepted.
- Lang, J., Böhner, U., Polom, U., Serangeli, J., Winsemann, J., 2015. The Middle Pleistocene tunnel valley at Schöningen as a Palaeolithic archive. *Journal of Human Evolution* **89**, 18-26.
- Lang, J., Winsemann, J., Steinmetz, D., Polom, U., Pollok, L., Böhner, U., Serangeli, J., Brandes, C., Hampel, A., Winghart, S., 2012. The Pleistocene of Schöningen,

- Germany: a complex tunnel valley fill revealed from 3D subsurface modelling and shear wave seismics. *Quaternary Science Reviews* **39**, 86-105.
- Lanting, J.N., van der Plicht, J., 1998. Reservoir effects and apparent ^{14}C ages. *Journal of Irish Archaeology* **9**, 151-165.
- Leshchinskiy, S., 2015. Enzootic diseases and extinction of mammoths as a reflection of deep geochemical changes in ecosystems of Northern Eurasia. *Archaeological and Anthropological Sciences* **7** (3), 297-317.
- Lister, A.M., Sher, A.V., 2001. The Origin and Evolution of the Woolly Mammoth. *Science* **294**, 1094-1097.
- Lister, A.M., Sher, A.V., 2015. Evolution and dispersal of mammoths across the Northern Hemisphere. *Science* **350**, 805-809.
- Lister, A.M., Sher, A.V., van Essen, H., Wei, G., 2005. The pattern and process of mammoth evolution in Eurasia. *Quaternary International* **126-128**, 49-64.
- Lister, A.M., Stuart, A.J., 2008. The impact of climate change on large mammal distribution and extinction: evidence from the last glacial/interglacial transition. *Geoscience* **340**, 615-620.
- Lister, A.M., Stuart, A.J., 2019. The extinction of the giant deer *Megaloceros giganteus* (Blumenbach): New radiocarbon evidence. *Quaternary International* **500**, 185-203.
- Loose, H., 1975. Pleistocene Rhinocerotidae of W. Europe with reference to the recent two-horned species of Africa and S.E. Asia. *Scripta Geologica* **33**, 1-57.
- Lorenzen, E.D., Nogués-Bravo, D., Orlando, L., Weinstock, J., Binladen, J., Marske, K.A., Ugan, A., Borregaard, M.K., Gilbert, M.T.P., Nielsen, R., Ho, S.Y.W., Goebel, T., Graf, K.E., Byers, D., Stenderup, J.T., Rasmussen, M., Campos, P.F., Leonard, J.A., Koepfli, K.-P., Froese, D., Zazula, G., Stafford Jr., T.W., Aaris-Sørensen, K., Batra, P., Haywood, A.M., Singarayer, J.S., Valdes, P.J., Boeskorov, G., Burns, J.A., Davydov, S.P., Haile, J., Jenkins, D.L., Kosintsev, P., Kuznetsova, T., Lai, X., Martin, L.D., McDonald, H.G., Mol, D., Meldgaard, M., Munch, K., Stephan, E., Sablin, M., Sommer, R.S., Sipko, T., Scott, E., Suchard, M.A., Tikhonov, A., Willerslev, R., Wayne, R.K., Cooper, A., Hofreiter, M., Sher, A., Shapiro, B., Rahbek, C., Willerslev, E., 2011. Species-specific responses of Late Quaternary megafauna to climate and humans. *Nature* **479**, 359-365.
- Louwe Kooijmans, L.P., 2005. Jagerskampen in de moerassen. De donken bij Hardinxveld. In: *Nederland in de prehistorie*. Bert Bakker (Amsterdam), 183-186.
- Louwe Kooijmans, L.P., Ball, E. A., Brinkkemper, O., van Wijngaarden, G.J., Bakels, C.C., Beerenhout, B., van Beurden, L.M., Bruineberg, M., van Gijn, A.L., Hakbijl, T., Hänninen, K., 2001. Hardinxveld-Giessendam De Bruin: een kampplaats uit het Laat-Mesolithicum en het begin van de Swifterbant-cultuur (5500-4450 v. Chr.). *Rapportage Archeologische Monumentenzorg* **88**.
- Lovell, N.C., Nelson, D.E., Schwarcz, H.P., 1986. Carbon isotope ratios in palaeodiet: lack of age and sex effect. *Archaeometry* **28**, 51-55.
- Lozhkin, A.V. 1993. Geochronology of late Quaternary events in northeastern Russia.

- Radiocarbon* **35**, 429-433.
- Makarewicz, C.A., 2017. Stable isotopes in pastoralist archaeology as indicators of diet, mobility, and animal husbandry practices. In *Isotopic Investigations of Pastoralism in Prehistory*. Routledge, 149-166).
- Mania, D., 1995. Die geologischen Verhältnisse im Gebiet von Schöningen. In: Thieme, H., Maier, R. (Eds.). *Archäologische Ausgrabungen im Braunkohlentagebau Schöningen*. (Hannover), 33-43.
- Mania, D., 2007. Die fossilen Weichtiere (Mollusken) aus den Beckensedimenten des Zyklus Schöningen II (Reinsdorf-Warmzeit). In: Thieme, H. (Ed.). *Die Schöninger Speere. Mensch und Jagd von 400 000 Jahren*. Konrad Theiss Verlag GmbH. (Stuttgart/Niedersächsisches Landesamt für Denkmalpflege Hannover), 99-104.
- Mann, D.H., Groves, P., Gaglioti, B.V., Shapiro, B.A., 2018. Climate-driven ecological stability as a globally shared cause of Late Quaternary megafaunal extinctions: the Plaids and Stripes Hypothesis. *Biological Reviews* **94** (1), 328-352.
- Mann, D.H., Groves, P., Reanier, R.E., Gaglioti, B.V., Kunz, M.L. and Shapiro, B., 2015. Life and extinction of megafauna in the ice-age Arctic. *Proceedings of the National Academy of Sciences* **112**, 14301-14306.
- Marchant, G.H., Shoshani, J., 2007. Head muscles of *Loxodonta africana* and *Elephas maximus* with comments on *Mammuthus primigenius* muscles. *Quaternary International* **169**, 186-191.
- Marshall, J.D., Brooks, J.R., Lajtha, K., 2007. Sources of variation in the stable isotopic composition of plants. *Stable isotopes in ecology and environmental science* **2**, 22-60.
- Martin, P.S., 1984. Prehistoric overkill: the global model. In: Martin, P.S., Wright Jr., H.E. (Eds.). *Pleistocene extinctions: The search for a cause*. Yale University Press (New Haven), 75-120.
- McMahon, K.W., McCarthy, M.D., 2016. Embracing variability in amino acid $\delta^{15}\text{N}$ fractionation: mechanisms, implications, and applications for trophic ecology. *Ecosphere* **7** (12), e01511.
- Meiklejohn, C., Niekus, M.J.L.Th., van der Plicht, J., 2015. Radiocarbon dating of Mesolithic human remains in the Netherlands. *Mesolithic Miscellany* **23**, 3-48.
- Meiri, M., Lister, A.M., Collins, M.J., Tuross, N., Goebel, T., Blockley, S., Zazula, G.D., van Doorn, N., Guthrie, R.D., Boeskorov, G.G., Baryshnikov, G.F., 2014. Faunal record identifies Bering isthmus conditions as constraint to end-Pleistocene migration to the New World. *Proceedings of the Royal Society B: Biological Sciences* **281** (1776), 20132167.
- van der Merwe, N.W., Medina, E., 1991. The canopy effect, carbon isotope ratios and foodwebs in Amazonia. *Journal of Archaeological Science* **18**, 249-259.
- Metcalfe, J.Z., Longstaffe, F.J., Hodgins, G., 2013. Proboscideans and paleoenvironments of the Pleistocene Great Lakes: landscape, vegetation, and stable isotopes. *Quaternary Science Reviews* **76**, 102-113.
- Metcalfe, J.Z., Longstaffe, F.J., Jass, C.N., Zazula, G.D., Keddle, G., 2016. Taxonomy,

- location of origin and health status of proboscideans from Western Canada investigated using stable isotope analysis. *Journal of Quaternary Science* **31**, 126-142.
- Metcalfe, J.Z., Longstaffe, F.J., Zazula, G.D., 2010. Nursing, weaning, and tooth development in woolly mammoths from Old Crow, Yukon, Canada: implications for Pleistocene extinctions. *Palaeogeography, Palaeoclimatology, Palaeoecology* **298**, 257-270.
- Meyer, M., Palkopoulou, E., Baleka, S., Stiller, M., Penkman, K.E., Alt, K.W., Ishida, Y., Mania, D., Mallick, S., Meijer, T. and Meller, H., 2017. Palaeogenomes of Eurasian straight-tusked elephants challenge the current view of elephant evolution. *eLife* **6**, 25413.
- Michener, R., Lajtha, K., 2007. *Stable Isotopes in Ecology and Environmental Science*. Blackwell.
- Minagawa, M., Wada, E., 1984. Stepwise enrichment of ^{15}N along food chains: Further evidence and the relation between $\delta^{15}\text{N}$ and animal age. *Geochimica et Cosmochimica Acta* **48**, 1135-1140.
- Mol, D., de Vos J., 1995. Korren op de Oosterschelde: een zoogdierpaleontoloog als visser en wat de fossielen van de Oosterschelde ons vertellen. *Grondboor en Hamer* **49** (3/4), 57-61.
- Mol, D., de Vos, J., van der Plicht, J., 2007. The presence and extinction of *Elephas antiquus* Falconer and Cautley, 1847, in Europe. *Quaternary International* **169-170**, 149-153.
- Mol, D., Post, K., 2010. Gericht korren op de Noordzee voor de zoogdier paleontologie: een historisch overzicht van de uitgevoerde expeditie. *Cranium* **27**, 14-28.
- Mol, D., Tikhonov, A., van der Plicht, J., Kahlke, R.D., Debruyne, R., van Geel, B., van Reenen, G., Pals, J.P., de Marliave, C., Reumer, J.W., 2006. Results of the CERPOLEX/*Mammuthus* Expeditions on the Taimyr Peninsula, Arctic Siberia, Russian Federation. *Quaternary International* **142-143**, 186-202.
- Möller, P., Alexanderson, H., Funder, S., Hjort, C., 2015. The Taimyr Peninsula and the Severnaya Zemlya archipelago, Arctic Russia: a synthesis of glacial history and palaeo-environmental change during the Last Glacial cycle (MIS 5e-2). *Quaternary Science Reviews* **107**, 149-181.
- Momber, G., Tomalin, D., Scaife, R., Satchell, J., Gillespie, J., 2011. Mesolithic occupation at Bouldnor Cliff and the submerged prehistoric landscapes of the Solent. *CBA research report*, 164.
- Mook, W.G., 2006. *Introduction to isotope hydrology*. Taylor and Francis (London).
- Mook, W.G., Streurman, H.J., 1983. Physical and chemical aspects of radiocarbon dating. *PACT Publications* **8**, 31-55.
- Mook, W.G., van der Plicht, J., 1999. Reporting ^{14}C activities and concentrations. *Radiocarbon* **41**, 227-239.
- Moree, J.M., Sier, M.M. (Eds.). 2015. Interdisciplinary Archaeological Research Programme Maasvlakte 2, Rotterdam. BOORrapporten 566. *Part 1: Twenty meters deep! The Mesolithic period at the Yangtze Harbour site - Rotterdam Maasvlakte, the Netherlands*. Bureau Oudheidkundig Onderzoek Rotterdam (Rotterdam).

- Nadelhoffer, K., Shaver, G., Fry, B., Giblin, A., Johnson, L., McKane, R., 1996. ^{15}N natural abundances and N use by tundra plants. *Oecologia* **107**, 386–394.
- Nardoto, G.B., Godoy, P.B.D., Ferraz, E.S.D.B., Ometto, J.P.H.B., Martinelli, L.A., 2006. Stable carbon and nitrogen isotopic fractionation between diet and swine tissues. *Scientia Agricola* **63** (6), 579–582.
- Niekus, M.J.T., Kozowyk, P.R., Langejans, G.H., Ngan-Tillard, D., van Keulen, H., van der Plicht, J., Cohen, K.M., van Wingerden, W., van Os, B., Smit, B.I. and Amkreutz, L.W., 2019. Middle Paleolithic complex technology and a Neandertal tar-backed tool from the Dutch North Sea. *Proceedings of the National Academy of Sciences*, 201907828.
- Nikolskiy, P.A., Sulerzhitsky, L.D., Pitulko, V.V., 2011. Last straw versus Blitzkrieg overkill: Climate-driven changes in the Arctic Siberian mammoth population and the Late Pleistocene extinction problem. *Quaternary Science Reviews* **30**, 2309–2328.
- Noe-Nygaard, N., 1983. The importance of aquatic resources to Mesolithic man at inland sites in Denmark. *Animals and archaeology* **2**, 125–142.
- Noe-Nygaard, N., 1988. $\delta^{13}\text{C}$ -values of dog bones reveal the nature of changes in man's food resources at the Mesolithic-Neolithic transition, Denmark. *Chemical Geology: Isotope Geoscience section* **73** (1), 87–96.
- Noe-Nygaard, N., Price, T.D., Hede, S.U., 2005. Diet of aurochs and early cattle in southern Scandinavia: evidence from ^{15}N and ^{13}C stable isotopes. *Journal of Archaeological Science* **32**, 855–871.
- O'Connell, J.F., Allen, J., Williams, M.A., Williams, A.N., Turney, C.S., Spooner, N.A., Kamminga, J., Brown, G., Cooper, A., 2018. When did Homo sapiens first reach Southeast Asia and Sahul?. *Proceedings of the National Academy of Sciences* **115** (34), 8482–8490.
- O'Connell, T.C., Kneale, C.J., Tasevska, N., Kuhnle, G.G., 2012. The diet–body offset in human nitrogen isotopic values: A controlled dietary study. *American Journal of Physical Anthropology* **149** (3), 426–434.
- O'Connell, T.C., 2017. 'Trophic' and 'source' amino acids in trophic estimation: a likely metabolic explanation. *Oecologia* **184**, 317–326.
- Olivier, R.C.D., 1982. Ecology and behavior of living elephants: bases for assumptions concerning the extinct woolly mammoths. In: Hopkins, D., Matthews, J.V., Jr., Schweger, C.E., Young, S.B. (Eds). *Paleoecology of Beringia*. Academic Press New York (New York, USA), 291–305.
- Palkopoulou, E., Mallick, S., Skoglund, P., Enk, J., Rohland, N., Li, H., Omrak, A., Vartanyan, S., Poinar, H., Götherström, A., Reich, D., Dalén, L., 2015. Complete Genomes Reveal Signatures of Demographic and Genetic Declines in the Woolly Mammoth. *Current Biology* **25** (10), 1395–1400.
- Palmqvist, P., Gröcke, D.R., Arribas, A., Farinã, R.A., 2003. Paleoecological reconstruction of a lower Pleistocene large mammal community using biogeochemical (^{13}C , ^{15}N , ^{18}O , Sr:Zn) and ecomorphological approaches. *Paleobiology* **29**, 205–229.
- Palmqvist, P., Pérez-Claros, J.A., Janis, C.M., Gröcke, D.R., 2008. Tracing the

- ecophysiology of ungulates and predator-prey relationships in an early Pleistocene large mammal community. *Palaeogeography, Palaeoclimatology, Palaeoecology* **266** (1-2), 95-111.
- Parfitt, S.A., Ashton, N.M., Lewis, S.G., Abel, R.L., Coope, G.R., Field, M.H., Gale, R., Hoare, P.G., Larkin, N.R., Lewis, M.D., Karloukovski, V., Maher, B.A., Peglar, S.M., Preece, R.C., Whittaker J.E., Stringer, C.B., 2010. Early Pleistocene human occupation at the edge of the boreal zone in northwest Europe. *Nature* **466**, 229-233.
- Parfitt, S.A., Barendregt, R.W., Breda, M., Candy, I., Collins, M.J., Coope, G.R., Durbridge, P., Field, M.H., Lee, J.R., Lister, A.M., Mutch, R., Penkman, K.E.H., Preece, R.C., Rose, J., Stringer, C.B., Symmons, R., Whittaker, J.E., Wymer, J.J., Stuart, A.J., 2005. The earliest record of human activity in northern Europe. *Nature* **438**, 1008-1012.
- Pečnerová, P., Díez-del-Molino, D., Vartanyan, S., Dalén, L., 2016. Changes in variation at the MHC class II DQA locus during the final demise of the woolly mammoth. *Scientific Reports* **6**, 25274.
- Peeters, H., Murphy, P., Flemming, N. (Eds.). 2009. *North Sea Prehistory Research and Management Framework (NSPRMF) 2009*. Rijksdienst voor het Cultureel Erfgoed, (Amersfoort).
- Peeters, J.H.M., 2011. How wet can we get? Approaches to submerged prehistoric sites and landscapes on the Dutch continental shelf. In: Benjamin, J., Bonsall, C., Pickard, C., Fischer, A. (Eds.). *Submerged Prehistory*. Oxbow books (Oxford), 55-64.
- Philippson, B., 2013. The freshwater reservoir effect in radiocarbon dating. *Heritage Science* **1**, 24.
- Phillips, D.L., Inger, R., Bearhop, S., Jackson, A.L., Moore, J.W., Parnell, A.C., Semmens, B.X., Ward, E.J., 2014. Best practices for use of stable isotope mixing models in food-web studies. *Canadian Journal of Zoology* **92** (10), 823-835.
- Pieters, M., Demerre, I., Lenaerts, T., Zeebroek, I., De Bie, M., de Clercq, W., Dickinson, B., Monsieur, P., 2010. De Noordzee: een waardevol archief onder water. Meer dan 100 jaar onderzoek van strandvondsten en vondsten uit zee in België: een overzicht. *Relicta* **6**, 177-218.
- Pinter, N., Scott, A.C., Daulton, T.L., Podoll, A., Koeberl, C., Anderson, R.S., Ishman, S.E., 2011. The Younger Dryas impact hypothesis: A requiem. *Earth-Science Reviews* **106**, 247-264.
- Pitulko, V.V., Kuzmin, Y.V., Glascock, M.D., Pavlova, E.Y., Grebennikov, A.V., 2019. 'They came from the ends of the earth': long-distance exchange of obsidian in the High Arctic during the Early Holocene. *Antiquity* **93** (367), 28-44.
- Pitulko, V.V., Nikolskiy, P.A., Giry, E.Y., Basilyan, A.E., Tumskey, V.E., Koulakov, S.A., Astakhov, S.N., Pavlova, E.Y., Anisimov, M.A., 2004. The Yana RHS site: humans in the arctic before the last glacial maximum. *Science* **303**, 52-56.
- Pitulko, V.V., Tikhonov, A.N., Pavlova, E.Y., Nikolskiy, P.A., Kuper, K.E., Polozov, R.N., 2016. Paleoanthropology: early human presence in the Arctic: evidence from 45,000-year-old mammoth remains. *Science* **351**, 260-263

- van der Plicht, J., Amkreutz, L.W.S.W., Niekus, M.J.L.Th., Peeters, J.H.M., Smit, B.I., 2016. Surf'n Turf in Doggerland: dating, stable isotopes and diet of Mesolithic human remains from the southern North Sea. *Journal of Archaeological Science Reports* **10**, 110-118.
- van der Plicht, J., van Kolfschoten, T., Kuitens, M., 2011. *Isotopen in unieke Pleistoceen botmateriaal uit Schöningen*. Report Leiden University Fund, unpublished.
- van der Plicht, J., Kuitens, M., forthcoming. Fossil Bones from the North Sea: Radiocarbon Dating. *Paleontos*, accepted.
- van der Plicht, J., Palstra, S.W.L., 2016. Radiocarbon and mammoth bones: what's in a date. *Quaternary International* **406**, 246–251.
- Polley, H.W., Johnson, H.B., Marino, B.D., Mayeux, H.S., 1993. Increase in C3 plant water-use efficiency and biomass over Glacial to present CO2 concentrations. *Nature* **361**, 61-64.
- Prummel, W., Niekus, M.J.L.Th., 2011. Late Mesolithic hunting of a small female aurochs in the valley of the River Tjonger (the Netherlands) in the light of Mesolithic aurochs hunting in NW Europe. *Journal of Archaeological Science* **38**, 1456-1467.
- Prummel, W., van der Plicht, J., Kootker, L., Arnoldussen, S. *Palaeohistoria*, forthcoming.
- Pushkina, D., Bocherens, H., Ziegler, R., 2014. Unexpected palaeoecological features of the middle and late Pleistocene large herbivores in southwestern Germany revealed by stable isotopic abundances in tooth enamel. *Quaternary International* **339-340**, 164–178.
- Putshkov, P.V., 2003. The impact of mammoths on their biome: a clash of two paradigms. In: Reumer, J.W.F., de Vos, J., Mol, D. (Eds.). *Advances in mammoth research (Proceedings of the Second International Mammoth Conference, Rotterdam, May 16–20 1999)*. *Deinsea* **9**, 365-380.
- Puzachenko, A.Y., Markova, A.K., Kosintsev P.A., van Kolfschoten, T., van der Plicht, J., Kuznetsova, T.V., Tikhonov, A.N., Ponomarev, D.V., Kuitens, M., Bachura, O.P., 2017. The Eurasian mammoth distribution during the second half of the Late Pleistocene and the Holocene: regional aspects. *Quaternary International* **445**, 71-88.
- Rabanus-Wallace, M.T., Wooller, M.J., Zazula, G.D., Shute, E., Jahren, A.H., Kosintsev, P., Burns, J.A., Breen, J., Llamas, B., Cooper, A., 2017. Megafaunal isotopes reveal role of increased moisture on rangeland during late Pleistocene extinctions. *Nature Ecology & Evolution* **1**, 0125.
- Raghavan, M., Espregueira Themudo, G., Smith, C.I., Zazula, G., Campos, P.F., 2014. Musk ox (*Oribos moschatus*) of the mammoth steppe: tracing palaeodietary and palaeoenvironmental changes over the last 50,000 years using carbon and nitrogen isotopic analysis. *Quaternary Science Reviews* **102**, 192–201.
- Rasmussen, S.O., Bigler, M., Blockley, S.P., Blunier, T., Buchardt, S.L., Clausen, H.B., Cvijanovic, I., Dahl-Jensen, D., Johnsen, S.J., Fischer, H., Gkinis, V., Guillevic, M., Hoek, W.Z., Lowe, J.J., Pedro, J.B., Popp, T., Seierstad, I.K., Steffensen, J.P., Svensson, A.M., Vallenga, P., Vinther, B.M., Walker, M.J.C., Wheatley, J.J., Winstrup M., 2014.

- A stratigraphic framework for abrupt climatic changes during the Last Glacial period based on three synchronized Greenland ice-core records: refining and extending the INTIMATE event stratigraphy. *Quaternary Science Reviews* **106**, 14–28.
- Reimer, P.J., Bard, E., Bayliss, A., Beck, J.W., Blackwell, P.G., Bronk Ramsey, C., Buck, C.E., Edwards, R.L., Friedrich, M., Grootes, P.M., Guilderson, T.P., Haffidason, H., Hajdas, I., Hatté, C., Heaton, T.J., Hoffmann, D.L., Hogg, A.G., Hughen, K.A., Kaiser, K.F., Kromer, B., Manning, S.W., Niu, M., Reimer, R.W., Richards, D.A., Scott, E.M., Southon, J.R., Staff, R.A., Turney, C.S.M., van der Plicht, J., 2013. IntCal13 and Marine13 Radiocarbon age calibration curves 0–50,000 years cal BP. *Radiocarbon* **55**, 1869–1887.
- Reynard, L.M., Tuross, N., 2015. The known, the unknown and the unknowable: weaning times from archaeological bones using nitrogen isotope ratios. *Journal of Archaeological Science* **53**, 618–625.
- Richards, M.P., Hedges, R.E.M., 1999. Stable isotope evidence for similarities in the types of marine foods used by Late Mesolithic humans at sites along the Atlantic coast of Europe. *Journal of Archaeological Science* **26**, 717–722.
- Richards, M.P., Hedges, R.E.M., 2003. Variations in bone collagen $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values of fauna from Northwest Europe over the last 40000 years. *Palaeogeography, Palaeoclimatology, Palaeoecology* **193**, 261–267.
- Richards, M.P., Pellegrini, M., Niven, L., Nehlich, O., Dibble, H., Turq, A., McPherron, S.J.P., 2017. Temporal variations in *Equus* tooth isotope values (C, N, O) from the Middle Paleolithic site of Combe Grenal, France (ca. 150,000 to 50,000 BP). *Journal of Archaeological Science: Reports* **14**, 189–198.
- Richter, K.K., Wilson, J., Jones, A.K., Buckley, M., van Doorn, N., Collins, M.J., 2011. Fish’n chips: ZooMS peptide mass fingerprinting in a 96 well plate format to identify fish bone fragments. *Journal of Archaeological Science* **38**, 1502–1510.
- Rijsdijk, K.F., Kroon, I.C., Meijer, T., Passchier, S., van Dijk, T.A.G.P., Bunnik, F.P.M., Janse, A.C., 2013. Reconstructing Quaternary Rhine-Meuse dynamics in the southern North Sea; architecture, seismo-lithofacies associations and malacological biozonation. *Journal of Quaternary Science* **28**, 453–466.
- Rivals, F., Julien, M.A., Kuitens, M., Van Kolfschoten, T., Serangeli, J., Drucker, D.G., Bocherens, H., Conard, N.J., 2015. Investigation of equid paleodiet from Schöningen 13 II-4 through dental wear and isotopic analyses: Archaeological implications. *Journal of Human Evolution* **89**, 129–137.
- Rivals, F., Lister, A.M., 2016. Dietary flexibility and niche partitioning of large herbivores through the Pleistocene of Britain. *Quaternary Science Reviews* **146**, 116–133.
- Rivals, F., Mithlacher, M.C., Solounias, N., Mol, D., Semprebon, G.M., de Vos, J., Kalthoff D.C., 2010. Palaeoecology of the Mammoth Steppe fauna from the late Pleistocene of the North Sea and Alaska: Separating species preferences from geographic influence in paleoecological dental wear analysis. *Palaeogeography, Palaeoclimatology, Palaeoecology* **286**, 42–54.

- Rivals, F., Semprebon, G., Lister, A., 2012. An examination of dietary diversity patterns in Pleistocene proboscideans (*Mammuthus*, *Palaeoloxodon*, and *Mammot*) from Europe and North America as revealed by dental microwear. *Quaternary International* **255**, 188-195.
- Rivals, F., Ziegler, R., 2018. High-resolution paleoenvironmental context for human occupations during the Middle Pleistocene in Europe (MIS 11, Germany). *Quaternary Science Reviews* **188**, 136-142.
- Roebroeks, W., 2014. Terra incognita: The Palaeolithic record of northwest Europe and the information potential of the southern North Sea. *Netherlands Journal of Geosciences* **93**, 43-53.
- Rogers, R.L., Slatkin, M., 2017. Excess of genomic defects in a woolly mammoth on Wrangel island. *PLoS genetics* **13** (3), e1006601.
- Rountrey, A.N., Fisher, D.C., Vartanyan, S., Fox, D.L., 2007. Carbon and nitrogen isotope analyses of a juvenile woolly mammoth tusk: evidence of weaning. *Quaternary International* **169**, 166-173.
- Rule, S., Brook, B.W., Haberle, S.G., Turney, C.S., Kershaw, A.P., Johnson, C.N., 2012. The aftermath of megafaunal extinction: ecosystem transformation in Pleistocene Australia. *Science* **335**, 1483-1486.
- Saarninen, J., Eronen, J., Fortelius, M., Seppä, H., Lister, A.M., 2016. Patterns of diet and body mass of large ungulates from the Pleistocene of Western Europe, and their relation to vegetation. *Palaeontologia Electronica* **19**, 1-58.
- Schild, R., 1976. The Final Paleolithic Settlements of the European Plain. *Scientific American* **234** (2), 88-100.
- Schoeller, D.A., 1999. Isotope fractionation: Why aren't we what we eat? *Journal of Archaeological Science*, **26** (6), 667-673.
- Schoeninger, M.J., Moore, K., 1992. Bone stable isotope studies in archaeology. *Journal of World Prehistory* **6** (2), 247-296.
- Schoeninger, M.J., DeNiro, M.J., 1984. Nitrogen and carbon isotopic composition of bone collagen from marine and terrestrial animals. *Geochimica et Cosmochimica Acta* **48**, 625-639.
- Schoeninger, M.J., DeNiro, M.J., Tauber, H., 1983. Stable nitrogen isotope ratios of bone collagen reflect marine and terrestrial components of prehistoric human diet. *Science* **220**, 1381-1383.
- Schulting, R.J., Richards, M.P., 2002. Finding the coastal Mesolithic in southwest Britain: AMS dates and stable isotope results on human remains from Caldey Island, south Wales. *Antiquity* **76**, 1011-1025.
- Schvyreva, A.K., 2014. *The rhinoceroses of the genus Elasmotherium in the biochronology of Eastern Europe*. In: Kostopoulos D.S., Vlachos E., Tsoukala E. (Eds.). Abstract Book of the VIth International Conference on Mammoths and their Relatives. S.A.S.G., 102. 180 – 181.
- Schvyreva, A.K., 2015. On the importance of the representatives of the genus

- Elasmotherium (Rhinocerotidae, Mammalia) in the biochronology of the Pleistocene of Eastern Europe. *Quaternary International* **379**, 128–134.
- Schvyreva, A.K., 2016. *The Elasmotherii of Pleistocene Eurasia*. Pechatniy Dvor Publishers (Stavropol), 218. [in Russian]
- Schwartz-Narbonne, R., Longstaffe, F.J., Metcalfe, J.Z., Zazula, G., 2015. Solving the woolly mammoth conundrum: amino acid ^{15}N -enrichment suggests a distinct forage or habitat. *Scientific reports* **5**, 9791.
- Sealy, J., 2001. Body tissue chemistry and palaeodiet. In: Brotwell, D.R., Pollard, A.M. (Eds.). *Handbook of archaeological sciences*. Wiley (Chichester), 269–279.
- Sealy, J.C., van der Merwe, N.J., Lee Thorp, J.A., Lanham, J.L. 1987. Nitrogen isotopic ecology in southern Africa: Implications for environmental and dietary tracing. *Geochimica et Cosmochimica Acta* **51**, 2707–2717.
- Serangeli, J., Bigga, G., Böhner, U., Julien, M.-A., Lang, J., Stahlschmidt, M., 2012a. Ein Fenster ins Altpaläolithikum. *Archäologie in Deutschland* **4**, 6–12.
- Serangeli, J., Böhner, U., Haßmann, H., Conard, N.J., 2012b. Die pleistozänen Fundstellen in Schöningen- eine Einführung. In: Behre, K.E. (Ed.). *Die chronologische Einordnung der paläolithischen Fundstelle von Schöningen/ The chronological setting of the Palaeolithic sites of Schöningen*. Verlag des Römisch-Germanischen Zentralmuseums (Mainz), 1–22.
- Shennan, S., 1997. *Quantifying Archaeology*. Edinburgh University Press (Edinburgh), 65–70.
- Sher, A.V., Kuzmina, S.A., Kuznetsova, T.V., Sulerzhitsky, L.D., 2005. New insights into the Weichselian environment and climate of the East Siberian Arctic, derived from fossil insects, plants, and mammals. *Quaternary Science Reviews* **24**, 533–569.
- Signor, P.W. III, Lipps, J.H., 1982. Sampling bias, gradual extinction patterns, and catastrophes in the fossil record. *Geological Society of America* **190**, 291–296.
- Smith, C.I., Nielsen-Marsh, C.M., Jans, M.M.E., Collins, M.J., 2007. Bone diagenesis in the European Holocene I: patterns and mechanisms. *Journal of Archaeological Science* **34**, 1485–1493.
- Smith, S.D., Kawash, J.K., Karaikos, S., Biluck, I., Grigoriev, A., 2017. Evolutionary adaptation revealed by comparative genome analysis of woolly mammoths and elephants. *DNA Research* **24**, 359–369.
- Soffer, O., Adovasio, J.M., Kornietz, N.L., Velichko, A.A., Gribchenko, Y.N., Lenz, B.R., Suntsov, V.Y., 1997. Cultural stratigraphy at Mezhirich, an Upper Palaeolithic site in Ukraine with multiple occupations. *Antiquity* **71** (271), 48–62.
- Sponheimer, M., Robinson, T., Ayliffe, L., Hammer, J., Passey, B., West, A., Cerling, T., Dearing, D., Ehleringer, J., 2003a. Nitrogen isotopes in mammalian herbivores: hair $\delta^{15}\text{N}$ values from a controlled feeding study. *International Journal of Osteoarchaeology* **13**, 80–87.
- Sponheimer, M., Robinson, T., Ayliffe, L., Passey, B., Roder, B., Shipley, L., Lopez, E., Cerling, T., Dearing, D., Ehleringer, J., 2003b. An experimental study of carbon-isotope fractionation between diet, hair, and feces of mammalian herbivores.

- Canadian Journal of Zoology* **81**, 871-876.
- Stauch, G., Gualtieri, L., 2008. Late Quaternary glaciations in North-Eastern Russia. *Journal of Quaternary Science* **23**, 545-558.
- Stevens, R.E., Hedges, R.E.M., 2004. Carbon and nitrogen stable isotope analysis of northwest European horse bone and tooth collagen, 40,000 BP-present: Palaeoclimatic interpretations. *Quaternary Science Reviews* **23**, 977-991.
- Stewart, J.R., 2004. Neanderthal-modern human competition? A comparison between the mammals associated with Middle and Upper Palaeolithic Industries in Europe during OIS 3. *International Journal of Osteoarchaeology* **14**, 178-189.
- Stewart, J.R., Allen, R.B., Jones, A.K., Kendall, T., Penkman, K.E.H., Demarchi, B., O'Connor, T., Collins, M.J., 2014. Walking on Eggshells: A Study of Egg Use in Anglo-Scandinavian York Based on Eggshell Identification Using ZooMS. *International Journal of Osteoarchaeology* **24**, 247-255.
- Storm, P., 2010. Start onderzoek Homo sapiens resten Noordzee: micro-evolutie in de Lage landen. *Cranium* **27**, 63-66.
- Stuart, A.J., 2005. The extinction of woolly mammoth (*Mammuthus primigenius*) and straight-tusked elephant (*Palaeoloxodon antiquus*) in Europe. *Quaternary International* **126-128**, 171-177.
- Stuart, A.J., 2015. Late Quaternary megafaunal extinctions on the continents: a short review. *Geological Journal* **50** (3), 338-363.
- Stuart, A.J., Lister, A.M., 2012. Extinction chronology of the woolly rhinoceros *Coelodonta antiquitatis* in the context of late Quaternary megafaunal extinctions in northern Eurasia. *Quaternary Science Reviews* **51**, 1-17.
- Stuart, A.J., Sulerzhitsky, L.D., Orlova, L.A., Kuzmin, Y.V., Lister, A.M., 2002. The latest woolly mammoths (*Mammuthus primigenius* Blumenbach) in Europe and Asia: a review of the current evidence. *Quaternary Science Reviews* **21**, 1559-1569.
- Sturt, F., Garrow, D., Bradley, S., 2013. New models of North West European Holocene palaeogeography and inundation. *Journal of Archaeological Science* **40**, 3963-3976.
- Svoboda, J., Péan, S., Wojtal, P., 2005. Mammoth bone deposits and subsistence practices during Mid-Upper Palaeolithic in Central Europe: three cases from Moravia and Poland. *Quaternary International* **126**, 209-221.
- Sykes, R.M.W., 2018. Isolation, Exploration or Seasonal Migration? Investigating Technological Organization in the Late Middle Palaeolithic of Britain During Marine Isotope Stage 3. In: Robinson, E., Sellet, F. (Eds.). *Lithic Technological Organization and Palaeoenvironmental Change: Global and diachronic perspectives*. Springer, 123-161.
- Synal, H.A., Schulze-König, T., Seiler, M., Suter, M., Wacker, L., 2013. Mass spectrometric detection of radiocarbon for dating applications. *Nuclear Instruments and Methods in Physics Research B* **294**, 349-352.
- Szpak, P., 2014. Complexities of nitrogen isotope biogeochemistry in plant-soil systems: implications for the study of ancient agricultural and animal management practices. *Frontiers in Plant Science* **5**, 288.

- Szpak, P., Gröcke, D.R., Debruyne, R., MacPhee, R.D.E., Guthrie, R.D., Froese, D., Zazula, G.D., Patterson, W.P., Poinar, H.N., 2010. Regional differences in bone collagen $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ of Pleistocene mammoths: Implications for paleoecology of the mammoth steppe. *Palaeogeography, Palaeoclimatology, Palaeoecology* **286**, 88–96.
- Szpak, P., Metcalfe, J.Z., MacDonald, R.A., 2017. Best practices for calibrating and reporting stable isotope measurements in archaeology. *Journal of Archaeological Science* **13**, 609–616.
- Terberger, T., Gramsch, B., Heinemeijer, J., 2012. The underestimated fish? Early Mesolithic human remains from Northern Germany. In: Niekus, M.J.L.Th., Barton, R.N.E., Terberger, T. (Eds.). *A mind set on flint. Studies in honour of Dick Stapert*. Groningen Archaeological Studies 16, Barkhuis Publishing, Groningen, 343–354.
- Thieme, H., 1997. Lower Palaeolithic hunting spears from Germany. *Nature* **385** (6619), 807–810.
- Thieme, H., 1999. Altpaläolithische Holzgeräte aus Schöningen, Lkr. Helmstedt. Bedeutsame Funde zur Kulturentwicklung des frühen Menschen. *Germania* **77**, 451–487.
- Tizzard, L., Bicket, A., De Loecker, D., Benjamin, J., 2015. Seabed prehistory: investigating the palaeogeography and early middle Palaeolithic archaeology in the Southern North Sea. *Wessex Archaeology*, 35.
- Tizzard, L., Bicket, A.R., Benjamin, J., De Loecker, D., 2014. A Middle Palaeolithic site in the southern North Sea: investigating the archaeology and palaeogeography of Area 240. *Journal of Quaternary Science* **29** (7), 698–710.
- Ugan, A., Coltrain, J., 2011. Variation in collagen stable nitrogen values in black-tailed jackrabbits (*Lepus californicus*) in relation to small-scale differences in climate, soil, and topography. *Journal of Archaeological Science* **38** (7), 1417–1429.
- Ukrainitseva, V.V., 1993. *Vegetation cover and environment of the “Mammoth Epoch” in Siberia*. Mammoth Site of Hot Springs (South Dakota).
- Urban, B., 2007a. Interglacial pollen records from Schöningen, North Germany. In: Sirocko, F., Claussen, M., Sánchez-Goni, M.F., Litt, T. (Eds.). *The Climate of Past Interglacials. Developments in Quaternary Science* 7. Elsevier (Amsterdam), 417–444.
- Urban, B., 2007b. Quartäre Vegetations- und Klimaentwicklung im Tagebau Schöningen. In: Thieme, H., Schöninger Speere, Die (Eds.). *Mensch und Jagd von 400 000 Jahren*. Konrad Theiss Verlag GmbH (Stuttgart/Niedersächsisches Landesamt für Denkmalpflege Hannover), 66–75.
- Urban, B., Sierralta, M., Frechen, M., 2011. New evidence for vegetation development and timing of Upper Middle Pleistocene interglacials in Northern Germany and tentative correlations. *Quaternary International* **241**, 125–142.
- Vachula, R.S., Huang, Y., Longo, W.M., Dee, S.G., Daniels, W.C., Russell, J.M., 2019. Evidence of Ice Age humans in eastern Beringia suggests early migration to North America. *Quaternary Science Reviews* **205**, 35–44.
- Valente, A., 1983. Hair structure of the Woolly mammoth, *Mammuthus primigenius* and

- the modern elephants, *Elephas maximus* and *Loxodonta africana*. *Journal of Zoology* **199** (2), 271-274.
- Vartanyan, S.L., Arslanov, K.A., Karhu, J.A., Possnert, G., Sulerzhitsky, L.D., 2008. Collection of radiocarbon dates on the mammoths (*Mammuthus primigenius*) and other genera of Wrangel Island, northeast Siberia, Russia. *Quaternary Research* **70**, 51-59.
- Vartanyan, S.L., Garutt, V.E., Sher, A.V., 1993. Holocene dwarf mammoths from Wrangel Island in the Siberian Arctic. *Nature* **362**, 337-340.
- Vereshchagin, N.K., Baryshnikov, G.F., 1982. Paleoecology of the mammoth fauna in the Eurasian Arctic. In: Hopkins, D.M., Matthews, J.V. Jr., Schweger, C.E., Young, S.B. (Eds.). *Paleoecology of Beringia*. Academic (New York), 267-280.
- Vogel, J.C., van der Merwe, N.J., 1977. Isotopic evidence for early maize cultivation in New York state. *American Antiquity* **42**, 238-242.
- Voormolen, B., 2008. *Ancient hunters, modern butchers: Schöningen 13II-4, a kill-butchery site dating from the northwest European Lower Palaeolithic*. PhD Thesis, Faculty of Archaeology, Leiden University.
- Walker, P.L., DeNiro, M.J., 1986. Stable nitrogen and carbon isotope ratios in bone collagen as indices of prehistoric dietary dependence on marine and terrestrial resources in southern California. *American Journal of Physical Anthropology* **71**, 51-61.
- Wan, X., Zhang, Z., 2017. Climate warming and humans played different roles in triggering Late Quaternary extinctions in east and west Eurasia. *Proceedings of the Royal Society B: Biological Sciences* **284** (1851), 20162438.
- Wang, Y., Porter, W., Mathewson, P.D., Miller, P.A., Graham, R.W., Williams, J.W., 2018. Mechanistic modeling of environmental drivers of woolly mammoth carrying capacity declines on St. Paul Island. *Ecology* **99**, 2721-2730.
- Welker, F., Soressi, M., Rendu, W., Hublin, J.J., Collins, M., 2015. Using ZooMS to identify fragmentary bone from the late Middle/Early Upper Palaeolithic sequence of Les Cottés, France. *Journal of Archaeological Science* **54**, 279-286.
- Willerslev, E., Davison, J., Moora, M., Zobel, M., Coissac, E., Edwards, M.E., Lorenzen, E.D., Vestergård, M., Gussarova, G., Haile, J. and Craine, J., 2014. Fifty thousand years of Arctic vegetation and megafaunal diet. *Nature* **506** (7486), 47-51.
- Wood, R.E., Higham, T.F., Buzilhova, A., Suvorov, A., Heinemeier, J., Olsen, J., 2013. Freshwater radiocarbon reservoir effects at the burial ground of Minino, northwest Russia. *Radiocarbon* **55**, 163-177.
- Wooler, M.J., Saulnier-Talbot, É., Potter, B.A., Belmecheri, S., Bigelow, N., Choy, K., Cwynar, L.C., Davies, K., Graham, R.W., Kurek, J., Langdon, P., Medeiros, A., Rawcliffe, R., Wang, Y., Williams, J.W., 2018. A new terrestrial palaeoenvironmental record from the Bering Land Bridge and context for human dispersal. *Royal Society open science* **5** (6), 180145.
- Yesner, D.R., 1987. Life in the “Garden of Eden”: Causes and consequences of the adoption of marine diets by human societies. In: Harris, M., Ross, E.B. (Eds.). *Food*

- and Evolution. Temple University Press (Philadelphia), 285-309.
- Zhegallo, V., Kalandadze, N., Shapovalov, A., Bessudnova, Z., Noskova, N., Tesakova, E., 2005. On the fossil rhinoceros *Elasmotherium* (including the collections of the Russian Academy of Sciences). *Cranium* **22** (1), 17–40.
- Zimov, S.A., Zimov, N.S., Tikhonov, A.N., Chapin III, F.S., 2012. Mammoth steppe: a high-productivity phenomenon. *Quaternary Science Reviews* **57**, 26-45.

Supplementary Information

Table SI Chapter 3.1

Results of the isotopic data and woolly mammoth sample information in chronological order.

Lab code ¹	Locality ²	¹⁴ C age (yr BP)	Sigma	% C	$\delta^{13}\text{C}$ (‰)	% N	$\delta^{15}\text{N}$ (‰)	C:N	Material ³	% coll	Source ⁴
GrA-43037	New Siberian Arch.	> 45000		46.5	-21.5	18.4	+7.51	3.0	b	7.4	1
GrA-60422	New Siberian Arch.	> 45000		44.9	-22.0	16.2	+8.63	3.2	b	16.2	1
Site 1 M. pr. 20	New Siberian Arch.	> 45000		40.0	-21.7	15.6	+7.60	3.0	b/t	14.1	2
Site 1 M. pr. 21	New Siberian Arch.	> 45000		42.6	-22.3	16.0	+9.30	3.1	b/t	16.1	2
95600	New Siberian Arch.	> 45000		43.2	-22.2	15.8	+9.20	3.2	b		3
UCIAMS38674	Sanga-Yuriakh	> 45000		35.9	-22.6	12.6	+10.90	3.3	b	18.6	4,5
UCIAMS38676	Ari Mas	> 45000		41.1	-21.8	15.2	+10.50	3.2	b	7.6	4,5
UCIAMS38677	Arilakh	> 45000		38.2	-22.0	13.4	+10.00	3.3	b	22.4	4,5
UCIAMS39109	Arilakh	> 45000		39.8	-23.2	12.8	+7.80	3.6	b	15.2	4,5
UCIAMS39111	Popigay	> 45000		32.0	-22.0	11.1	+7.50	3.4	b	23.4	4,5
UCIAMS39881	Arilakh	> 45000		38.8	-22.0	14.5	+11.40	3.1	b	24.0	4,5
Site 1 M. pr. 19	New Siberian Arch.	43600	1000	40.7	-23.2	14.6	+8.70	3.2	b/t	15.4	2
GrA-25856	Novaya R.	42040	830	45.9	-22.5	17.1	+8.46	3.1	b	16.0	1
GrA-57720	New Siberian Arch.	41650	+600/ -500	43.5	-22.5	15.0	+10.02	3.4	t	0.9	1
GrA-17439	Novaya R.	41580	1190	43.3	-21.8	16.2	+9.94	3.1	b	6.0	1
UCIAMS39110	Taimyr Peninsula	41000	1400	35.0	-22.1	12.2	+8.10	3.3	b	22.3	4,5
20/415	Taymyr	40800	200	40.6	-22.2	13.7	+6.50	3.5	b	16.7	6
GrA-38905	Lena R.	40800	+650/ -550	43.5	-21.3	15.0	+9.06	3.4	b	12.0	1
19/58	Sviatoy Site 1	40200	1800	44.2	-21.6	15.6	+11.20	3.3	b	19.2	6
Site 1 M. pr. 18	New Siberian Arch.	40200	900	42.2	-22.3	16.0	+9.60	3.1	b/t	16.8	2
UCIAMS38678	Baikura-Turku	40150	990	38.4	-21.7	13.6	+8.90	3.3	b	20.1	4,5
20/407	Taymyr	39800	600	42.6	-21.4	14.6	+8.20	3.4	b	23.1	6

20/412	Taymyr	39800	500	42.2	-21.4	14.2	+8.40	3.5	b	20.4	6
Site 1 M. pr. 17	New Siberian Arch.	39600	1000	41.6	-22.5	15.8	+9.40	3.1	b/t	10.2	2
GrA-62205	New Siberian Arch.	39460	+300/-320	46.7	-22.6	17.1	+11.28	3.2	t	7.5	1
Site 1 M. pr. 16	New Siberian Arch.	37800	900	42.7	-21.9	15.5	+8.80	3.2	b/t	16.8	2
GrA-57021	Unspecified	37710	+430/-370	42.9	-21.1	17.4	+10.25	2.9	t	2.2	1
GrA-57652	Wrangel Isl.	35870	+320/-290	43.7	-21.6	16.1	+11.94	3.2	t	8.0	1
GrA-19528	Toll's Bay	35760	+280/-370	39.8	-20.05				t	0.9	1
UCIAMS38680	Baikura-Turku	35380	550	35.4	-21.4	12.5	+8.70	3.3	b	14.7	4,5
GrA-19284	Oskar Pen.	34680	+350/-340	39.2	-21.3				t	0.4	1
Site 2 M. pr. 23	Lena Delta	34600		42.1	-22.2	15.6	+9.10	3.1	b/t	10.7	2
GrA-53289	Yana-Indigirka lowl.	34300	+260/-240	46.7	-22.85	15.9	+12.01	3.4	b	22.7	1
Site 2 M. pr. 15	Lena Delta	34000	500	39.6	-22.0	15.2	+8.60	3.0	b/t	16.1	2
Site 1 M. pr. A	New Siberian Arch.	32500	500	39.2	-22.6	15.9	+9.20	2.9	b/t	17.7	2
GrA-19523	Sabler C.	32180	+210/-200	42.2	-22.35	16.2	+9.14	3.0	t	7.1	1
Site2-14	Lena Delta	31500	650	38.3	-21.7	14.9	+8.90	3.0	b/t	13.8	2
Site2-13	Lena Delta	30200	400	41.8	-22.1	15.3	+9.10	3.2	b/t	5.8	2
19/52	Sviatoy Site 1	30100	550	42.8	-22.1	14.8	+9.10	3.3	b	18.8	2
GrA-57019	Unspecified	29150	+190/-180	38.1	-22.2	15.2	+9.10	2.9	t	12.1	1
UCIAMS39885	Lake Taymyr	28700	310	36.6	-21.9	12.9	+9.70	3.3	b	17.2	4,5
GrA-60044	New Siberian Arch.	28660	160	47.4	-22.0	17.3	+10.22	3.2	b	13.6	1
GrA-19275	Oskar Pen.	28370	200	40.5	-21.3	13.4	+10.78	3.5	t	1.3	1
GrA-19271	Oskar Pen.	28350	200	39.0	-21.8	15.6	+11.90	2.9	t	2.6	1
Beta-148643	Lake Taymyr	28260	170	40.5	-21.4	15.0	+9.40	3.2	b	12.2	4,5
Beta-148662	Arilakh	28210	210	39.1	-21.7	14.5	+10.70	3.1	b	14.7	4,5
Site 1 M. pr. 12	New Siberian Arch.	28000	180	40.7	-21.6	15.7	+9.00	3.0	b/t	14.4	2
Beta-210777	Baikura-Turku	27740	220	36.7	-21.9	13.6	+10.00	3.1	b	26.2	4,5
Site2-11	Lena Delta	27400	800	38.6	-21.9	15.8	+9.10	2.8	b/t	14.5	2
Site2-10	Lena Delta	25900	600	39.0	-22.5	14.8	+8.90	3.1	b/t	16.1	2
GrA-19311	Upper Taymyra R.	24990	150	42.3	-22.2	15.2	+10.08	3.3	b	8.3	1

GrA-19526	Upper Taimyra R.	24980	130	41.2	-22.3	13.8	+11.14	3.5	t	2.9	1
GrA-38941	Nordwik C.	24870	+130/ -120	45.0	-21.8	16.6	+9.45	3.2	?	1.6	1
GrA-19273	Upper Taimyra R.	24740	150	40.0	-21.8	13.8	+9.66	3.4	b	3.0	1
GrA-19238	Upper Taimyra R.	24460	200	37.7	-21.6	14.2	+10.35	3.1	b	0.2	1
Site2-9	Lena Delta	24300	200	42.6	-22.3	16.1	+7.30	3.1	b/t	21.8	2
Site 1 M. pr. 8	New Siberian Arch.	22100	1000	41.8	-21.3	14.8	+8.30	3.3	b/t	19.8	2
GrA-17604	Taimyr Lake	20950	190	44.4	-22.3	16.0	+8.60	3.2	b	18.4	1
Site2-7	Lena Delta	20800	600	40.7	-21.7	15.2	+8.30	3.1	b/t	20.7	2
GrA-17347	Upper Taimyra R.	20500	90	45.7	-21.3	15.9	+11.21	3.3	b	14.1	1
UCIAMS39886	Sabler C.	20080	110	37.3	-20.8	13.1	+9.10	3.3	b	25.2	4,5
GrA-38930	Yana-Indigirka lowl.	19300	80	44.6	-21.9	16.3	+8.56	3.2	t	11.6	1
GrA-62207	New Siberian Arch.	19160	90	47.0	-21.8	17.1	+8.64	3.2	t	4.4	1
UCIAMS38679	Lake Taimyr	17300	60	39.0	-21.0	14.2	+10.70	3.3	b	20.0	4,5
Beta-148642	Sabler C.	15390	50	37.1	-21.0	13.7	+10.60	3.2	b	16.3	4,5
GrA-19264	Sabler C.	13919	70	38.6	-22.3				b	16.5	1
GrA-57617	Wrangel Isl.	13450	+60/ -50	44.0	-21.5	15.6	+10.62	3.3	t	11.4	1
GrA-65681	New Siberian Arch.	13340	60	43.2	-21.9	15.0	+12.14	3.4	t	6.8	1
Site2-3	Lena Delta	13100	500	39.9	-22.7	15.4	+5.60	3.0	b/t	22.2	2
GrA-65517	New Siberian Arch.	13040	60	42.7	-21.1	14.3	+11.64	3.5	d	0.3	1
GrA-65689	New Siberian Arch.	13030	60	43.3	-22.2	15.4	+11.12	3.3	t	0.4	1
GrA-60423	Selliach R.	12470	50	41.7	-21.9	15.0	+8.78	3.2	b	14.4	1
UCIAMS38671	Berelekh	12350	35	37.8	-22.2	13.5	+9.40	3.3	b	18.2	4,5
GrA-65687	New Siberian Arch.	12330	60	46.6	-21.5	15.2	+9.82	3.6	t	2.3	1
UCIAMS38672	Berelekh	12295	40	37.8	-22.0	13.2	+9.40	3.3	b	23.4	4,5
UCIAMS38670	Berelekh	12125	30	43.7	-21.5	15.0	+9.20	3.4	b	11.9	4,5
Site 1 M. pr. 1	New Siberian Arch.	12030	60	41.3	-21.6	16.1	+5.70	3.0	b/t	22.4	2
Beta-148663	Arilakh	11900	40	38.2	-22.5	14.2	+9.10	3.1	b	10.7	4,5
GrA-65512	New Siberian Arch.	11250	50	50.1	-22.5	16.7	+8.81	3.5	b	2.6	1
20/411	Taymyr	11140		46.0	-22.4	15.4	+8.10	3.5	b	18.7	6

GrA-65686	New Siberian Arch.	10920	50	44.5	-22.6	15.2	+8.28	3.4	t	0.7	1
GrA-65685	New Siberian Arch.	10330	50	47.0	-22.5	15.9	+10.18	3.4	t	7.1	1
GrA-19231	Upper Taimyra R.	10230	60	39.4	-22.0	13.4	+9.50	3.4	t	10.3	1
GrA-17350	Bikada R.	9920	60	42.3	-22.8	14.9	+8.62	3.3	b	7.5	1
GrA-65680	New Siberian Arch.	9445	50	44.5	-22.1	15.8	+10.5	3.3	t	5.7	1
GrA-57648	Wrangel Isl.	8395	45	45.2	-22.5	16.5	+9.71	3.2	t	13.2	1
GrA-57649	Wrangel Isl.	8000	40	43.8	-21.8	15.9	+8.90	3.2	t	13.5	1
GrA-57645	Wrangel Isl.	7505	40	44.7	-22.45	16.3	+11.20	3.2	t	12.5	1
GrA-57711	Wrangel Isl.	7300	35	?	-22.6	16.8	+8.47		t	13.5	1
GrA-57647	Wrangel Isl.	7175	40	43.1	-22.5	15.7	+10.32	3.2	t	5.3	1
GrA-57622	Wrangel Isl.	7030	40	46.5	-22.23	16.8	+9.55	3.2	t	6.3	1
GrA-57650	Wrangel Isl.	6455	40	46.3	-21.82	16.9	+9.50	3.2	t	7.6	1
GrA-57725	Wrangel Isl.	6180	35	39.3	-22.55	14.3	+9.12	3.2	d	4.9	1
GrA-57623	Wrangel Isl.	6000	40	48.0	-22.06	17.3			t	15.8	1
GrA-57646	Wrangel Isl.	5615	35	43.8	-21.73	16.0	+8.77	3.2	t	7.3	1
GrA-57726	Wrangel Isl.	5400	40	45.5	-21.94	16.3	+8.68	3.3	t	12.3	1
GrA-57731	Wrangel Isl.	4955	35	48.1	-21.80	17.2	+8.16	3.3	t	14.3	1
GrA-57729	Wrangel Isl.	4870	35	47.6	-21.85	17.5	+9.38	3.2	t	8.1	1
GrA-57709	Wrangel Isl.	4770	35	42.7	-21.71	15.4	+10.08	3.2	t	14.7	1
GrA-57621	Wrangel Isl.	4535	35	47.8	-21.80	17.2	+9.71	3.2	t	13.9	1
GrA-57741	Wrangel Isl.	4495	35	45.3	-22.28	16.5	+9.80	3.2	t	14.2	1
UCIAMS38673	Wrangel Isl.	4420	15	37.9	-22.20	13.6	+8.60	3.3	b	15.5	4,5
GrA-57742	Wrangel Isl.	4410	35	47.5	-21.47	17.3	+9.03	3.2	d	8.9	1
GrA-57727	Wrangel Isl.	4155	35	43.9	-21.91	15.9	+9.73	3.2	t	8.7	1
GrA-57712	Wrangel Isl.	4115	30	41.4	-22.18	15.0	+9.11	3.2	t	5.4	1
GrA-57796	Wrangel Isl.	4030	35	40.1	-22.25	15.2	+10.56	3.1	t	7.2	1
GrA-57619	Wrangel Isl.	4020	35	48.4	-22.18	17.2	+9.10	3.3	t	9.3	1
GrA-57654	Wrangel Isl.	3960	35	46.7	-21.97	17.0	+9.25	3.2	t	12.2	1
GrA-57710	Wrangel Isl.	3955	30	46.7	-22.00	17.3	+8.70	3.1	t	5.7	1

¹Used abbreviations: GrA = Groningen University, Groningen, NL, Beta = Beta Analytic, Miami, USA, UCIAMS = University of California, Irvine, USA. In cases that the lab code is unknown, we mention the sample ID as referred to in the original publication.

²Used abbreviations: Arch = archipel, Isl = island, R = River, C = cave, Lowl = lowland, Pen = Peninsula.

³Used abbreviations: b = bone, t = tusk, d = dentine, ? = unspecified.

⁴Used data sources: 1 = current study, 2 = lacumin *et al.*, 2010, 3 = Bocherens *et al.*, 1996, 4 = Szpak *et al.*, 2010 (stable isotopes), 5 = Debruyne *et al.*, 2008 (¹⁴C dates), 6 = lacumin *et al.*, 2000.

Table SI Chapter 3.2

Isotopic data and sample information from woolly mammoth samples used to define the ranges for 'Alaska' in Fig. 3.4.

Lab codeⁱⁱⁱ	Localityⁱ	¹⁴C age, yr BP	±	δ¹³C (‰)	δ¹⁵N (‰)	C:N	Sourceⁱⁱ
AA14939	Ester Cr.	> 45000		-20.5	+5.0	3.2	1,2
AA14855	Cripple Cr.	26022	640	-20.8	+6.4	3.5	1,2
AA14904	Cleary Cr.	43239	1878	-20.8	+4.4	3.5	1,2
AA17538	Eldorado Cr.	30000	1000	-20.7	+7.8	3.2	1,2
AA17535	Dawson	37920	2700	-20.6	+7.9	3.4	1,2
UCIAMS-41486	Paron's L.	> 45000		-21.3	+5.8	3.4	1,2
UCIAMS-39883	Dawson	> 45000		-20.4	+8.7	3.3	1,2
UCIAMS-39884	Dawson	> 45000		-20.3	+6.9	3.3	1,2
UCIAMS-39891	Quartz Cr.	36690	810	-20.5	+6.6	3.3	1,2
UCIAMS-38675	Whitman G.	32140	370	-20.7	+8.1	3.1	1,2
UCIAMS-39116	Sulphur Cr.	> 45000		-20.8	+7.5	3.3	1,2
UCIAMS-39892	Whitman G.	39899	1200	-20.5	+7.3	3.3	1,2
UCIAMS-39112	Finning	29030	310	-20.5	+7.2	3.3	1,2
UCIAMS-39113	Finning	> 45000		-20.6	+6.4	3.4	1,2
UCIAMS-39114	Finning	29170	320	-20.9	+7.1	3.3	1,2
UCIAMS-39887	Finning	44700	2200	-20.6	+5.7	3.3	1,2
UCIAMS-39115	Finning	28960	310	-20.6	+6.8	3.3	1,2
UCIAMS-39889	Hunker Cr.	32470	480	-20.6	+6.9	3.1	1,2
UCIAMS-39888	Hunker Cr.	> 45000		-20.7	+9.0	3.3	1,2
UCIAMS-39890	Indian R.	30630	870	-20.9	+6.4	3.2	1,2
UCIAMS-41490	VGFN Foot	> 45000		-21.2	+9.3	3.1	1,2
AA14935	Cleary Cr.	18379	124	-21.0	+7.0	3.2	1,2
AA17574	Tanana	23150	460	-21.0	+9.7	3.1	1,2
UCIAMS-41487	Hunker Cr.	22430	140	-21.0	+9.4	3.3	1,2
AA14888	Sullivan Cr.	12677	142	-20.8	+5.9	3.3	1,2
UCIAMS-149817	St. Paul Isl.	4750	20	-20.5	+8.1	3.2	3
UCIAMS-148202	St. Paul Isl.	5050	20	-20.7	+7.3	3.4	3
UCIAMS-148200	St. Paul Isl.	5095	20	-20.3	+6.3	3.2	3
UCIAMS-149816	St. Paul Isl.	5200	20	-20.3	+7.6	3.3	3
UCIAMS-149818	St. Paul Isl.	5405	20	-19.7	+7.1	3.2	3

UCIAMS-119831	St. Paul Isl.	5715	30	-19.5	+8.3	3.3	3
UCIAMS-149815	St. Paul Isl.	5960	20	-19.2	+7.2	3.2	3
UCIAMS-148201	St. Paul Isl.	6490	20	-19.2	+7.8	3.3	3
UCIAMS-148199	St. Paul Isl.	7145	25	-20.2	+6.8	3.2	3
UCIAMS-149811	St. Paul Isl.	7610	20	-19.1	+4.4	3.3	2
UCIAMS-149812	St. Paul Isl.	7785	25	-20.7	+3.5	3.3	3
UCIAMS-119830	St. Paul Isl.	8210	35	-20.9	+4.2	3.3	3
UCIAMS-149814	St. Paul Isl.	8370	20	-19.0	+7.6	3.2	3
UCIAMS-149813	St. Paul Isl.	8350	25	-19.1	+6.7	3.2	3

ⁱ Used abbreviations: Cr = Creek, G = Gulch, Isl = island, L = Lake, R = River.

ⁱⁱ Used data sources: 1 = Szpak *et al.*, 2010 [stable isotopes], 2 = Debruyne *et al.*, 2008 [14C dates], 3 = Graham *et al.*, 2016.

ⁱⁱⁱ Used abbreviations: AA = University of Arizona AMS, USA, UCIAMS = University of California, Irvine, USA.

Table SI Chapter 4

Results of the isotopic data and sample information arranged per species.

lab code	locality	age (¹⁴ C yr BP)	±	C%	δ ¹³ C (‰)	N%	δ ¹⁵ N (‰)	C/N ratio	species	skeletal element
GrA-54021	Zuid-Holland, Zandmotor	31140	200	32.3	-21.3				<i>Lepus species</i>	mandible
GrA-30722	Brown Bank	8910	50	45.1	-21.1	16.5	4.8	3.2	<i>Castor fiber</i>	femur
GrA-22183	Eurogully	>45000		43.4	-19.4	15.4	7.7	3.3	<i>Canis lupus</i>	femur
GrA-24209	Eurogully	8780	50	47.7	-25.6	16.7	10.2	3.3	<i>Canis species</i>	cranium
GrA-69520	Zuid-Holland, Zandmotor	29900	550	34.3	-20.7	12.5	8.5	3.2	<i>Alopex lagopus</i>	unknown
GrA-50465	Brown Bank	>45000		43	-20.3	14.3	7.7	3.5	<i>Ursus arctos</i>	mandible
GrA-25816	Eurogully	>45000		35.9	-22.3	14.2	3.5	3	<i>Ursus species</i>	unknown
GrA-11643	Brown Bank	40660	350	39.3	-20.1				<i>Crocuta c. spelaea</i>	ulna
GrA-23151	Eurogully	>45000		39.9	-19.2	15.7	8.7	3	<i>Panthera spelaea</i>	ulna
GrA-31471	North Sea	39970	360	41.5	-19.4	13.9	8.2	3.5	<i>Panthera spelaea</i>	scapula
GrA-34644	Brown Bank	10730	60	33.9	-21.2				<i>Gulo gulo</i>	mandible
GrA-52432	Eurogully	8825	45	39.4	-24.8				<i>Lutra lutra</i>	cranium
GrA-52433	Zuid-Holland, Maasvlakte 2	8300	40	32	-26.2	13.3	8.6	2.8	<i>Lutra lutra</i>	mandible
GrA-22178	Eurogully	>45000		45.6	-12.5	14.6	11.5	3.6	<i>Odobenus rosmarus</i>	cranium
GrN-28548	Southern Bight	>45000		41.9	-14.1				<i>Odobenus rosmarus</i>	femur
GrA-59468	Eurogully	>45000		42.2	-13.3	15.5	11.2	3.2	<i>Odobenus rosmarus</i>	mandible
GrA-64644	Denmark, Holmgren	40360	240	39.1	-13.9	15.3	12	3	<i>Odobenus rosmarus</i>	atlas
GrA-57505	Eurogully	2070	30	43.7	-12.9	16.9	13.6	3	<i>Odobenus rosmarus</i>	tooth
GrA-65933	Zuid-Holland, Maasvlakte 2	25130	130	26.2	-15.5	9.3	14.5	3.3	<i>Halichoerus grypus</i>	unknown
GrN-28551	Southern Bight	7180	60	38.7	-11.7				<i>Halichoerus grypus</i>	bone
GrN-28546	Southern Bight	>45000		43.9	-15.8				<i>Pagophilus groenlandica</i>	humerus

GrN-28547	Southern Bight	43500	40.1	-15				<i>Pagophilus groenlandica</i>	humerus
GrA-59476	Brown Bank	>45000	42.7	-21.4	15.4	7.8	3.2	<i>Mammuthus primigenius</i>	tusk
GrA-50851	Eurogully	>45000	47.9	-22.3	15.9	6.1	3.5	<i>Mammuthus primigenius</i>	tibia
GrA-50847	Eurogully	>45000	46.9	-22.1	15.8	6.2	3.5	<i>Mammuthus primigenius</i>	tibia
GrA-50854	Brown Bank	>45000	40	-21.7	14.8	7.2	3.1	<i>Mammuthus primigenius</i>	tooth
GrA-50860	Brown Bank	>45000	41.3	-21.5	14.3	9	3.4	<i>Mammuthus primigenius</i>	tooth
GrA-50848	North Sea	>45000	43.2	-22.2	13.4	8.3	3.7	<i>Mammuthus primigenius</i>	tooth
GrA-52416	Brown Bank	>45000	46	-21.6	15.9	9.1	3.4	<i>Mammuthus primigenius</i>	tooth
GrA-50846	Brown Bank	>45000	40.3	-22.4	15.2	8	3.1	<i>Mammuthus primigenius</i>	tooth
GrA-50843	Brown Bank	>45000	45.1	-22.4	14.1	8.4	3.7	<i>Mammuthus primigenius</i>	tooth
GrA-11640	Brown Bank	>45000	47.9	-22.4				<i>Mammuthus primigenius</i>	epistropheus
GrA-56656	Brown Bank	>45000	40.3	-21.9	14.9	5.9	3.2	<i>Mammuthus primigenius</i>	unknown
GrA-56660	Eurogully	>45000	39.6	-21.9	14.6	5.6	3.2	<i>Mammuthus primigenius</i>	humerus
GrA-56661	Eurogully	>45000	41.4	-21.8	15.1	5.7	3.2	<i>Mammuthus primigenius</i>	humerus
GrA-56675	Zuid-Holland, Maasvlakte	>45000	41.8	-21.6	15.4	5	3.2	<i>Mammuthus primigenius</i>	femur
GrA-56662	Eurogully	43910	550	-21.8	15.9	6.5	3.2	<i>Mammuthus primigenius</i>	ulna
GrA-20134	Eurogully	43800	600	-22.4				<i>Mammuthus primigenius</i>	fibula
GrA-50866	Brown Bank	42690	550	-21.4	14.8	6.6	3.1	<i>Mammuthus primigenius</i>	tooth
GrA-50858	Brown Bank	41450	490	-22.4	13.7	8.8	3.8	<i>Mammuthus primigenius</i>	tooth
GrA-56655	North Sea	41090	400	-22.1	13.3	6.1	3.2	<i>Mammuthus primigenius</i>	unknown
GrA-50864	North Sea	39970	440	-21.7	13.3	7.9	3.1	<i>Mammuthus primigenius</i>	tooth
GrA-56658	Brown Bank	39860	350	-21.5	15.1	7.2	3.2	<i>Mammuthus primigenius</i>	femur
GrA-50852	Eurogully	38960	400	-22.4	13.8	7.3	3.3	<i>Mammuthus primigenius</i>	vertebra
GrN-27410	Eurogully	37580	810	-21.7				<i>Mammuthus primigenius</i>	cranium
GrA-39962	Great Yarmouth	37240	280	-22.6				<i>Mammuthus primigenius</i>	vertebra
GrA-30740	Zeeland, Westerschelde	>45000	46.9	-20.7	17.5	7.5	3.1	<i>Palaeoloxodon antiquus</i>	unknown

GrA-30590	Zeeland, Westerschelde	>45000	48.7	-21.2	17.3	8.1	3.3	<i>Palaeoloxodon antiquus</i>	unknown
GrA-30591	Zeeland, Westerschelde	>45000	45.5	-20.6	15.7	10.1	3.4	<i>Palaeoloxodon antiquus</i>	unknown
GrA-30592	Zeeland, Westerschelde	>45000	41.6	-20.6	13.7	11.2	3.5	<i>Palaeoloxodon antiquus</i>	unknown
GrA-56664	Zuid-Holland, Maasvlakte	>45000	39.1	-20.2	14.1	9.8	3.2	<i>Palaeoloxodon antiquus</i>	cranium
GrA-52410	Eurogully	>45000	35.3	-20.8	16.4	11.6	2.5	<i>Palaeoloxodon antiquus</i>	molar root
GrA-40013	Zeeland, Westerschelde	42400	1100	36.6	-20.5	13.1	11.1	<i>Palaeoloxodon antiquus</i>	mandible
GrA-56674	Zuid-Holland, Maasvlakte	>45000	40	-21.3	14.8	3	3.2	<i>Equus species</i>	tibia
GrA-42704	Southern Bight	>45000	36.4	-21.4	12.7	6.4	3.3	<i>Equus species</i>	metacarpal
GrA-23582	Brown Bank	44780	1635	40.7	-21.4	14.4	5.4	<i>Equus caballus</i>	tibia
GrA-22585	Eurogully	43550	1200	44.5	-22	16.5	2.3	<i>Equus species</i>	ulna
GrA-39964	Great Yarmouth	42960	500	38.2	-21.4	14.1	4.1	<i>Equus species</i>	metacarpal
GrA-37558	Stekels	37860	355	41.9	-19.9	16.3	4.8	<i>Equus caballus</i>	metacarpal
GrN-32392	Eurogully	>45000	44.4	-20.7			3		unknown
GrA-39965	Great Yarmouth	>45000	42	-20.6	4.8	4.5	3.3	<i>Coelodonta antiquitatis</i>	mandible
GrN-27411	Eurogully	39910	1070	45.8	-20.8			<i>Coelodonta antiquitatis</i>	pelvis
GrA-66408	Yerseke	2190	30	39.4	-16.7	13.4	9.3	<i>Balaenidae</i>	bullae
GrA-34338	Southern Bight	>45000	40.9	-14.8	12.7	14.3	3.3	<i>Balaena mysticetus</i>	radius
GrA-37034	Southern Bight	>45000	46	-12.6				<i>Balaenoptera physalus</i>	thoracic vertebra
GrA-22182	Eurogully	>45000	42.2	-14.4	14.8	13.3	3.3	<i>Eschrichtius robustus</i>	vertebra
GrA-34348	Zuid-Holland, Scheveningen	>45000	44.3	-14.8	16.6	12.9	3.1	<i>Eschrichtius robustus</i>	vertebra
GrA-34381	Southern Bight	>45000	42.1	-13.3	16.2	14.8	3	<i>Eschrichtius robustus</i>	axis
GrN-28549	Southern Bight	42800	4100	42.3	-15.4			<i>Eschrichtius robustus</i>	vertebra
GrA-34349	Eurogully	39100	360	1.6	-14	13.3	12.2	<i>Eschrichtius robustus</i>	atlas
GrA-34378	North Sea	4815	40	40.4	-14	16.2	13.9	<i>Eschrichtius robustus</i>	cranium
GrA-34380	Southern Bight	4230	35	46.8	-15	14.6	14.5	<i>Eschrichtius robustus</i>	vertebra
GrN-31093	Noord-Holland, Andijk	4130	40	39.1	-14.1			<i>Eschrichtius robustus</i>	unknown

GrA-34761	Southern Bight	4055	35	46.7	-14.6	13.8	16	3.4	<i>Eschrichtius robustus</i>	unknown
GrA-34379	North Sea	3925	35	42.2	-13.1	16.6	14	3	<i>Eschrichtius robustus</i>	cranium
GrA-34385	Southern Bight	3650	35	47.2	-13.4	17.4	14.6	3.2	<i>Eschrichtius robustus</i>	vertebra
GrA-34383	Southern Bight	2270	35	45	-14.6	16.1	12.5	3.3	<i>Eschrichtius robustus</i>	axis
GrA-34369	White Bank	1870	35	43.6	-15.1	17	16.1	3	<i>Eschrichtius robustus</i>	mandible
GrA-34368	North Sea	1865	30	42.8	-14.9	15.6	15.9	3.2	<i>Eschrichtius robustus</i>	vertebra
GrA-25852	Southern Bight	3120	40	39.8	-12	14.7	15.6	3.2	<i>Lagenorhynchus albirostris</i>	mandible
GrA-37555	Stekels	2505	35	43.2	-12.4	15	16.2	3.4	<i>Lagenorhynchus albirostris</i>	vertebra
GrA-34342	Wadden Sea (G)	4550	35	45.2	-12.3	17.1	15.4	3.1	<i>Orcinus orca</i>	maxilla
GrA-25820	Southern Bight	3900	45	38.7	-11.6	14.4	17.4	3.1	<i>Orcinus orca</i>	unknown
GrA-25851	Southern Bight	8135	45	40	-11.4	15.6	15.9	3	<i>Tursiops truncatus</i>	mandible
GrA-25850	Southern Bight	7390	50	43.5	-12.4	16	14.9	3.2	<i>Tursiops truncatus</i>	mandible
GrN-28544	Southern Bight	>45000		40.5	-16.5				<i>Delphinapterus leucas</i>	vertebra
GrA-22179	Eurogully	>45000		40.9	-14.8	12.8	13.9	3.7	<i>Delphinapterus leucas</i>	axis
GrA-25849	Borkumrif	>45000		44.6	-14.4	17.3	16.5	3	<i>Delphinapterus leucas</i>	vertebra
GrA-34337	Zeeland, Yerseke	40550	400	40.5	-16.4	14.7	15.1	3.1	<i>Delphinapterus leucas</i>	mandible
GrA-34339	Southern Bight	8860	40	39.1	-21.9				<i>Sus scrofa</i>	mandible
GrA-32600	Eurogully	8710	45	41.7	-21.2	15.1	4	3.2	<i>Sus scrofa</i>	humerus
GrA-30721	Eurogully	7780	50	31.9	-21.9	13.4	6.2	2.8	<i>Sus scrofa</i>	atlas
GrA-38353	Eurogully	>45000		43	-20.6	15.2	6.6	3.3	<i>Megaloceros giganteus</i>	cranium
GrA-32601	Eurogully	>45000		45.7	-19.5	14.9	2.5	3.6	<i>Megaloceros giganteus</i>	antler
GrA-32685	Eurogully	>45000		40.5	-19.8				<i>Megaloceros giganteus</i>	unknown
GrA-32599	Eurogully	40750	440	38.7	-20.1	14.2	5.5	3.2	<i>Megaloceros giganteus</i>	antler
GrA-36110	Brown Bank	10000	50	44.4	-21.1	14.8	3.7	3.5	<i>Cervus elaphus</i>	antler
GrA-37796	Stekels	9815	40	42.9	-21.2	15.1	3.5	3.3	<i>Cervus elaphus</i>	antler
GrA-37795	Stekels	9675	40	43.7	-20.8	16.5	4.1	3.1	<i>Cervus elaphus</i>	antler

GrA-25514	North Sea	9500	180	41.5	-21.5			<i>Cervus elaphus</i>	antler
GrA-30732	Brown Bank	9070	50	40.6	-21.9	14.5	5	<i>Cervus elaphus</i>	tibia
GrA-40524	Eurogully	9070	45	38.1	-21.6	13.7	3.2	<i>Cervus elaphus</i>	antler
GrA-29204	Brown Bank	8870	50	42.4	-22.2			<i>Cervus elaphus</i>	antler
GrA-37561	Stekels	8830	40	44.2	-21.7	15.2	2.5	<i>Cervus elaphus</i>	antler
GrA-36113	Brown Bank	8710	50	39.7	-22.5	13.4	2.2	<i>Cervus elaphus</i>	antler
GrA-25568	Southern Bight	8600	50	36.6	-21.8	13.9	2.1	<i>Cervus elaphus</i>	antler
GrA-22999	Eurogully	8070	50	38.5	-20.4	16	3.4	<i>Cervus elaphus</i>	antler
GrA-20280	Zeeland, Roompot	4030	60	32.2	-22.6			<i>Cervus elaphus</i>	antler
GrA-50510	North Sea	3540	40	42.5	-22.6	14.6	5.1	<i>Cervus elaphus</i>	antler
*	Zeeland, Roompot	1352	34	37.1	-20.9			<i>Cervus elaphus</i>	antler
GrA-23581	Brown Bank	44560	1665	43.9	-20.4	15.3	4.7	<i>Alces alces</i>	antler
GrA-27206	Brown Bank	9910	50	39.9	-20.9	16.6	1.7	<i>Alces alces</i>	antler
GrA-37004	Brown Bank	9520	50	39.7	-21.7	14.1	3.4	<i>Alces alces</i>	antler
GrA-68250	Zuid-Holland	9510	50	44.3	-20.6	16.2	2.2	<i>Alces alces</i>	antler
GrA-30731	Brown Bank	8240	50	45.8	-21.2	16.4	4.2	<i>Alces alces</i>	antler
GrA-20475	Brown Bank	>45000		32.4	-19.6			<i>Rangifer tarandus</i>	bone
GrA-20303	Brown Bank	>45000		39.7	-19.6			<i>Rangifer tarandus</i>	metacarpal
GrA-20475	Brown Bank	>45000		32.4	-19.6	15.2	2.9	<i>Rangifer tarandus</i>	unknown
GrA-32597	Eurogully	45150	650	36.6	-19.1	15.1	2.9	<i>Rangifer tarandus</i>	metatarsal
GrA-20259	Brown Bank	42300	1000	36.3	-18.9	13.8	3.2	<i>Rangifer tarandus</i>	astragalus
*	Brown Bank	41604	645	39.8	-19.1	14.4	5.1	<i>Rangifer tarandus</i>	radius
*	Eurogully/Brown Bank	41832	612	41.1	-19.2			<i>Rangifer tarandus</i>	calcaneum
*	Brown Bank	39210	665	42.2	-19.1	14.7	4.4	<i>Rangifer tarandus</i>	metacarpal
GrA-20257	Eurogully	39200	700	35.9	-21.2	13.7	6.8	<i>Rangifer tarandus</i>	phalanx
GrA-20261	Brown Bank	39000	700	39	-19.2	14.1	4.3	<i>Rangifer tarandus</i>	epistropheus

GrA-31284	Brown Bank	38960	355	35.1	-19.8	13.2	3.6	3.1	<i>Rangifer tarandus</i>	antler
GrA-25570	Brown Bank	35160	315	36	-19.3	12.6	2.2	3.3	<i>Rangifer tarandus</i>	antler
GrA-39966	Great Yarmouth	31460	160	42.8	-19.5	14.4	2.5	3.5	<i>Rangifer tarandus</i>	antler
GrA-20294	Eurogully/Brown Bank	29460	250	38.5	-19.4	15.7	4.1	2.9	<i>Rangifer tarandus</i>	astragalus
GrA-20256	Brown Bank	8820	60	40.6	-22.7	16.8	4	2.8	<i>Rangifer tarandus</i>	phalanx
GrA-20353	Brown Bank	8350	50	30.6	-23.3				<i>Rangifer tarandus</i>	phalanx
GrA-31283	Brown Bank	8880	40	38.9	-22.2	12.8	2.4	3.6	<i>Capreolus capreolus</i>	tibia
GrA-33949	Eurogully	8405	45	36.8	-21.4	12.5	3	3.4	<i>Capreolus capreolus</i>	antler
GrA-37797	Stekels	>45000		45.9	-20.4	17.9	4.3	3	<i>Bos primigenius</i>	femur
GrA-51668	North Sea	8900	40	44.3	-22.4	15.6	5.2	3.3	<i>Bos primigenius</i>	unknown
GrA-25569	Brown Bank	8800	50	38.2	-22.3	14.7	5.2	3	<i>Bos primigenius</i>	metapodal
GrA-22998	Brown Bank	8780	60	36.2	-22.6	15.5	5.5	2.7	<i>Bos primigenius</i>	metacarpal
GrA-51786	Eurogully	8175	40	42.8	-22.8	16.6	6.1	3	<i>Bos primigenius</i>	horn pit
GrN-28261	Eurogully	>45000		50.7	-19.6				<i>Bison priscus</i>	lendal vertebra
GrA-39518	Great Yarmouth	39900	850	35.6	-20.9				<i>Bison species</i>	metacarpale
GrA-28364	Brown Bank	11560	50	37.9	-20.6	14.5	3.9	3.1	<i>Bison species</i>	metatarsus
GrA-34524	Brown Bank	>45000		37.5	-21.9	13.2	6.1	3.3	<i>Bovidae</i>	unknown
GrA-34531	Brown Bank	>45000		39.2	-21.7	14.3	5.4	3.2	<i>Bovidae</i>	unknown
GrA-34533	Brown Bank	>45000		42.1	-21.9	15.1	6.7	3.2	<i>Bovidae</i>	unknown
GrA-51667	North Sea	9220	40	38.6	-22.7	14.7	4.9	3.1	<i>Bovidae</i>	metacarpal
GrA-34526	Brown Bank	110	50	45.2	-21.8	15.9	5.1	3.3	<i>Bovidae</i>	unknown
GrA-11641	Brown Bank	36740	230	42.5	-20.1				<i>Ovibos moschatus</i>	metacarpal
*	Brown Bank	15183	36	37	-19.2	14.1	7.5	3	<i>Caprinae</i>	unknown
GrA-58271	Zuid-Holland, Maasvlakte	11050	45	41.6	-20.6	14.9	9.7	3.3	<i>Homo sapiens</i>	bone
GrA-42700	Southern Bight	10070	50	36	-24.7	13.3	11.2	3.2	<i>Homo sapiens</i>	cranium
GrA-42702	Southern Bight	9440	50	41.5	-24.2	15.6	13.6	3.1	<i>Homo sapiens</i>	cranium

GrA-57506	Eurogully/Brown Bank	9440	45	40.3	-24.4	15.1	12.2	3.1	<i>Homo sapiens</i>	femur
GrA-50459	Eurogully	9220	60	35.4	-22.8	13.1	10	3.2	<i>Homo sapiens</i>	femur
GrA-62470	Zuid-Holland, Maasvlakte	9180	50	42.7	-23	16.2	10.3	3.1	<i>Homo sapiens</i>	cranium
GrA-49638	North Sea	9150	50	44.5	-22.7	16.3	4.5	3.2	<i>Homo sapiens</i>	bone
GrA-27188	Brown Bank	9140	50	36.4	-23.1	15.4	10.2	2.8	<i>Homo sapiens</i>	humerus
GrA-30733	Brown Bank	9080	50	42.6	-22	15.3	11.6	3.2	<i>Homo sapiens</i>	bone
GrA-31287	Brown Bank	9035	40	33.2	-23.4	12.3	11.4	3.2	<i>Homo sapiens</i>	bone
GrA-35949	Brown Bank	9005	45	40.7	-23.3	14.1	10.8	3.4	<i>Homo sapiens</i>	humerus
GrA-62225	Eurogully	8945	45	40.4	-13.4	15	14.1	3.1	<i>Homo sapiens</i>	humerus
GrA-51669	North Sea	8910	40	43.7	-22.1	15.7	9.4	3.2	<i>Homo sapiens</i>	bone
GrA-49637	North Sea	8820	50	44.1	-22.5	13.9	9.3	3.7	<i>Homo sapiens</i>	bone
GrA-67124	Zuid-Holland, Zandmotor	8680	45	44	-23.6	16.1	12.4	3.2	<i>Homo sapiens</i>	cranium
GrA-45801	Brown Bank	8665	45	43.6	-16.5	15.3	15.7	3.3	<i>Homo sapiens</i>	femur
GrA-54735	North Sea	8660	50	43.1	-16.7	15.6	13.8	3.2	<i>Homo sapiens</i>	femur
M-21188	Zuid-Holland, Hoek van Holland	8630	25	51.3	-23.4	18	14.1	3.3	<i>Homo sapiens</i>	tooth
GrA-57501	Zuid-Holland, Maasvlakte	8565	45	37.3	-23.5	14	12.7	3.1	<i>Homo sapiens</i>	cranium
*	Eurogully	8610	36	43	-24.1	15.4	12.4	3.3	<i>Homo sapiens</i>	femur
GrA-65508	Slijtgeul	8560	50	30.5	-19.8	11.2	12.9	3.2	<i>Homo sapiens</i>	maxilla
GrA-56366	Zuid-Holland, Hoek van Holland	8425	40	37.4	-21.3	14.2	14.9	3.1	<i>Homo sapiens</i>	tooth
GrA-63432	Zuid-Holland, Hoek van Holland	8375	45	34	-23.1	12.8	12.5	3.1	<i>Homo sapiens</i>	cranium
GrA-11642	North Sea	8370	50	39	-15.6	14.3	15.7	3.2	<i>Homo sapiens</i>	mandible
GrA-56352	Zeeland, Burgh Haamstede	8290	40	42	-19.9	15.7	15	3.1	<i>Homo sapiens</i>	tooth
GrA-27205	Brown Bank	8180	45	40.6	-22.6	17.7	15.1	2.7	<i>Homo sapiens</i>	femur
GrA-65943	Zuid-Holland, Zandmotor	8140	45	39.1	-22.5	14	15.9	3.3	<i>Homo sapiens</i>	cranium
GrM-10211	Noord-Holland, Castricum	8000	45	43.2	-16.9	15.5	17.4	3.2	<i>Homo sapiens</i>	bone
GrA-51670	North Sea	7955	40	43.3	-21.5	15.6	14.6	3.2	<i>Homo sapiens</i>	bone

GrA-68069	North Sea	7950	45	43	-17.6	15.7	16.2	3.2	<i>Homo sapiens</i>	tooth
GrA-63431	Zuid-Holland, Monster	7885	45	38.4	-21.3	15	14.1	3	<i>Homo sapiens</i>	cranium
GrA-63799	Zuid-Holland, Maasvlakte	7870	45	40.8	-23.7	15	12.9	3.2	<i>Homo sapiens</i>	cranium
GrA-67123	Zuid-Holland, Zandmotor	7810	45	41.5	-20.9	15.1	15.6	3.2	<i>Homo sapiens</i>	cranium
GrA-65507	Zuid-Holland, Zandmotor	7760	45	36.3	-21.6	13.1	16.4	3.2	<i>Homo sapiens</i>	femur
GrA-68591	Zuid-Holland, Den Haag	7725	45	44.8	-23.2	16.3	13.9	3.2	<i>Homo sapiens</i>	cranium
GrM-10161	Wadden Sea, Texel	5020	25	45.8	-21	16.7	9.6	3.2	<i>Homo sapiens</i>	cranium
GrM-10748	Noord-Holland, Bloemendaal	3130	20	44.9	-20.2	16.4	13.4	3.2	<i>Homo sapiens</i>	vertebra
GrM-10746	Noord-Holland, Noordwijk	2985	20	46.3	-20.2	16.9	8	3.2	<i>Homo sapiens</i>	femur
GrM-12352	Noord-Holland, Noordwijk	2842	16	44	-20.2	16	9.5	3.2	<i>Homo sapiens</i>	humerus
GrA-65511	Wadden Sea, Terschelling	2740	35	40.5	-20.4	14.1	10.2	3.3	<i>Homo sapiens</i>	vertebra
GrM-13967	North Sea	2518	16	42.3	-20.3	15.3	8.5	3.2	<i>Homo sapiens</i>	phalanx
GrM-12977	Katwijk/Wassenaar	2515	16	44.7	-19.8	15.9	10.2	3.3	<i>Homo sapiens</i>	mandible
GrA-67067	North Sea	2285	30	42.3	-20.4	15.5	11.3	3.2	<i>Homo sapiens</i>	vertebra
GrA-68058	Zuid-Holland, Den Haag	2190	30	38	-19.6	13.9	12.2	3.2	<i>Homo sapiens</i>	tooth
GrM-12817	Wadden Sea, Texel	2156	15	44	-19.4	15.9	11.7	3.2	<i>Homo sapiens</i>	cranium
GrA-69134	Zuid-Holland, Katwijk	1995	30	45.2	-20.2	16.4	10.4	3.2	<i>Homo sapiens</i>	scapula
GrM-12923	Scheveningen	1838	15	47.3	-19.9	17.2	10	3.2	<i>Homo sapiens</i>	femur
GrA-63619	Wadden Sea, Terschelling	1830	30	44.2	-19.9	16.6	9.9	3.1	<i>Homo sapiens</i>	bone
GrM-12944	Noordwijk	1808	15	46.2	-19.7	16.9	12.1	3.2	<i>Homo sapiens</i>	vertebra
GrA-64747	Noord-Holland, Zandam	1805	30	46.4	-20.2	16.9	9.9	3.2	<i>Homo sapiens</i>	femur
GrM-13316	Cadzand	1799	15	42.9	-18.7	15.7	9.8	3.2	<i>Homo sapiens</i>	mandible
GrA-64726	Zeeland, Borsele	1335	30	41.9	-19.4	15.2	12	3.2	<i>Homo sapiens</i>	tooth
GrA-50511	Southern Bight	1260	40	43.3	-20.3	12.7	8.8	4	<i>Homo sapiens</i>	bone
GrM-10157	Wadden Sea, Texel	1225	20	45.4	-20.1	16.6	9.6	3.2	<i>Homo sapiens</i>	cranium
GrM-10158	Wadden Sea, Texel	1205	20	45.5	-20	16.7	9.7	3.2	<i>Homo sapiens</i>	cranium

GrM-12819	Wadden Sea, Texel	1212	15	43.3	-19.8	15.7	10.8	3.2	<i>Homo sapiens</i>	cranium
GrA-31286	Zeeland, Westerschelde	1200	25	49.6	-19.5	17.1	12	3.4	<i>Homo sapiens</i>	bone
GrA-65510	Zuid-Holland, Maasvlakte	1175	30	47	-20.6	16	10.8	3.4	<i>Homo sapiens</i>	cranium
GrM-12519	Zeeland	1141	13	46.5	-20	17	12.3	3.2	<i>Homo sapiens</i>	vertebra
GrM-10814	Zeeland	1115	12	42.5	-19.5	15.6	11.9	3.2	<i>Homo sapiens</i>	mandible
GrM-12518	Zeeland	1035	14	47.5	-20	17.4	9.4	3.2	<i>Homo sapiens</i>	cranium
GrA-66669	Zuid-Holland, Den Haag	1015	30	46.2	-19.7	16.7	10.9	3.2	<i>Homo sapiens</i>	vertebra
GrM-12512	Zeeland	986	14	46.7	-19.9	17.2	10.6	3.2	<i>Homo sapiens</i>	mandible
GrM-12513	Zeeland	975	13	45.8	-19.7	16.7	10	3.2	<i>Homo sapiens</i>	vertebra
GrM-12594	Zeeland	951	13	46.4	-20.3	16.8	12.2	3.2	<i>Homo sapiens</i>	cranium
GrM-10150	Wadden Sea, Texel	905	20	43.9	-18	16	13.6	3.2	<i>Homo sapiens</i>	humerus
GrA-67125	Zuid-Holland, Den Haag	875	30	44.4	-19.1	16.1	11.3	3.2	<i>Homo sapiens</i>	humerus
GrM-10156	Wadden Sea, Texel	840	20	43.8	-19.7	15.9	14	3.2	<i>Homo sapiens</i>	mandible
GrM-10172	North Sea	791	17	40.5	-19.4	14.6	12.4	3.2	<i>Homo sapiens</i>	bone
GrM-10162	Wadden Sea, Texel	730	20	43	-19.2	15.7	10.7	3.2	<i>Homo sapiens</i>	femur
GrA-68787	Zuid-Holland, Monster	730	30	45.4	-19.4	16.6	12.5	3.2	<i>Homo sapiens</i>	mandible
GrM-10163	Wadden Sea, Texel	695	20	43.5	-19.8	15.8	12.9	3.2	<i>Homo sapiens</i>	femur
GrM-12511	Zeeland	654	13	46.7	-19.6	17.2	11.8	3.2	<i>Homo sapiens</i>	cranium
GrM-10160	Wadden Sea, Texel	630	20	42.5	-20	15.4	12.7	3.2	<i>Homo sapiens</i>	cranium
GrA-69069	Noord-Holland, Noordwijk	585	30	42.8	-18.3	15.5	14.6	3.2	<i>Homo sapiens</i>	scapula
GrA-68049	North Sea	540	30	42.5	-19.9	15.4	11.5	3.2	<i>Homo sapiens</i>	mandible
GrA-61784	Noord-Holland, Wijk aan Zee	485	35	43.4	-18.5	15.5	13.7	3.3	<i>Homo sapiens</i>	mandible
GrM-12592	Wadden Sea, Griend	477	13	46	-17.2	16.8	15.2	3.2	<i>Homo sapiens</i>	pelvis
GrA-62687	Zuid-Holland, Biesbosch	470	30	13.3	-19.9	4.5	13.5	3.5	<i>Homo sapiens</i>	cranium
GrA-67126	Zuid-Holland, Den Haag	450	30	41.7	-18.9	15.1	13.4	3.2	<i>Homo sapiens</i>	femur
GrM-11117	Wadden Sea	374	17	35.7	-20.1	13	12.2	3.2	<i>Homo sapiens</i>	tooth

GrM-12514	Zeeland	356	13	47.9	-19.4	17.6	14.1	3.2	<i>Homo sapiens</i>	cranium
GrA-66670	Zuid-Holland, Den Haag	355	30	47.3	-20.1	17.1	11.4	3.2	<i>Homo sapiens</i>	vertebra
GrM-10351	Schiermonnikoog	340	15	43.8	-18.5	16.3	13.1	3.1	<i>Homo sapiens</i>	bone
GrM12013	North Sea	338	11	45.9	-20.5	16.3	10.7	3.3	<i>Homo sapiens</i>	bone
GrA-69720	Wadden Sea, Texel	335	35	41.9	-19.9	15.2	12.9	3.2	<i>Homo sapiens</i>	vertebra
GrM-12590	Zeeland, Domburg	334	13	46.8	-18.5	17.1	11.6	3.2	<i>Homo sapiens</i>	femur
GrM-10152	Wadden Sea, Texel	310	25	42.6	-21.6				<i>Homo sapiens</i>	femur
GrA-69722	Wadden Sea, Texel	300	35	43.4	-20.1	15.9	13.6	3.2	<i>Homo sapiens</i>	vertebra
GrA-37072	Eurogully	280	35	40.9	-18.2	13.5	12.2	3.5	<i>Homo sapiens</i>	humerus
GrA-68584	Zeeland, Vlissingen	250	30	41	-19.5	14.8	13.5	3.2	<i>Homo sapiens</i>	cranium
GrA-68309	North Sea	248	28	44.8	-19.9	16.2	12.3	3.2	<i>Homo sapiens</i>	mandible
GrM-10159	Wadden Sea, Texel	235	20	46.2	-19.5	16.9	11.3	3.2	<i>Homo sapiens</i>	cranium
GrA-64893	North Sea	225	30	44.1	-17	15.5	15.1	3.3	<i>Homo sapiens</i>	tibia
GrA-67581	Zeeland, Oostkapelle	225	30	44.9	-18	16.3	11.2	3.2	<i>Homo sapiens</i>	cranium
GrM-12348	Wadden Sea, Terschelling	223	14	45.6	-13.4	16.5	13.4	3.2	<i>Homo sapiens</i>	tibia
GrM-10149	Wadden Sea, Texel	220	20	43.1	-18.4	15.5	12.8	3.2	<i>Homo sapiens</i>	humerus
GrA-67523	Wadden Sea, Holwerd	210	30	46.9	-18.1	17	11.8	3.2	<i>Homo sapiens</i>	tibia
GrM-10200	North Sea	207	13	45.3	-19.7	16.4	11.6	3.2	<i>Homo sapiens</i>	bone
GrA-63668	North Sea	205	30	46.8	-17.2	17.3	11.1	3.2	<i>Homo sapiens</i>	bone
GrA-64239	North Sea	200	30	47	-19.6	17	11.9	3.2	<i>Homo sapiens</i>	bone
GrA-64895	North Sea	195	30	44.6	-19.2	15.1	11.3	3.5	<i>Homo sapiens</i>	tibia
GrM-10173	North Sea	191	16	42.9	-19.2	15.5	13.4	3.2	<i>Homo sapiens</i>	bone
GrA-68059	North Sea	191	30	39.8	-18.6	14.4	10.6	3.2	<i>Homo sapiens</i>	cranium
GrA-68655	Zuid-Holland, Wassenaar	190	30	45.6	-17.7	16.7	12.1	3.2	<i>Homo sapiens</i>	vertebra
GrM-10168	Wadden Sea, Texel	190	20	45	-17.8	16.3	11.8	3.2	<i>Homo sapiens</i>	femur
GrM-12516	Zeeland	178	13	46.9	-18.5	17.2	12.1	3.2	<i>Homo sapiens</i>	fibula

GrA-68310	North Sea	175	30	45.1	-19.5	16.3	11.8	3.2	<i>Homo sapiens</i>	mandible
GrA-69018	Zeeland, Sluis	170	30	47.5	-19.5	17	12.6	3.3	<i>Homo sapiens</i>	humerus
GrA-65315	Noord-Holland, Bergen aan Zee	165	30	41.6	-17.4	14.5	11.6	3.3	<i>Homo sapiens</i>	humerus
GrA-69724	Wadden Sea, Texel	165	30	45.2	-19.3	16.6	10.9	3.2	<i>Homo sapiens</i>	femur
GrA-69020	Zeeland, Sluis	160	30	43.8	-19.9	15.6	12.6	3.3	<i>Homo sapiens</i>	pelvis
GrM-10151	Wadden Sea, Texel	160	20	45.3	-19.6	16.4	10.1	3.2	<i>Homo sapiens</i>	humerus
GrM-10164	Wadden Sea, Texel	160	20	39.8	-19.9	14.6	12.6	3.2	<i>Homo sapiens</i>	femur
GrM-12346	Wadden Sea, Schiermonnikoog	159	14	44.6	-19.2	16.1	13.6	3.2	<i>Homo sapiens</i>	tibia
GrA-69723	Wadden Sea, Texel	155	35	45.1	-18.5	16.5	12.1	3.2	<i>Homo sapiens</i>	femur
GrM-12589	Zeeland, Domburg	144	12	46.9	-19.3	17.2	11.8	3.2	<i>Homo sapiens</i>	mandible
GrA-69019	Zeeland, Sluis	140	30	47.4	-19.6	17	12.6	3.3	<i>Homo sapiens</i>	cranium
GrM-10199	North Sea	130	14	45.8	-20	16.7	11.6	3.2	<i>Homo sapiens</i>	bone
GrA-64894	North Sea	120	30	40.8	-18.2	14.4	11.7	3.3	<i>Homo sapiens</i>	tibia
GrA-64891	Wadden Sea	115	30	43.8	-19.9	15.7	11.2	3.2	<i>Homo sapiens</i>	cranium
GrA-64892	Wadden Sea	75	30	45.3	-19.6	16.2	12.3	3.3	<i>Homo sapiens</i>	cranium
GrA-69016	North Sea	0	25	48.8	-19.6	17	12.4	3.4	<i>Homo sapiens</i>	cranium
GrA-69725	Zuid-Holland	0	25	44.2	-19.8	16.1	12.2	3.2	<i>Homo sapiens</i>	humerus
GrA-64453	Zuid-Holland, Hoek van Holland	43290	380	39.9	-14.9	14.5	17.6	3.2	<i>Pinguinus impennis</i>	humerus
GrA-64384	Zuid-Holland, Zandmotor	6480	40	35.5	-14.3	12.9	17.7	3.2	<i>Pinguinus impennis</i>	humerus
GrA-65546	Zuid-Holland, Zandmotor	3505	35	39.4	-14.2	13.8	16	3.3	<i>Pinguinus impennis</i>	unknown
GrA-43620	Stekels	>45000		36.6	-23	13.7	4.6	3.1	<i>unknown</i>	unknown
GrA-40522	Brown Bank, SW	>45000		38.9	-20.6	14.4	5.2	3.2	<i>unknown</i>	cf tibia
GrA-43612	Stekels	8945	45	34.8	-22.8	13.9	5.4	2.9	<i>unknown</i>	bone
GrA-59743	Zuid-Holland, Maasvlakte	8680	60	37.8	-19.6	13.9	4.2	3.2	<i>unknown</i>	unknown
GrA-30795	Brown Bank	8660	50	45.7	-21.9	16.1	5.3	3.3	<i>unknown</i>	metapodal
GrA-42195	Zuid-Holland, Rockanje	8295	45	42.4	-22.1	13.1	6.3	3.8	<i>unknown</i>	unknown

SI Chapter 7

OxCal code used to establish the final extinction date of the woolly mammoth.

```

Plot()
{
  Outlier_Model("General",T(5),U(0,4),"t");
  Sequence()
  {
    Boundary("Start Mammoth Wrangel Island");
    Phase("Mammoth Wrangel Island ")
    {
      R_Date("AA-60048", 8980, 90)
      {
        Outlier("General", 0.05);
      };
      R_Date("AA-60049", 8870, 100)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-17609", 8850, 95)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-17614", 8710, 95)
      {
        Outlier("General", 0.05);
      };

      R_Date("Ua-13363", 8640, 80)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-17615", 8445, 100)
      {
        Outlier("General", 0.05);
      };
      R_Date("GrA-57648", 8395, 45)
      {
        Outlier("General", 0.05);
      };
      R_Date("GIN-8655", 8150, 60)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-17624", 8135, 80)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-17619", 8085, 85)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-13377", 8030, 75)
      {
        Outlier("General", 0.05);
      };

      R_Date("GrA-57649", 8000, 40)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-13370", 7910, 80)
      {
        Outlier("General", 0.05);
      };
      R_Date("LU-4473", 7850, 80)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-17612", 7835, 85)
      {
        Outlier("General", 0.05);
      };
      R_Date("LU-4450", 7820, 220)
      {
        Outlier("General", 0.05);
      };
      R_Date("OxA-30122", 7711, 36)
      {
        Outlier("General", 0.05);
      };
      R_Date("GIN-6995", 7710, 40)
      {
        Outlier("General", 0.05);
      };
      R_Date("GIN-6996", 7620, 30)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-13372", 7510, 80)
      {
        Outlier("General", 0.05);
      };
      R_Date("GrA-57645", 7505, 40)
      {
        Outlier("General", 0.05);
      };
      R_Date("Ua-17630", 7420, 90)
      {
        Outlier("General", 0.05);
      };
      R_Date("LU-2444", 7390, 30)
      {
        Outlier("General", 0.05);
      };
      R_Date("LU-2559", 7360, 50)
      {
        Outlier("General", 0.05);
      };
    }
  }
}

```

```

R_Date("GrA-57711", 7300, 35)
{
  Outlier("General", 0.05);
};
R_Date("LU-3743", 7300, 120)
{
  Outlier("General", 0.05);
};
R_Date("GIN-6991", 7280, 40)
{
  Outlier("General", 0.05);
};
R_Date("GIN-6986", 7270, 60)
{
  Outlier("General", 0.05);
};
R_Date("LU-2809", 7250, 60)
{
  Outlier("General", 0.05);
};
R_Date("LU-3514", 7190, 70)
{
  Outlier("General", 0.05);
};
R_Date("GrA-57647", 7175, 40)
{
  Outlier("General", 0.05);
};
R_Date("Ua-17621", 7130, 85)
{
  Outlier("General", 0.05);
};
R_Date("Ua-17622", 7060, 80)
{
  Outlier("General", 0.05);
};
R_Date("LU-2746", 7040, 60)
{
  Outlier("General", 0.05);
};
R_Date("GrA-57622", 7030, 40)
{
  Outlier("General", 0.05);
};
R_Date("Ua-17634", 6910, 75)
{
  Outlier("General", 0.05);
};
R_Date("GIN-6994", 6900, 60)
{
  Outlier("General", 0.05);
};
R_Date("LU-2810", 6890, 50)
{
  Outlier("General", 0.05);
};
R_Date("LU-3515", 6830, 40)

```

```

{
  Outlier("General", 0.05);
};
R_Date("LU-2736", 6760, 50)
{
  Outlier("General", 0.05);
};
R_Date("GIN-6990", 6750, 30)
{
  Outlier("General", 0.05);
};
R_Date("GIN-8654", 6720, 50)
{
  Outlier("General", 0.05);
};
R_Date("GIN-6997", 6690, 60)
{
  Outlier("General", 0.05);
};
R_Date("GIN-7692", 6650, 40)
{
  Outlier("General", 0.05);
};
R_Date("LU-2558", 6610, 50)
{
  Outlier("General", 0.05);
};
R_Date("LU-3740", 6590, 70)
{
  Outlier("General", 0.05);
};
R_Date("LU-4449", 6560, 60)
{
  Outlier("General", 0.05);
};
R_Date("Ua-13361", 6560, 75)
{
  Outlier("General", 0.05);
};
R_Date("Ua-13360", 6530, 70)
{
  Outlier("General", 0.05);
};
R_Date("AA-40666", 6499, 66)
{
  Outlier("General", 0.05);
};
R_Date("GrA-57650", 6455, 40)
{
  Outlier("General", 0.05);
};
R_Date("Ua-13374", 6410, 90)
{
  Outlier("General", 0.05);
};
R_Date("Ua-13367", 6405, 65)
{

```

```

    Outlier("General", 0.05);
};
R_Date("LU-3741", 6390, 70)
{
    Outlier("General", 0.05);
};
R_Date("LU-2799", 6260, 50)
{
    Outlier("General", 0.05);
};
R_Date("Ua-17625", 6245, 80)
{
    Outlier("General", 0.05);
};
R_Date("LU-4471", 6220, 50)
{
    Outlier("General", 0.05);
};
R_Date("LU-4468", 6190, 70)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57725", 6180, 35)
{
    Outlier("General", 0.05);
};
R_Date("OxA-30117", 6148, 32)
{
    Outlier("General", 0.05);
};
R_Date("Ua-13371", 6090, 75)
{
    Outlier("General", 0.05);
};
R_Date("LU-3739", 6070, 70)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57623", 6000, 40)
{
    Outlier("General", 0.05);
};
R_Date("LU-4474", 5910, 50)
{
    Outlier("General", 0.05);
};
R_Date("Ua-13356", 5875, 70)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57646", 5615, 35)
{
    Outlier("General", 0.05);
};
R_Date("GIN-6988", 5610, 40)
{
    Outlier("General", 0.05);
};

```

```

};
R_Date("Ua-17626", 5570, 85)
{
    Outlier("General", 0.05);
};
R_Date("LU-2535", 5480, 50)
{
    Outlier("General", 0.05);
};
R_Date("Ua-17629", 5475, 75)
{
    Outlier("General", 0.05);
};
R_Date("Ua-17627", 5470, 85)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57726", 5400, 40)
{
    Outlier("General", 0.05);
};
R_Date("Ua-17631", 5375, 85)
{
    Outlier("General", 0.05);
};
R_Date("LU-2742", 5310, 90)
{
    Outlier("General", 0.05);
};
R_Date("Ua-13359", 5285, 65)
{
    Outlier("General", 0.05);
};
R_Date("LU-2744", 5250, 40)
{
    Outlier("General", 0.05);
};
R_Date("LU-2745", 5200, 30)
{
    Outlier("General", 0.05);
};
R_Date("Ua-17628", 5185, 80)
{
    Outlier("General", 0.05);
};
R_Date("LU-2794", 5110, 40)
{
    Outlier("General", 0.05);
};
R_Date("Ua-17617", 5010, 75)
{
    Outlier("General", 0.05);
};
R_Date("Ua-13357", 4985, 65)
{
    Outlier("General", 0.05);
};
};

```

```

R_Date("GIN-7693", 4960, 120)
{
  Outlier("General", 0.05);
};
R_Date("GrA-57731", 4955, 35)
{
  Outlier("General", 0.05);
};
R_Date("Ua-17613", 4955, 80)
{
  Outlier("General", 0.05);
};
R_Date("LU-2740", 4900, 40)
{
  Outlier("General", 0.05);
};
R_Date("GrA-57729", 4870, 35)
{
  Outlier("General", 0.05);
};
R_Date("Ua-13358", 4860, 70)
{
  Outlier("General", 0.05);
};
R_Date("Ua-13376", 4860, 75)
{
  Outlier("General", 0.05);
};
R_Date("AA-60047", 4860, 60)
{
  Outlier("General", 0.05);
};
R_Date("Ua-17620", 4800, 75)
{
  Outlier("General", 0.05);
};
R_Date("GrA-57709", 4770, 35)
{
  Outlier("General", 0.05);
};
R_Date("GIN-6992", 4750, 50)
{
  Outlier("General", 0.05);
};
R_Date("LU-2556", 4740, 40)
{
  Outlier("General", 0.05);
};
R_Date("Ua-13368", 4730, 65)
{
  Outlier("General", 0.05);
};
R_Date("Ua-13373", 4675, 75)
{
  Outlier("General", 0.05);
};
R_Date("Ua-17623", 4615, 75)

```

```

{
  Outlier("General", 0.05);
};
R_Date("Ua-17616", 4585, 70)
{
  Outlier("General", 0.05);
};
R_Date("GrA-57621", 4535, 35)
{
  Outlier("General", 0.05);
};
R_Date("AA-60621", 4530, 60)
{
  Outlier("General", 0.05);
};
R_Date("GIN-7694", 4500, 50)
{
  Outlier("General", 0.05);
};
R_Date("GrA-57741", 4495, 35)
{
  Outlier("General", 0.05);
};
R_Date("LU-3742", 4490, 80)
{
  Outlier("General", 0.05);
};
R_Date("Ua-13378", 4475, 60)
{
  Outlier("General", 0.05);
};
R_Date("UCIAMS38673", 4420, 15)
{
  Outlier("General", 0.05);
};
R_Date("GrA-57742", 4410, 35)
{
  Outlier("General", 0.05);
};
R_Date("LU-2768", 4410, 50)
{
  Outlier("General", 0.05);
};
R_Date("LU-2756", 4400, 40)
{
  Outlier("General", 0.05);
};
R_Date("AA-40667", 4389, 46)
{
  Outlier("General", 0.05);
};
R_Date("GIN-6984", 4370, 30)
{
  Outlier("General", 0.05);
};
R_Date("GIN-6989", 4370, 40)
{

```

```

    Outlier("General", 0.05);
};
R_Date("GIN-8249", 4370, 70)
{
    Outlier("General", 0.05);
};
R_Date("LU-3513", 4350, 60)
{
    Outlier("General", 0.05);
};
R_Date("Ua-13364", 4335, 60)
{
    Outlier("General", 0.05);
};
R_Date("Ua-13362", 4260, 75)
{
    Outlier("General", 0.05);
};
R_Date("GIN-6993", 4230, 30)
{
    Outlier("General", 0.05);
};
R_Date("Ua-13375", 4210, 70)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57727", 4155, 35)
{
    Outlier("General", 0.05);
};
R_Date("LU-4448", 4120, 110)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57712", 4115, 30)
{
    Outlier("General", 0.05);
};
R_Date("OxA-11181", 4091, 36)
{
    Outlier("General", 0.05);
};
R_Date("Ua-13369", 4085, 65)
{
    Outlier("General", 0.05);
};
R_Date("LU-2808", 4040, 30)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57796", 4030, 35)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57619", 4020, 35)
{
    Outlier("General", 0.05);
};

```

```

};
R_Date("LU-2798", 4010, 50)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57654", 3960, 35)
{
    Outlier("General", 0.05);
};
R_Date("GrA-57710", 3955, 30)
{
    Outlier("General", 0.05);
};
R_Date("GIN-6983", 3920, 30)
{
    Outlier("General", 0.05);
};
R_Date("GIN-6985", 3920, 40)
{
    Outlier("General", 0.05);
};
R_Date("AA-40665", 3905, 47)
{
    Outlier("General", 0.05);
};
R_Date("LU-2741", 3730, 40)
{
    Outlier("General", 0.05);
};
R_Date("Ua-13366", 3685, 60)
{
    Outlier("General", 0.05);
};
};
Boundary("End Mammoth Wrangel Island ");
};
};

```

Acknowledgements

First of all, I would like to state that I am very grateful to all the numerous institutes and people who, over the past years, supported and contributed to the research presented in my thesis.

My deepest gratitude goes to my supervisors Prof. dr. Thijs van Kolfschoten and Prof. dr. Hans van der Plicht. Dear Thijs and Hans, we share a profound interest in science-based archaeology and our cooperation goes back considerably in time. Together we were involved in multiple projects, including COMSEC, Schöningen, North Sea and the Siberian unicorn. As part of these multidisciplinary teams, I have learned a lot from you both. Hans, you introduced me to the fascinating world of isotopes, welcomed me to the Centre for Isotope Research (CIO) at the University of Groningen, and gave me access to large amounts of exclusive and unexplored data. Thijs, you gave invaluable input from a geological, paleontological, ecological and archaeological perspective. On several projects, you were the one who appointed me and provided access to important archaeological samples and sites. Both of you acted as true mentors and inspired and motivated me in your own way, and thus you have played a really important role in my scientific life. Together we had fun and travelled to fascinating places. Even now that you are emeriti you are always available for assistance. Thank you for your enthusiasm, trust, and all the opportunities you have given me.

The collagen extraction and isotope measurement of my samples took place at the CIO, and at the institute a wealth of isotope data was at my disposal. I am deeply indebted to all the staff at the CIO. I learned a lot from your expertise and you are very dear to me. From the beginning, well before I had an official appointment, you made me feel welcome and you were always ready to help. You always showed great interest in the projects I was involved in and in the progress of my dissertation. It is going too far to mention everyone here individually, but a special word of thanks goes to everyone who worked at the CIO when I pretreated the samples for my dissertation: Harro Meijer, Marc Bleeker, Huilin Chen, Steven van Heuven, Henk Jansen, Bert Kers, Dipayan Paul, Hans Roeloffzen and Jeanette Spriensma. In particular, I would like to thank Anita Aerts-Bijma, Henk Been, the late Trea Dijk-Dijkstra, Fsaha Ghebru, Sanne Palstra, Harm-Jan Streurman, Berthe Verstappen-Dumoulin and Dicky van Zonneveld for teaching me the ins and outs of collagen extraction and other laboratory work. I also thank Uli Dusek and Haiyan Ni for their help with the statistical analysis and Patricia Wietzes-Land for her secretarial support.

Of course, I would also like to thank my colleagues from the Faculty of Archaeology for the pleasant collaboration and for the informative and inspiring time I had at Leiden. Also here, it goes too far to mention everyone individually. But I spent a lot of time at the archaeozoological laboratory, where I worked extensively together with André Ramcharan, Inge van der Jagt, Elfi Buhrs, Hans van Essen, Kinie Esser, Monika Knul,

Rianne Simons, Karen van der Veen and Ivo Verheijen. I really appreciate the time we have had together and would like to thank you for your contribution to my research. In particular, I am grateful to André for everything he taught me about animal bone morphology and for allowing me to sample material at his laboratory. And I thank Inge for her discussions and advice. Furthermore, I thank Dimitri De Loecker, Gerrit Dusseldorp, Mike Field, Yvonne Haring, Jaap Hoff, Richard Jansen, Wim Kuijper, Geeske Langejans, Bouke van der Meer, Claudia Regoor, Rachel Schats, Femke Tomas and Olga Yates, for their support and contribution.

I am thankful also for the valuable input from my co-authors and the interesting discussions we had together. Prof. dr. Hervé Bocherens and Dr. Dorothee Drucker are especially acknowledged for sharing their stable isotope expertise, their valuable insights, and for welcoming me at their institute in Tübingen (Germany).

Thanks are owed to those who supplied me with samples and useful data or other relevant information, in particular to my Russian colleagues Anastasia Markova, Andrey Puzachenko, Alexei Tikhonov, Pavel Kosintsev, Dimitri Ponomarev, Olga Bachura and Tatiana Kuznetsova, and to Dick Mol (the Netherlands).

I am very grateful to the ECHOES team for their inspiration during the last phase of my PhD: Michael Dee, Andreas Neocleous and Andrea Scifo. Especially, I thank Mike very much for his trust, patience, encouragement, and for enabling me to finish the dissertation and combine work in a manageable way. And for teaching me copious numbers of synonyms.

On a more personal note, I would like to express my gratitude to Marijke Meima, Susanne, Elise and Lidewij Broekema and Michiel van der Plicht for their endless hospitality and warmth during my stay in Groningen, when I was still living in the Randstad. In particular, I thank Marijke for her tasty dinners and personal concern for my well-being.

I would like to thank my family and friends for their interest in the progress of my research. They assisted, supported or inspired me in various ways. First, I am deeply indebted to my parents. Dear Wim and Monique Kuitens, without your unconditional support, involvement and endless babysitting, the realization of this thesis would never have been possible. Further, I am thankful to my partner Hermen Visser for his support in my scientific career, which is seldom limited to normal office hours. I also thank him for teaching me valuable tips and tricks concerning scientific communication, and for the proofreading and lay-out of this dissertation. Loes, thank you for accepting that I was regularly away from home for research and that I had to work on my dissertation during weekends and holidays. The dissertation is now really ready! I am very pleased with your beautiful cover design. Finally, a special word of thanks go to Maaïke de Boer, Hiltje Osinga, Claasje Reijers and Anna Sparreboom for their support and advice.

Last, but not least, various people played an important role at the very last stage of the process. Thanks are owed to the assessment committee for thoroughly examining my

dissertation: Prof. dr. Jan Kolen, Prof. dr. Marie Soressie, Prof. dr. Wil Roebroeks, Prof. dr. Adrian Lister, Dr. Alexei Tikhonov and Dr. Laura Llorente Rodriguez. In addition, I thank Prof. dr. Corrie Bakels, Prof. dr. Harro Meijer and Dr. Alexander Verpoorte for their offer to take part in the official PhD defence and challenging my propositions. Finally, I would like to thank my paranymphs, Anna Sparreboom and Andrea Scifo, for their incredible contribution to the very last stage of my PhD trajectory.

About the author

Margot Kuitens was born in Houten on 7 October 1985 and was raised in Opperdoes, the Netherlands. She studied Archaeology at Leiden University. Both her Bachelors and Masters were focused on archaeological sciences and prehistory, and her theses involved stable carbon and nitrogen analysis of animal tissue. After her graduation in 2009, Margot worked part-time as analyst at the Centre of Isotope Research (CIO), University of Groningen. In addition, she continued working as a researcher in the field of archaeological sciences. At the Faculty of Archaeology, Leiden University, she was among others involved in the NWO-funded Dutch Russia Research Cooperation on the ‘Collapse of the Mammoth Steppe Ecosystem’ (COMSEC), in the geo-archaeological and palaeontological research that was carried out as part of the creation of the Maasvlakte 2 harbour area of Rotterdam, and in the determination and molecular investigation of fossil bones from the archaeological site Schöningen (Germany). Her PhD thesis presents a compilation of a number of stable isotope case studies executed by Margot during the past years. Since 2017, she is employed within the ERC-funded project ‘Exact Chronology of Early Societies’ (ECHOES), based at the CIO, University of Groningen. She works on a new approach to radiocarbon dating, one that is accurate to the exact calendar year. The technique is built on the recent discovery of annual rises, or ‘Miyake Events’, in the concentration of radiocarbon in the atmosphere. Margot is using this novel method for radiocarbon dating archaeological sites at an unprecedented precision.

Scientific publications

Related to the PhD research

- Kosintsev, P., Mitchell, K.J., Devière, T., van der Plicht, J., **Kuitens, M.**, Petrova, E., Tikhonov, A., Higham, T., Comeskey, D., Turney, C., Cooper, A., van Kolfschoten, T., Stuart, A.J., Lister, A.M., 2019. Evolution and extinction of the giant rhinoceros *Elasmotherium sibiricum* sheds light on late Quaternary megafaunal extinctions. *Nature Ecology & Evolution* **3** (1), 31-38.
- Kuitens, M.**, van Kolfschoten, M., van der Plicht, J., 2015. Elevated $\delta^{15}\text{N}$ values in mammoths: a comparison with modern elephants. *Archaeological and Anthropological Sciences*, **7** (3), 289-295.
- Kuitens, M.**, van Kolfschoten, T., 2014. Het Maasvlakte 2 zandwingebied: een bron van informatie. *Grondboor en Hamer* **4/5**, 166-172.
- Kuitens, M.**, van Kolfschoten, T., Tikhonov, A.N., van der Plicht, J., 2019. Woolly mammoth $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values remained amazingly stable throughout the last ~50,000 years in north-eastern Siberia. *Quaternary International* **500**, 120-127.
- Kuitens, M.**, van der Plicht, J., 2019. Fossil bones from the North Sea: stable isotopes. *Paleontos*, accepted.

- Kuitemans, M.**, van der Plicht, J., Drucker, D.G., van Kolfschoten, T., Palstra, S.W.L., Bocherens, H., 2015. Carbon and nitrogen stable isotopes of well-preserved, Middle Pleistocene bone collagen from Schöningen (Germany) and their palaeoecological implications. *Journal of Human Evolution* **89**, 105-113.
- Kuitemans, M.**, van der Plicht, J., van Kolfschoten, T., 2019. *Elasmotherium sibiricum*: de uitgestorven Siberische Eenhoorn - uitkomsten van opzienbarend onderzoek. *Cranium* **36** (1), 34-43.
- Markova, A.K., Puzachenko, A.Yu., van Kolfschoten, T., Kosintsev, P.A., Kuznetsova, T.V., Tikhonov, A.N., Bachura, O.N., Ponomarev, D.V., van der Plicht, J., **Kuitemans, M.**, 2015. Changes in the Eurasian distribution of the musk ox (*Ovibos moschatus*) during the last 50 ka BP. *Quaternary International* **378**, 99-110.
- Markova, A.K., Puzachenko, A.Yu., van Kolfschoten, T., Kosintsev, P.A., Kuznetsova, T.V., Tikhonov, A.N., Bachura, O.N., Ponomarev, D.V., van der Plicht, J., **Kuitemans, M.**, 2013. Dynamics of Northern Eurasian Musk Ox and Primitive Bison Ranges During the Second Part of Late Pleistocene – Holocene. *IZVESTIYA RAN. The Geographic series*, 110-121.
- van der Plicht, J., **Kuitemans, M.**, 2019. Fossil bones from the North Sea: radiocarbon dates. *Paleontos*, accepted.
- Puzachenko, A.Y., Markova, A.K., Kosintsev, P.A., van Kolfschoten, T., van der Plicht, J., Kuznetsova, T.V., Tikhonov, A.N., Ponomarev, D.V., **Kuitemans, M.**, Bachura, O.P., 2017. The Eurasian mammoth distribution during the second half of the Late Pleistocene and the Holocene: Regional aspects. *Quaternary International* **445**, 71-88.
- Rivals, F., Julien, M.A., **Kuitemans, M.**, van Kolfschoten, T., Serangeli, J., Bocherens, H., Drucker, D.G., Conard, N.J., 2015. Investigation of the horse paleodiet from Schöningen 13 II-4 through dental wear and isotopic analyses and its archaeological implications. *Journal of Human Evolution* **89**, 129-137.

Miscellaneous

- Dee, M.W., **Kuitemans, M.**, 2019. Duration of activity inestimable due to imprecision of the data. *Proceedings of the National Academy of Sciences* **116** (46), 22907.
- Dee, M.W., Palstra, S.W.L., Aerts-Bijma, A.Th., Bleeker, M.O., de Bruijn, S., Ghebru, F., Jansen, H.G., **Kuitemans, M.**, Paul, D., Richie, R.R., Spriensma, J.J., Scifo, A., van Zonneveld, D., Verstappen-Dumoulin, B.M.A.A., Wietzes-Land, P., Meijer, H.A.J., 2019. Radiocarbon Dating at Groningen: New and Updated Chemical Pretreatment Procedures. *Radiocarbon*, 1-12. DOI:10.1017/RDC.2019.101.
- Kuitemans, M.**, Panin, A., Scifo, A., Arzhantseva, I., Kononov, Y., Doeve, P., Neocleous, A., Dee, M. Radiocarbon-based approach capable of subannual precision resolves the origins of the site of Por-Bajin. *Proceedings of the National Academy of Sciences*, accepted.
- Kuitemans, M.**, van der Plicht, J., Jansma, E., 2020. Wood from the Netherlands around the time of the Santorini eruption dated by dendrochronology and radiocarbon.

Radiocarbon, in press.

- Neocleous, A., Azzopardi, G., **Kuitema, M.**, Scifo, A., Dee, M., 2019. Trainable Filters for the Identification of Anomalies in Cosmogenic Isotope Data. *IEEE Access* **7**, 24585-24592.
- Neocleous, A., **Kuitema, M.**, Scifo, A., Dee, M., 2019. CHRONOScope: Application for the interactive visualization of carbon-14 and Beryllium-10 atmospheric data. *Radiocarbon*, 1-6. DOI: 10.1017/RDC.2019.135.
- Scifo, A., **Kuitema, M.**, Neocleous, A., Pope, B.J.S., Miles, D., Jansma, E., Doeve, P., Smith, A.M., Miyake, F., Dee, M.W., 2019. Radiocarbon production events and their potential Relationship with the Schwabe cycle. *Scientific reports* **9** (1), 1-8.
- Wacker, L., Scott, E.M., Bayliss, A., Brown, D., Bard, E., Bollhalder, S., Bronk Ramsey, C., Friedrich, M., Capano, M., Cherkinsky, A., Chivall, D., Culleton, B.J., Dee, M.W., Friedrich, R., Hodgins, G.W.L., Hogg, A., Kennett, D.J., Knowles, T.D.J., **Kuitema, M.**, Lange, T.E., Miyake, F., Nadeau, M.-J., Nakamura, T., Naysmith, J.P., Olsen, J., Omori, T., Petchey, F., Philippsen, B., Ravi Prasad, G.V., Seiler, M., Southon, J., Staff, R., Tuna, T., 2020. Findings from an in-depth annual tree ring radiocarbon intercomparison. *Radiocarbon*, in press.

