



Universiteit
Leiden
The Netherlands

Diagnostic and prognostic markers of cutaneous lymphomas

Schrader, A.M.R.

Citation

Schrader, A. M. R. (2020, August 27). *Diagnostic and prognostic markers of cutaneous lymphomas*. Retrieved from <https://hdl.handle.net/1887/136020>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/136020>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/136020> holds various files of this Leiden University dissertation.

Author: Schrader, A.M.R.

Title: Diagnostic and prognostic markers of cutaneous lymphomas

Issue date: 2020-08-27



APPENDICES

List of abbreviations
Nederlandse samenvatting
Curriculum vitae
List of publications
Nawoord

LIST OF ABBREVIATIONS

ABC	activated B-cell
ALK	anaplastic lymphoma kinase
C-ALCL	cutaneous anaplastic large-cell lymphoma
BCL2/6	B-cell lymphoma 2/6
BID	benign inflammatory dermatosis
BTK	Bruton's tyrosine kinase
CDKN2A	cyclin-dependent kinase inhibitor 2A
CTCL	cutaneous T-cell lymphoma
CBCL	cutaneous B-cell lymphoma
DE	double expression of MYC and BCL2
DLBCL	diffuse large B-cell lymphoma
DNA	deoxyribonucleic acid
DUSP22	dual specificity phosphatase 22
EORTC	European Organization for Research and Treatment of Cancer
EBV	Epstein-Barr virus
FISH	fluorescence <i>in situ</i> hybridization
FFPE	formalin-fixed and paraffin-embedded
GCB	germinal center B-cell
HE	hematoxylin and eosin
IgM	immunoglobulin M
IVLBCL	intravascular large B-cell lymphoma
LPD	lymphoproliferative disorder
LyP	lymphomatoid papulosis
MF	mycosis fungoides
MUM1	multiple myeloma oncogene 1
MYD88	myeloid differentiation primary response domain 88
NF- κ B	nuclear factor kappa-light-chain-enhancer of B cells
NGS	next-generation sequencing
PAX5	paired box 5
PCDLBCL-LT	primary cutaneous diffuse large B-cell lymphoma, leg type
PCFCL	primary cutaneous follicle center lymphoma

PD-1	programmed death-1
PET-CT	positron emission tomography - computed tomography
SHM	somatic hypermutation
SS	Sézary syndrome
TOX	thymocyte selection-associated high mobility group box
TP63	tumor protein p63
WHO	World Health Organization