

Regulation of DNA damage and immune response pathways by post-translational protein modification Dijk, M.

#### Citation

Dijk, M. (2020, September 9). *Regulation of DNA damage and immune response pathways by post-translational protein modification*. Retrieved from https://hdl.handle.net/1887/136522

Version: Publisher's Version

License: License agreement concerning inclusion of doctoral thesis in the

Institutional Repository of the University of Leiden

Downloaded from: https://hdl.handle.net/1887/136522

**Note:** To cite this publication please use the final published version (if applicable).

### Cover Page



# Universiteit Leiden



The handle <a href="http://hdl.handle.net/1887/136522">http://hdl.handle.net/1887/136522</a> holds various files of this Leiden University dissertation.

Author: Dijk, M.

**Title:** Regulation of DNA damage and immune response pathways by post-translational protein modification

**İssue Date:** 2020-09-09

### Stellingen

behorend bij het proefschrift getiteld

## Regulation of DNA damage and immune response pathways by post-translational protein modification

- 1. NEDDylation is a powerful tool to control cullin-RING ubiquitin ligases during nucleotide excision repair (this thesis).
- 2. The TRiC chaperonin stabilizes transcription-coupled DNA repair protein CSA (this thesis).
- 3. The SP-RING-type domain of Zimp7 confers true SUMOylation activity (this thesis).
- 4. Glycosaminoglycans can potentiate C1-inhibitor activity against proteases with a positively charged autolysis loop (this thesis).
- 5. The classification of patients that suffer from defects in nucleotide excision repair proteins does not do justice to the genotype/phenotype heterogeneity.
- 6. When inherited immune disorders are being diagnosed as allergic reactions, patients will not benefit from optimized (replacement) therapies.
- 7. Initiating a pathway that cannot be correctly executed may do more harm than not invoking it at all.
- 8. Determining altered chaperone activity is pivotal to understanding how the proteostasis network impacts disease development.
- 9. Impostor syndrome might be the most prevalent disorder in academia, as it seems highly contagious among PhD students.
- 10. Although criticizing the work of other researchers constitutes an important 'sports' in science, the rules are open to interpretation.