



Universiteit
Leiden
The Netherlands

Investigating the human locus coeruleus-norepinephrine system in vivo : discussions on the anatomy, involvement in cognition and clinical applications

Tona, K.

Citation

Tona, K. (2020, September 10). *Investigating the human locus coeruleus-norepinephrine system in vivo : discussions on the anatomy, involvement in cognition and clinical applications*. Retrieved from <https://hdl.handle.net/1887/136524>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/136524>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/136524> holds various files of this Leiden University dissertation.

Author: Tona, K.

Title: Investigating the human locus coeruleus-norepinephrine system in vivo : discussions on the anatomy, involvement in cognition and clinical applications

Issue Date: 2020-09-10

References

- Afshar, F., Watkins, E. S., & Yap, J. C. (1978). *Stereotaxic Atlas of the Human Brainstem and Cerebellar Nuclei: A Variability Study*: Raven Press.
- Arnsten, A. F., Steere, J. C., & Hunt, R. D. (1996). The contribution of alpha 2-noradrenergic mechanisms of prefrontal cortical cognitive function. Potential significance for attention-deficit hyperactivity disorder. *Archives of General Psychiatry*, 53(5), 448-455. doi:http://dx.doi.org/410.1001/archpsyc.1996.01830050084013.
- Astafiev, S. V., Snyder, A. Z., Shulman, G. L., & Corbetta, M. (2010). Comment on "Modafinil shifts human locus coeruleus to low-tonic, high-phasic activity during functional MRI" and "Homeostatic sleep pressure and responses to sustained attention in the suprachiasmatic area". *Science*, 328(5976), 309; author reply 309. doi:10.1126/science.1177200
- Aston-Jones, G., & Cohen, J. D. (2005). An integrative theory of locus coeruleus-norepinephrine function: adaptive gain and optimal performance. *Annual Review Neuroscience*, 28, 403-450. doi:10.1146/annurev.neuro.28.061604.135709
- Aston-Jones, G., Foote, S., & Bloom, F. (1984). Anatomy and physiology of locus coeruleus neurons: Functional implications. In M. Ziegler & C. Lake (Eds.), *In: Norepinephrine* (pp. pp 92–116): Baltimore: Williams & Wilkins.
- Aston-Jones, G., Rajkowski, J., & Cohen, J. (1999). Role of locus coeruleus in attention and behavioral flexibility. *Biol Psychiatry*, 46(9), 1309-1320.
- Aston-Jones, G., Rajkowski, J., & Cohen, J. (2000). Locus coeruleus and regulation of behavioral flexibility and attention. *Prog Brain Res*, 126, 165-182. doi:10.1016/s0079-6123(00)26013-5
- Aston-Jones, G., Rajkowski, J., Kubiak, P., & Alexinsky, T. (1994). Locus coeruleus neurons in monkey are selectively activated by attended cues in a vigilance task. *The Journal of Neuroscience*, 14(7), 4467-4480.
- Baas, D., Aleman, A., & Kahn, R. S. (2004). Lateralization of amygdala activation: a systematic review of functional neuroimaging studies. *Brain Res Brain Res Rev*, 45(2), 96-103. doi:10.1016/j.brainresrev.2004.02.004
- Badran, B. W., Brown, J. C., Dowdle, L. T., Mithoefer, O. J., LaBate, N. T., Coatsworth, J., . . . George, M. S. (2018). Tragus or cymba conchae? Investigating the anatomical foundation of transcutaneous auricular vagus nerve stimulation (taVNS). *Brain Stimul*, 11(4), 947-948. doi:10.1016/j.brs.2018.06.003
- Badran, B. W., Dowdle, L. T., Mithoefer, O. J., LaBate, N. T., Coatsworth, J., Brown, J. C., . . . George, M. S. (2018). Neurophysiologic effects of transcutaneous auricular vagus nerve stimulation (taVNS) via electrical stimulation of the tragus: A concurrent taVNS/fMRI study and review. *Brain Stimul*, 11(3), 492-500. doi:10.1016/j.brs.2017.12.009
- Bari, A., & Aston-Jones, G. (2013). Atomoxetine modulates spontaneous and sensory-evoked discharge of locus coeruleus noradrenergic neurons. *Neuropharmacology*, 64, 53-64. doi:10.1016/j.neuropharm.2012.07.020
- Bartzokis, G., Mintz, J., Marx, P., Osborn, D., Gutkind, D., Chiang, F., . . . Marder, S. R. (1993). Reliability of in vivo volume measures of hippocampus and other brain structures using MRI. *Magn Reson Imaging*, 11(7), 993-1006.
- Beatty, J., & Lucero-Wagoner, B. (2000). The pupillary system. In J. T. Cacioppo, Tassinari, L.G., & Bertntson, G.G (Ed.), *Handbook of psychophysiology* (2nd ed., pp. 142-182). New York: Cambridge University Press.
- Beltzer, E. K., Fortunato, C. K., Guaderrama, M. M., Peckins, M. K., Garramone, B. M., & Granger, D. A. (2010). Salivary flow and alpha-amylase: collection technique, duration, and oral fluid type. *Physiol Behav*, 101(2), 289-296. doi:10.1016/j.physbeh.2010.05.016

- Bernstein, I. H., Chu, P. K., Briggs, P., & Schurman, D. L. (1973). Stimulus intensity and foreperiod effects in intersensory facilitation. *Quarterly Journal of Experimental Psychology*, 25(2), 171-181. doi:10.1080/14640747308400336
- Bernstein, I. H., Clark, M. H., & Edelstein, B. A. (1969). Effects of an auditory signal on visual reaction time. *Journal of Experimental Psychology*, 80(3), 567-569. doi: <http://dx.doi.org/510.1037/h0027444>.
- Bernstein, I. H., Rose, R., & Ashe, V. (1970). Preparatory state effects in intersensory facilitation. *Psychonomic Science*, 19(2), 113-114. doi:10.3758/BF03337448
- Berridge, C. W., & Waterhouse, B. D. (2003). The locus coeruleus–noradrenergic system: modulation of behavioral state and state-dependent cognitive processes. *Brain Research Reviews*, 42(1), 33-84. doi:[http://dx.doi.org/10.1016/S0165-0173\(03\)00143-7](http://dx.doi.org/10.1016/S0165-0173(03)00143-7)
- Bertelson, P., & Tisseyre, F. (1969). The time-course of preparation: Confirmatory results with visual and auditory warning signals. *Acta Psychologica*, 30, 145-154. doi:[http://dx.doi.org/10.1016/0001-6918\(69\)90047-X](http://dx.doi.org/10.1016/0001-6918(69)90047-X)
- Berthoud, H. R., & Neuhuber, W. L. (2000). Functional and chemical anatomy of the afferent vagal system. *Auton Neurosci*, 85(1-3), 1-17. doi:10.1016/s1566-0702(00)00215-0
- Beste, C., Steenbergen, L., Sellaro, R., Grigoriadou, S., Zhang, R., Chmielewski, W., . . . Colzato, L. (2016). Effects of Concomitant Stimulation of the GABAergic and Norepinephrine System on Inhibitory Control - A Study Using Transcutaneous Vagus Nerve Stimulation. *Brain Stimul*, 9(6), 811-818. doi:10.1016/j.brs.2016.07.004
- Betts, M. J., Cardenas-Blanco, A., Kanowski, M., Jessen, F., & Düzel, E. (2017). In vivo MRI assessment of the human locus coeruleus along its rostrocaudal extent in young and older adults. *NeuroImage*, 163(Supplement C), 150-159. doi:<https://doi.org/10.1016/j.neuroimage.2017.09.042>
- Bianca, R., & Komisaruk, B. R. (2007). Pupil dilatation in response to vagal afferent electrical stimulation is mediated by inhibition of parasympathetic outflow in the rat. *Brain Res*, 1177, 29-36. doi:10.1016/j.brainres.2007.06.104
- Blazejewska, A. I., Schwarz, S. T., Pitiot, A., Stephenson, M. C., Lowe, J., Bajaj, N., . . . Gowland, P. A. (2013). Visualization of nigrosome 1 and its loss in PD: pathoanatomical correlation and in vivo 7 T MRI. *Neurology*, 81(6), 534-540. doi:10.1212/WNL.0b013e31829e6fd2
- Bolding, M. S., Reid, M. A., Avsar, K. B., Roberts, R. C., Gamlin, P. D., Gawne, T. J., . . . Lahti, A. C. (2013). Magnetic Transfer Contrast Accurately Localizes Substantia Nigra Confirmed by Histology. *Biological Psychiatry*, 73(3), 289-294. doi:10.1016/j.biopsych.2012.07.035
- Bosch, J. A., Brand, H. S., Ligtenberg, T. J., Bermond, B., Hoogstraten, J., & Nieuw Amerongen, A. V. (1996). Psychological stress as a determinant of protein levels and salivary-induced aggregation of *Streptococcus gordonii* in human whole saliva. *Psychosom Med*, 58(4), 374-382. doi:10.1097/00006842-199607000-00010
- Bosch, J. A., de Geus, E. J., Carroll, D., Goedhart, A. D., Anane, L. A., van Zanten, J. J., . . . Edwards, K. M. (2009). A general enhancement of autonomic and cortisol responses during social evaluative threat. *Psychosom Med*, 71(8), 877-885. doi:10.1097/PSY.0b013e3181baef05
- Bosch, J. A., Veerman, E. C., de Geus, E. J., & Proctor, G. B. (2011). alpha-Amylase as a reliable and convenient measure of sympathetic activity: don't start salivating just yet! *Psychoneuroendocrinology*, 36(4), 449-453. doi:10.1016/j.psyneuen.2010.12.019
- Bouret, S., & Sara, S. J. (2004). Reward expectation, orientation of attention and locus coeruleus-medial frontal cortex interplay during learning. *European Journal of Neuroscience*, 20(3), 791-802. doi:10.1111/j.1460-9568.2004.03526.x
- Bremner, J. D. (2006). Traumatic stress: effects on the brain. *Dialogues Clin Neurosci*, 8(4), 445-461.
- Brown, S. B., Slagter, H. A., van Noorden, M. S., Giltay, E. J., van der Wee, N. J., & Nieuwenhuis, S. (2016). Effects of clonidine and scopolamine on multiple target detection in rapid serial

- visual presentation. *Psychopharmacology (Berl)*, 233(2), 341-350. doi:10.1007/s00213-015-4111-y
- Brown, S. B., Tona, K. D., van Noorden, M. S., Giltay, E. J., van der Wee, N. J., & Nieuwenhuis, S. (2015). Noradrenergic and cholinergic effects on speed and sensitivity measures of phasic alerting. *Behavioral Neuroscience*, 129(1), 42-49. doi:10.1037/bne0000030
- Brown, S. B., van der Wee, N. J., van Noorden, M. S., Giltay, E. J., & Nieuwenhuis, S. (2015). Noradrenergic and cholinergic modulation of late ERP responses to deviant stimuli. *Psychophysiology*, 52(12), 1620-1631. doi:10.1111/psyp.12544
- Brown, S. B., van Steenbergen, H., Kedar, T., & Nieuwenhuis, S. (2014). Effects of arousal on cognitive control: empirical tests of the conflict-modulated Hebbian-learning hypothesis. *Frontiers in Human Neuroscience*, 8, 23. doi:10.3389/fnhum.2014.00023
- Burger, A. M., & Verkuil, B. (2018). Transcutaneous nerve stimulation via the tragus: are we really stimulating the vagus nerve? *Brain Stimul*, 11(4), 945-946. doi:10.1016/j.brs.2018.03.018
- Bymaster, F. P., Katner, J. S., Nelson, D. L., Hemrick-Luecke, S. K., Threlkeld, P. G., Heiligenstein, J. H., . . . Perry, K. W. (2002). Atomoxetine increases extracellular levels of norepinephrine and dopamine in prefrontal cortex of rat: a potential mechanism for efficacy in attention deficit/hyperactivity disorder. *Neuropsychopharmacology*, 27(5), 699-711. doi:10.1016/s0893-133x(02)00346-9
- Cahill, L., & McGaugh, J. L. (1998). Mechanisms of emotional arousal and lasting declarative memory. *Trends Neurosci*, 21(7), 294-299.
- Cahill, L., Uncapher, M., Kilpatrick, L., Alkire, M. T., & Turner, J. (2004). Sex-Related Hemispheric Lateralization of Amygdala Function in Emotionally Influenced Memory: An fMRI Investigation. *Learning & Memory*, 11(3), 261-266. doi:10.1101/lm.70504
- Canas, J., Quesada, J. F., Antoli, A., & Fajardo, I. (2003). Cognitive flexibility and adaptability to environmental changes in dynamic complex problem-solving tasks. *Ergonomics*, 46(5), 482-501. doi:10.1080/0014013031000061640
- Capone, F., Assenza, G., Di Pino, G., Musumeci, G., Ranieri, F., Florio, L., . . . Di Lazzaro, V. (2015). The effect of transcutaneous vagus nerve stimulation on cortical excitability. *J Neural Transm*, 122(5), 679-685. doi:10.1007/s00702-014-1299-7
- Cedarbaum, J. M., & Aghajanian, G. K. (1978). Afferent projections to the rat locus coeruleus as determined by a retrograde tracing technique. *The Journal of Comparative Neurology*, 178(1), 1-15. doi:10.1002/cne.901780102
- Chamberlain, S. R., Muller, U., Cleary, S., Robbins, T. W., & Sahakian, B. J. (2007). Atomoxetine increases salivary cortisol in healthy volunteers. *J Psychopharmacol*, 21(5), 545-549. doi:10.1177/0269881106075274
- Chan-Palay, V., & Asan, E. (1989). Alterations in catecholamine neurons of the locus coeruleus in senile dementia of the Alzheimer type and in Parkinson's disease with and without dementia and depression. *The Journal of Comparative Neurology*, 287(3), 373-392. doi:10.1002/cne.902870308
- Chatterton, R. T., Jr., Vogelsong, K. M., Lu, Y. C., Ellman, A. B., & Hudgens, G. A. (1996). Salivary alpha-amylase as a measure of endogenous adrenergic activity. *Clin Physiol*, 16(4), 433-448. doi:10.1111/j.1475-097x.1996.tb00731.x
- Chen, X., Huddleston, D. E., Langley, J., Ahn, S., Barnum, C. J., Factor, S. A., . . . Hu, X. (2014). Simultaneous imaging of locus coeruleus and substantia nigra with a quantitative neuromelanin MRI approach. *Magnetic Resonance Imaging*, 32(10), 1301-1306. doi:https://doi.org/10.1016/j.mri.2014.07.003
- Chiao, J. Y. (2009). Cultural neuroscience: a once and future discipline. *Prog Brain Res*, 178, 287-304. doi:10.1016/s0079-6123(09)17821-4
- Chmielewski, W. X., Muckschel, M., Ziemssen, T., & Beste, C. (2017). The norepinephrine system affects specific neurophysiological subprocesses in the modulation of inhibitory control

- by working memory demands. *Human brain mapping*, 38(1), 68-81.
doi:10.1002/hbm.23344
- Cho, Z. H., Kang, C. K., Son, Y. D., Choi, S. H., Lee, Y. B., Paek, S. H., . . . Kim, Y. B. (2014). Pictorial review of in vivo human brain: from anatomy to molecular imaging. *World Neurosurg*, 82(1-2), 72-95. doi:10.1016/j.wneu.2012.10.020
- Clewett, D. V., Lee, T. H., Greening, S., Ponzio, A., Margalit, E., & Mather, M. (2016). Neuromelanin marks the spot: identifying a locus coeruleus biomarker of cognitive reserve in healthy aging. *Neurobiol Aging*, 37, 117-126.
doi:10.1016/j.neurobiolaging.2015.09.019
- Dahl, M. J., Mather, M., Duezel, S., Bodammer, N. C., Lindenberger, U., Kuehn, S., & Werkle-Bergner, M. (2018). Locus coeruleus integrity preserves memory performance across the adult life span. *bioRxiv*.
- de Gee, J. W., Colizoli, O., Kloosterman, N. A., Knapen, T., Nieuwenhuis, S., & Donner, T. H. (2017). Dynamic modulation of decision biases by brainstem arousal systems. *eLife*, 6, e23232. doi:10.7554/eLife.23232
- de Hollander, G., Keuken, M. C., & Forstmann, B. U. (2015). The subcortical cocktail problem; mixed signals from the subthalamic nucleus and substantia nigra. *PLoS One*, 10(3), e0120572. doi:10.1371/journal.pone.0120572
- de Rover, M., Brown, S. B., Band, G. P., Giltay, E. J., van Noorden, M. S., van der Wee, N. J., & Nieuwenhuis, S. (2015). Beta receptor-mediated modulation of the oddball P3 but not error-related ERP components in humans. *Psychopharmacology (Berl)*, 232(17), 3161-3172. doi:10.1007/s00213-015-3966-2
- De Taeye, L., Vonck, K., van Bochove, M., Boon, P., Van Roost, D., Mollet, L., . . . Raedt, R. (2014). The P3 event-related potential is a biomarker for the efficacy of vagus nerve stimulation in patients with epilepsy. *Neurotherapeutics*, 11(3), 612-622. doi:10.1007/s13311-014-0272-3
- DeArmond, S. J., Fusco, M. M., & Dewey, M. M. (1974). *Structure of the human brain: a photographic atlas*: Oxford University Press.
- Del Grande, F., Santini, F., Herzka, D. A., Aro, M. R., Dean, C. W., Gold, G. E., & Carrino, J. A. (2014). Fat-suppression techniques for 3-T MR imaging of the musculoskeletal system. *Radiographics*, 34(1), 217-233. doi:10.1148/rg.341135130
- Desbeaumes Jodoin, V., Lesperance, P., Nguyen, D. K., Fournier-Gosselin, M. P., & Richer, F. (2015). Effects of vagus nerve stimulation on pupillary function. *Int J Psychophysiol*, 98(3 Pt 1), 455-459. doi:10.1016/j.ijpsycho.2015.10.001
- Devoto, P., & Flore, G. (2006). On the origin of cortical dopamine: is it a co-transmitter in noradrenergic neurons? *Curr Neuroparmacol*, 4(2), 115-125.
- Dice, L. R. (1945). Measures of the Amount of Ecologic Association Between Species. *Ecology*, 26(3), 297-302. doi:10.2307/1932409
- Diederich, A., Schomburg, A., & Colonius, H. (2012). Saccadic reaction times to audiovisual stimuli show effects of oscillatory phase reset. *PLoS One*, 7(10), e44910.
doi:10.1371/journal.pone.0044910
- Diedrichsen, J., Maderwald, S., Kuper, M., Thurling, M., Rabe, K., Gizewski, E. R., . . . Timmann, D. (2011). Imaging the deep cerebellar nuclei: a probabilistic atlas and normalization procedure. *NeuroImage*, 54(3), 1786-1794. doi:10.1016/j.neuroimage.2010.10.035
- Dietrich, S., Smith, J., Scherzinger, C., Hofmann-Preiß, K., Freitag, T., Eisenkolb, A., & Ringler, R. (2008). A novel transcutaneous vagus nerve stimulation leads to brainstem and cerebral activations measured by functional MRI / Funktionelle Magnetresonanztomographie zeigt Aktivierungen des Hirnstamms und weiterer zerebraler Strukturen unter transkutaner Vagusnervstimulation. In *Biomedizinische Technik/Biomedical Engineering* (Vol. 53, pp. 104).

- Dorr, A. E., & Debonnel, G. (2006). Effect of vagus nerve stimulation on serotonergic and noradrenergic transmission. *J Pharmacol Exp Ther*, 318(2), 890-898. doi:10.1124/jpet.106.104166
- Duchin, Y., Abosch, A., Yacoub, E., Sapiro, G., & Harel, N. (2012). Feasibility of Using Ultra-High Field (7 T) MRI for Clinical Surgical Targeting. *PLoS One*, 7(5), e37328. doi:10.1371/journal.pone.0037328
- Dunn, A. J., Swiergiel, A. H., & Palamarchouk, V. (2004). Brain circuits involved in corticotropin-releasing factor-norepinephrine interactions during stress. *Ann N Y Acad Sci*, 1018, 25-34. doi:10.1196/annals.1296.003
- Duyn, J. H., van Gelderen, P., Li, T.-Q., de Zwart, J. A., Koretsky, A. P., & Fukunaga, M. (2007). High-field MRI of brain cortical substructure based on signal phase. *Proceedings of the National Academy of Sciences*, 104(28), 11796-11801. doi:10.1073/pnas.0610821104
- Ehlert, U., Erni, K., Hebisch, G., & Nater, U. (2006). Salivary alpha-amylase levels after yohimbine challenge in healthy men. *J Clin Endocrinol Metab*, 91(12), 5130-5133. doi:10.1210/jc.2006-0461
- Ehrminger, M., Latimier, A., Pyatigorskaya, N., Garcia-Lorenzo, D., Leu-Semenescu, S., Vidailhet, M., . . . Arnulf, I. (2016). The coeruleus/subcoeruleus complex in idiopathic rapid eye movement sleep behaviour disorder. *Brain*, 139(Pt 4), 1180-1188. doi:10.1093/brain/aww006
- Einhäuser, W., Stout, J., Koch, C., & Carter, O. (2008). Pupil dilation reflects perceptual selection and predicts subsequent stability in perceptual rivalry. *Proceedings of the National Academy of Sciences*, 105(5), 1704-1709. doi:10.1073/pnas.0707727105
- Eldar, E., Cohen, J. D., & Niv, Y. (2013). The effects of neural gain on attention and learning. *Nature Neuroscience*, 16(8), 1146-1153. doi:10.1038/nn.3428
- Ellrich, J. J. E. N. R. (2011). Transcutaneous vagus nerve stimulation. 6(4), 254-256.
- Fabiani, M., & Friedman, D. (1995). Changes in brain activity patterns in aging: the novelty oddball. *Psychophysiology*, 32(6), 579-594. doi:10.1111/j.1469-8986.1995.tb01234.x
- Fallgatter, A. J., Neuhauser, B., Herrmann, M. J., Ehlis, A. C., Wagerer, A., Scheuerpflug, P., . . . Riederer, P. (2003). Far field potentials from the brain stem after transcutaneous vagus nerve stimulation. *J Neural Transm (Vienna)*, 110(12), 1437-1443. doi:10.1007/s00702-003-0087-6
- Fedorow, H., Tribl, F., Halliday, G., Gerlach, M., Riederer, P., & Double, K. L. (2005). Neuromelanin in human dopamine neurons: comparison with peripheral melanins and relevance to Parkinson's disease. *Prog Neurobiol*, 75(2), 109-124. doi:10.1016/j.pneurobio.2005.02.001
- Feng, S. F., Schwemmer, M., Gershman, S. J., & Cohen, J. D. (2014). Multitasking versus multiplexing: Toward a normative account of limitations in the simultaneous execution of control-demanding behaviors. *Cogn Affect Behav Neurosci*, 14(1), 129-146. doi:10.3758/s13415-013-0236-9
- Fernandes, P., Regala, J., Correia, F., & Goncalves-Ferreira, A. J. (2012). The human locus coeruleus 3-D stereotactic anatomy. *Surg Radiol Anat*, 34(10), 879-885. doi:10.1007/s00276-012-0979-y
- Fernandez-Duque, D., & Posner, M. I. (1997). Relating the mechanisms of orienting and alerting. *Neuropsychologia*, 35(4), 477-486. doi: http://dx.doi.org/410.1016/S0028-3932(1096)00103-00100.
- Fischer, R., Plessow, F., & Kiesel, A. (2010). Auditory warning signals affect mechanisms of response selection: evidence from a Simon task. *Experimental psychology*, 57(2), 89-97. doi:10.1027/1618-3169/a000012
- Fischer, R., Ventura-Bort, C., Hamm, A., & Weymar, M. (2018). Transcutaneous vagus nerve stimulation (tvNS) enhances conflict-triggered adjustment of cognitive control. *Cogn Affect Behav Neurosci*, 18(4), 680-693. doi:10.3758/s13415-018-0596-2

- Follesa, P., Biggio, F., Gorini, G., Caria, S., Talani, G., Dazzi, L., . . . Biggio, G. (2007). Vagus nerve stimulation increases norepinephrine concentration and the gene expression of BDNF and bFGF in the rat brain. *Brain Res*, 1179, 28-34. doi:10.1016/j.brainres.2007.08.045
- Forstmann, B. U., de Hollander, G., van Maanen, L., Alkemade, A., & Keuken, M. C. (2017). Towards a mechanistic understanding of the human subcortex. *Nat Rev Neurosci*, 18(1), 57-65. doi:10.1038/nrn.2016.163
- Frangos, E., Ellrich, J., & Komisaruk, B. R. (2014). Non-invasive Access to the Vagus Nerve Central Projections via Electrical Stimulation of the External Ear: fMRI Evidence in Humans. *Brain Stimul*. doi:10.1016/j.brs.2014.11.018
- Frangos, E., Ellrich, J., & Komisaruk, B. R. (2015). Non-invasive Access to the Vagus Nerve Central Projections via Electrical Stimulation of the External Ear: fMRI Evidence in Humans. *Brain Stimul*, 8(3), 624-636. doi:10.1016/j.brs.2014.11.018
- Frings, L., Wagner, K., Unterrainer, J., Spreer, J., Halsband, U., & Schulze-Bonhage, A. (2006). Gender-related differences in lateralization of hippocampal activation and cognitive strategy. *Neuroreport*, 17(4), 417-421. doi:10.1097/01.wnr.0000203623.02082.e3
- Frobose, M. I., Swart, J. C., Cook, J. L., Geurts, D. E., den Ouden, H. E., & Cools, R. (2017). Catecholaminergic modulation of the avoidance of cognitive control. *bioRxiv*. doi:10.1101/191015
- George, M. S., & Aston-Jones, G. (2010). Noninvasive techniques for probing neurocircuitry and treating illness: vagus nerve stimulation (VNS), transcranial magnetic stimulation (TMS) and transcranial direct current stimulation (tDCS). *Neuropsychopharmacology*, 35(1), 301-316. doi:10.1038/npp.2009.87
- German, D., Walker, B., Manaye, K., Smith, W., Woodward, D., & North, A. (1988). The human locus coeruleus: computer reconstruction of cellular distribution. *The Journal of Neuroscience*, 8(5), 1776-1788.
- Gesi, M., Soldani, P., Giorgi, F. S., Santinami, A., Bonaccorsi, I., & Fornai, F. (2000). The role of the locus coeruleus in the development of Parkinson's disease. *Neurosci Biobehav Rev*, 24(6), 655-668.
- Geva, R., Zivan, M., Warsha, A., & Olchik, D. (2013). Alerting, Orienting or Executive Attention Networks: Differential Patters of Pupil Dilations. *Frontiers in Behavioral Neuroscience*, 7. doi:10.3389/fnbeh.2013.00145
- Ghacibeh, G. A., Shenker, J. I., Shenal, B., Uthman, B. M., & Heilman, K. M. (2006). Effect of vagus nerve stimulation on creativity and cognitive flexibility. *Epilepsy Behav*, 8(4), 720-725. doi:10.1016/j.yebeh.2006.03.008
- Gilzenrat, M. S., Nieuwenhuis, S., Jepma, M., & Cohen, J. D. (2010). Pupil diameter tracks changes in control state predicted by the adaptive gain theory of locus coeruleus function. *Cogn Affect Behav Neurosci*, 10(2), 252-269.
- Grabner, G., Janke, A. L., Budge, M. M., Smith, D., Pruessner, J., & Collins, D. L. (2006). Symmetric atlasing and model based segmentation: an application to the hippocampus in older adults. *Med Image Comput Comput Assist Interv*, 9(Pt 2), 58-66.
- Grant, S. J., Aston-Jones, G., & Redmond, D. E., Jr. (1988). Responses of primate locus coeruleus neurons to simple and complex sensory stimuli. *Brain Research Bulletin*, 21(3), 401-410. doi: http://dx.doi.org/410.1016/0361-9230(1088)90152-90159.
- Gratton, G., Coles, M. G., & Donchin, E. (1983). A new method for off-line removal of ocular artifact. *Electroencephalogr Clin Neurophysiol*, 55(4), 468-484. doi:10.1016/0013-4694(83)90135-9
- Grudzien, A., Shaw, P., Weintraub, S., Bigio, E., Mash, D. C., & Mesulam, M. M. (2007). Locus coeruleus neurofibrillary degeneration in aging, mild cognitive impairment and early Alzheimer's disease. *Neurobiol Aging*, 28(3), 327-335. doi:10.1016/j.neurobiolaging.2006.02.007

- Haacke, E. M., & Brown, R. W. (2014). *Signal, contrast, and noise; CH 15. In Magnetic resonance imaging: physical principles and sequence design*: J. Wiley & Sons; New York, Chichester, Weinheim.
- Haacke, E. M., Mittal, S., Wu, Z., Neelavalli, J., & Cheng, Y.-C. N. (2009). Susceptibility-Weighted Imaging: Technical Aspects and Clinical Applications, Part 1. *American Journal of Neuroradiology*, 30(1), 19-30. doi:10.3174/ajnr.A1400
- Hackley, S. A., Langner, R., Rolke, B., Erb, M., Grodd, W., & Ulrich, R. (2009). Separation of phasic arousal and expectancy effects in a speeded reaction time task via fMRI. *Psychophysiology*, 46(1), 163-171. doi:10.1111/j.1469-8986.2008.00722.x
- Hackley, S. A., & Valle-Inclán, F. (1998). Automatic alerting does not speed late motoric processes in a reaction-time task. *Nature*, 391(6669), 786-788 doi: <http://dx.doi.org/710.1038/35849>.
- Hackley, S. A., & Valle-Inclán, F. (1999). Accessory Stimulus Effects on Response Selection: Does Arousal Speed Decision Making? *Journal of cognitive neuroscience*, 11(3), 321-329. doi:10.1162/089892999563427
- Hackley, S. A., & Valle-Inclán, F. (2003). Which stages of processing are speeded by a warning signal? *Biological Psychology*, 64(1-2), 27-45. doi:[http://dx.doi.org/10.1016/S0301-0511\(03\)00101-7](http://dx.doi.org/10.1016/S0301-0511(03)00101-7)
- Hajcak, G., McDonald, N., & Simons, R. F. (2003). To err is autonomic: error-related brain potentials, ANS activity, and post-error compensatory behavior. *Psychophysiology*, 40(6), 895-903 doi: <http://dx.doi.org/810.1111/1469-8986.00107>.
- Hamill, R. W., Shapiro, R. E., & Vizzard, M. A. (2012). Chapter 4 - Peripheral Autonomic Nervous System. In D. Robertson, I. Biaggioni, G. Burnstock, P. A. Low, & J. F. R. Paton (Eds.), *Primer on the Autonomic Nervous System (Third Edition)* (pp. 17-26). San Diego: Academic Press.
- Hancock, M. B., & Fougères, C. L. (1976). Spinal projections from the nucleus locus coeruleus and nucleus subcoeruleus in the cat and monkey as demonstrated by the retrograde transport of horseradish peroxidase. *Brain Research Bulletin*, 1(2), 229-234. doi:10.1016/0361-9230(76)90072-1
- Hassert, D. L., Miyashita, T., & Williams, C. L. (2004). The effects of peripheral vagal nerve stimulation at a memory-modulating intensity on norepinephrine output in the basolateral amygdala. *Behavioral Neuroscience*, 118(1), 79-88. doi:10.1037/0735-7044.118.1.79
- Hennig, J., Nauerth, A., & Friedburg, H. (1986). RARE imaging: A fast imaging method for clinical MR. *Magnetic Resonance in Medicine*, 3(6), 823-833. doi:10.1002/mrm.1910030602
- Henrich, J., Heine, S. J., & Norenzayan, A. (2010). The weirdest people in the world? *Behav Brain Sci*, 33(2-3), 61-83; discussion 83-135. doi:10.1017/s0140525x0999152x
- Hermans, E. J., van Marle, H. J., Ossewaarde, L., Henckens, M. J., Qin, S., van Kesteren, M. T., . . . Fernandez, G. (2011). Stress-related noradrenergic activity prompts large-scale neural network reconfiguration. *Science*, 334(6059), 1151-1153. doi:10.1126/science.1209603
- Hill, S. A., Taylor, M. J., Harmer, C. J., & Cowen, P. J. (2003). Acute reboxetine administration increases plasma and salivary cortisol. *J Psychopharmacol*, 17(3), 273-275. doi:10.1177/02698811030173008
- Hoffman, E. J., Huang, S. C., & Phelps, M. E. (1979). Quantitation in positron emission computed tomography: 1. Effect of object size. *J Comput Assist Tomogr*, 3(3), 299-308.
- Hulsey, D. R., Riley, J. R., Loerwald, K. W., Rennaker, R. L., Kilgard, M. P., & Hays, S. A. (2017). Parametric characterization of neural activity in the locus coeruleus in response to vagus nerve stimulation. *Experimental Neurology*, 289, 21-30. doi:<https://doi.org/10.1016/j.expneurol.2016.12.005>
- Iglói, K., Doeller, C. F., Berthoz, A., Rondi-Reig, L., & Burgess, N. (2010). Lateralized human hippocampal activity predicts navigation based on sequence or place memory.

- Proceedings of the National Academy of Sciences*, 107(32), 14466-14471.
doi:10.1073/pnas.1004243107
- Ishimatsu, M., & Williams, J. T. (1996). Synchronous activity in locus coeruleus results from dendritic interactions in pericoerulear regions. *The Journal of Neuroscience*, 16(16), 5196-5204.
- Itoi, K., & Sugimoto, N. (2010). The Brainstem Noradrenergic Systems in Stress, Anxiety and Depression. *Journal of Neuroendocrinology*, 22(5), 355-361. doi:10.1111/j.1365-2826.2010.01988.x
- Janitzky, K., Lippert, M. T., Engelhorn, A., Tegtmeier, J., Goldschmidt, J., Heinze, H. J., & Ohl, F. W. (2015). Optogenetic silencing of locus coeruleus activity in mice impairs cognitive flexibility in an attentional set-shifting task. *Front Behav Neurosci*, 9, 286. doi:10.3389/fnbeh.2015.00286
- Jeffreys, H. (1961). *The theory of probability*: OUP Oxford.
- Jenkinson, M., Beckmann, C. F., Behrens, T. E., Woolrich, M. W., & Smith, S. M. (2012). FSL. *NeuroImage*, 62(2), 782-790. doi:10.1016/j.neuroimage.2011.09.015
- Jepma, M., Brown, S., Murphy, P. R., Koelewijn, S. C., de Vries, B., van den Maagdenberg, A. M., & Nieuwenhuis, S. (2018). Noradrenergic and Cholinergic Modulation of Belief Updating. *Journal of cognitive neuroscience*, 1-18. doi:10.1162/jocn_a_01317
- Jepma, M., Murphy, P. R., Nassar, M. R., Rangel-Gomez, M., Meeter, M., & Nieuwenhuis, S. (2016). Catecholaminergic Regulation of Learning Rate in a Dynamic Environment. *PLoS Comput Biol*, 12(10), e1005171. doi:10.1371/journal.pcbi.1005171
- Jepma, M., & Nieuwenhuis, S. (2010). Pupil Diameter Predicts Changes in the Exploration–Exploitation Trade-off: Evidence for the Adaptive Gain Theory. *Journal of cognitive neuroscience*, 23(7), 1587-1596. doi:10.1162/jocn.2010.21548
- Jepma, M., Wagenmakers, E. J., Band, G. P., & Nieuwenhuis, S. (2009). The effects of accessory stimuli on information processing: evidence from electrophysiology and a diffusion model analysis. *Journal of cognitive neuroscience*, 21(5), 847-864. doi:10.1162/jocn.2009.21063
- Jones, B. E., & Yang, T. Z. (1985). The efferent projections from the reticular formation and the locus coeruleus studied by anterograde and retrograde axonal transport in the rat. *J Comp Neurol*, 242(1), 56-92. doi:10.1002/cne.902420105
- Joshi, S., Li, Y., Kalwani, Rishi M., & Gold, Joshua I. (2016). Relationships between Pupil Diameter and Neuronal Activity in the Locus Coeruleus, Colliculi, and Cingulate Cortex. *Neuron*, 89(1), 221-234. doi:http://dx.doi.org/10.1016/j.neuron.2015.11.028
- Kane, G. A., Vazey, E. M., Wilson, R. C., Shenhav, A., Daw, N. D., Aston-Jones, G., & Cohen, J. D. (2017). Increased locus coeruleus tonic activity causes disengagement from a patch-foraging task. *Cogn Affect Behav Neurosci*. doi:10.3758/s13415-017-0531-y
- Kehagia, A. A., Cools, R., Barker, R. A., & Robbins, T. W. (2009). Switching between abstract rules reflects disease severity but not dopaminergic status in Parkinson's disease. *Neuropsychologia*, 47(4), 1117-1127. doi:http://dx.doi.org/10.1016/j.neuropsychologia.2009.01.002
- Kehagia, A. A., Murray, G. K., & Robbins, T. W. (2010). Learning and cognitive flexibility: frontostriatal function and monoaminergic modulation. *Curr Opin Neurobiol*, 20(2), 199-204. doi:10.1016/j.conb.2010.01.007
- Kelly, S. C., He, B., Perez, S. E., Ginsberg, S. D., Mufson, E. J., & Counts, S. E. (2017). Locus coeruleus cellular and molecular pathology during the progression of Alzheimer's disease. *Acta Neuropathologica Communications*, 5, 8. doi:10.1186/s40478-017-0411-2
- Keren, N. I., Lozar, C. T., Harris, K. C., Morgan, P. S., & Eckert, M. A. (2009). In vivo mapping of the human locus coeruleus. *NeuroImage*, 47(4), 1261-1267. doi:http://dx.doi.org/10.1016/j.neuroimage.2009.06.012

- Keren, N. I., Taheri, S., Vazey, E. M., Morgan, P. S., Granholm, A. C., Aston-Jones, G. S., & Eckert, M. A. (2015). Histologic Validation of Locus Coeruleus MRI Contrast in Post-mortem Tissue. *NeuroImage*. doi:10.1016/j.neuroimage.2015.03.020
- Keuken, M. C., & Forstmann, B. U. (2015). A probabilistic atlas of the basal ganglia using 7 T MRI. *Data in Brief*, 4, 577-582. doi:10.1016/j.dib.2015.07.028
- Keuken, M. C., Isaacs, B. R., Trampel, R., van der Zwaag, W., & Forstmann, B. U. (in press). Visualizing the human subcortex using ultra-high field magnetic resonance imaging. *Brain Topography*.
- Kiesel, A., & Miller, J. (2007). Impact of contingency manipulations on accessory stimulus effects. *Perception & Psychophysics*, 69(7), 1117-1125. doi:10.3758/BF03193949
- Kindt, M., Soeter, M., & Vervliet, B. (2009). Beyond extinction: erasing human fear responses and preventing the return of fear. *Nature Neuroscience*, 12(3), 256-258. doi:10.1038/nn.2271
- Kneeland, J. B., Shimakawa, A., & Wehrli, F. W. (1986). Effect of intersection spacing on MR image contrast and study time. *Radiology*, 158(3), 819-822. doi:10.1148/radiology.158.3.3945757
- Koda, K., Ago, Y., Cong, Y., Kita, Y., Takuma, K., & Matsuda, T. (2010). Effects of acute and chronic administration of atomoxetine and methylphenidate on extracellular levels of noradrenaline, dopamine and serotonin in the prefrontal cortex and striatum of mice. *J Neurochem*, 114(1), 259-270. doi:10.1111/j.1471-4159.2010.06750.x
- Kraus, T., Hosl, K., Kiess, O., Schanze, A., Kornhuber, J., & Forster, C. (2007). BOLD fMRI deactivation of limbic and temporal brain structures and mood enhancing effect by transcutaneous vagus nerve stimulation. *J Neural Transm (Vienna)*, 114(11), 1485-1493. doi:10.1007/s00702-007-0755-z
- Kraus, T., Kiess, O., Hosl, K., Terekhin, P., Kornhuber, J., & Forster, C. (2013). CNS BOLD fMRI effects of sham-controlled transcutaneous electrical nerve stimulation in the left outer auditory canal - a pilot study. *Brain Stimul*, 6(5), 798-804. doi:10.1016/j.brs.2013.01.011
- Kroes, M. C., Tona, K. D., den Ouden, H. E., Vogel, S., van Wingen, G. A., & Fernandez, G. (2016). How Administration of the Beta-Blocker Propranolol Before Extinction can Prevent the Return of Fear. *Neuropsychopharmacology*, 41(6), 1569-1578. doi:10.1038/npp.2015.315
- Lakatos, P., Karmos, G., Mehta, A. D., Ulbert, I., & Schroeder, C. E. (2008). Entrainment of neuronal oscillations as a mechanism of attentional selection. *Science*, 320(5872), 110-113. doi:10.1126/science.1154735
- Langley, J., Huddleston, D. E., Liu, C. J., & Hu, X. (2016). Reproducibility of locus coeruleus and substantia nigra imaging with neuromelanin sensitive MRI. *MAGMA*. doi:10.1007/s10334-016-0590-z
- Lapiz, M. D., & Morilak, D. A. (2006). Noradrenergic modulation of cognitive function in rat medial prefrontal cortex as measured by attentional set shifting capability. *Neuroscience*, 137(3), 1039-1049. doi:10.1016/j.neuroscience.2005.09.031
- Lawrence, M. A., & Klein, R. M. (2013). Isolating exogenous and endogenous modes of temporal attention. *Journal of Experimental Psychology: General*, 142(2), 560-572. doi:10.1037/a0029023
- Lee, J. H., Baek, S. Y., Song, Y., Lim, S., Lee, H., Nguyen, M. P., . . . Cho, H. (2016). The Neuromelanin-related T2* Contrast in Postmortem Human Substantia Nigra with 7T MRI. *Sci Rep*, 6, 32647. doi:10.1038/srep32647
- Leong, S. K., Shieh, J. Y., & Wong, W. C. (1984). Localizing spinal-cord-projecting neurons in neonatal and immature albino rats. *J Comp Neurol*, 228(1), 18-23. doi:10.1002/cne.902280104
- Lerman, I., Davis, B., Huang, M., Huang, C., Sorkin, L., Proudfoot, J., . . . Simmons, A. N. (2019). Noninvasive vagus nerve stimulation alters neural response and physiological autonomic

- tone to noxious thermal challenge. *PLoS One*, 14(2), e0201212.
doi:10.1371/journal.pone.0201212
- Liu, K. Y., Marijatta, F., Hämmerer, D., Acosta-Cabronero, J., Düzel, E., & Howard, R. J. (2017). Magnetic resonance imaging of the human locus coeruleus: A systematic review. *Neuroscience & Biobehavioral Reviews*, 83(Supplement C), 325-355.
doi:https://doi.org/10.1016/j.neubiorev.2017.10.023
- Logan, G. D., & Bundesen, C. (2003). Clever homunculus: is there an endogenous act of control in the explicit task-cuing procedure? *Journal of Experimental Psychology: Human Perception and Performance*, 29(3), 575-599.
- Lohr, J. B., & Jeste, D. V. (1988). Locus ceruleus morphometry in aging and schizophrenia. *Acta Psychiatr Scand*, 77(6), 689-697.
- Lonergan, M. H., Olivera-Figueroa, L. A., Pitman, R. K., & Brunet, A. (2013). Propranolol's effects on the consolidation and reconsolidation of long-term emotional memory in healthy participants: a meta-analysis. *Journal of psychiatry & neuroscience : JPN*, 38(4), 222-231.
doi:10.1503/jpn.120111
- Lupien, S. J., Maheu, F., Tu, M., Fiocco, A., & Schramek, T. E. (2007). The effects of stress and stress hormones on human cognition: Implications for the field of brain and cognition. *Brain Cogn*, 65(3), 209-237. doi:10.1016/j.bandc.2007.02.007
- Manaye, K. F., McIntire, D. D., Mann, D. M., & German, D. C. (1995). Locus coeruleus cell loss in the aging human brain: a non-random process. *J Comp Neurol*, 358(1), 79-87.
doi:10.1002/cne.903580105
- Mann, D. M., & Yates, P. O. (1974). Lipoprotein pigments--their relationship to ageing in the human nervous system. II. The melanin content of pigmented nerve cells. *Brain*, 97(3), 489-498.
- Manta, S., El Mansari, M., Debonnel, G., & Blier, P. (2013). Electrophysiological and neurochemical effects of long-term vagus nerve stimulation on the rat monoaminergic systems. *International Journal of Neuropsychopharmacology*, 16(2), 459-470.
doi:10.1017/s1461145712000387
- Martí, V., Raedt, R., Waelbers, T., Smolders, I., Vonck, K., Boon, P., . . . Bhatti, S. (2015). The Effect of Vagus Nerve Stimulation on CSF Monoamines and the PTZ Seizure Threshold in Dogs. *Brain Stimul*, 8(1), 1-6. doi:https://doi.org/10.1016/j.brs.2014.07.032
- Mather, M., Clewett, D., Sakaki, M., & Harley, C. W. (2015). Norepinephrine ignites local hot spots of neuronal excitation: How arousal amplifies selectivity in perception and memory. *Behavioral and Brain Sciences, FirstView*, 1-100.
doi:doi:10.1017/S0140525X15000667
- Mather, M., Clewett, D., Sakaki, M., & Harley, C. W. (2016). Norepinephrine ignites local hotspots of neuronal excitation: How arousal amplifies selectivity in perception and memory. *Behav Brain Sci*, 39, e200. doi:10.1017/s0140525x15000667
- Mather, M., Joo Yoo, H., Clewett, D. V., Lee, T.-H., Greening, S. G., Ponzio, A., . . . Thayer, J. F. (2017). Higher locus coeruleus MRI contrast is associated with lower parasympathetic influence over heart rate variability. *NeuroImage*, 150, 329-335.
doi:https://doi.org/10.1016/j.neuroimage.2017.02.025
- Matias, S., Lottem, E., Dugué, G. P., & Mainen, Z. F. (2017). Activity patterns of serotonin neurons underlying cognitive flexibility. *eLife*, 6, e20552. doi:10.7554/eLife.20552
- Matsuura, K., Maeda, M., Yata, K., Ichiba, Y., Yamaguchi, T., Kanamaru, K., & Tomimoto, H. (2013). Neuromelanin Magnetic Resonance Imaging in Parkinson's Disease and Multiple System Atrophy. *European Neurology*, 70(1-2), 70-77.
- McGraw, K. O., & Wong, S. P. (1996). Forming inferences about some intraclass correlation coefficients. *Psychological Methods*, 1(1), 30-46. doi:10.1037/1082-989X.1.1.30
- McRobbie, D. W., Moore, E. A., Graves, M. J., & Prince, M. R. (2017). *MRI from Picture to Proton* (3 ed.). Cambridge: Cambridge University Press.

- Miyoshi, F., Ogawa, T., Kitao, S.-i., Kitayama, M., Shinohara, Y., Takasugi, M., . . . Kaminou, T. (2013). Evaluation of Parkinson Disease and Alzheimer Disease with the Use of Neuromelanin MR Imaging and ¹²³I-Metaiodobenzylguanidine Scintigraphy. *American Journal of Neuroradiology*, 34(11), 2113-2118. doi:10.3174/ajnr.A3567
- Mollet, L., Grimonprez, A., Raedt, R., Delbeke, J., El Tahry, R., De Herdt, V., . . . Vonck, K. (2013). Intensity-dependent modulatory effects of vagus nerve stimulation on cortical excitability. *Acta Neurol Scand*, 128(6), 391-396. doi:10.1111/ane.12135
- Monsell, S., & Mizon, G. A. (2006). Can the task-cuing paradigm measure an endogenous task-set reconfiguration process? *Journal of Experimental Psychology: Human Perception and Performance*, 32(3), 493-516. doi:10.1037/0096-1523.32.3.493
- Monsell, S., Sumner, P., & Waters, H. (2003). Task-set reconfiguration with predictable and unpredictable task switches. *Mem Cognit*, 31(3), 327-342.
- Morey, R. A., Selgrade, E. S., Wagner, H. R., 2nd, Huettel, S. A., Wang, L., & McCarthy, G. (2010). Scan-rescan reliability of subcortical brain volumes derived from automated segmentation. *Human brain mapping*, 31(11), 1751-1762. doi:10.1002/hbm.20973
- Morey, R. D., & Rouder, J. N. (2013). Package "BayesFactor". R package version 0.9.7.
- Morey, R. D., & Rouder, J. N. (2015). BayesFactor (Version 0.9.10-2)[Windows].
- Mouton, P. R., Pakkenberg, B., Gundersen, H. J. G., & Price, D. L. (1994). Absolute number and size of pigmented locus coeruleus neurons in young and aged individuals. *Journal of Chemical Neuroanatomy*, 7(3), 185-190. doi:http://dx.doi.org/10.1016/0891-0618(94)90028-0
- Mravec, B., Lejavova, K., & Cubinkova, V. (2014). Locus (coeruleus) minoris resistentiae in pathogenesis of Alzheimer's disease. *Curr Alzheimer Res*, 11(10), 992-1001.
- Murphy, P. R., O'Connell, R. G., O'Sullivan, M., Robertson, I. H., & Balsters, J. H. (2014). Pupil diameter covaries with BOLD activity in human locus coeruleus. *Human brain mapping*, 35(8), 4140-4154. doi:10.1002/hbm.22466
- Murphy, P. R., Robertson, I. H., Balsters, J. H., & O'Connell R, G. (2011). Pupillometry and P3 index the locus coeruleus-noradrenergic arousal function in humans. *Psychophysiology*, 48(11), 1532-1543. doi:10.1111/j.1469-8986.2011.01226.x
- Murphy, P. R., van Moort, M. L., & Nieuwenhuis, S. (2016). The Pupillary Orienting Response Predicts Adaptive Behavioral Adjustment after Errors. *PLoS One*, 11(3), e0151763. doi:10.1371/journal.pone.0151763
- Murphy, P. R., Vandekerckhove, J., & Nieuwenhuis, S. (2014). Pupil-linked arousal determines variability in perceptual decision making. *PLoS Comput Biol*, 10(9), e1003854. doi:10.1371/journal.pcbi.1003854
- Musacchio, J. M. (1975). Enzymes Involved in the Biosynthesis and Degradation of Catecholamines. In L. L. Iversen, S. D. Iversen, & S. H. Snyder (Eds.), *Biochemistry of Biogenic Amines* (pp. 1-35). Boston, MA: Springer US.
- Nagy, T., van Lien, R., Willemsen, G., Proctor, G., Efting, M., Fulop, M., . . . Bosch, J. A. (2015). A fluid response: Alpha-amylase reactions to acute laboratory stress are related to sample timing and saliva flow rate. *Biol Psychol*, 109, 111-119. doi:10.1016/j.biopsycho.2015.04.012
- Naidich, T. P., Duvernoy, H. M., Delman, B. N., Sorensen, A. G., Kollias, S. S., & Haacke, E. M. (2009). *Duvernoy's atlas of the human brain stem and cerebellum* Wien: SpringerWienNewYork.
- Nakane, T., Nihashi, T., Kawai, H., & Naganawa, S. (2008). Visualization of Neuromelanin in the Substantia Nigra and Locus Ceruleus at 1.5T Using a 3D-gradient Echo Sequence with Magnetization Transfer Contrast. *Magnetic Resonance in Medical Sciences*, 7(4), 205-210. doi:10.2463/mrms.7.205

- Nemeroff, C. B., Mayberg, H. S., Kahl, S. E., McNamara, J., Frazer, A., Henry, T. R., . . . Brannan, S. K. (2006). VNS therapy in treatment-resistant depression: clinical evidence and putative neurobiological mechanisms. *Neuropsychopharmacology*, 31(7), 1345-1355. doi:10.1038/sj.npp.1301082
- Neuhaus, A. H., Luborzewski, A., Rentzsch, J., Brakemeier, E. L., Opgen-Rhein, C., Gallinat, J., & Bajbouj, M. (2007). P300 is enhanced in responders to vagus nerve stimulation for treatment of major depressive disorder. *J Affect Disord*, 100(1-3), 123-128. doi:10.1016/j.jad.2006.10.005
- Nieuwenhuis, S., Aston-Jones, G., & Cohen, J. D. (2005). Decision making, the P3, and the locus coeruleus-norepinephrine system. *Psychol Bull*, 131(4), 510-532. doi:10.1037/0033-2909.131.4.510
- Nieuwenhuis, S., De Geus, E. J., & Aston-Jones, G. (2011). The anatomical and functional relationship between the P3 and autonomic components of the orienting response. *Psychophysiology*, 48(2), 162-175. doi:10.1111/j.1469-8986.2010.01057.x
- Nieuwenhuis, S., & de Kleijn, R. (2013). The impact of alertness on cognitive control. *Journal of Experimental Psychology: Human Perception and Performance*, 39(6), 1797-1801. doi:10.1037/a0033980
- Nieuwenhuis, S., Forstmann, B. U., & Wagenmakers, E.-J. (2011). Erroneous analyses of interactions in neuroscience: a problem of significance. *Nature Neuroscience*, 14(9), 1105-1107.
- Nieuwenhuys, R., Voogd, J., & van Huijzen, C. (2013). *The Human Central Nervous System: A Synopsis and Atlas*: Springer Berlin Heidelberg.
- Ogisu, K., Kudo, K., Sasaki, M., Sakushima, K., Yabe, I., Sasaki, H., . . . Shirato, H. (2013). 3D neuromelanin-sensitive magnetic resonance imaging with semi-automated volume measurement of the substantia nigra pars compacta for diagnosis of Parkinson's disease. *Neuroradiology*, 55(6), 719-724. doi:10.1007/s00234-013-1171-8
- Ohm, T. G., Busch, C., & Bohl, J. (1997). Unbiased Estimation of Neuronal Numbers in the Human Nucleus Coeruleus during Aging. *Neurobiology of Aging*, 18(4), 393-399. doi:http://dx.doi.org/10.1016/S0197-4580(97)00034-1
- Ohtsuka, C., Sasaki, M., Konno, K., Koide, M., Kato, K., Takahashi, J., . . . Terayama, Y. (2013). Changes in substantia nigra and locus coeruleus in patients with early-stage Parkinson's disease using neuromelanin-sensitive MR imaging. *Neuroscience Letters*, 541(0), 93-98. doi:http://dx.doi.org/10.1016/j.neulet.2013.02.012
- Oyola, M. G., & Handa, R. J. (2017). Hypothalamic-pituitary-adrenal and hypothalamic-pituitary-gonadal axes: sex differences in regulation of stress responsivity. *Stress*, 20(5), 476-494. doi:10.1080/10253890.2017.1369523
- Pajkossy, P., Szollosi, A., Demeter, G., & Racsmany, M. (2018). Physiological Measures of Dopaminergic and Noradrenergic Activity During Attentional Set Shifting and Reversal. *Frontiers in psychology*, 9, 506. doi:10.3389/fpsyg.2018.00506
- Paxinos, G., & Feng Huang, X. (1995). *Atlas of the human brainstem*: Academic Press.
- Peuker, E. T., & Filler, T. J. (2002). The nerve supply of the human auricle. *Clinical Anatomy*, 15(1), 35-37. doi:10.1002/ca.1089
- Pfaff, D. W., Martin, E. M., & Faber, D. (2012). Origins of arousal: roles for medullary reticular neurons. *Trends Neurosci*, 35(8), 468-476. doi:10.1016/j.tins.2012.04.008
- Pfeffer, T., Avramiea, A. E., Nolte, G., Engel, A. K., Linkenkaer-Hansen, K., & Donner, T. H. (2018). Catecholamines alter the intrinsic variability of cortical population activity and perception. *PLoS Biol*, 16(2), e2003453. doi:10.1371/journal.pbio.2003453
- Pineda, J. A., Foote, S. L., & Neville, H. J. (1987). The effects of locus coeruleus lesions on a squirrel monkey late positive component: a preliminary study. *Electroencephalogr Clin Neurophysiol Suppl*, 40, 481-486.

- Plessow, F., Kiesel, A., & Kirschbaum, C. (2012). The stressed prefrontal cortex and goal-directed behaviour: acute psychosocial stress impairs the flexible implementation of task goals. *Exp Brain Res*, 216(3), 397-408. doi:10.1007/s00221-011-2943-1
- Posner, M. I. (1978). *Chronometric explorations of mind*. Oxford, England: Lawrence Erlbaum.
- Posner, M. I., Klein, R., Summers, J., & Buggie, S. (1973). On the selection of signals. *Memory & Cognition*, 1(1), 2-12. doi:10.3758/BF03198062
- Pringsheim, T., Hirsch, L., Gardner, D., & Gorman, D. A. (2015). The pharmacological management of oppositional behaviour, conduct problems, and aggression in children and adolescents with attention-deficit hyperactivity disorder, oppositional defiant disorder, and conduct disorder: a systematic review and meta-analysis. Part 1: psychostimulants, alpha-2 agonists, and atomoxetine. *Can J Psychiatry*, 60(2), 42-51. doi:10.1177/070674371506000202
- Priovoulos, N., Jacobs, H. I. L., Ivanov, D., Uludag, K., Verhey, F. R. J., & Poser, B. A. (2017). High-resolution in vivo imaging of human locus coeruleus by magnetization transfer MRI at 3T and 7T. *NeuroImage*. doi:http://dx.doi.org/10.1016/j.neuroimage.2017.07.045
- Qiao, L., Zhang, L., Chen, A., & Egner, T. (2017). Dynamic Trial-by-Trial Recoding of Task-Set Representations in the Frontoparietal Cortex Mediates Behavioral Flexibility. *The Journal of Neuroscience*, 37(45), 11037-11050. doi:10.1523/jneurosci.0935-17.2017
- R-Development_Core_Team. (2013). R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing; Vienna, Austria; <http://www.R-project.org/>.
- R Development Core Team. (2008). R: A language and environment for statistical computing (Version version 3.2.4). Vienna, Austria: R Foundation for Statistical Computing. Retrieved from <https://www.R-project.org/>
- Raedt, R., Clinckers, R., Mollet, L., Vonck, K., El Tahry, R., Wyckhuys, T., . . . Meurs, A. (2011). Increased hippocampal noradrenaline is a biomarker for efficacy of vagus nerve stimulation in a limbic seizure model. *J Neurochem*, 117(3), 461-469. doi:10.1111/j.1471-4159.2011.07214.x
- Reimer, J., Froudarakis, E., Cadwell, Cathryn R., Yatsenko, D., Denfield, George H., & Tolias, Andreas S. (2014). Pupil Fluctuations Track Fast Switching of Cortical States during Quiet Wakefulness. *Neuron*, 84(2), 355-362. doi:http://dx.doi.org/10.1016/j.neuron.2014.09.033
- Ressler, K. J., & Nemeroff, C. B. (1999). Role of norepinephrine in the pathophysiology and treatment of mood disorders. *Biological Psychiatry*, 46(9), 1219-1233. doi:http://dx.doi.org/10.1016/S0006-3223(99)00127-4
- Roosevelt, R. W., Smith, D. C., Clough, R. W., Jensen, R. A., & Browning, R. A. (2006). Increased extracellular concentrations of norepinephrine in cortex and hippocampus following vagus nerve stimulation in the rat. *Brain Research*, 1119(1), 124-132. doi:http://dx.doi.org/10.1016/j.brainres.2006.08.048
- Rorden, C., & Brett, M. (2000). Stereotaxic display of brain lesions. *Behav Neurol*, 12(4), 191-200.
- Rouder, J. N., Morey, R. D., Speckman, P. L., & Province, J. M. (2012). Default Bayes factors for ANOVA designs. *Journal of Mathematical Psychology*, 56(5), 356-374.
- Ruffoli, R., Giorgi, F. S., Pizzanelli, C., Murri, L., Paparelli, A., & Fornai, F. (2011). The chemical neuroanatomy of vagus nerve stimulation. *J Chem Neuroanat*, 42(4), 288-296. doi:10.1016/j.jchemneu.2010.12.002
- Safaai, H., Neves, R., Eschenko, O., Logothetis, N. K., & Panzeri, S. (2015). Modeling the effect of locus coeruleus firing on cortical state dynamics and single-trial sensory processing. *Proceedings of the National Academy of Sciences of the United States of America*, 112(41), 12834-12839. doi:10.1073/pnas.1516539112
- Sales, A. C., Friston, K. J., Jones, M. W., Pickering, A. E., & Moran, R. J. (2019). Locus Coeruleus tracking of prediction errors optimises cognitive flexibility: An Active Inference model. *PLoS Comput Biol*, 15(1), e1006267. doi:10.1371/journal.pcbi.1006267

- Samuels, E. R., & Szabadi, E. (2008a). Functional neuroanatomy of the noradrenergic locus coeruleus: its roles in the regulation of arousal and autonomic function part I: principles of functional organisation. *Current neuropharmacology*, 6(3), 235-253. doi:10.2174/157015908785777229
- Samuels, E. R., & Szabadi, E. (2008b). Functional neuroanatomy of the noradrenergic locus coeruleus: its roles in the regulation of arousal and autonomic function part II: physiological and pharmacological manipulations and pathological alterations of locus coeruleus activity in humans. *Current neuropharmacology*, 6(3), 254-285. doi:10.2174/157015908785777193
- Sanders, A. F. (1975). The foreperiod effect revisited. *Quarterly Journal of Experimental Psychology*, 27(4), 591-598. doi:10.1080/14640747508400522
- Sanders, A. F. (1980). 20 Stage Analysis of Reaction Processes. In E. S. George & R. Jean (Eds.), *Advances in Psychology* (Vol. Volume 1, pp. 331-354): North-Holland.
- Sara, S. J. (2009). The locus coeruleus and noradrenergic modulation of cognition. *Nat Rev Neurosci*, 10(3), 211-223. doi:10.1038/nrn2573
- Sara, S. J., & Bouret, S. (2012). Orienting and Reorienting: The Locus Coeruleus Mediates Cognition through Arousal. *Neuron*, 76(1), 130-141.
- Sasaki, M., Shibata, E., Tohyama, K., Kudo, K., Endoh, J., Otsuka, K., & Sakai, A. (2008). Monoamine neurons in the human brain stem: anatomy, magnetic resonance imaging findings, and clinical implications. *Neuroreport*, 19(17), 1649-1654. doi:10.1097/WNR.0b013e328315a637
- Sasaki, M., Shibata, E., Tohyama, K., Takahashi, J., Otsuka, K., Tsuchiya, K., . . . Sakai, A. (2006). Neuromelanin magnetic resonance imaging of locus ceruleus and substantia nigra in Parkinson's disease. *Neuroreport*, 17(11), 1215-1218. doi:10.1097/01.wnr.0000227984.84927.a7
- Scheibehenne, B., Jamil, T., & Wagenmakers, E. J. (2016). Bayesian Evidence Synthesis Can Reconcile Seemingly Inconsistent Results: The Case of Hotel Towel Reuse. *Psychol Sci*, 27(7), 1043-1046. doi:10.1177/0956797616644081
- Schevernels, H., van Bochove, M. E., De Taeye, L., Bombeke, K., Vonck, K., Van Roost, D., . . . Boehler, C. N. (2016). The effect of vagus nerve stimulation on response inhibition. *Epilepsy Behav*, 64(Pt A), 171-179. doi:10.1016/j.yebeh.2016.09.014
- Schramm, N. L., McDonald, M. P., & Limbird, L. E. (2001). The α 2A-Adrenergic Receptor Plays a Protective Role in Mouse Behavioral Models of Depression and Anxiety. *The Journal of Neuroscience*, 21(13), 4875-4882.
- Schwabe, L., & Schachinger, H. (2018). Ten years of research with the Socially Evaluated Cold Pressor Test: Data from the past and guidelines for the future. *Psychoneuroendocrinology*, 92, 155-161. doi:10.1016/j.psyneuen.2018.03.010
- Sclocco, R., Beissner, F., Bianciardi, M., Polimeni, J. R., & Napadow, V. (2017). Challenges and opportunities for brainstem neuroimaging with ultrahigh field MRI. *NeuroImage*. doi:10.1016/j.neuroimage.2017.02.052
- Seibold, V. C., Bausenhardt, K. M., Rolke, B., & Ulrich, R. (2011). Does temporal preparation increase the rate of sensory information accumulation? *Acta Psychologica*, 137(1), 56-64. doi:10.1016/j.actpsy.2011.02.006
- Seifried, T., Ulrich, R., Bausenhardt, K. M., Rolke, B., & Osman, A. (2010). Temporal preparation decreases perceptual latency: evidence from a clock paradigm. *The Quarterly journal of experimental psychology*, 63(12), 2432-2451. doi:10.1080/17470218.2010.485354
- Sellaro, R., van Leusden, J. W., Tona, K. D., Verkuil, B., Nieuwenhuis, S., & Colzato, L. S. (2015). Transcutaneous Vagus Nerve Stimulation Enhances Post-error Slowing. *Journal of cognitive neuroscience*, 27(11), 2126-2132. doi:10.1162/jocn_a_00851

- Servan-Schreiber, D., Printz, H., & Cohen, J. D. (1990). A network model of catecholamine effects: gain, signal-to-noise ratio, and behavior. *Science*, 249(4971), 892-895 doi: <http://dx.doi.org/810.1126/science.2392679>.
- Sharma, A., & Couture, J. (2014). A review of the pathophysiology, etiology, and treatment of attention-deficit hyperactivity disorder (ADHD). *Ann Pharmacother*, 48(2), 209-225. doi:10.1177/1060028013510699
- Shibata, E., Sasaki, M., Tohyama, K., Kanbara, Y., Otsuka, K., Ehara, S., & Sakai, A. (2006). Age-related changes in locus ceruleus on neuromelanin magnetic resonance imaging at 3 Tesla. *Magn Reson Med Sci*, 5(4), 197-200.
- Smith, S. M., Jenkinson, M., Woolrich, M. W., Beckmann, C. F., Behrens, T. E., Johansen-Berg, H., . . . Matthews, P. M. (2004). Advances in functional and structural MR image analysis and implementation as FSL. *NeuroImage*, 23 Suppl 1, S208-219. doi:10.1016/j.neuroimage.2004.07.051
- Speirs, R. L., Herring, J., Cooper, W. D., Hardy, C. C., & Hind, C. R. (1974). The influence of sympathetic activity and isoprenaline on the secretion of amylase from the human parotid gland. *Arch Oral Biol*, 19(9), 747-752. doi:10.1016/0003-9969(74)90161-7
- Stahl, J., & Rammsayer, T. H. (2005). Accessory stimulation in the time course of visuomotor information processing: stimulus intensity effects on reaction time and response force. *Acta Psychologica*, 120(1), 1-18. doi:10.1016/j.actpsy.2005.02.003
- Steenbergen, L., Sellaro, R., de Rover, M., Hommel, B., & Colzato, L. S. (2015). No role of beta receptors in cognitive flexibility: Evidence from a task-switching paradigm in a randomized controlled trial. *Neuroscience*, 295, 237-242. doi:<https://doi.org/10.1016/j.neuroscience.2015.03.049>
- Steenbergen, L., Sellaro, R., Stock, A. K., Verkuil, B., Beste, C., & Colzato, L. S. (2015). Transcutaneous vagus nerve stimulation (tvNS) enhances response selection during action cascading processes. *Eur Neuropsychopharmacol*, 25(6), 773-778. doi:10.1016/j.euroneuro.2015.03.015
- Steinhauser, M., Maier, M., & Hübner, R. (2007). Cognitive Control Under Stress: How Stress Affects Strategies of Task-Set Reconfiguration. *Psychological Science*, 18(6), 540-545. doi:10.1111/j.1467-9280.2007.01935.x
- Strahler, J., Skoluda, N., Kappert, M. B., & Nater, U. M. (2017). Simultaneous measurement of salivary cortisol and alpha-amylase: Application and recommendations. *Neurosci Biobehav Rev*, 83, 657-677. doi:10.1016/j.neubiorev.2017.08.015
- Sutton, S., Braren, M., Zubin, J., & John, E. R. (1965). Evoked-potential correlates of stimulus uncertainty. *Science*, 150(3700), 1187-1188. doi:10.1126/science.150.3700.1187
- Swick, D., Pineda, J. A., & Foote, S. L. (1994). Effects of systemic clonidine on auditory event-related potentials in squirrel monkeys. *Brain Research Bulletin*, 33(1), 79-86.
- Tait, D. S., Brown, V. J., Farovik, A., Theobald, D. E., Dalley, J. W., & Robbins, T. W. (2007). Lesions of the dorsal noradrenergic bundle impair attentional set-shifting in the rat. *European Journal of Neuroscience*, 25(12), 3719-3724. doi:10.1111/j.1460-9568.2007.05612.x
- Takahashi, J., Shibata, T., Sasaki, M., Kudo, M., Yanezawa, H., Obara, S., . . . Terayama, Y. (2015). Detection of changes in the locus coeruleus in patients with mild cognitive impairment and Alzheimer's disease: high-resolution fast spin-echo T1-weighted imaging. *Geriatr Gerontol Int*, 15(3), 334-340. doi:10.1111/ggi.12280
- Tobaldini, E., Toschi-Dias, E., Apprato de Souza, L., Rabello Casali, K., Vicenzi, M., Sandrone, G., . . . Montano, N. (2019). Cardiac and Peripheral Autonomic Responses to Orthostatic Stress During Transcutaneous Vagus Nerve Stimulation in Healthy Subjects. *J Clin Med*, 8(4). doi:10.3390/jcm8040496
- Tona, K.-D., Keuken, M. C., de Rover, M., Lakke, E., Forstmann, B. U., Nieuwenhuis, S., & van Osch, M. J. P. (2017). In vivo visualization of the locus coeruleus in humans: quantifying the test-retest reliability. *Brain Structure and Function*. doi:10.1007/s00429-017-1464-5

- Trujillo, P., Summers, P. E., Ferrari, E., Zucca, F. A., Sturini, M., Mainardi, L. T., . . . Costa, A. (2016). Contrast mechanisms associated with neuromelanin-MRI. *Magnetic Resonance in Medicine*, n/a-n/a. doi:10.1002/mrm.26584
- Usher, M., Cohen, J. D., Servan-Schreiber, D., Rajkowski, J., & Aston-Jones, G. (1999). The Role of Locus Coeruleus in the Regulation of Cognitive Performance. *Science*, 283(5401), 549-554. doi:10.1126/science.283.5401.549
- Valentino, R. J., & Van Bockstaele, E. (2008). Convergent regulation of locus coeruleus activity as an adaptive response to stress. *European Journal of Pharmacology*, 583(2-3), 194-203. doi:http://dx.doi.org/10.1016/j.ejphar.2007.11.062
- van Bodegom, M., Homberg, J. R., & Henckens, M. (2017). Modulation of the Hypothalamic-Pituitary-Adrenal Axis by Early Life Stress Exposure. *Front Cell Neurosci*, 11, 87. doi:10.3389/fncel.2017.00087
- van den Brink, R. L., Nieuwenhuis, S., & Donner, T. H. (2018). Amplification and Suppression of Distinct Brainwide Activity Patterns by Catecholamines. *The Journal of Neuroscience*, 38(34), 7476-7491. doi:10.1523/jneurosci.0514-18.2018
- van den Brink, R. L., Wynn, S. C., & Nieuwenhuis, S. (2014). Post-error slowing as a consequence of disturbed low-frequency oscillatory phase entrainment. *The Journal of Neuroscience*, 34(33), 11096-11105. doi:10.1523/jneurosci.4991-13.2014
- van der Zwaag, W., Schafer, A., Marques, J. P., Turner, R., & Trampel, R. (2016). Recent applications of UHF-MRI in the study of human brain function and structure: a review. *NMR Biomed*, 29(9), 1274-1288. doi:10.1002/nbm.3275
- van Kammen, D. P., & Kelley, M. (1991). Dopamine and norepinephrine activity in schizophrenia. An integrative perspective. *Schizophr Res*, 4(2), 173-191.
- Van Rullen, R., Busch, N. A., Drewes, J., & Dubois, J. (2011). Ongoing EEG Phase as a Trial-by-Trial Predictor of Perceptual and Attentional Variability. *Frontiers in psychology*, 2, 60. doi:10.3389/fpsyg.2011.00060
- van Steenbergen, H., & Band, G. P. (2013). Pupil dilation in the Simon task as a marker of conflict processing. *Frontiers in Human Neuroscience*, 7, 215. doi:10.3389/fnhum.2013.00215
- van Stegeren, A., Rohleder, N., Everaerd, W., & Wolf, O. T. (2006). Salivary alpha amylase as marker for adrenergic activity during stress: Effect of betablockade. *Psychoneuroendocrinology*, 31(1), 137-141. doi:http://dx.doi.org/10.1016/j.psyneuen.2005.05.012
- Varazzani, C., San-Galli, A., Gilardeau, S., & Bouret, S. (2015). Noradrenaline and dopamine neurons in the reward/effort trade-off: a direct electrophysiological comparison in behaving monkeys. *The Journal of Neuroscience*, 35(20), 7866-7877. doi:10.1523/jneurosci.0454-15.2015
- Ventura-Bort, C., Wirkner, J., Genheimer, H., Wendt, J., Hamm, A. O., & Weymar, M. (2018). Effects of Transcutaneous Vagus Nerve Stimulation (tVNS) on the P300 and Alpha-Amylase Level: A Pilot Study. *Frontiers in Human Neuroscience*, 12, 202. doi:10.3389/fnhum.2018.00202
- Versluis, M. J., Peeters, J. M., van Rooden, S., van der Grond, J., van Buchem, M. A., Webb, A. G., & van Osch, M. J. P. (2010). Origin and reduction of motion and f0 artifacts in high resolution T2*-weighted magnetic resonance imaging: Application in Alzheimer's disease patients. *NeuroImage*, 51(3), 1082-1088. doi:http://dx.doi.org/10.1016/j.neuroimage.2010.03.048
- Vijayashankar, N., & Brody, H. (1979). A Quantitative Study of the Pigmented Neurons in the Nuclei Locus Coeruleus and Subcoeruleus in Man as Related to Aging. *Journal of Neuropathology & Experimental Neurology*, 38(5), 490-497. doi:10.1097/00005072-197909000-00004

- Vinck, M., Batista-Brito, R., Knoblich, U., & Cardin, J. A. (2015). Arousal and locomotion make distinct contributions to cortical activity patterns and visual encoding. *Neuron*, 86(3), 740-754. doi:10.1016/j.neuron.2015.03.028
- Vonck, K., Raedt, R., Naulaerts, J., De Vogelaere, F., Thiery, E., Van Roost, D., . . . Boon, P. (2014). Vagus nerve stimulation...25 years later! What do we know about the effects on cognition? *Neurosci Biobehav Rev*, 45, 63-71. doi:10.1016/j.neubiorev.2014.05.005
- Vos, S. B., Jones, D. K., Viergever, M. A., & Leemans, A. (2011). Partial volume effect as a hidden covariate in DTI analyses. *NeuroImage*, 55(4), 1566-1576. doi:10.1016/j.neuroimage.2011.01.048
- Waldman, S. (2009). Chapter 11 - The Vagus Nerve—Cranial Nerve X. In (pp. p. 29–34): Pain Rev.
- Walker, S. C., Robbins, T. W., & Roberts, A. C. (2009). Differential contributions of dopamine and serotonin to orbitofrontal cortex function in the marmoset. *Cereb Cortex*, 19(4), 889-898. doi:10.1093/cercor/bhn136
- Warren, C. M., & Holroyd, C. B. (2012). The Impact of Deliberative Strategy Dissociates ERP Components Related to Conflict Processing vs. Reinforcement Learning. *Front Neurosci*, 6, 43. doi:10.3389/fnins.2012.00043
- Warren, C. M., Tanaka, J. W., & Holroyd, C. B. (2011). What can topology changes in the oddball N2 reveal about underlying processes? *Neuroreport*, 22(17), 870-874. doi:10.1097/WNR.0b013e32834bbe1f
- Warren, C. M., Tona, K. D., Ouwerkerk, L., van Paridon, J., Poletiek, F., van Steenbergen, H., . . . Nieuwenhuis, S. (2019). The neuromodulatory and hormonal effects of transcutaneous vagus nerve stimulation as evidenced by salivary alpha amylase, salivary cortisol, pupil diameter, and the P3 event-related potential. *Brain Stimul*, 12(3), 635-642. doi:10.1016/j.brs.2018.12.224
- Warren, C. M., van den Brink, R. L., Nieuwenhuis, S., & Bosch, J. A. (2017). Norepinephrine transporter blocker atomoxetine increases salivary alpha amylase. *Psychoneuroendocrinology*, 78, 233-236. doi:10.1016/j.psyneuen.2017.01.029
- Warren, C. M., Wilson, R. C., van der Wee, N. J., Giltay, E. J., van Noorden, M. S., Cohen, J. D., & Nieuwenhuis, S. (2017). The effect of atomoxetine on random and directed exploration in humans. *PLoS One*, 12(4), e0176034. doi:10.1371/journal.pone.0176034
- Weiskopf, N., Mohammadi, S., Lutti, A., & Callaghan, M. F. (2015). Advances in MRI-based computational neuroanatomy: from morphometry to in-vivo histology. *Curr Opin Neurol*, 28(4), 313-322. doi:10.1097/wco.0000000000000222
- Weiskopf, N., Suckling, J., Williams, G., Correia, M. M., Inkster, B., Tait, R., . . . Lutti, A. (2013). Quantitative multi-parameter mapping of R1, PD(*), MT, and R2(*) at 3T: a multi-center validation. *Front Neurosci*, 7, 95. doi:10.3389/fnins.2013.00095
- Wetzels, R., & Wagenmakers, E. J. (2012). A default Bayesian hypothesis test for correlations and partial correlations. *Psychon Bull Rev*, 19(6), 1057-1064. doi:10.3758/s13423-012-0295-x
- Wolff, N., Mückschel, M., Ziemssen, T., & Beste, C. (2018). The role of phasic norepinephrine modulations during task switching: evidence for specific effects in parietal areas. *Brain Structure and Function*, 223(2), 925-940. doi:10.1007/s00429-017-1531-y
- Wonderlick, J. S., Ziegler, D. A., Hosseini-Varnamkhasti, P., Locascio, J. J., Bakkour, A., van der Kouwe, A., . . . Dickerson, B. C. (2009). Reliability of MRI-derived cortical and subcortical morphometric measures: effects of pulse sequence, voxel geometry, and parallel imaging. *NeuroImage*, 44(4), 1324-1333. doi:10.1016/j.neuroimage.2008.10.037
- Worringer, B., Langner, R., Koch, I., Eickhoff, S. B., Eickhoff, C. R., & Binkofski, F. C. (2019). Common and distinct neural correlates of dual-tasking and task-switching: a meta-analytic review and a neuro-cognitive processing model of human multitasking. *Brain Struct Funct*, 224(5), 1845-1869. doi:10.1007/s00429-019-01870-4

- Yakunina, N., Kim, S. S., & Nam, E. C. (2017). Optimization of Transcutaneous Vagus Nerve Stimulation Using Functional MRI. *Neuromodulation*, 20(3), 290-300. doi:10.1111/ner.12541
- Yerkes, R. M., & Dodson, J. D. (1908). The relation of strength of stimulus to rapidity of habit-formation. *Journal of comparative neurology and psychology*, 18(5), 459-482.
- Yeung, N., Nystrom, L. E., Aronson, J. A., & Cohen, J. D. (2006). Between-task competition and cognitive control in task switching. *The Journal of Neuroscience*, 26(5), 1429-1438. doi:10.1523/jneurosci.3109-05.2006
- Yuan, H., & Silberstein, S. D. (2016). Vagus Nerve and Vagus Nerve Stimulation, a Comprehensive Review: Part I. *Headache*, 56(1), 71-78. doi:10.1111/head.12647
- Zecca, L., Stroppolo, A., Gatti, A., Tampellini, D., Toscani, M., Gallorini, M., . . . Zucca, F. A. (2004). The role of iron and copper molecules in the neuronal vulnerability of locus coeruleus and substantia nigra during aging. *Proceedings of the National Academy of Sciences of the United States of America*, 101(26), 9843-9848. doi:10.1073/pnas.0403495101
- Zwanenburg, J. J. M., Visser, F., Hendrikse, J., & Luijten, P. R. (2013). Unexpected lateral asymmetry in TSE image contrast explained: tissues with short T2 show extreme sensitivity to B1 inhomogeneity. *Poster presented at the ISMRM 21st Annual Meeting. Salt Lake City, Utah, USA.*

