



Universiteit
Leiden
The Netherlands

The burden of early axial spondyloarthritis

Lunteren, M. van

Citation

Lunteren, M. van. (2020, September 22). *The burden of early axial spondyloarthritis*. Retrieved from <https://hdl.handle.net/1887/136856>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/136856>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/136856> holds various files of this Leiden University dissertation.

Author: Lunteren, M. van

Title: The burden of early axial spondyloarthritis

Issue date: 2020-09-22

STELLINGEN

Behorend bij het proefschrift

The burden of early axial spondyloarthritis

1. A positive family history of axial spondyloarthritis or uveitis, but not of other forms of spondyloarthritis, is associated with HLA-B27 positivity. *(dit proefschrift)*
2. When HLA-B27 status is known, a positive family history of axial spondyloarthritis does not further contribute to diagnosing axial spondyloarthritis. *(dit proefschrift)*
3. ASDAS is a valid target for disease management of axial spondyloarthritis as a decrease in ASDAS is associated with a clear improvement in quality of life and work productivity. *(dit proefschrift)*
4. Patients with negative illness perceptions experience more loss of quality of life and work productivity compared to those without negative illness perceptions but with an equal amount of back pain. *(dit proefschrift)*
5. Illness perceptions and coping strategies are stable factors over a period of two years in patients with early axial spondyloarthritis *(dit proefschrift)*
6. Door beperkte kennis over ziektepercepties en coping bij patiënten met axiale spondyloartritis zouden we weleens een goede mogelijkheid missen om de ziektelast te verlagen.
7. Internationale samenwerking is de kracht van het onderzoek naar axiale spondyloartritis.
8. Een patiënt in de vroege fase van axiale spondyloartritis is net als het IJslandse gluggaveður (vensterweer): Zoals het weer uitzonderlijk mooi kan lijken, zo kan zo'n jonge patiënt heel gezond lijken, maar schijn bedriegt.
9. Wetenschappers richten zich het liefst op het ontdekken van iets nieuws, terwijl wetenschappelijke vooruitgang meestal meer gebaat is bij het bevestigen van wat al bekend is.
10. De maatschappij dient kritisch te zijn op de wetenschap maar goede wetenschap kan niet weggezet worden als een mening of statistische goochelarij.
11. Wetenschap is als fotografie: het beeld ontstaat pas na ontwikkeling.
12. Er zijn veel meer maatregelen nodig dan alleen een vrouwenquotum om meer vrouwen in de bedrijfstop te krijgen.