



Universiteit
Leiden
The Netherlands

Néron models in high dimension: Nodal curves, Jacobians and tame base change

Poiret, T.

Citation

Poiret, T. (2020, October 20). *Néron models in high dimension: Nodal curves, Jacobians and tame base change*. Retrieved from <https://hdl.handle.net/1887/137218>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/137218>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/137218> holds various files of this Leiden University dissertation.

Author: Poiret, T.

Title: Néron models in high dimension: nodal curves, Jacobians and tame base change

Issue date: 2020-10-20

Contents

| | |
|--|-----------|
| I Nodal curves, dual graphs and resolutions | 1 |
| 1 Local structure of nodal curves and their dual graphs | 1 |
| 1.1 First definitions | 1 |
| 1.2 The local structure | 2 |
| 1.3 The dual graph at a geometric point | 2 |
| 1.4 Quasisplitness, dual graphs at non-geometric points | 3 |
| 2 Primality and base change | 5 |
| 3 Sections of nodal curves | 8 |
| 3.1 Type of a section | 8 |
| 3.2 Admissible neighbourhoods | 11 |
| 4 Refinements and resolutions | 12 |
| 4.1 Arithmetic complexity and motivation for refinements | 12 |
| 4.1.1 Arithmetic complexity | 12 |
| 4.1.2 Factoriality of completed étale local rings | 13 |
| 4.1.3 Factoring sections through the smooth locus | 14 |
| 4.2 Refinements of graphs | 14 |
| 4.3 Refinements of curves | 15 |
| 4.4 Resolutions of nodal curves | 18 |
| II Néron models of nodal curves and their Jacobians | 20 |
| 5 Generalities about Néron models | 20 |
| 5.1 Definitions | 20 |
| 5.2 Base change and descent properties | 21 |
| 5.3 Schemes vs algebraic spaces | 23 |
| 6 Néron models of Jacobians | 24 |

| | | |
|------------|--|-----------|
| 6.1 | Alignment and its relation to the Picard space | 24 |
| 6.1.1 | Definition and examples | 24 |
| 6.1.2 | Alignment and Néron models | 26 |
| 6.2 | Étale-universally prime elements | 29 |
| 6.3 | Strict alignment is necessary and sufficient for Néron models to exist | 31 |
| 6.3.1 | The necessity of strict alignment | 31 |
| 6.3.2 | Fiberwise-disconnecting locus of nodal curves and closure of the unit section of the Picard scheme | 32 |
| 6.3.3 | The main theorem | 35 |
| 7 | Néron models of curves with nodal models | 36 |
| 7.1 | Factoring sections through refinements | 37 |
| 7.2 | First construction of the ns-Néron model | 39 |
| 7.3 | Exceptional components and minimal proper regular models | 43 |
| 7.3.1 | Definition | 43 |
| 7.3.2 | The minimal proper regular model | 44 |
| 7.3.3 | Van der Waerden's purity theorem | 44 |
| 7.4 | Contractions and stable models | 46 |
| 7.4.1 | The stack of n-pointed stable curves and the contraction morphism | 47 |
| 7.4.2 | The stable model | 48 |
| 7.4.3 | Rational components of the stable model | 49 |
| 7.4.4 | Singular ideals of the stable model | 52 |
| 7.4.5 | The main theorem | 54 |
| 7.5 | Separatedness of the ns-Néron model | 54 |
| III | Base change of Néron models along finite tamely ramified maps | 59 |
| 8 | Motivation | 59 |
| 9 | Prerequisites | 60 |

| | | |
|---------------------------|---|-----------|
| 9.1 | Weil restrictions | 60 |
| 9.2 | Fixed points | 61 |
| 9.3 | Twisted Lie algebras | 62 |
| 10 | The morphism of base change for tame extensions | 63 |
| 10.1 | Compatibility with Weil restrictions | 63 |
| 10.2 | A filtration of the Néron model over the canonical stratification . | 66 |
| Bibliography | | 71 |
| Acknowledgements | | 73 |
| Abstract | | 74 |
| Samenvatting | | 75 |
| Résumé | | 76 |
| Résumé substantiel | | 77 |
| Curriculum Vitae | | 82 |
| Correspondence | | 83 |

