



Universiteit
Leiden
The Netherlands

Chemical synthesis of fragments of streptococcal cell wall polysaccharides

Wang, Z.

Citation

Wang, Z. (2020, October 8). *Chemical synthesis of fragments of streptococcal cell wall polysaccharides*. Retrieved from <https://hdl.handle.net/1887/137445>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/137445>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/137445> holds various files of this Leiden University dissertation.

Author: Wang, Z.

Title: Chemical synthesis of fragments of streptococcal cell wall polysaccharides

Issue Date: 2020-10-08

Propositions

Chemical Synthesis of Fragments of Streptococcal Cell Wall Polysaccharides

1. Structure-activity relationships studies are indispensable for the development of vaccines comprising synthetic components. *Chapter 1.*
2. The production of vaccines with minimal batch-to-batch variation will benefit from synthetic oligosaccharide epitopes. *Chapter 1.*
3. The unique T cell-dependent properties of zwitterionic polysaccharides suggest that vaccines, based entirely on carbohydrates, are possible in the future. *Chapter 1.*
4. The Sp1-nonasaccharide, representing a complete helical turn of the zwitterionic polysaccharide of *Streptococcus pneumoniae* serotype 1, is a promising candidate epitope for the development of a vaccine. *Chapter 1 & Chapter 4.*
5. Although antibiotic treatment for most pneumococcal infections is effective, the future rise of drug-resistant pneumococci is a real danger. *Chapter 4.*
6. The presence of Cbz protected amines in less reactive acceptors can lead to significant amounts of *N*-glycosylated side products in glycosylation reactions. *Chapter 3.*
7. The state of the art in organic chemistry not only allows the synthesis well-defined fragments of naturally occurring polysaccharides but also derivatives, analogues and conjugates as tools for a deeper understanding of their biological activities. *Angew. Chem. Int. Ed. 2012, 51, 4393–4396. & J. Am. Chem. Soc. 2018, 140, 3120–3127.*
8. The structure of the optimal carbohydrate derived epitope cannot be predicted in advance. *ACS Cent Sci 2019, 5, 1407-1416.*
9. The immunity provided by vaccines is much better alternative for the society than disease acquired immunity. *Understanding How Vaccines Work from Centers for disease control and prevention.*
10. On the basis of their unique structure, bacterial capsular polysaccharides can be considered to be fingerprints of which the applicability has not yet been fully exploited. *Chem. Eur. J. 2020, 26, 6264 – 6270.*
11. Advances in synthetic chemistry benefit more from understanding the formation of unexpected by-products than solely the production of the target molecule.