



Universiteit
Leiden
The Netherlands

Sizing up protoplanetary disks

Trapman, L.

Citation

Trapman, L. (2020, November 5). *Sizing up protoplanetary disks*. Retrieved from <https://hdl.handle.net/1887/138010>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/138010>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/138010> holds various files of this Leiden University dissertation.

Author: Trapman, L.

Title: Sizing up protoplanetary disks

Issue date: 2020-11-05

Sizing up protoplanetary disks

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 5 november 2020
klokke 10.00 uur
door

Leon Trapman

geboren te Amsterdam, Nederland
in 1993

Promotiecommissie

Promotores: Prof. dr. E. F. van Dishoeck

Prof. dr. M. R. Hogerheijde

Overige leden: Dr. J. M. Carpenter

Joint ALMA Observatory

Prof. dr. I. E. E. Kamp

Rijksuniversiteit Groningen

Prof. dr. G. Lodato

Università degli Studi di Milano

Dr. P. Pinilla

Max-Planck-Institut für Astronomie

Prof. dr. S. F. Portegies Zwart

Prof. dr. H. J. A. Röttgering

ISBN: 978-94-641-9049-6

Front cover:

ALMA observations of dust and CO in the protoplanetary disk around CX TAU

Image credits: Stefano Facchini

Cover design by Yvonne Meeuwsen and the author

CONTENTS

1	Introduction	1
1.1	From clouds to cores to disks	1
1.2	Inside the disk: physics, chemistry and evolution	2
1.2.1	Disk (viscous) evolution	2
1.2.2	Disk structure	4
1.2.3	Dust evolution	6
1.2.4	Chemistry in protoplanetary disks	7
1.3	Millimeter observations of protoplanetary disks: the ALMA era	11
1.3.1	Measuring disk radii	11
1.3.2	Measuring disk masses	15
1.4	Modeling protoplanetary disks	18
1.5	This thesis	19
1.5.1	Future outlook	22
2	Gas versus dust sizes of protoplanetary disks: Effects of dust evolution	25
2.1	Introduction	27
2.2	Models	28
2.2.1	DALI with dust evolution	28
2.2.2	Model set-up	29
2.2.3	Grid of models	29
2.2.4	Measuring the outer radius	30
2.3	Results	31
2.3.1	Dust radial intensity profiles	32
2.3.2	^{12}CO radial intensity profiles	32
2.3.3	Effect of dust evolution on $R_{90,\text{dust}}$ and $R_{\text{CO}, 90\%}$	35
2.3.4	Effect of disk mass on $R_{\text{CO}, 90\%}$ and $R_{90,\text{dust}}$	37
2.3.5	Dust evolution tracer: $R_{90,\text{gas}}/R_{90,\text{dust}}$	39
2.3.6	Observational factors affecting $R_{90,\text{gas}}/R_{90,\text{dust}}$	39
2.4	Discussion	41
2.4.1	CO underabundance and $R_{\text{CO}, 90\%}$	41
2.4.2	Effect of the surface density slope on outer radii	42
2.4.3	Match of observed R_{out} to physical size of the disk	44
2.5	Conclusions	46
Appendices		47
2.A	Effect of inclination	47
2.B	Measuring $R_{\text{CO}, 90\%}$ from ^{13}CO 2-1 moment zero maps	47
2.C	Measuring $R_{\text{CO}, 90\%}$ from peak intensity maps	47

2.D	Deriving a relation between $R_{\text{CO}, 90\%}$ and the CO column density . . .	52
2.E	Continuum intensity profiles for $R_c = 20$ AU	53
2.F	Curves of growth for the $R_c = 50$ AU dust profiles	54
2.G	Beam size and peak S/N for all disk masses vs. $R_{90,\text{gas}}/R_{90,\text{dust}}$	55
2.H	Gas radii vs. peak S/N	57
2.I	Mass fractions and flux fractions for the remaining disks	58
3	Constraining the radial drift of millimeter-sized grains in the proto-planetary disks in Lupus	61
3.1	Introduction	63
3.2	Observations and sample selection	64
3.2.1	Observations	64
3.2.2	Sample selection	65
3.3	Methods	67
3.3.1	DALI	67
3.3.2	Chemical network	69
3.3.3	The physical model	69
3.3.4	Measuring model outer radii	72
3.4	Results	74
3.4.1	Observed versus modeled disk sizes	74
3.4.2	Gas–dust size difference: models versus observations	75
3.5	Discussion	77
3.5.1	Fast dust evolution candidates in Lupus	77
3.5.2	Are compact dust disks the result of runaway radial drift?	79
3.6	Conclusions	80
	Appendices	81
3.A	Keplerian masking	81
3.A.1	Implementation	82
3.A.2	Making moment-zero maps and calculating noise	83
3.A.3	Caveats	84
3.A.4	The Keplerian mask parameters of our sample	84
3.B	Influence of dust settling and flaring	85
3.C	$^{12}\text{CO } J = 2 - 1$ emission maps of 17 sources	86
3.D	Measuring R_{CO} from noisy spectral cube	88
3.E	Radial 890 μm continuum profiles	89
3.F	Noisy R_{CO} distributions for the disks in our sample	90
4	Observed sizes of planet-forming disks trace viscous spreading	91
4.1	Introduction	93
4.2	Model setup	95
4.2.1	Viscous evolution of the surface density	95
4.2.2	Initial conditions of the models	96
4.2.3	DALI models	98
4.3	Results	100
4.3.1	Time evolution of the ^{12}CO emission profile	100
4.3.2	Evolution of the observed gas outer radius	102
4.3.3	Gas outer radius traces viscous evolution	105
4.3.4	Possibility of measuring α_{visc} from observed $R_{\text{CO}, 90\%}$	105

4.4	Discussion	107
4.4.1	Comparing to observations	107
4.4.2	Larger initial disk sizes	110
4.4.3	Effect of chemical CO depletion on measurements of viscous spreading	111
4.4.4	Caveats	112
4.5	Conclusions	114
	Appendices	116
4.A	Disk mass evolution	116
4.B	Local UV radiation field in Upper Sco	116
4.C	^{12}CO radial intensity profiles	119
4.D	Outer radii based ^{13}CO emission	120
4.E	Observed sample	123
4.F	Implementing CO chemical depletion through grain-surface chemistry	124
4.G	Effect of CO depletion on the ^{13}CO emission	126
5	CO isotopolog line fluxes of viscously evolving disks: cold CO con- version insufficient to explain observed low fluxes	127
5.1	Introduction	129
5.2	Model setup	131
5.2.1	Viscous evolution of the surface density	131
5.2.2	Initial disk mass and disk size	133
5.2.3	The DALI models	134
5.3	Results	140
5.3.1	CO isotopolog line fluxes: a viscously evolving disk	140
5.3.2	CO isotopolog line fluxes: effects of grain surface chemistry	140
5.3.3	Comparing to the Lupus disk population	142
5.3.4	Cosmic-ray ionization rate required to match observed CO iso- topolog fluxes	144
5.4	Discussion	146
5.4.1	Reproducing ^{13}CO 3-2 line fluxes observed in Lupus	146
5.4.2	Alternative explanations	150
5.5	Conclusions	151
	Appendices	153
5.A	Model ^{13}CO and C^{18}O $J = 3 - 2$ fluxes	153
5.B	Model ^{13}CO and C^{18}O $J = 2 - 1$ fluxes	154
5.C	Comparing maximum CO conversion models to observed CO isotopolog line fluxes	155
6	Mass constraints for 15 protoplanetary disks from HD 1-0	157
6.1	Introduction	159
6.2	Observations and sample	159
6.3	Modeling	161
6.3.1	DALI	161
6.3.2	Model grid	163
6.4	Results	166
6.4.1	Parameter dependencies in the grid	166

6.4.2	Constraints on M_{gas} across the sample	167
6.4.3	HD 163296	168
6.4.4	HD 100546	170
6.4.5	Other individual disks	170
6.4.6	Are the disks stable?	172
6.5	Discussion	172
6.5.1	Mass of disks, stars, and planets	172
6.5.2	Observing HD in Herbig disks with SOFIA/HIRMES, SPICA/SAFARI and emphOrigins Space Telescope	174
6.6	Conclusions	176
	Appendices	177
6.A	HD 1-0 fluxes for HD 135344B	177
6.B	HD 2-1 upper limits versus the model fluxes	178
6.C	HD 1-0 line versus 1.3 mm continuum fluxes, showing gas-to-dust ratios and stellar luminosities	179
	Bibliography	179
	Nederlandse samenvatting	197
	List of Publications	205
	Curriculum Vitae	207
	Acknowledgements	209