



Universiteit
Leiden
The Netherlands

Chitin in the fungal cell wall: Towards valorization of spent biomass of *Aspergillus niger*

Leeuwe, T.M. van

Citation

Leeuwe, T. M. van. (2020, November 4). *Chitin in the fungal cell wall: Towards valorization of spent biomass of Aspergillus niger*. Retrieved from <https://hdl.handle.net/1887/138011>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/138011>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/138011> holds various files of this Leiden University dissertation.

Author: Leeuwe, T.M. van

Title: Chitin in the fungal cell wall: Towards valorization of spent biomass of *Aspergillus niger*

Issue date: 2020-11-04

References

- Abenza, J.F., Galindo, A., Pantazopoulou, A., Gil, C., De Los Ríos, V., Peñalva, M.A., 2010. *Aspergillus* RabB^{Rab5} integrates acquisition of degradative identity with the long distance movement of early endosomes. *Mol. Biol. Cell* 21, 2756–2769. <https://doi.org/10.1091/mbc.E10-02-0119>
- Achstetter, T., 1989. Regulation of alpha-factor production in *Saccharomyces cerevisiae*: a-factor pheromone-induced expression of the MF alpha 1 and STE13 genes. *Mol. Cell. Biol.* 9, 4507–4514. <https://doi.org/10.1128/mcb.9.10.4507>
- Adeyeye, S.A.O., 2016. Fungal mycotoxins in foods: A review. *Cogent Food Agric.* 2. <https://doi.org/10.1080/23311932.2016.1213127>
- Aebi, M., Hornig, H., Weissmann, C., 1987. 5' cleavage site in eukaryotic pre-mRNA splicing is determined by the overall 5' splice region, not by the conserved 5' GU. *Cell* 50, 237–246. [https://doi.org/10.1016/0092-8674\(87\)90219-4](https://doi.org/10.1016/0092-8674(87)90219-4)
- Afro, S., El-Ganiny, A.M., Sanders, D.A.R., Kaminskyj, S.G.W., 2011. Roles of the *Aspergillus nidulans* UDP-galactofuranose transporter, UgtA in hyphal morphogenesis, cell wall architecture, conidiation, and drug sensitivity. *Fungal Genet. Biol.* 48, 896–903.
- Aguilar-Pontes, M. V., Brandl, J., McDonnell, E., Strasser, K., Nguyen, T.T.M., Riley, R., Mondo, S., Salamov, A., Nybo, J.L., Vesth, T.C., Grigoriev, I. V., Andersen, M.R., Tsang, A., de Vries, R.P., 2018. The gold-standard genome of *Aspergillus niger* NRRL3 enables a detailed view of the diversity of sugar catabolism in fungi. *Stud. Mycol.* 91, 61–78. <https://doi.org/10.1016/j.simyco.2018.10.001>
- Akcapinar, G.B., Kappel, L., Sezerman, O.U., Seidl-Seiboth, V., 2015. Molecular diversity of LysM carbohydrate-binding motifs in fungi. *Curr. Genet.* 61, 103–113. <https://doi.org/10.1007/s00294-014-0471-9>
- Aleksenko, I. Nikolaev, Y. Vinetski, A.J.C., 1996. Gene expression from replicating plasmids in *Aspergillus nidulans*. *Mol. Genet. Genomics* 253, 242–246.
- Andersen, M.R., Lehmann, L., Nielsen, J., 2009. Systemic analysis of the response of *Aspergillus niger* to ambient pH. *Genome Biol.* 10, R47. <https://doi.org/10.1186/gb-2009-10-5-r47>
- Aranaz, I., Mengibar, M., Harris, R., Panos, I., Miralles, B., Acosta, N., Galed, G., Heras, A., 2009. Functional Characterization of Chitin and Chitosan. *Curr. Chem. Biol.* 3, 203–230. <https://doi.org/10.2174/2212796810903020203>
- Arentshorst, M., Lagendijk, E.L., Ram, A.F.J., 2015. A new vector for efficient gene targeting to the *pyrG* locus in *Aspergillus niger*. *Fungal Biol. Biotechnol.* 2, 2. <https://doi.org/10.1186/s40694-015-0012-4>
- Arentshorst, M., Niu, J., Ram, A.F.J., 2015. Efficient generation of *Aspergillus niger* knock out strains by combining NHEJ mutants and a split marker approach., in: van den Berg, M.A., Maruthachalam, K. (Eds.), *Genetic Transformation Systems in Fungi Vol .1*. Springer International Publishing, pp. 263–272. https://doi.org/10.1007/978-3-319-10142-2_25
- Arentshorst, M., Ram, A.F.J., 2018. Parasexual crossings for bulk segregant analysis in *Aspergillus niger* to facilitate mutant identification via whole genome sequencing, in: *Methods in Molecular Biology*. Humana Press, New York, NY, pp. 277–287. https://doi.org/10.1007/978-1-4939-7804-5_22
- Arentshorst, M., Ram, A.F.J., Meyer, V., 2012. Using non-homologous end-joining-deficient strains for functional gene analyses in filamentous fungi. *Methods Mol. Biol.* 835, 133–150. https://doi.org/10.1007/978-1-61779-501-5_9
- Ariyoshi, M., Schwabe, J.W.R., 2003. A conserved structural motif reveals the essential transcriptional repression function of Spn proteins and their role in developmental signaling. *Genes Dev.* 17, 1909–20. [https://doi.org/10.1016/0950-0607\(03\)00111-1](https://doi.org/10.1016/0950-0607(03)00111-1)

- doi.org/10.1101/gad.266203
- Arroyo, J., Farkaš, V., Sanz, A.B., Cabib, E., 2016. "Strengthening the fungal cell wall through chitin-glucan cross-links: effects on morphogenesis and cell integrity". *Cell. Microbiol.* 18, 1239–1250. <https://doi.org/10.1111/cmi.12615>
- Aurich, A., Specht, R., Müller, R.A., Stottmeister, U., Yovkova, V., Otto, C., Holz, M., Barth, G., Heretsch, P., Thomas, F.A., Sicker, D., Giannis, A., 2012. Microbiologically produced carboxylic acids used as building blocks in organic synthesis. *Subcell. Biochem.* 64, 391–423. https://doi.org/10.1007/978-94-007-5055-5_19
- Badawy, M.E.I., Rabea, E.I., Taktak, N.E.M., 2014. Antimicrobial and inhibitory enzyme activity of N-(benzyl) and quaternary N-(benzyl) chitosan derivatives on plant pathogens. *Carbohydr. Polym.* 111, 670–682. <https://doi.org/10.1016/j.carbpol.2014.04.098>
- Baker, L.G., Specht, C.A., Lodge, J.K., 2011. Cell wall chitosan is necessary for virulence in the opportunistic pathogen *Cryptococcus neoformans*. *Eukaryot. Cell* 10, 1264–8. <https://doi.org/10.1128/EC.05138-11>
- Bell, A.A., Hubbard, J.C., Liu, L., Michael Davis, R., Subbarao, K. V., 1998. Effects of chitin and chitosan on the incidence and severity of *Fusarium* yellows of celery. *Plant Dis.* 82, 322–328. <https://doi.org/10.1094/PDIS.1998.82.3.322>
- Bennett, J.W., 2010. An Overview of the Genus *Aspergillus*. Machida, M. and Gomi, K., Eds., *Aspergillus: Molecular Biology and Genomics*.
- Bentley, R., Thiessen, C.P., 1957. Biosynthesis of itaconic acid in *Aspergillus terreus*. I. Tracer studies with C14-labeled substrates. *J. Biol. Chem.* 226, 673–687.
- Bin Moon, S., Lee, J.M., Kang, J.G., Lee, N.E., Ha, D.I., Kim, D.Y., Kim, S.H., Yoo, K., Kim, D., Ko, J.H., Kim, Y.S., 2018. Highly efficient genome editing by CRISPR-Cpf1 using CRISPR RNA with a uridinylate-rich 3'-overhang. *Nat. Commun.* 9, 1–11. <https://doi.org/10.1038/s41467-018-06129-w>
- Blanco, N., Sanz, A.B., Rodríguez-Peña, J.M., Nombela, C., Farkaš, V., Hurtado-Guerrero, R., Arroyo, J., 2015. Structural and functional analysis of yeast *CRH1* and *CRH2* transglycosylases. *FEBS J.* 282, 715–731. <https://doi.org/10.1111/febs.13176>
- Boeke, J.D., La Croute, F., Fink, G.R., 1984. A positive selection for mutants lacking orotidine-5'-phosphate decarboxylase activity in yeast: 5-fluoro-orotic acid resistance. *Mol. Gen. Genet.* MGG 197, 345–346. <https://doi.org/10.1007/BF00330984>
- Bok, J.W., Noordermeer, D., Kale, S.P., Keller, N.P., 2006. Secondary metabolic gene cluster silencing in *Aspergillus nidulans*. *Mol. Microbiol.* 61, 1636–1645. <https://doi.org/10.1111/j.1365-2958.2006.05330.x>
- Bos, C.J., Debets, A.J.M., Swart, K., Huybers, A., Kobus, G., Slakhorst, S.M., 1988. Genetic analysis and the construction of master strains for assignment of genes to six linkage groups in *Aspergillus niger*. *Curr. Genet.* 14, 437–443. <https://doi.org/10.1007/BF00521266>
- Bose, I., Reese, A.J., Ory, J.J., Janbon, G., Doering, T.L., 2003. A Yeast under Cover: the Capsule of *Cryptococcus neoformans*. *Eukaryot. Cell* 2, 655. <https://doi.org/10.1128/EC.2.4.655-663.2003>
- Braaksma, M., Smilde, A.K., van der Werf, M.J., Punt, P.J., 2009. The effect of environmental conditions on extracellular protease activity in controlled fermentations of *Aspergillus niger*. *Microbiology* 155, 3430–3439. <https://doi.org/10.1099/mic.0.031062-0>
- Breslow, D.K., Cameron, D.M., Collins, S.R., Schuldiner, M., Stewart-Ornstein, J., Newman, H.W., Braun, S., Madhani, H.D., Krogan, N.J., Weissman, J.S., 2008. A comprehensive strategy enabling high-resolution functional analysis of the yeast genome. *Nat. Methods* 5, 711–8. <https://doi.org/10.1038/nmeth.1234>
- Brown, J.L., Bussey, H., 1993. The yeast KRE9 gene encodes an O glycoprotein involved in cell surface beta-glucan assembly. *Mol. Cell. Biol.* 13, 6346–6356. <https://doi.org/10.1128/mcb.13.10.6346>

- Brul, S., King, A., Van Der Vaart, J.M., Chapman, J., Klis, F., Verrips, C.T., 1997. The incorporation of mannoproteins in the cell wall of *S. cerevisiae* and filamentous Ascomycetes. *Antonie van Leeuwenhoek, Int. J. Gen. Mol. Microbiol.* 72, 229–237. <https://doi.org/10.1023/A:1000429208049>
- Bryant, N.J., Stevens, T.H., 1997. Two separate signals act independently to localize a yeast late Golgi membrane protein through a combination of retrieval and retention. *J. Cell Biol.* 136, 287–297. <https://doi.org/10.1083/jcb.136.2.287>
- Burset, M., Seledtsov, I.A., Solovvey, V. V., 2000. Analysis of canonical and non-canonical splice sites in mammalian genomes. *Nucleic Acids Res.* 28, 4364–4375. <https://doi.org/10.1093/nar/28.21.4364>
- Cabib, E., 2009. Two novel techniques for determination of polysaccharide cross-links show that Crh1p and Crh2p attach chitin to both beta(1-6)- And beta(1-3)glucan in the *Saccharomyces cerevisiae* cell wall. *Eukaryot. Cell* 8, 1626–1636. <https://doi.org/10.1128/EC.00228-09>
- Cabib, E., Blanco, N., Grau, C., Rodríguez-peña, J.M., Arroyo, J., 2007. Crh1p and Crh2p are required for the cross-linking of chitin to b(1-6)glucan in the *Saccharomyces cerevisiae* cell wall. *Mol. Microbiol.* 63, 921–935. <https://doi.org/10.1111/j.1365-2958.2006.05565.x>
- Cabib, E., Farkas, V., Kosík, O., Blanco, N., Arroyo, J., Mcphie, P., 2008. Assembly of the Yeast Cell Wall. Crh1p and Crh2p Act as Transglycosylases in vivo and in vitro. *J. Biol. Chem.* 283, 29859–29872. <https://doi.org/10.1074/jbc.M804274200>
- Cai, H., Kauffman, S., Naider, F., Becker, J.M., 2006. Genomewide screen reveals a wide regulatory network for di/tripeptide utilization in *Saccharomyces cerevisiae*. *Genetics* 172, 1459–76. <https://doi.org/10.1534/genetics.105.053041>
- Cai, J., Yang, J., Du, Y., Fan, L., Qiu, Y., Li, J., Kennedy, J.F., 2006. Enzymatic preparation of chitosan from the waste *Aspergillus niger* mycelium of citric acid production plant. *Carbohydr. Polym.* 64, 151–157. <https://doi.org/10.1016/j.carbpol.2005.11.004>
- Cai, M., Zhang, Ying, Hu, W., Shen, W., Yu, Z., Zhou, W., Jiang, T., Zhou, X., Zhang, Yuanxing, 2014. Genetically shaping morphology of the filamentous fungus *Aspergillus glaucus* for production of antitumor polyketide aspergillide A. *Microb. Cell Fact.* 13, 73. <https://doi.org/10.1186/1475-2859-13-73>
- Cairns, T.C., Nai, C., Meyer, V., 2018. How a fungus shapes biotechnology: 100 years of *Aspergillus niger* research. *Fungal Biol. Biotechnol.* 5, 13. <https://doi.org/10.1186/s40694-018-0054-5>
- Carvalho, N.D.S.P., Arentshorst, M., Kwon, M.J., Meyer, V., Ram, A.F.J., 2010. Expanding the ku70 toolbox for filamentous fungi: establishment of complementation vectors and recipient strains for advanced gene analyses. *Appl. Microbiol. Biotechnol.* 87, 1463. <https://doi.org/10.1007/S00253-010-2588-1>
- Choi, W.J., Sburlati, A., Cabib, E., 1994. Chitin synthase 3 from yeast has zymogenic properties that depend on both the CAL1 and the CAL3 genes. *Proc. Natl. Acad. Sci. U. S. A.* 91, 4727–30. <https://doi.org/10.1073/pnas.91.11.4727>
- Cole, G.T., 1996. *Basic Biology of Fungi, Medical Microbiology.* University of Texas Medical Branch at Galveston.
- Corsi, B., Riccioni, L., Forni, C., 2015. In vitro cultures of *Actinidia deliciosa* (A. Chev) C.F. Liang & A.R. Ferguson: a tool to study the SAR induction of chitosan treatment. *Org. Agric.* 5, 189–198. <https://doi.org/10.1007/s13165-014-0087-x>
- Damveld, R.A., Arentshorst, M., VanKuyk, P.A., Klis, F.M., Van Den Hondel, C.A.M.J.J., Ram, A.F.J., 2005a. Characterisation of CwpA, a putative glycosylphosphatidylinositol-anchored cell wall mannoprotein in the filamentous fungus *Aspergillus niger*. *Fungal Genet. Biol.* 42, 873–885. <https://doi.org/10.1016/j.fgb.2005.06.006>
- Damveld, R.A., Franken, A., Arentshorst, M., Punt, P.J., Klis, F.M., Van Den Hondel, C.A.M.J.J., Ram, A.F.J., 2008. A novel screening method for cell wall mutants in *Aspergillus niger* identifies UDP-galactopyranose mutase as an important protein in fungal cell wall biosynthesis. *Genetics* 178, 873–881. <https://doi.org/10.1534/>

References

- genetics.107.073148
- Damveld, R.A., VanKuyk, P.A., Arentshorst, M., Klis, F.M., Cees A.M.J.J. van den Hondel, A.F.J.R., 2005b. Expression of *agsA*, one of five 1,3- α -D-glucan synthase-encoding genes in *Aspergillus niger*, is induced in response to cell wall stress. *Fungal Genet. Biol.* 42, 165–177. <https://doi.org/10.1016/j.fgb.2004.11.006>
- Dang, Y., Yang, Q., Xue, Z., Liu, Y., 2011. RNA interference in fungi: Pathways, functions, and applications. *Eukaryot. Cell.* <https://doi.org/10.1128/EC.05109-11>
- Das, S.N., Madhuprakash, J., Sarma, P.V.S.R.N., Purushotham, P., Suma, K., Manjeet, K., Rambabu, S., Gueddari, N.E. El, Moerschbacher, B.M., Podile, A.R., 2015. Biotechnological approaches for field applications of chitooligosaccharides (COS) to induce innate immunity in plants. *Crit. Rev. Biotechnol.* <https://doi.org/10.3109/07388551.2013.798255>
- de Castro, E., Sigrist, C.J.A., Gattiker, A., Bulliard, V., Langendijk-Genevaux, P.S., Gasteiger, E., Bairoch, A., Hulo, N., 2006. ScanProsite: detection of PROSITE signature matches and ProRule-associated functional and structural residues in proteins. *Nucleic Acids Res.* 34, W362–W365. <https://doi.org/10.1093/nar/gkl124>
- De Groot, P.W.J., Ruiz, C., De Vázquez Aldana, C.R., Duenas, E., Cid, V.J., Rey, F. Del, Rodríguez-Peña, J.M., Pérez, P., Andel, A., Caubín, J., Arroyo, J., García, J.C., Gil, C., Molina, M., García, L.J., Nombela, C., Klis, F.M., 2001. A genomic approach for the identification and classification of genes involved in cell wall formation and its regulation in *Saccharomyces cerevisiae*. *Comp. Funct. Genomics* 2, 124–142. <https://doi.org/10.1002/cfg.85>
- de Nobel, H., Ruiz, C., Martin, H., Morris, W., Brul, S., Molina, M., Klis, F.M., 2000. Cell wall perturbation in yeast results in dual phosphorylation of the Slt2/Mpk1 MAP kinase and in an Slt2-mediated increase in FKS2-*lacZ* expression, glucanase resistance and thermotolerance. *Microbiology* 146, 2121–2132. <https://doi.org/10.1099/00221287-146-9-2121>
- de Ruiter-Jacobs, Y.M.J.T., Broekhuijsen, M., Unkles, S.E., Campbell, E.I., Kinghorn, J.R., Contreras, R., Pouwels, P.H., van den Hondel, C.A.M.J.J., 1989. A gene transfer system based on the homologous *pyrG* gene and efficient expression of bacterial genes in *Aspergillus oryzae*. *Curr. Genet.* 16, 159–163. <https://doi.org/10.1007/BF00391472>
- Delley, P.A., Hall, M.N., 1999. Cell wall stress depolarizes cell growth via hyperactivation of RH01. *J. Cell Biol.* 147, 163–174. <https://doi.org/10.1083/jcb.147.1.163>
- Deng, M.-D., McMullin, T.W., Grund, A.D., 2005. Metabolic engineering for enhanced production of chitin and chitosan in microorganisms.
- Dhillon, G.S., Kaur, S., Brar, S.K., Verma, M., 2012. Green synthesis approach: extraction of chitosan from fungus mycelia. *Crit. Rev. Biotechnol.* 33, 1–25. <https://doi.org/10.3109/07388551.2012.717217>
- Dhillon, G.S., Kaur, S., Sarma, S.J., Brar, S.K., 2013. Integrated process for fungal citric acid fermentation using apple processing wastes and sequential extraction of chitosan from waste stream. *Ind. Crops Prod.* 50, 346–351.
- Dichtl, K., Samantaray, S., Wagener, J., 2016. Cell wall integrity signalling in human pathogenic fungi. *Cell. Microbiol.* 18, 1228–1238. <https://doi.org/10.1111/cmi.12612>
- Dijkgraaf, G.J.P., Brown, J.L., Bussey, H., 1996. The KNH1 gene of *Saccharomyces cerevisiae* is a functional homolog of KRE9. *Yeast* 12, 683–692. [https://doi.org/10.1002/\(SICI\)1097-0061\(19960615\)12:7<683::AID-YEA959>3.0.CO;2-8](https://doi.org/10.1002/(SICI)1097-0061(19960615)12:7<683::AID-YEA959>3.0.CO;2-8)
- Dong, H., Zheng, J., Yu, D., Wang, B., Pan, L., 2019. Efficient genome editing in *Aspergillus niger* with an improved recyclable CRISPR-HDR toolbox and its application in introducing multiple copies of heterologous genes. *J. Microbiol. Methods* 163, 105655. <https://doi.org/10.1016/J.MIMET.2019.105655>
- Dyer, P.S., O’Gorman, C.M., 2012. Sexual development and cryptic sexuality in fungi: Insights from *Aspergillus* species. *FEMS Microbiol. Rev.* <https://doi.org/10.1111/j.1574-6976.2011.00308.x>

- El-Ganiny, A.M., Sanders, D.A.R., Kaminskyj, S.G.W., 2008. *Aspergillus nidulans* UDP-galactopyranose mutase, encoded by *ugmA* plays key roles in colony growth, hyphal morphogenesis, and conidiation. *Fungal Genet. Biol.* 45, 1533–1542. <https://doi.org/10.1016/j.fgb.2008.09.008>
- El Gueddari, N.E., Kolkenbrock, S., Schaaf, A., Chilukoti, N., Brunel, F., Gorzelanny, C., Fehser, S., Chachra, S., Bernard, F., Nampally, M., Kalagara, T., Ihmor, P., Moerschbacher, B.M., 2014. Chitin and chitosan modifying enzymes: versatile novel tools for the analysis of structure-function relationship of partially acetylated chitosans., in: *Adv Chitin Sci.* pp. 40–7.
- Elson, L.A., Morgan, W.T.J., 1934. A Colorimetric Method for the Determination of N-acetylglucosamine and N-acetylchondrosamine. *Biochem J.* 28, 988–995. <https://doi.org/10.1042/bj0280988>
- Ene, I. V., Walker, L. a., Schiavone, M., Lee, K.K., Martin-Yken, H., Dague, E., Gow, N. a R., Munro, C. a., Brown, A.J.P., 2015. Cell wall remodeling enzymes modulate fungal cell wall elasticity and osmotic stress resistance. *MBio* 6, 1–15. <https://doi.org/10.1128/mBio.00986-15>
- Fang, W., Sanz, A.B., Bartual, S.G., Wang, B., Ferenbach, A.T., Farkaš, V., Hurtado-Guerrero, R., Arroyo, J., van Aalten, D.M.F., 2019. Mechanisms of redundancy and specificity of the *Aspergillus fumigatus* Crh transglycosylases. *Nat. Commun.* 10. <https://doi.org/10.1038/s41467-019-09674-0>
- Feliziani, E., Landi, L., Romanazzi, G., 2015. Preharvest treatments with chitosan and other alternatives to conventional fungicides to control postharvest decay of strawberry. *Carbohydr. Polym.* 132, 111–117. <https://doi.org/10.1016/j.carbpol.2015.05.078>
- Fiedler, M.R., Lorenz, A., Nitsche, B.M., van den Hondel, C.A., Ram, A.F., Meyer, V., 2014. The capacity of *Aspergillus niger* to sense and respond to cell wall stress requires at least three transcription factors: RlmA, MsnA and CrzA. *Fungal Biol. Biotechnol.* 1. <https://doi.org/10.1186/s40694-014-0005-8>
- Finger, F.P., Novick, P., 1997. Sec3p is involved in secretion and morphogenesis in *Saccharomyces cerevisiae*. *Mol. Biol. Cell* 8, 647–662. <https://doi.org/10.1091/mbc.8.4.647>
- Fontaine, T., Simenel, C., Dubreucq, G., Adam, O., 2000. Molecular organization of the alkali-insoluble fraction of *Aspergillus fumigatus* cell wall. *J. Biol. Chem.* 275, 27594–27607.
- Fonzi, W.A., 1999. PHR1 and PHR2 of *Candida albicans* encode putative glycosidases required for proper cross-linking of beta-1,3- and beta-1,6-glucans. *J. Bacteriol.* 181, 7070–9.
- Forgac, M., 2007. Vacuolar ATPases: Rotary proton pumps in physiology and pathophysiology. *Nat. Rev. Mol. Cell Biol.* <https://doi.org/10.1038/nrm2272>
- Fortwendel, J.R., Juvvadi, P.R., Perfect, B.Z., Rogg, L.E., Perfect, J.R., Steinbach, W.J., 2010. Transcriptional regulation of chitin synthases by calcineurin controls paradoxical growth of *Aspergillus fumigatus* in response to caspofungin. *Antimicrob. Agents Chemother.* 54, 1555–63. <https://doi.org/10.1128/AAC.00854-09>
- Free, S.J., 2013. *Fungal Cell Wall Organization and Biosynthesis*, 1st ed, *Advances in Genetics*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-407677-8.00002-6>
- Frieman, M.B., McCaffery, J.M., Cormack, B.P., 2002. Modular domain structure in the *Candida glabrata* adhesin Epa1p, a β 1,6 glucan-cross-linked cell wall protein. *Mol. Microbiol.* 46, 479–492. <https://doi.org/10.1046/j.1365-2958.2002.03166.x>
- Frisvad, J.C., Petersen, L.M., Lyhne, E.K., Larsen, T.O., 2014. Formation of Sclerotia and Production of Indoloterpenes by *Aspergillus niger* and Other Species in Section Nigri. *PLoS One* 9, e94857. <https://doi.org/10.1371/journal.pone.0094857>
- Fuller, R.S., Brake, A., Thorner, J., 1989. Yeast prohormone processing enzyme (KEX2 gene product) is a Ca^{2+} -dependent serine protease. *Proc. Natl. Acad. Sci.* <https://doi.org/10.1073/pnas.86.5.1434>
- Gagnon-Arsenault, I., Parisé, L., Tremblay, J., Bourbonnais, Y., 2008. Activation mechanism, functional role and shedding of glycosylphosphatidylinositol-anchored Yps1p at the *Saccharomyces cerevisiae* cell surface.

- Mol. Microbiol. 69, 982–993. <https://doi.org/10.1111/j.1365-2958.2008.06339.x>
- Gaiser, O.J., Piotukh, K., Ponnuswamy, M.N., Planas, A., Borriss, R., Heinemann, U., 2006. Structural basis for the substrate specificity of a *Bacillus* 1,3-1,4- β -glucanase. *J. Mol. Biol.* 357, 1211–1225. <https://doi.org/10.1016/j.jmb.2006.01.014>
- Gao, L., Cox, D.B.T., Yan, W.X., Manteiga, J.C., Schneider, M.W., Yamano, T., Nishimasu, H., Nureki, O., Crosetto, N., Zhang, F., 2017. Engineered Cpf1 variants with altered PAM specificities. *Nat. Biotechnol.* 35, 789–792. <https://doi.org/10.1038/nbt.3900>
- Garcia-Rubio, R., de Oliveira, H.C., Rivera, J., Trevijano-Contador, N., 2020. The Fungal Cell Wall: *Candida*, *Cryptococcus*, and *Aspergillus* Species. *Front. Microbiol.* <https://doi.org/10.3389/fmicb.2019.02993>
- Garrett, M.D., Zahner, J.E., Cheney, C.M., Novick, P.J., 1994. *GDI1* encodes a GDP dissociation inhibitor that plays an essential role in the yeast secretory pathway. *EMBO J.* 13, 1718–1728. <https://doi.org/10.1002/j.1460-2075.1994.tb06436.x>
- Geoghegan, I., Steinberg, G., Gurr, S., 2017. The Role of the Fungal Cell Wall in the Infection of Plants. *Trends Microbiol.* <https://doi.org/10.1016/j.tim.2017.05.015>
- Gherbawy, Y., Elhariry, H., Kocsubé, S., Bahobial, A., Deeb, B. El, Altalhi, A., Varga, J., Vágvölgyi, C., 2015. Molecular characterization of black *Aspergillus* species from onion and their potential for ochratoxin A and fumonisin B2 production. *Foodborne Pathog. Dis.* 12, 414–423. <https://doi.org/10.1089/fpd.2014.1870>
- Ghormade, V., Pathan, E.K., Deshpande, M.V., 2017. Can fungi compete with marine sources for chitosan production? *Int. J. Biol. Macromol.* 1–7. <https://doi.org/10.1016/j.ijbiomac.2017.01.112>
- Gómez-Esquer, F., Rodríguez-Peña, J.M., Díaz, G., Rodríguez, E., Briza, P., Nombela, C., Arroyo, J., 2004. CRR1, a gene encoding a putative transglycosidase, is required for proper spore wall assembly in *Saccharomyces cerevisiae*. *Microbiology* 150, 3269–3280. <https://doi.org/10.1099/mic.0.27314-0>
- Gow, N.A.R., Latge, J.-P., Munro, C.A., 2017. The Fungal Cell Wall: Structure, Biosynthesis, and Function. *Microbiol. Spectr.* 5. <https://doi.org/10.1128/microbiolspec.funk-0035-2016>
- Grbavac, A., Čanak, I., Stuparević, I., Teparić, R., Mrša, V., 2017. Proteolytic processing of the *Saccharomyces cerevisiae* cell wall protein Scw4 regulates its activity and influences its covalent binding to glucan. *Biochim. Biophys. Acta - Mol. Cell Res.* 1864, 507–515. <https://doi.org/10.1016/j.bbamcr.2016.12.009>
- Greenstein, S., Shadkchan, Y., Jadoun, J., Sharon, C., Markovich, S., Oshero, N., 2006. Analysis of the *Aspergillus nidulans* thaumatin-like *cetA* gene and evidence for transcriptional repression of *pyr4* expression in the *cetA*-disrupted strain. *Fungal Genet. Biol.* 43, 42–53. <https://doi.org/10.1016/j.fgb.2005.10.001>
- Grün, C.H., Hochstenbach, F., Humbel, B.M., Verkleij, A.J., Sietsma, J.H., Klis, F.M., Kamerling, J.P., Vliegthart, J.F.G., 2004. The structure of cell wall α -glucan from fission yeast. *Glycobiology* 15, 245–257. <https://doi.org/10.1093/glycob/cwi002>
- Guest, G.M., Lin, X., Momany, M., 2004. *Aspergillus nidulans* RhoA is involved in polar growth, branching, and cell wall synthesis. *Fungal Genet. Biol.* 41, 13–22. <https://doi.org/10.1016/j.fgb.2003.08.006>
- Guo, W., Roth, D., Walch-Solimena, C., Novick, P., 1999. The exocyst is an effector for Sec4p, targeting secretory vesicles to sites of exocytosis. *EMBO J.* 18, 1071–1080. <https://doi.org/10.1093/emboj/18.4.1071>
- Hahn, M., Olsen, O., Politz, O., Borriss, R., Heinemann, U., 1995. Crystal structure and site-directed mutagenesis of *Bacillus macerans* endo- 1,3-1,4- β -glucanase. *J. Biol. Chem.* 270, 3081–3088. <https://doi.org/10.1074/jbc.270.7.3081>
- Hammer, P.E., Carr, B., 2006. Methods for production of chitin and chitosan.
- Hanes, S.D., Shank, P.R., Bostian, K.A., 1989. Sequence and mutational analysis of *ESS1*, a gene essential for growth in *Saccharomyces cerevisiae*. *Yeast* 5, 55–72. <https://doi.org/10.1002/yea.320050108>

- Hartland, R.P., Fontaine, T., Debeaupuis, J.P., Simenel, C., Delepierre, M., Latgé, J.P., 1996. A novel beta-(1-3)-glucanoyltransferase from the cell wall of *Aspergillus fumigatus*. J. Biol. Chem. 271, 26843–9. <https://doi.org/10.1074/jbc.271.43.26843>
- Hartland, R.P., Vermeulen, C.A., Sietsma, J.H., Wessels, J.G.H., Klis, F.M., 1994. The linkage of (1-3)- β -glucan to chitin during cell wall assembly in *Saccharomyces cerevisiae*. Yeast 10, 1591–1599. <https://doi.org/10.1002/yea.320101208>
- Heilmann, C.J., Sorgo, A.G., Mohammadi, S., Sosinska, G.J., de Koster, C.G., Brul, S., de Koning, L.J., Klis, F.M., Sosinsk, G.J., de Koster, C.G., Brul, S., de Koning, L.J., Klis, F.M., 2013. Surface stress induces a conserved cell wall stress response in the pathogenic fungus *Candida albicans*. Eukaryot. Cell 12, 254–264. <https://doi.org/10.1128/EC.00278-12>
- Heiman, M.G., Engel, A., Walter, P., 2007. The Golgi-resident protease Kex2 acts in conjunction with Prm1 to facilitate cell fusion during yeast mating. J. Cell Biol. 176, 209–222. <https://doi.org/10.1083/jcb.200609182>
- Henry, C., Fontaine, T., Heddergott, C., Robinet, P., Aïmanianda, V., Beau, R., Beauvais, A., Mouyna, I., Prevost, M.C., Fekkar, A., Zhao, Y., Perlin, D., Latgé, J.P., 2016. Biosynthesis of cell wall mannan in the conidium and the mycelium of *Aspergillus fumigatus*. Cell. Microbiol. 18, 1881–1891. <https://doi.org/10.1111/cmi.12665>
- Henry, C., Latgé, J.P., Beauvais, A., 2012. α -1,3 glucans are dispensable in *Aspergillus fumigatus*. Eukaryot. Cell 11, 26–29. <https://doi.org/10.1128/EC.05270-11>
- Henry, C., Li, J., Danion, F., Alcazar-Fuoli, L., Mellado, E., Beau, R., RémiJouvion, G., Latgé, J.P., Fontaine, T., 2019. Two KTR mannosyltransferases are responsible for the biosynthesis of cell wall mannans and control polarized growth in *Aspergillus fumigatus*. MBio 10. <https://doi.org/10.1128/mBio.02647-18>
- Hidangmayum, A., Dwivedi, P., Katiyar, D., Hemantaranjan, A., 2019. Application of chitosan on plant responses with special reference to abiotic stress. Physiol. Mol. Biol. Plants. <https://doi.org/10.1007/s12298-018-0633-1>
- Hochstenbach, F., Klis, F.M., Van Ende, H. Den, Van Donselaar, E., Peters, P.J., Klausner, R.D., 1998. Identification of a putative alpha-glucan synthase essential for cell wall construction and morphogenesis in fission yeast. Proc. Natl. Acad. Sci. U. S. A. 95, 9161–9166. <https://doi.org/10.1073/pnas.95.16.9161>
- Horn, B.W., Moore, G.G., Carbone, I., 2009. Sexual reproduction in *Aspergillus flavus*. Mycologia 101, 423–429. <https://doi.org/10.3852/09-011>
- Hossain, A.H., Li, A., Brickwedde, A., Wilms, L., Caspers, M., Overkamp, K., Punt, P.J., 2016. Rewiring a secondary metabolite pathway towards itaconic acid production in *Aspergillus niger*. Microb. Cell Fact. 15, 130. <https://doi.org/10.1186/s12934-016-0527-2>
- Isaza-Pérez, F., Ramírez-Carmona, M., Rendón-Castrillón, L., Ocampo-López, C., 2020. Potential of residual fungal biomass: a review. Environ. Sci. Pollut. Res. <https://doi.org/10.1007/s11356-020-08193-6>
- Ja'afaru, M.I., 2013. Screening of fungi isolated from environmental samples for xylanase and cellulase production. ISRN Microbiol. 2013, 283423. <https://doi.org/10.1155/2013/283423>
- Jalving, R., 2005. Proteolytic processing in the secretory pathway of *Aspergillus niger*. Ph.D. thesis.
- Jalving, R., Van De Vondervoort, P.J.I.I., Visser, J., Schaap, P.J., 2000. Characterization of the kexin-like maturase of *Aspergillus niger*. Appl. Environ. Microbiol. 66, 363–368. <https://doi.org/10.1128/AEM.66.1.363-368.2000>
- Johansson, P., Brumer, H., Baumann, M.J., Kallas, Å.M., Henriksson, H., Denman, S.E., Teeri, T.T., Jones, T.A., 2004. Crystal structures of a poplar xyloglucan endotransglycosylase reveal details of transglycosylation acceptor binding. Plant Cell 16, 874–886. <https://doi.org/10.1105/tpc.020065>
- Jørgensen, T.R., Burggraaf, A.-M., Arentshorst, M., Schutze, T., Lamers, G., Niu, J., Kwon, M.J., Park, J., Frisvad,

- J.C., Nielsen, K.F., Meyer, V., Hondel, C.A.M.J.J. van den, Dyer, P.S., Ram, A.F.J., 2020. Identification of SclB, a Zn(II)2Cys6 transcription factor involved in sclerotium formation in *Aspergillus niger*. *Fungal Genet. Biol.*
- Jørgensen, T.R., Nielsen, K.F., Arentshorst, M., Park, J.H., van den Hondel, C.A., Frisvad, J.C., Ram, A.F., 2011a. Submerged conidiation and product formation by *Aspergillus niger* at low specific growth rates are affected in aerial developmental mutants. *Appl. Environ. Microbiol.* 77, 5270–5277. <https://doi.org/10.1128/AEM.00118-11>
- Jørgensen, T.R., Nitsche, B.M., Lamers, G.E., Arentshorst, M., Van Den Hondel, C.A.M.J.J., Ram, A.F.J., 2010. Transcriptomic insights into the physiology of *Aspergillus niger* approaching a specific growth rate of zero. *Appl. Environ. Microbiol.* 76, 5344–5355. <https://doi.org/10.1128/AEM.00450-10>
- Jørgensen, T.R., Park, J., Arentshorst, M., van Welzen, A.M., Lamers, G., VanKuyk, P.A., Damveld, R.A., van den Hondel, C.A.M.J.J., Nielsen, K.F., Frisvad, J.C., Ram, A.F.J., 2011b. The molecular and genetic basis of conidial pigmentation in *Aspergillus niger*. *Fungal Genet. Biol.* 48, 544–553. <https://doi.org/10.1016/j.fgb.2011.01.005>
- Kang, M.S., Elango, N., Mattia, E., Au-Young, J., Robbins, P.W., Cabib, E., 1984. Isolation of chitin synthetase from *Saccharomyces cerevisiae*. Purification of an enzyme by entrapment in the reaction product. *J. Biol. Chem.* 259, 14966–14972.
- Kang, X., Kirui, A., Muszyński, A., Widanage, M.C.D., Chen, A., Azadi, P., Wang, P., Mentink-Vigier, F., Wang, T., 2018. Molecular architecture of fungal cell walls revealed by solid-state NMR. *Nat. Commun.* 9, 2747. <https://doi.org/10.1038/s41467-018-05199-0>
- Kapitzky, L., Beltrao, P., Berens, T.J., Gassner, N., Zhou, C., Wüster, A., Wu, J., Babu, M.M., Elledge, S.J., Toczyski, D., Lokey, R.S., Krogan, N.J., 2010. Cross-species chemogenomic profiling reveals evolutionarily conserved drug mode of action. *Mol. Syst. Biol.* 6. <https://doi.org/10.1038/msb.2010.107>
- Kapteyn, J.C., Montijn, R.C., Vink, E., De La Cruz, J., Llobell, A., Douwes, J.E., Shimoi, H., Lipke, P.N., Klis, F.M., 1996. Retention of *Saccharomyces cerevisiae* cell wall proteins through a phosphodiester-linked β -1,3-/ β -1,6-glucan heteropolymer. *Glycobiology* 6, 337–345. <https://doi.org/10.1093/glycob/6.3.337>
- Karaffa, L., Kubicek, C.P., 2003. *Aspergillus niger* citric acid accumulation: do we understand this well working black box? *Appl. Microbiol. Biotechnol.* 61, 189–196. <https://doi.org/10.1007/s00253-002-1201-7>
- Katayama, T., Nakamura, H., Zhang, Y., Pascal, A., Fujii, W., Maruyama, J.-I., 2019. Forced Recycling of an AMA1-Based Genome-Editing Plasmid Allows for Efficient Multiple Gene Deletion/Integration in the Industrial Filamentous Fungus *Aspergillus oryzae*. *Appl. Environ. Microbiol.* 85, e01896-18. <https://doi.org/10.1128/AEM.01896-18>
- Kaur, S., Dhillon, G.S., 2014. The versatile biopolymer chitosan: potential sources, evaluation of extraction methods and applications. *Crit. Rev. Microbiol.* 40, 155–175. <https://doi.org/10.3109/1040841X.2013.770385>
- Keitel, T., Simon, O., Borriss, R., Heinemann, U., 1993. Molecular and active-site structure of a *Bacillus* 1,3-1,4- β -glucanase, in: *Proceedings of the National Academy of Sciences of the United States of America*. pp. 5287–5291. <https://doi.org/10.1073/pnas.90.11.5287>
- Keller, F.A., Cabib, E., 1971. Chitin and yeast budding. Properties of chitin synthetase from *Saccharomyces carlsbergensis*. *J. Biol. Chem.* 246, 160–166.
- Khalesi, M., Zune, Q., Telek, S., Riveros-Galan, D., Verachtert, H., Toye, D., Gebruers, K., Derdelinckx, G., Delvigne, F., 2014. Fungal biofilm reactor improves the productivity of hydrophobin HFBII. *Biochem. Eng. J.* 88, 171–178. <https://doi.org/10.1016/j.bej.2014.05.001>
- Kinkelin, K., Wozniak, G.G., Rothbart, S.B., Lidschreiber, M., Strahl, B.D., Cramer, P., 2013. Structures of RNA polymerase II complexes with Bye1, a chromatin-binding PHF3/DIDO homolog. *Proc. Natl. Acad. Sci. U. S. A.* 110, 15277–82. <https://doi.org/10.1073/pnas.1311010110>

- Kiss, E., Hegedüs, B., Virágh, M., Varga, T., Merényi, Z., Kószó, T., Bálint, B., Prasanna, A.N., Krizsán, K., Kocsubé, S., Riquelme, M., Takeshita, N., Nagy, L.G., 2019. Comparative genomics reveals the origin of fungal hyphae and multicellularity. *Nat. Commun.* 10. <https://doi.org/10.1038/s41467-019-12085-w>
- Klis, F.M., Ram, A.F.J., De Groot, P.W.J., 2007. A Molecular and Genomic View of the Fungal Cell Wall, in: *Biology of the Fungal Cell*. Springer Berlin Heidelberg, pp. 97–120. https://doi.org/10.1007/978-3-540-70618-2_4
- Knorr, D., 1991. Recovery and utilization of chitin and chitosan in food processing waste management. *Food Technol.* 45, 114–122.
- Kocak, D.D., Josephs, E.A., Bhandarkar, V., Adkar, S.S., Kwon, J.B., Gersbach, C.A., 2019. Increasing the specificity of CRISPR systems with engineered RNA secondary structures. *Nat. Biotechnol.* 37, 657–666. <https://doi.org/10.1038/s41587-019-0095-1>
- Kollár, R., Reinhold, B.B., Petráková, E., Yeh, H.J.C., Ashwell, G., Drgonová, J., Kapteyn, J.C., Klis, F.M., Cabib, E., 1997. Architecture of the yeast cell wall: $\beta(1\rightarrow6)$ glucan interconnects mannoprotein, $\beta(1\rightarrow3)$ -glucan, and chitin. *J. Biol. Chem.* 272, 17762–17775. <https://doi.org/10.1074/jbc.272.28.17762>
- Kolodziej, P.A., Yeh Jan, L., Nung Jan, Y., 1995. Mutations that affect the length, fasciculation, or ventral orientation of specific sensory axons in the *Drosophila* embryo. *Neuron* 15, 273–286. [https://doi.org/10.1016/0896-6273\(95\)90033-0](https://doi.org/10.1016/0896-6273(95)90033-0)
- Kowalski, B., Terry, F.J., Herrera, L., Peñalver, D.A., 2006. Application of soluble chitosan in vitro and in the greenhouse to increase yield and seed quality of potato minitubers. *Potato Res.* 49, 167–176. <https://doi.org/10.1007/s11540-006-9015-0>
- Krijgheld, P., Bleichrodt, R., van Veluw, G.J., Wang, F., Müller, W.H., Dijksterhuis, J., Wösten, H.A.B., 2013. Development in *Aspergillus*. *Stud. Mycol.* 74, 1–29. <https://doi.org/10.3114/sim0006>
- Krijgheld, Pauline, Nitsche, B.M., Post, H., Levin, A.M., Müller, W.H., Heck, A.J.R., Ram, A.F.J., Altelaar, A.F.M., Wösten, H.A.B., 2013. Deletion of flbA results in increased secretome complexity and reduced secretion heterogeneity in colonies of *Aspergillus niger*. *J. Proteome Res.* 12, 1808–1819. <https://doi.org/10.1021/pr301154w>
- Krogh, A., Larsson, B., Von Heijne, G., Sonnhammer, E.L.L., 2001. Predicting transmembrane protein topology with a hidden Markov model: Application to complete genomes. *J. Mol. Biol.* 305, 567–580. <https://doi.org/10.1006/jmbi.2000.4315>
- Kuivanen, J., Wang, Y.-M.J., Richard, P., 2016. Engineering *Aspergillus niger* for galactaric acid production: elimination of galactaric acid catabolism by using RNA sequencing and CRISPR/Cas9. *Microb. Cell Fact.* 15, 210. <https://doi.org/10.1186/s12934-016-0613-5>
- Kumaresapillai, N., Basha, R.A., Sathish, R., 2011. Production and evaluation of chitosan from *Aspergillus niger* MTCC strains. *Iran. J. Pharm. Res.* 10, 553–558. <https://doi.org/10.22037/ijpr.2011.1003>
- Kupfer, D.M., Drabenstot, S.D., Buchanan, K.L., Lai, H., Zhu, H., Dyer, D.W., Roe, B.A., Murphy, J.W., 2004. Introns and splicing elements of five diverse fungi. *Eukaryot. Cell* 3, 1088–1100. <https://doi.org/10.1128/EC.3.5.1088-1100.2004>
- Labun, K., Montague, T.G., Gagnon, J.A., Thyme, S.B., Valen, E., 2016. CHOPCHOP v2: a web tool for the next generation of CRISPR genome engineering. *Nucleic Acids Res.* 44, W272–W276. <https://doi.org/10.1093/nar/gkw398>
- Lafontaine, P.J., Benhamou, N., 1996. Chitosan treatment: An emerging strategy for enhancing resistance of greenhouse tomato plants to infection by *Fusarium oxysporum* f.sp. *radicis-lycopersici*. *Biocontrol Sci. Technol.* 6, 111–124. <https://doi.org/10.1080/09583159650039575>
- Lagorce, A., Berre-Anton, V. Le, Aguilar-Uscanga, B., Martin-Yken, H., Dagkessamanskaia, A., François, J., 2002. Involvement of GFA1, which encodes glutamine-fructose-6-phosphate amidotransferase, in the activation

- of the chitin synthesis pathway in response to cell-wall defects in *Saccharomyces cerevisiae*. Eur. J. Biochem. 269, 1697–1707. <https://doi.org/10.1046/j.1432-1327.2002.02814.x>
- Latgé, J.-P., 2007. The cell wall: a carbohydrate armour for the fungal cell. Mol. Microbiol. 66, 279–290. <https://doi.org/10.1111/j.1365-2958.2007.05872.x>
- Lay, J., Henry, L.K., Clifford, J., Koltin, Y., Bulawa, C.E., Becker, J.M., 1998. Altered Expression of Selectable Marker *URA3* in Gene-Disrupted *Candida albicans* Strains Complicates Interpretation of Virulence Studies, Infection and Immunology.
- Le Marquer, M., San Clemente, H., Roux, C., Savelli, B., Frei Dit Frey, N., 2019. Identification of new signaling peptides through a genome-wide survey of 250 fungal secretomes. BMC Genomics. <https://doi.org/10.1186/s12864-018-5414-2>
- Lee, J.-H., Skalnik, D.G., 2012. Rbm15-Mkl1 interacts with the Setd1b histone H3-Lys4 methyltransferase via a SPOC domain that is required for cytokine-independent proliferation. PLoS One 7, e42965. <https://doi.org/10.1371/journal.pone.0042965>
- Leibowitz, M.J., Wickner, R.B., 1976. A chromosomal gene required for killer plasmid expression, mating, and spore maturation in *Saccharomyces cerevisiae*. Proc. Natl. Acad. Sci. U. S. A. 73, 2061–2065. <https://doi.org/10.1073/pnas.73.6.2061>
- Levin, A.M., De Vries, R.P., Conesa, A., De Bekker, C., Talon, M., Menke, H.H., Van Peij, N.N.M.E., Wösten, H.A.B., 2007. Spatial differentiation in the vegetative mycelium of *Aspergillus niger*. Eukaryot. Cell 6, 2311–2322. <https://doi.org/10.1128/EC.00244-07>
- Levin, D.E., 2005. Cell Wall Integrity Signaling in *Saccharomyces cerevisiae*. Microbiol Mol Biol Rev 69, 262–291. <https://doi.org/10.1128/MMBR.69.2.262>
- Leynaud-Kieffer, L.M.C., Curran, S.C., Kim, I., Magnuson, J.K., Gladden, J.M., Baker, S.E., Simmons, B.A., 2019. A new approach to Cas9-based genome editing in *Aspergillus niger* that is precise, efficient and selectable. PLoS One 14. <https://doi.org/10.1371/journal.pone.0210243>
- Liu, H., Tian, W., Li, B., Wu, G., Ibrahim, M., Tao, Z., Wang, Y., Xie, G., Li, H., Sun, G., 2012. Antifungal effect and mechanism of chitosan against the rice sheath blight pathogen, *Rhizoctonia solani*. Biotechnol. Lett. 34, 2291–2298. <https://doi.org/10.1007/s10529-012-1035-z>
- Liu, R., Xu, C., Zhang, Q., Wang, S., Fang, W., 2017. Evolution of the chitin synthase gene family correlates with fungal morphogenesis and adaption to ecological niches. Sci. Rep. 7, 44527. <https://doi.org/10.1038/srep44527>
- Liu, R.M., Liang, L.L., Freed, E., Chang, H., Oh, E., Liu, Z.Y., Garst, A., Eckert, C.A., Gill, R.T., 2019. Synthetic chimeric nucleases function for efficient genome editing. Nat. Commun. 10. <https://doi.org/10.1038/s41467-019-13500-y>
- Lizárraga-Paulín, E.G., Miranda-Castro, S.P., Moreno-Martínez, E., Lara-Sagahón, A.V., Torres-Pacheco, I., 2013. Maize seed coatings and seedling sprayings with chitosan and hydrogen peroxide: Their influence on some phenological and biochemical behaviors. J. Zhejiang Univ. Sci. B 14, 87–96. <https://doi.org/10.1631/jzus.B1200270>
- Lord, A.K., Vyas, J.M., 2019. Host Defenses to Fungal Pathogens. Clin. Immunol. 413-424.e1. <https://doi.org/10.1016/B978-0-7020-6896-6.00029-6>
- Love, M.I., Huber, W., Anders, S., 2014. Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2. Genome Biol. 15, 550. <https://doi.org/10.1186/s13059-014-0550-8>
- Lu, C.F., Kurjan, J., Lipke, P.N., 1994. A pathway for cell wall anchorage of *Saccharomyces cerevisiae* alpha-agglutinin. Mol. Cell. Biol. 14, 4825–4833. <https://doi.org/10.1128/mcb.14.7.4825>
- Lu, C.F., Montijn, R.C., Brown, J.L., Klis, F., Kurjan, J., Bussey, H., Lipke, P.N., 1995. Glycosyl phosphatidylinosi-

- tol-dependent cross-linking of α -agglutinin and β 1,6-glucan in the *Saccharomyces cerevisiae* cell wall. *J. Cell Biol.* 128, 333–340. <https://doi.org/10.1083/jcb.128.3.333>
- Luo, X., Affeldt, K.J., Keller, N.P., 2016. Characterization of the Far Transcription Factor Family in *Aspergillus flavus*. <https://doi.org/10.1534/g3.116.032466>
- Ma, Z., Atencio, D., Barnes, C., DeFiglio, H., Hanes, S.D., 2012. Multiple roles for the Ess1 prolyl isomerase in the RNA polymerase II transcription cycle. *Mol. Cell. Biol.* 32, 3594–607. <https://doi.org/10.1128/ MCB.00672-12>
- MacKenzie, D.A., Guillemette, T., Al-Sheikh, H., Watson, A.J., Jeenes, D.J., Wongwathanarat, P., Dunn-Coleman, N.S., Peij, N. van., Archer, D.B., 2005. UPR-independent dithiothreitol stress-induced genes in *Aspergillus niger*. *Mol. Genet. Genomics* 274, 410–418. <https://doi.org/10.1007/s00438-005-0034-3>
- Maghsoodi, V., Razavi, J., Yaghmaei, S., 2009. Production of Chitosan by Submerged Fermentation from *Aspergillus niger*, Transactions C: Chemistry and Chemical Engineering.
- Magnuson, J.K., Lasure, L.L., 2004. Organic Acid Production by Filamentous Fungi, in: Advances in Fungal Biotechnology for Industry, Agriculture, and Medicine. Springer US, pp. 307–340. https://doi.org/10.1007/978-1-4419-8859-1_12
- Martin, S.H., Wingfield, B.D., Wingfield, M.J., Steenkamp, E.T., 2011. Causes and consequences of variability in peptide mating pheromones of ascomycete fungi. *Mol. Biol. Evol.* 28, 1987–2003. <https://doi.org/10.1093/molbev/msr022>
- Mazán, M., Blanco, N., Kováčová, K., Fíráková, Z., Řehulka, P., Farkaš, V., Arroyo, J., 2013. A novel fluorescence assay and catalytic properties of *CRH1* and *CRH2* yeast cell wall transglycosylases. *Biochem. J.* 455, 307–318. <https://doi.org/10.1042/BJ20130354>
- Merzendorfer, H., 2011. The cellular basis of chitin synthesis in fungi and insects: Common principles and differences. *Eur. J. Cell Biol.* 90, 759–769. <https://doi.org/10.1016/j.ejcb.2011.04.014>
- Meyer, V., Andersen, M.R., Brakhage, A.A., Braus, G.H., Caddick, M.X., Cairns, T.C., de Vries, R.P., Haarmann, T., Hansen, K., Hertz-Fowler, C., Krappmann, S., Mortensen, U.H., Peñalva, M.A., Ram, A.F.J., Head, R.M., 2016. Current challenges of research on filamentous fungi in relation to human welfare and a sustainable bio-economy: a white paper. *Fungal Biol. Biotechnol.* 3, 6. <https://doi.org/10.1186/s40694-016-0024-8>
- Meyer, V., Arentshorst, M., El-Ghezal, A., Drews, A.C., Kooistra, R., van den Hondel, C.A.M.J.J., Ram, A.F.J., 2007a. Highly efficient gene targeting in the *Aspergillus niger kusA* mutant. *J. Biotechnol.* 128, 770–775. <https://doi.org/10.1016/j.jbiotec.2006.12.021>
- Meyer, V., Basenko, E.Y., Benz, J.P., Braus, G.H., Caddick, M.X., Csukai, M., de Vries, R.P., Endy, D., Frisvad, J.C., Gunde-Cimerman, N., Haarmann, T., Hadar, Y., Hansen, K., Johnson, R.I., Keller, N.P., Kraševac, N., Mortensen, U.H., Perez, R., Ram, A.F.J., Record, E., Ross, P., Shapaval, V., Steiniger, C., van den Brink, H., van Munster, J., Yarden, O., Wösten, H.A.B., 2020. Growing a circular economy with fungal biotechnology: a white paper. *Fungal Biol. Biotechnol.* 7, 5. <https://doi.org/10.1186/s40694-020-00095-z>
- Meyer, V., Damveld, R. a., Arentshorst, M., Stahl, U., Van Den Hondel, C.A.M.J.J., Ram, A.F.J., 2007b. Survival in the presence of antifungals: Genome-wide expression profiling of *Aspergillus niger* in response to sub-lethal concentrations of caspofungin and fenpropimorph. *J. Biol. Chem.* 282, 32935–32948. <https://doi.org/10.1074/jbc.M705856200>
- Meyer, V., Wu, B., Ram, A.F.J., 2011. *Aspergillus* as a multi-purpose cell factory: Current status and perspectives. *Biotechnol. Lett.* <https://doi.org/10.1007/s10529-010-0473-8>
- Miki, B., Abdeen, A., Manabe, Y., MacDonald, P., 2009. Selectable marker genes and unintended changes to the plant transcriptome. *Plant Biotechnol. J.* 7, 211–218. <https://doi.org/10.1111/j.1467-7652.2009.00400.x>
- Miller, K.A., Didone, L., Krysan, D.J., 2010. Extracellular secretion of overexpressed glycosylphosphatidylinositol-linked cell wall protein Utr2/Crh2p as a novel protein quality control mechanism in *Saccharomyces*

References

- cerevisiae*. Eukaryot. Cell 9, 1669–1679. <https://doi.org/10.1128/EC.00191-10>
- Miller, S.M., Wang, T., Randolph, P.B., Arbab, M., Shen, M.W., Huang, T.P., Matuszek, Z., Newby, G.A., Rees, H.A., Liu, D.R., 2020. Continuous evolution of SpCas9 variants compatible with non-G PAMs. Nat. Biotechnol. <https://doi.org/10.1038/s41587-020-0412-8>
- Miyazawa, K., Yoshimi, A., Kasahara, S., Sugahara, A., Koizumi, A., Yano, S., Kimura, S., Iwata, T., Sano, M., Abe, K., 2018. Molecular Mass and Localization of α -1,3-Glucan in Cell Wall Control the Degree of Hyphal Aggregation in Liquid Culture of *Aspergillus nidulans*. Front. Microbiol. 9. <https://doi.org/10.3389/fmicb.2018.02623>
- Miyazawa, K., Yoshimi, A., Zhang, S., Sano, M., Nakayama, M., Gomi, K., Abe, K., 2016. Increased enzyme production under liquid culture conditions in the industrial fungus *Aspergillus oryzae* by disruption of the genes encoding cell wall α -1,3-glucan synthase. Biosci. Biotechnol. Biochem. 80, 1853–1863. <https://doi.org/10.1080/09168451.2016.1209968>
- Mizutani, O., Nojima, A., Yamamoto, M., Furukawa, K., Fujioka, T., Yamagata, Y., Abe, K., Nakajima, T., 2004. Disordered cell integrity signaling caused by disruption of the *kexB* gene in *Aspergillus oryzae*. Eukaryot. Cell 3, 1036–1048. <https://doi.org/10.1128/EC.3.4.1036-1048.2004>
- Mizutani, O., Shiina, M., Yoshimi, A., Sano, M., Watanabe, T., Yamagata, Y., Nakajima, T., Gomi, K., Abe, K., 2016. Substantial decrease in cell wall α -1,3-glucan caused by disruption of the *kexB* gene encoding a subtilisin-like processing protease in *Aspergillus oryzae*. Biosci. Biotechnol. Biochem. 8451, 1–11. <https://doi.org/10.1080/09168451.2016.1158632>
- Mol, P.C., Wessels, J.G.H., 1987. Linkages between glucosaminoglycan and glucan determine alkali-insolubility of the glucan in walls of *Saccharomyces cerevisiae*. FEMS Microbiol. Lett. 41, 95–99. <https://doi.org/10.1111/j.1574-6968.1987.tb02148.x>
- Mouyna, I., Fontaine, T., Vai, M., Monod, M., Fonzi, W.A., Diaquin, M., Popolo, L., Hartland, R.P., Latgé, J.P., 2000. Glycosylphosphatidylinositol-anchored glucanoyltransferases play an active role in the biosynthesis of the fungal cell wall. J. Biol. Chem. 275, 14882–9. <https://doi.org/10.1074/jbc.275.20.14882>
- Muñoz, G., Valencia, C., Valderruten, N., Ruiz-Durántez, E., Zuluaga, F., 2015. Extraction of chitosan from *Aspergillus niger* mycelium and synthesis of hydrogels for controlled release of betahistine. React. Funct. Polym. 91–92, 1–10.
- Muszewska, A., Piłsyk, S., Perlińska-Lenart, U., Kruszevska, J.S., 2018. Diversity of cell wall related proteins in human pathogenic fungi. J. Fungi 4. <https://doi.org/10.3390/jof4010006>
- Muszkieta, L., Fontaine, T., Beau, R., Mouyna, I., Vogt, M.S., Trow, J., Cormack, B.P., Essen, L.-O., Jouvion, G., Latgé, J.-P., 2019. The Glycosylphosphatidylinositol-Anchored DFG Family Is Essential for the Insertion of Galactomannan into the β -(1,3)-Glucan–Chitin Core of the Cell Wall of *Aspergillus fumigatus*. mSphere 4. <https://doi.org/10.1128/msphere.00397-19>
- Muzzarelli, R.A.A., 1973. Natural chelating polymers; alginic acid, chitin, and chitosan, in: International Series of Monographs on Analytical Chemistry. Pergamon Press, Oxford, New York.
- Naveed, M., Phil, L., Sohail, M., Hasnat, M., Baig, M.M.F.A., Ihsan, A.U., Shumzaid, M., Kakar, M.U., Mehmood Khan, T., Akabar, M.D., Hussain, M.I., Zhou, Q.G., 2019. Chitosan oligosaccharide (COS): An overview. Int. J. Biol. Macromol. <https://doi.org/10.1016/j.ijbiomac.2019.01.192>
- Newport, G., Kuo, A., Flattery, A., Gill, C., Blake, J.J., Kurtz, M.B., Abruzzo, G.K., Agabian, N., 2003. Inactivation of Kex2p diminishes the virulence of *Candida albicans*. J. Biol. Chem. 278, 1713–1720. <https://doi.org/10.1074/jbc.M209713200>
- Nielsen, H., 2017. Predicting Secretory Proteins with SignalP. Humana Press, New York, NY, pp. 59–73. https://doi.org/10.1007/978-1-4939-7015-5_6
- Nishi, T., Kawasaki-Nishi, S., Forgac, M., 2003. Expression and Function of the Mouse V-ATPase d Subunit Iso-

- forms. *J. Biol. Chem.* 278, 46396–46402. <https://doi.org/10.1074/jbc.M303924200>
- Nishimasu, H., Shi, X., Ishiguro, S., Gao, L., Hirano, S., Okazaki, S., Noda, T., Abudayyeh, O.O., Gootenberg, J.S., Mori, H., Oura, S., Holmes, B., Tanaka, M., Seki, M., Hirano, H., Aburatani, H., Ishitani, R., Ikawa, M., Yachie, N., Zhang, F., Nureki, O., 2018. Engineered CRISPR-Cas9 nuclease with expanded targeting space. *Science* (80-.). <https://doi.org/10.1126/science.aas9129>(2018)
- Niu, J., Arentshorst, M., Nair, P.D.S., Dai, Z., Baker, S.E., Frisvad, J.C., Nielsen, K.F., Punt, P.J., Ram, A.F.J., 2016a. Identification of a classical mutant in the industrial host *Aspergillus niger* by systems genetics: *LaeA* is required for citric acid production and regulates the formation of some secondary metabolites. *G3 Genes, Genomes, Genet.* 6, 193–204. <https://doi.org/10.1534/g3.115.024067>
- Niu, J., Arentshorst, M., Seelinger, F., Ram, A.F.J., Ouedraogo, J.P., 2016b. A set of isogenic auxotrophic strains for constructing multiple gene deletion mutants and parasexual crossings in *Aspergillus niger*. *Arch. Microbiol.* 1–8. <https://doi.org/10.1007/s00203-016-1240-6>
- Nødvig, C.S., Hoof, J.B., Kogle, M.E., Jarczynska, Z.D., Lehmbeck, J., Klitgaard, D.K., Mortensen, U.H., 2018a. Efficient oligo nucleotide mediated CRISPR-Cas9 gene editing in *Aspergilli*. *Fungal Genet. Biol.* 115, 78–89. <https://doi.org/10.1016/j.fgb.2018.01.004>
- Nødvig, C.S., Hoof, J.B., Kogle, M.E., Jarczynska, Z.D., Lehmbeck, J., Klitgaard, D.K., Mortensen, U.H., 2018b. Efficient oligo nucleotide mediated CRISPR-Cas9 gene editing in *Aspergilli*. *Fungal Genet. Biol.* <https://doi.org/10.1016/j.fgb.2018.01.004>
- Nødvig, C.S., Nielsen, J.B., Kogle, M.E., Mortensen, U.H., 2015. A CRISPR-Cas9 System for Genetic Engineering of Filamentous Fungi. *PLoS One* 10, e0133085. <https://doi.org/10.1371/journal.pone.0133085>
- Novick, P., Brennwald, P., Walworth, N.C., Kabcenell, A.K., Garrett, M., Moya, M., Roberts, D., Müller, H., Govindan, B., Bowser, R., 1993. The cycle of SEC4 function in vesicular transport. *Ciba Found. Symp.*
- Novodvorska, M., Hayer, K., Pullan, S.T., Wilson, R., Blythe, M.J., Stam, H., Stratford, M., Archer, D.B., 2013. Transcriptional landscape of *Aspergillus niger* at breaking of conidial dormancy revealed by RNA-sequencing. *BMC Genomics* 14. <https://doi.org/10.1186/1471-2164-14-246>
- NRC, N.R.C., 1983. Underutilized Resources as Animal Feedstuffs, Underutilized Resources as Animal Feedstuffs. National Academies Press. <https://doi.org/10.17226/41>
- Nwe, N., Stevens, W.F., 2004. Effect of urea on fungal chitosan production in solid substrate fermentation. *Process Biochem.* 39, 1639–1642. [https://doi.org/10.1016/S0032-9592\(03\)00301-7](https://doi.org/10.1016/S0032-9592(03)00301-7)
- Oesterlin, L.K., Pylypenko, O., Goud, B., 2014. Effectors of Rab GTPases: Rab Binding Specificity and Their Role in Coordination of Rab Function and Localization, in: *Ras Superfamily Small G Proteins: Biology and Mechanisms 2*. Springer International Publishing, Cham, pp. 39–66. https://doi.org/10.1007/978-3-319-07761-1_3
- Oestreicher, N., Ribard, C., Scazzocchio, C., 2008. The *nadA* gene of *Aspergillus nidulans*, encoding adenine deaminase, is subject to a unique regulatory pattern. *Fungal Genet. Biol.* 45, 760–775. <https://doi.org/10.1016/j.fgb.2007.10.015>
- Orlean, P., Funai, D., 2019. Priming and elongation of chitin chains: Implications for chitin synthase mechanism. *Cell Surf.* 5, 100017. <https://doi.org/10.1016/j.tcs.2018.100017>
- Orzali, L., Corsi, B., Forni, C., Riccioni, L., 2017. Chitosan in Agriculture: A New Challenge for Managing Plant Disease, in: *Biological Activities and Application of Marine Polysaccharides*. InTech. <https://doi.org/10.5772/66840>
- Orzali, L., Forni, C., Riccioni, L., 2014. Effect of chitosan seed treatment as elicitor of resistance to *Fusarium graminearum* in wheat. *Seed Sci. Technol.* 42, 132–149. <https://doi.org/10.15258/sst.2014.42.2.03>
- Osmani, A.H., Oakley, B.R., Osmani, S.A., 2006. Identification and analysis of essential *Aspergillus nidulans*

- genes using the heterokaryon rescue technique. *Nat. Protoc.* 1, 2517–2526. <https://doi.org/10.1038/nprot.2006.406>
- Paege, N., Jung, S., Schäpe, P., Müller-Hagen, D., Ouedraogo, J.-P., Heiderich, C., Jedamzick, J., Nitsche, B.M., Hondel, C.A. van den, Ram, A.F., Meyer, V., 2016. A Transcriptome Meta-Analysis Proposes Novel Biological Roles for the Antifungal Protein AnAFP in *Aspergillus niger*. *PLoS One* 11, e0165755. <https://doi.org/10.1371/JOURNAL.PONE.0165755>
- Papagianni, M., 2004. Fungal morphology and metabolite production in submerged mycelial processes. *Bio-technol. Adv.* <https://doi.org/10.1016/j.biotechadv.2003.09.005>
- Pardini, G., De Groot, P.W.J., Coste, A.T., Karababa, M., Klis, F.M., De Koster, C.G., Sanglard, D., 2006. The *CRH* family coding for cell wall glycosylphosphatidylinositol proteins with a predicted transglycosidase domain affects cell wall organization and virulence of *Candida albicans*. *J. Biol. Chem.* 281, 40399–40411. <https://doi.org/10.1074/jbc.M606361200>
- Park, J., Hulsman, M., Arentshorst, M., Breeman, M., Alazi, E., Lagendijk, E.L., Rocha, M.C., Malavazi, I., Nitsche, B.M., van den Hondel, C.A.M.J.J., Meyer, V., Ram, A.F.J., 2016. Transcriptomic and molecular genetic analysis of the cell wall salvage response of *Aspergillus niger* to the absence of galactofuranose synthesis. *Cell. Microbiol.* 18, 1268–1284. <https://doi.org/10.1111/cmi.12624>
- Park, J., Tefsen, B., Arentshorst, M., Lagendijk, E., van den Hondel, C.A., van Die, I., Ram, A.F., 2014. Identification of the UDP-glucose-4-epimerase required for galactofuranose biosynthesis and galactose metabolism in *A. niger*. *Fungal Biol. Biotechnol.* 1, 1–12. <https://doi.org/10.1186/s40694-014-0006-7>
- Patel, P.K., Free, S.J., 2019. The Genetics and Biochemistry of Cell Wall Structure and Synthesis in *Neurospora crassa*, a Model Filamentous Fungus. *Front. Microbiol.* <https://doi.org/10.3389/fmicb.2019.02294>
- Patro, R., Duggal, G., Love, M.I., Irizarry, R.A., Kingsford, C., 2017. Salmon provides fast and bias-aware quantification of transcript expression. *Nat. Methods* 14, 417–419. <https://doi.org/10.1038/nmeth.4197>
- Pel, H.J., de Winde, J.H., Archer, D.B., Dyer, P.S., Hofmann, G., Schaap, P.J., Turner, G., de Vries, R.P., Albang, R., Albermann, K., Andersen, M.R., Bendtsen, J.D., Benen, J.A.E., van den Berg, M., Breestraat, S., Caddick, M.X., Contreras, R., Cornell, M., Coutinho, P.M., Danchin, E.G.J., Debets, A.J.M., Dekker, P., van Dijck, P.W.M., van Dijk, A., Dijkhuizen, L., Driessen, A.J.M., d'Enfert, C., Geysens, S., Goosen, C., Groot, G.S.P., de Groot, P.W.J., Guillemette, T., Henrissat, B., Herweijer, M., van den Hombergh, J.P.T.W., van den Hondel, C.A.M.J.J., van der Heijden, R.T.J.M., van der Kaaij, R.M., Klis, F.M., Kools, H.J., Kubicek, C.P., van Kuyk, P.A., Lauber, J., Lu, X., van der Maarel, M.J.E.C., Meulenbergh, R., Menke, H., Mortimer, M.A., Nielsen, J., Oliver, S.G., Olsthoorn, M., Pal, K., van Peij, N.N.M.E., Ram, A.F.J., Rinas, U., Roubos, J.A., Sagt, C.M.J., Schmoll, M., Sun, J., Ussery, D., Varga, J., Vervecken, W., van de Vondervoort, P.J.J., Wedler, H., Wösten, H.A.B., Zeng, A.-P., van Ooyen, A.J.J., Visser, J., Stam, H., 2007. Genome sequencing and analysis of the versatile cell factory *Aspergillus niger* CBS 513.88. *Nat. Biotechnol.* 25, 221–231. <https://doi.org/10.1038/nbt1282>
- Peter, O., 1987. Two Chitin Synthases in *Saccharomyces cerevisiae*. *J. Biol. Chem.* 262, 5732–5739.
- Pfeffer, S., Aivazian, D., 2004. Targeting Rab GTPases to distinct membrane compartments. *Nat. Rev. Mol. Cell Biol.* <https://doi.org/10.1038/nrm1500>
- Pfeffer, S.R., 1992. GTP-binding proteins in intracellular transport. *Trends Cell Biol.*
- Pierleoni, A., Martelli, P., Casadio, R., 2008. PredGPI: a GPI-anchor predictor. *BMC Bioinformatics* 9, 392. <https://doi.org/10.1186/1471-2105-9-392>
- Pillai, C.K.S., Paul, W., Sharma, C.P., 2009. Chitin and chitosan polymers: Chemistry, solubility and fiber formation. *Prog. Polym. Sci.* 34, 641–678. <https://doi.org/10.1016/j.progpolymsci.2009.04.001>
- Pinskaya, M., Ghavi-Helm, Y., Mariotte-Labarre, S., Morillon, A., Soutourina, J., Werner, M., 2014. PHD and TFIIS-Like Domains of the Bye1 Transcription Factor Determine Its Multivalent Genomic Distribution. *PLoS One* 9, 102464.

- Pir, P., Gutteridge, A., Wu, J., Rash, B., Kell, D.B., Zhang, N., Oliver, S.G., 2012. The genetic control of growth rate: a systems biology study in yeast. *BMC Syst. Biol.* 6, 4. <https://doi.org/10.1186/1752-0509-6-4>
- Pochanavanich, P., Suntornsuk, W., 2002. Fungal chitosan production and its characterization. *Lett. Appl. Microbiol.* 35, 17–21. <https://doi.org/10.1046/j.1472-765X.2002.01118.x>
- Pontecorvo, G., Roper, J.A., Forbes, E., 1953. Genetic recombination without sexual reproduction in *Aspergillus niger*. *J. Gen. Microbiol.* 8, 198–210. <https://doi.org/10.1099/00221287-8-1-198>
- Punt, P.J., Drint-Kuijvenhoven, A., Lokman, B.C., Spencer, J.A., Jeenes, D., Archer, D.A., Van Den Hondel, C.A.M.J.J., 2003. The role of the *Aspergillus niger* furin-type protease gene in processing of fungal proproteins and fusion proteins: Evidence for alternative processing of recombinant (fusion-) proteins. *J. Biotechnol.* 106, 23–32. <https://doi.org/10.1016/j.jbiotec.2003.09.005>
- Punt, P.J., Oliver, R.P., Dingemanse, M.A., Pouwels, P.H., van den Hondel, C.A.M.J.J., 1987. Transformation of *Aspergillus* based on the hygromycin B resistance marker from *Escherichia coli*. *Gene* 56, 117–124. [https://doi.org/10.1016/0378-1119\(87\)90164-8](https://doi.org/10.1016/0378-1119(87)90164-8)
- Punt, P.J., Seiboth, B., Weenink, X.O., Van Zeijl, C., Lenders, M., Konetschny, C., Ram, A.F.J., Montijn, R., Kubicek, C.P., Van Den Hondel, C.A.M.J.J., 2001. Identification and characterization of a family of secretion-related small GTPase-encoding genes from the filamentous fungus *Aspergillus niger*: a putative SEC4 homolog is not essential for growth. *Mol. Microbiol.* 41, 513–525. <https://doi.org/10.1046/j.1365-2958.2001.02541.x>
- Punt, P.J., van Biezen, N., Conesa, A., Albers, A., Mangnus, J., van den Hondel, C., 2002. Filamentous fungi as cell factories for heterologous protein production. *Trends Biotechnol.* 20, 200–206. [https://doi.org/10.1016/S0167-7799\(02\)01933-9](https://doi.org/10.1016/S0167-7799(02)01933-9)
- Punt, P.J., van den Hondel, C.A.M.J.J., 1992. Transformation of filamentous fungi based on hygromycin b and phleomycin resistance markers. *Methods Enzymol.* 216, 447–457. [https://doi.org/10.1016/0076-6879\(92\)16041-H](https://doi.org/10.1016/0076-6879(92)16041-H)
- R Development Core Team 3.6.1., 2019. A Language and Environment for Statistical Computing. R Found. Stat. Comput.
- Ram, A.F.J., Arentshorst, M., Damveld, R.A., vanKuyk, P.A., Klis, F.M., van den Hondel, C.A.M.J.J., 2004. The cell wall stress response in *Aspergillus niger* involves increased expression of the glutamine: Fructose-6-phosphate amidotransferase-encoding gene (*gfaA*) and increased deposition of chitin in the cell wall. *Microbiology* 150, 3315–3326. <https://doi.org/10.1099/mic.0.27249-0>
- Ram, A.F.J., Klis, F.M., 2006. Identification of fungal cell wall mutants using susceptibility assays based on Calcofluor white and Congo red. *Nat. Protoc.* 1, 2253–2256. <https://doi.org/10.1038/nprot.2006.397>
- Reglinski, T., Elmer, P.A.G., Taylor, J.T., Wood, P.N., Hoyte, S.M., 2010. Inhibition of Botrytis cinerea growth and suppression of botrytis bunch rot in grapes using chitosan. *Plant Pathol.* 59, 882–890. <https://doi.org/10.1111/j.1365-3059.2010.02312.x>
- Rep, M., Duyvesteyn, R.G.E., Gale, L., Usgaard, T., Cornelissen, B.J.C., Ma, L.J., Ward, T.J., 2006. The presence of GC-AG introns in *Neurospora crassa* and other euascomycetes determined from analyses of complete genomes: Implications for automated gene prediction. *Genomics* 87, 338–347. <https://doi.org/10.1016/j.ygeno.2005.11.014>
- Ribeiro, M.P., Espiga, A., Silva, D., Baptista, P., Henriques, J., Ferreira, C., Silva, J.C., Borges, J.P., Pires, E., Chaves, P., Correia, I.J., 2009. Development of a new chitosan hydrogel for wound dressing. *Wound Repair Regen.* 17, 817–824. <https://doi.org/10.1111/j.1524-475X.2009.00538.x>
- Ribeiro, M.S., Paula, R.G. De, Voltan, A.R., Castro, R.G. De, Jos, L., Assis, D., Jos, C., Monteiro, V.N., 2019. *Trichoderma harzianum* Participates in Cell Wall Biogenesis but Is Not Essential for Antagonism Against Plant Pathogens. *Biomolecules* 9, 1–17. <https://doi.org/10.3390/biom9120781>
- Ricard, C.S., Jakubowski, J.M., Verbsky, J.W., Alejandro Barbieri, M., Lewis, W.M., Esteban Fernandez, G., Vogel,

References

- M., Tsou, C., Prasad, V., Stahl, P.D., Waksman, G., Cheney, C.M., 2001. *Drosophila* rab GDI mutants disrupt development but have normal rab membrane extraction. *Genesis* 31, 17–29. <https://doi.org/10.1002/gene.10000>
- Rinaudo, M., 2006. Chitin and chitosan: Properties and applications. *Prog. Polym. Sci.* 31, 603–632. <https://doi.org/10.1016/j.progpolymsci.2006.06.001>
- Robellet, X., Oestreicher, N., Guitton, A., Vélot, C., 2010. Gene silencing of transgenes inserted in the *Aspergillus nidulans* *alcM* and/or *alcS* loci. *Curr Genet* 56, 341–348. <https://doi.org/10.1007/s00294-010-0303-5>
- Roberts, G.A.F., 1992. Chitin chemistry. Macmillan press, Ltd, London.
- Rodríguez-Peña, J.M., Cid, V.J., Arroyo, J., Nombela, C., 2000a. A novel family of cell wall-related proteins regulated differently during the yeast life cycle. *Mol. Cell. Biol.* 20, 3245–3255. <https://doi.org/10.1128/MCB.20.9.3245-3255.2000>
- Rodríguez-Peña, J.M., Cid, V.J., Arroyo, J., Nombela, C., Rodríguez-Peña, J.M., Cid, V.J., Arroyo, J., Nombela, C., 2000b. A novel family of cell wall-related proteins regulated differently during the yeast life cycle. *Mol. Cell. Biol.* 20, 3245–3255. <https://doi.org/10.1128/MCB.20.9.3245-3255.2000>
- Rodríguez-Peña, J.M., Rodríguez, C., Alvarez, A., Nombela, C., Arroyo, J., 2002. Mechanisms for targeting of the *Saccharomyces cerevisiae* GPI-anchored cell wall protein Crh2p to polarised growth sites. *J. Cell Sci.* 115, 2549–58.
- Rogg, L.E., Fortwendel, J.R., Juvvadi, P.R., Steinbach, W.J., 2012. Regulation of expression, activity and localization of fungal chitin synthases. *Med. Mycol.* 50, 2–17. <https://doi.org/10.3109/13693786.2011.577104>
- Roncero, C., Duran, A., 1985. Effect of Calcofluor White and Congo red on fungal cell wall morphogenesis: In vivo activation of chitin polymerization. *J. Bacteriol.* 163, 1180–1185. <https://doi.org/10.1128/jb.163.3.1180-1185.1985>
- RStudio: Integrated Development for R. RStudio, Inc., Boston, M., 2016. RStudio Team.
- Rudall, K.M., Kenchington, W., 1973. THE CHITIN SYSTEM. *Biol. Rev.* 48, 597–633. <https://doi.org/10.1111/j.1469-185x.1973.tb01570.x>
- Ruiz-Herrera, J., Ortiz-Castellanos, L., 2019. Cell wall glucans of fungi. A review. *Cell Surf.* 5, 100022. <https://doi.org/10.1016/j.tcs.2019.100022>
- Samalova, M., Mérida, H., Vilaplana, F., Bulone, V., Soanes, D.M., Talbot, N.J., Gurr, S.J., 2017. The β -1,3-glucanotransferases (Gels) affect the structure of the rice blast fungal cell wall during appressorium-mediated plant infection. *Cell. Microbiol.* 19. <https://doi.org/10.1111/cmi.12659>
- Santos, B., Snyder, M., 1997. Targeting of chitin synthase 3 to polarized growth sites in yeast requires Chs5p and Myo2p. *J. Cell Biol.* 136, 95–110. <https://doi.org/10.1083/jcb.136.1.95>
- Sarkari, P., Marx, H., Blumhoff, M.L., Mattanovich, D., Sauer, M., Steiger, M.G., 2017. An efficient tool for metabolic pathway construction and gene integration for *Aspergillus niger*. *Bioresour. Technol.* 245, 1327–1333.
- Sburlati, A., Cabib, E., 1986. Chitin synthetase 2, a presumptive participant in septum formation in *Saccharomyces cerevisiae*. *J. Biol. Chem.* 261, 15147–15152.
- Schachtschabel, D., Arentshorst, M., Lagendijk, E.L., Ram, A.F.J., 2012. Vacuolar H⁺-ATPase plays a key role in cell wall biosynthesis of *Aspergillus niger*. *Fungal Genet. Biol.* 49, 284–293. <https://doi.org/10.1016/j.fgb.2011.12.008>
- Schachtschabel, D., Arentshorst, M., Nitsche, B.M., Morris, S., Nielsen, K.F., Hondel, C.A.M.J.J. Van Den, Klis, F.M., Ram, A.F.J., 2013. The Transcriptional Repressor TupA in *Aspergillus niger* Is Involved in Controlling Gene Expression Related to Cell Wall Biosynthesis, Development, and Nitrogen Source Availability. *PLoS One* 8, 1–15. <https://doi.org/10.1371/journal.pone.0078102>

- Schalk I, Zeng K, Wu SK, Stura EA, Matteson J, et al. 1996. Structure and mutational analysis of Rab GDP-dissociation inhibitor. *Nature* 381(6577):42–48 <http://doi.org/10.1038/381042a0>
- Schäpe, P, Kwon, M.J., Baumann, B., Gutschmann, B., Jung, S., Lenz, S., Nitsche, B., Paege, N., Schütze, T., Cairns, T.C., Meyer, V., 2019. Updating genome annotation for the microbial cell factory *Aspergillus niger* using gene co-expression networks. *Nucleic Acids Res.* 47, 559–569. <https://doi.org/10.1093/nar/gky1183>
- Schindelin, J., Arganda-Carreras, I., Frise, E., Kaynig, V., Longair, M., Pietzsch, T., Preibisch, S., Rueden, C., Saalfeld, S., Schmid, B., Tinevez, J.-Y., White, D.J., Hartenstein, V., Eliceiri, K., Tomancak, P., Cardona, A., 2012. Fiji: an open-source platform for biological-image analysis. *Nat. Methods* 9, 676–682. <https://doi.org/10.1038/nmeth.2019>
- Shen, K.-T., Chen, M.-H., Chan, H.-Y., Jeng, J.-H., Wang, Y.-J., 2009. Inhibitory effects of chitoooligosaccharides on tumor growth and metastasis. *Food Chem. Toxicol.* 47, 1864–1871. <https://doi.org/10.1016/J.FCT.2009.04.044>
- Sietsma, J.H., Wessels, J.G.H., 1979. Evidence for covalent linkages between chitin and β -glucan in a fungal wall. *J. Gen. Microbiol.* 114, 99–108. <https://doi.org/10.1099/00221287-114-1-99>
- Smith, M.E., Henkel, T.W., Rollins, J.A., 2015. How many fungi make sclerotia? *Fungal Ecol.* 13, 211–220. <https://doi.org/10.1016/j.funeco.2014.08.010>
- Soneson, C., Love, M.I., Robinson, M.D., 2016. Differential analyses for RNA-seq: Transcript-level estimates improve gene-level inferences [version 2; referees: 2 approved]. *F1000Research* 4. <https://doi.org/10.12688/F1000RESEARCH.7563.2>
- Song, L., Ouedraogo, J.-P., Kolbusz, M., Nguyen, T.T.M., Tsang, A., 2018. Efficient genome editing using tRNA promoter-driven CRISPR/Cas9 gRNA in *Aspergillus niger*. *PLoS One* 13, e0202868. <https://doi.org/10.1371/journal.pone.0202868>
- Sonnhammer, E.L., von Heijne, G., Krogh, A., 1998. A hidden Markov model for predicting transmembrane helices in protein sequences. *Proc. Sixth Int. Conf. Intell. Syst. Mol. Biol.* 6, 175–182.
- Sopko, R., Huang, D., Preston, N., Chua, G., Papp, B., Kafadar, K., Snyder, M., Oliver, S.G., Cyert, M., Hughes, T.R., Boone, C., Andrews, B., 2006. Mapping Pathways and Phenotypes by Systematic Gene Overexpression. *Mol. Cell* 21, 319–330. <https://doi.org/10.1016/J.MOLCEL.2005.12.011>
- Staab, J.F., Sundstrom, P., 2003. *URA3* as a selectable marker for disruption and virulence assessment of *Candida albicans* genes. *Trends Microbiol.* [https://doi.org/10.1016/S0966-842X\(02\)00029-X](https://doi.org/10.1016/S0966-842X(02)00029-X)
- Swart, K., Debets, A.J.M., Slakhorst, M., Holub, E.F., Hoekstra, R.F., Bos, C.J., 2001. Genetic analysis in the asexual fungus *Aspergillus niger*. *Acta Biol. Hung.* 52, 335–343. <https://doi.org/10.1556/ABiol.52.2001.2-3.18>
- Takai, R., Hasegawa, K., Kaku, H., Shibuya, N., Minami, E., 2001. Isolation and analysis of expression mechanisms of a rice gene, EL5, which shows structural similarity to ATL family from Arabidopsis, in response to N-acetylchitoooligosaccharide elicitor. *Plant Sci.* 160, 577–583. [https://doi.org/10.1016/S0168-9452\(00\)00390-3](https://doi.org/10.1016/S0168-9452(00)00390-3)
- Takaya, N., Yamazaki, D., Horiuchi, H., Ohta, A., Takagi, M., 1998. Cloning and characterization of a chitinase-encoding gene (chia) from *Aspergillus nidulans*, disruption of which decreases germination frequency and hyphal growth. *Biosci. Biotechnol. Biochem.* 62, 60–65. <https://doi.org/10.1271/bbb.62.60>
- Te Biesebeke, R., Record, E., Van Biezen, N., Heerikhuisen, M., Franken, A., Punt, P.J., Van Den Hondel, C.A.M.J.J., 2005. Branching mutants of *Aspergillus oryzae* with improved amylase and protease production on solid substrates. *Appl. Microbiol. Biotechnol.* 69, 44–50. <https://doi.org/10.1007/s00253-005-1968-4>
- Teertstra, W.R., Tegelaar, M., Dijksterhuis, J., Golovina, E.A., Ohm, R.A., Wösten, H.A.B., 2017. Maturation of conidia on conidiophores of *Aspergillus niger*. *Fungal Genet. Biol.* 98, 61–70. <https://doi.org/10.1016/j.fgb.2016.12.005>

- Tefsen, B., Ram, A.F.J., Die, I. Van, Routier, F.H., 2012. Galactofuranose in eukaryotes: aspects of biosynthesis and functional impact. *Glycobiology* 22, 456–469. <https://doi.org/10.1093/glycob/cwr144>
- Touchot, N., Chardin, P., Tavitian, A., 1987. Four additional members of the ras gene superfamily isolated by an oligonucleotide strategy: molecular cloning of YPT-related cDNAs from a rat brain library. *Proc. Natl. Acad. Sci. U. S. A.* 84, 8210–8214. <https://doi.org/10.1073/pnas.84.23.8210>
- Trilla, J.A., Durán, A., Roncero, C., 1999. Chs7p, a new protein involved in the control of protein export from the endoplasmic reticulum that is specifically engaged in the regulation of chitin synthesis in *Saccharomyces cerevisiae*. *J. Cell Biol.* 145, 1153–1163. <https://doi.org/10.1083/jcb.145.6.1153>
- Tsai, H.F., Wheeler, M.H., Chang, Y.C., Kwon-Chung, K.J., 1999. A developmentally regulated gene cluster involved in conidial pigment biosynthesis in *Aspergillus fumigatus*. *J. Bacteriol.* 181, 6469–77.
- Ullrich, O., Stenmark, H., Alexandrov, K., Huber, L.A., Kaibuchi, K., Sasaki, T., Takai, Y., Zerial, M., 1993. Rab GDP dissociation inhibitor as a general regulator for the membrane association of rab proteins. *J. Biol. Chem.* 268, 18143–18150.
- Utsunomiya, N., Kinai, H., Matsui, Y., Takebayashi, T., 1998. The Effects of Chitosan Oligosaccharides Soil Conditioner and Nitrogen Fertilizer on the Flowering and Fruit Growth of Purple Passionfruit (*Passiflora edulis* Sims var. *edulis*). *J. Japanese Soc. Hortic. Sci.* 67, 567–571. <https://doi.org/10.2503/jjshs.67.567>
- Valdivia, R.H., Schekman, R., 2003. The yeasts Rho1p and Pkc1p regulate the transport of chitin synthase III (Chs3p) from internal stores to the plasma membrane. *Proc. Natl. Acad. Sci. U. S. A.* 100, 10287–10292. <https://doi.org/10.1073/pnas.1834246100>
- Valiante, V., 2017. The cell wall integrity signaling pathway and its involvement in secondary metabolite production. *J. Fungi*. <https://doi.org/10.3390/jof3040068>
- van Leeuwe, T.M., Arentshorst, M., Ernst, T., Alazi, E., Punt, P.J., Ram, A.F.J., 2019. Efficient marker free CRISPR/Cas9 genome editing for functional analysis of gene families in filamentous fungi. *Fungal Biol. Biotechnol.* 6, 13. <https://doi.org/10.1186/s40694-019-0076-7>
- van Leeuwen, M.R., Krijgsheld, P., Bleichrodt, R., Menke, H., Stam, H., Stark, J., Wösten, H.A.B., Dijksterhuis, J., 2013. Germination of conidia of *Aspergillus niger* is accompanied by major changes in RNA profiles. *Stud. Mycol.* 74, 59–70. <https://doi.org/10.3114/sim0009>
- van Munster, J.M., Nitsche, B.M., Akeroyd, M., Dijkhuizen, L., Van Der Maarel, M.J.E.C., Ram, A.F.J., 2015. Systems approaches to predict the functions of glycoside hydrolases during the life cycle of *Aspergillus niger* using developmental mutants $\Delta brlA$ and $\Delta flbA$. *PLoS One* 10. <https://doi.org/10.1371/journal.pone.0116269>
- van Peij, N.N.M.E., Beishuizen, M., van de Vondervoort, P.J.L., 2014. Agse-deficient strain. WO2014013074A1.
- Viborg, A.H., Terrapon, N., Lombard, V., Michel, G., Czjzek, M., Henrissat, B., Brumer, H., 2019. A subfamily roadmap of the evolutionarily diverse glycoside hydrolase family 16 (GH16). *J. Biol. Chem.* 294, 15973–15986. <https://doi.org/10.1074/jbc.RA119.010619>
- Wagner, J., Escher, C. and Wolf, Dieter H. (1987), Some characteristics of hormone (pheromone) processing enzymes in yeast, *FEBS Letters*, 218, doi: 10.1016/0014-5793(87)81012-8
- Walker, L.A., Gow, N.A.R., Munro, C.A., 2013. Elevated chitin content reduces the susceptibility of *Candida* species to caspofungin. *Antimicrob. Agents Chemother.* 57, 146–154. <https://doi.org/10.1128/AAC.01486-12>
- Walker, L.A., Lee, K.K., Munro, C.A., Gow, N.A.R.R., 2015. Caspofungin treatment of *Aspergillus fumigatus* results in ChsG-dependent upregulation of chitin synthesis and the formation of chitin-rich microcolonies. *Antimicrob. Agents Chemother.* 59, 5932–5941. <https://doi.org/10.1128/AAC.00862-15>
- Walker, L.A., Munro, C.A., De Bruijn, I., Lenardon, M.D., McKinnon, A., Gow, N.A.R., 2008. Stimulation of chitin synthesis rescues *Candida albicans* from echinocandins. *PLoS Pathog.* 4, e1000040. <https://doi.org/10.1371/journal.ppat.0040040>

- org/10.1371/journal.ppat.1000040
- Wang, J., Zhou, H., Lu, H., Du, T., Luo, Y., Wilson, I.B.H., Jin, C., 2015. Kexin-like endoprotease KexB is required for N-glycan processing, morphogenesis and virulence in *Aspergillus fumigatus*. *Fungal Genet. Biol.* 76, 57–69. <https://doi.org/10.1016/j.fgb.2015.02.006>
- Weastra, S.R.O., 2011. Determination of market potential for selected platform chemicals Itaconic acid, Succinic acid, 2,5-Furandicarboxylic acid.
- Webb, G.C., Zhang, J., Garlow, S.J., Wesp, A., Riezman, H., Jones, E.W., 1997. Pep7p provides a novel protein that functions in vesicle-mediated transport between the yeast Golgi and endosome. *Mol. Biol. Cell* 8, 871–895. <https://doi.org/10.1091/mbc.8.5.871>
- Wellington, M., Kabir, M.A., Rustchenko, E., 2006. 5-Fluoro-orotic acid induces chromosome alterations in genetically manipulated strains of *Candida albicans*. *Mycologia* 98, 393–398. <https://doi.org/10.3852/mycologia.98.3.393>
- White, S.A., Farina, P.R., Fulton, I., 1979. Production and isolation of chitosan from *Mucor rouxii*. *Appl. Environ. Microbiol.* 38, 323–8.
- Wickham, H., 2017a. Easily install and load the “Tidyverse.” Cran-R.
- Wickham, H., 2017b. ggplot2 - Elegant Graphics for Data Analysis | Hadley Wickham | Springer. <https://doi.org/10.1007/978-0-387-98141-3>
- Wiellette, E.L., Harding, K.W., Mace, K.A., Ronshaugen, M.R., Wang, F.Y., McGinnis, W., 1999. spen encodes an RNP motif protein that interacts with Hox pathways to repress the development of head-like sclerites in the *Drosophila* trunk. *Development* 126, 5373–5385.
- Wilcox, C.A., Fuller, R.S., 1991. Posttranslational processing of the prohormone-cleaving Kex2 protease in the *Saccharomyces cerevisiae* secretory pathway. *J. Cell Biol.* 115, 297–307. <https://doi.org/10.1083/jcb.115.2.297>
- Wösten, H.A.B., van Veluw, G.J., de Bekker, C., Krijghsheld, P., 2013. Heterogeneity in the mycelium: implications for the use of fungi as cell factories. *Biotechnol. Lett.* 35, 1155–64. <https://doi.org/10.1007/s10529-013-1210-x>
- Wu, X., Rossetini, A., Hanes, S.D., 2003. The *ESS1* prolyl isomerase and its suppressor *BYE1* interact with RNA pol II to inhibit transcription elongation in *Saccharomyces cerevisiae*. *Genetics* 165, 1687–1702.
- Xing, K., Zhu, X., Peng, X., Qin, S., 2015. Chitosan antimicrobial and eliciting properties for pest control in agriculture: a review. *Agron. Sustain. Dev.* <https://doi.org/10.1007/s13593-014-0252-3>
- Xu, G., Amicucci, M.J., Cheng, Z., Galermo, A.G., Lebrilla, C.B., 2018. Revisiting monosaccharide analysis-quantitation of a comprehensive set of monosaccharides using dynamic multiple reaction monitoring. *Analyst* 143, 200–207. <https://doi.org/10.1039/c7an01530e>
- Yoshikawa, K., Tanaka, T., Ida, Y., Furusawa, C., Hirasawa, T., Shimizu, H., 2011. Comprehensive phenotypic analysis of single-gene deletion and overexpression strains of *Saccharomyces cerevisiae*. *Yeast* 28, 349–361. <https://doi.org/10.1002/yea.1843>
- Yoshimi, A., Miyazawa, K., Abe, K., 2017. Function and biosynthesis of cell wall α -1,3-glucan in fungi. *J. Fungi* 3. <https://doi.org/10.3390/jof3040063>
- Yoshimi, A., Sano, M., Inaba, A., Kokubun, Y., Fujioka, T., Mizutani, O., Hagiwara, D., Fujikawa, T., Nishimura, M., Yano, S., Kasahara, S., Shimizu, K., Yamaguchi, M., Kawakami, K., Abe, K., 2013. Functional Analysis of the α -1,3-Glucan Synthase Genes *agsA* and *agsB* in *Aspergillus nidulans*: AgsB Is the Major α -1,3-Glucan Synthase in This Fungus. *PLoS One* 8. <https://doi.org/10.1371/journal.pone.0054893>
- Young, M.D., Wakefield, M.J., Smyth, G.K., Oshlack, A., 2010. Gene ontology analysis for RNA-seq: accounting for

- selection bias. *Genome Biol.* 11, R14. <https://doi.org/10.1186/gb-2010-11-2-r14>
- Yousuf, B., Qadri, O.S., Srivastava, A.K., 2018. Recent developments in shelf-life extension of fresh-cut fruits and vegetables by application of different edible coatings: A review. *LWT - Food Sci. Technol.* <https://doi.org/10.1016/j.lwt.2017.10.051>
- Zeng, D., Luo, X., 2012. Physiological Effects of Chitosan Coating on Wheat Growth and Activities of Protective Enzyme with Drought Tolerance. *Open J. Soil Sci.* 02, 282–288. <https://doi.org/10.4236/ojss.2012.23034>
- Zetsche, B., Gootenberg, J.S., Abudayyeh, O.O., Slaymaker, I.M., Makarova, K.S., Essletzbichler, P., Volz, S.E., Joung, J., Van Der Oost, J., Regev, A., Koonin, E. V., Zhang, F., 2015. Cpf1 Is a Single RNA-Guided Endonuclease of a Class 2 CRISPR-Cas System. *Cell* 163, 759–771. <https://doi.org/10.1016/j.cell.2015.09.038>
- Zhang, Y., Ouyang, L., Nan, Y., Chu, J., 2019. Efficient gene deletion and replacement in *Aspergillus niger* by modified in vivo CRISPR/Cas9 systems. *Bioresour. Bioprocess.* 6. <https://doi.org/10.1186/s40643-019-0239-7>
- Zheng, X., Zheng, P., Zhang, K., Cairns, T.C., Meyer, V., Sun, J., Ma, Y., 2019. 5S rRNA Promoter for Guide RNA Expression Enabled Highly Efficient CRISPR/Cas9 Genome Editing in *Aspergillus niger*. *ACS Synth. Biol.* 8, 1568–1574. <https://doi.org/10.1021/acssynbio.7b00456>
- Ziani, K., Ursúa, B., Maté, J.I., 2010. Application of bioactive coatings based on chitosan for artichoke seed protection. *Crop Prot.* 29, 853–859. <https://doi.org/10.1016/j.cropro.2010.03.002>
- Zou, P., Yang, X., Wang, J., Li, Y., Yu, H., Zhang, Y., Liu, G., 2016. Advances in characterisation and biological activities of chitosan and chitosan oligosaccharides. *Food Chem.* 190, 1174–1181. <https://doi.org/10.1016/j.FOODCHEM.2015.06.076>
- Zune, Q., Delepierre, A., Gofflot, S., Bauwens, J., Twizere, J.C., Punt, P.J., Francis, F., Toye, D., Bawin, T., Delvigne, F., 2015. A fungal biofilm reactor based on metal structured packing improves the quality of a Glac::GFP fusion protein produced by *Aspergillus oryzae*. *Appl. Microbiol. Biotechnol.* 99, 6241–6254. <https://doi.org/10.1007/s00253-015-6608-z>

