



Universiteit  
Leiden  
The Netherlands

## Applications of graphene in nanotechnology : 1D diffusion, current drag and nanoelectrodes

Vrbica, S.

### Citation

Vrbica, S. (2018, December 12). *Applications of graphene in nanotechnology : 1D diffusion, current drag and nanoelectrodes*. Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/68258>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/68258>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/68258> holds various files of this Leiden University dissertation.

**Author:** Vrbica, S.

**Title:** Applications of graphene in nanotechnology : 1D diffusion, current drag and nanoelectrodes

**Issue Date:** 2018-12-12

# **APPLICATIONS OF GRAPHENE IN NANOTECHNOLOGY**

**1D DIFFUSION, CURRENT DRAG AND NANOELECTRODES**



# **APPLICATIONS OF GRAPHENE IN NANOTECHNOLOGY**

**1D DIFFUSION, CURRENT DRAG AND NANOELECTRODES**

## **Proefschrift**

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker,  
volgens besluit van het College voor Promoties  
te verdedigen op woensdag 12 december 2018  
klokke 12.30 uur

door

**Sasha VRBICA**

geboren te Belgrado, Servië  
in 1986

Promotor: Prof. dr. J. M. van Ruitenbeek

Promotiecommissie: Prof. dr. A. F. Otte (Technische Universiteit Delft)  
Prof. dr. J. Repp (Universität Regensburg, Germany)  
Prof. dr. E. R. Eliel  
Prof. dr. ir. T. H. Oosterkamp  
Dr. G. Schneider

Casimir PhD series, Delft-Leiden 2018-44

ISBN 978-90-8593-374-8

An electronic version of this thesis can be found at  
<http://openaccess.leidenuniv.nl/>.

This work is part of the research program with project number 12QIM05, which is (partly) financed by the Netherlands Organisation for Scientific Research (NWO). The research of this thesis was performed at Leiden University, Delft University of Technology and University of Regensburg, Germany.



*Printed by:* Gildeprint

*Cover:* Designed by Boris Junkovic <http://borisjunkovic.artstation.com>  
Front cover photo illustrates gold STM tip and Co adatoms on GNRs grown on gold.  
Back cover photo illustrates two graphene nanoelectrodes (top) and a droplet of ionic liquid on graphene (bottom)

Copyright © 2018 by S. Vrbica

*To my family and Asuna*



# CONTENTS

|          |   |          |
|----------|---|----------|
| <b>1</b> | <b>Introduction</b>   | <b>1</b> |
| 1.1      | Outline of the thesis.  | 3        |
|          | References  | 5        |
| <b>2</b> | <b>One-dimensional diffusion of Co adatoms on graphene nanoribbons</b>                    | <b>7</b> |
| 2.1      | Introduction  | 8        |
| 2.1.1    | Non-conservative wind force and Berry force   | 10       |
| 2.2      | Graphene  | 11       |
| 2.2.1    | Graphene nanoribbons (GNRs)   | 12       |
| 2.3      | Scanning tunneling microscopy   | 12       |
| 2.4      | Atomic force microscopy and Kelvin probe force microscopy                                 | 14       |
| 2.5      | Experimental setups   | 16       |
| 2.5.1    | JEOL room-temperature UHV STM   | 16       |
| 2.5.2    | SPECS low-temperature UHV STM   | 17       |
| 2.5.3    | Createc low-temperature UHV STM   | 17       |
| 2.6      | First experiment: CVD grown graphene on Si/SiO <sub>2</sub> in room-temperature JEOL STM  | 19       |
| 2.7      | Second experiment: CVD grown graphene on Si/SiO <sub>2</sub> in low-temperature SPECS STM | 20       |
| 2.8      | Third experiment: Graphene nanoribbons in low-temperature Createc STM                     | 22       |
| 2.8.1    | Current-induced manipulation of Co adatoms  | 25       |
| 2.8.2    | Results   | 30       |
| 2.8.3    | Temperature-dependent diffusion measurements  | 40       |
| 2.9      | Discussion  | 42       |
| 2.9.1    | GNR conductance   | 43       |
| 2.9.2    | Hopping rate and diffusion barrier  | 46       |
| 2.9.3    | Vertical Co displacement  | 47       |
| 2.9.4    | Atom as a local thermometer?  | 48       |
| 2.9.5    | Co on Au(111)   | 48       |
| 2.10     | Conclusion & Outlook  | 50       |
|          | References  | 52       |

|   |            |
|---|------------|
| <b>3 Inducing voltage by moving a droplet of liquid along graphene</b>          | <b>59</b>  |
| 3.1 Introduction . . . . .  | 60         |
| 3.1.1 Drawing potential and formation of a pseudocapacitor . . . . .            | 62         |
| 3.1.2 Sodium benzenesulfonate (NaBSA) and Benzenesulfonic acid (HBSA) . . . . . | 64         |
| 3.2 Experimental details . . . . .  | 65         |
| 3.3 Results . . . . .   | 67         |
| 3.3.1 Sodium chloride (NaCl) . . . . .  | 67         |
| 3.3.2 Sodium benzenesulfonate (NaBSA) and Benzenesulfonic acid (HBSA) . . . . . | 69         |
| 3.4 Discussion . . . . .  | 71         |
| 3.4.1 NaBSA . . . . .   | 71         |
| 3.4.2 HBSA . . . . .  | 72         |
| 3.4.3 Signal with deionized water . . . . .                                     | 74         |
| 3.5 Electromigration forces on a NaCl droplet . . . . .                         | 77         |
| 3.5.1 Experimental setup and results . . . . .                                  | 77         |
| 3.5.2 Discussion . . . . .  | 78         |
| 3.6 Conclusion and Outlook . . . . .  | 80         |
| References . . . . .  | 81         |
| <b>4 Dynamic tunneling junction at the intersection of two graphene edges</b>   | <b>85</b>  |
| 4.1 Introduction . . . . .  | 86         |
| 4.2 Experimental techniques . . . . .   | 88         |
| 4.2.1 Atomic force microscopy (AFM) . . . . .                                   | 88         |
| 4.2.2 Scanning electron microscopy (SEM) . . . . .                              | 89         |
| 4.2.3 Raman spectroscopy . . . . .  | 90         |
| 4.2.4 Electrical measurements . . . . .   | 90         |
| 4.2.5 Graphene film deposition . . . . .  | 91         |
| 4.3 First approach: breaking of polymer-covered graphene . . . . .              | 91         |
| 4.3.1 Results and discussion . . . . .  | 92         |
| 4.4 Second approach: breaking of bare graphene . . . . .                        | 93         |
| 4.4.1 Results and discussion . . . . .  | 93         |
| 4.5 Third approach: plasma etching of suspended graphene . . . . .              | 95         |
| 4.5.1 Results and discussion . . . . .  | 96         |
| 4.5.2 Conclusion & Outlook . . . . .  | 101        |
| References . . . . .  | 103        |
| <b>A Appendix</b>   |            |
| <b>Diffusion of Co adatoms</b>  | <b>107</b> |
| A1 1D random walk probability distribution for Co on GNR . . . . .              | 107        |
| A2 2D random walk probability distribution for Co on Au . . . . .               | 108        |

**B Appendix**

|   |            |
|---|------------|
| <b>Graphene electrodes</b>                                | <b>111</b> |
| B1 Simmons model for symmetric barrier . . . . .          | 111        |
| B2 Graphene-Gold Tunnel Junction . . . . .                | 112        |
| B3 Tunneling junction controller. . . . .                 | 114        |
| B4 Sheet resistance and point contact resistance. . . . . | 114        |
| <b>Summary</b>  | <b>116</b> |
| <b>Samenvatting</b>                                       | <b>118</b> |
| <b>Curriculum Vitæ</b>                                    | <b>120</b> |
| <b>List of Publications</b>                               | <b>121</b> |
| <b>Acknowledgements</b>                                   | <b>122</b> |

