

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/66031> holds various files of this Leiden University dissertation.

**Author:** Balan, T.A.

**Title:** Advances in frailty models

**Issue Date:** 2018-09-26

---

---

## REFERENCES

---

- Aalen, O. O. (1988). Heterogeneity in survival analysis. *Statistics in Medicine* 7 (11), pp. 1121–1137.
- (1994). Effects of frailty in survival analysis. *Statistical Methods in Medical Research* 3 (3), pp. 227–243.
- Aalen, O. O., R. J. Cook, and K. Røysland (2015). Does Cox analysis of a randomized survival study yield a causal treatment effect? *Lifetime Data Analysis* 21 (4), pp. 579–593.
- Aalen, O. O. and H. K. Gjessing (2004). Survival models based on the Ornstein-Uhlenbeck process. *Lifetime Data Analysis* 10 (4), pp. 407–423.
- Aalen, O. O., M. Valberg, T. Grotmol, and S. Tretli (2014). Understanding variation in disease risk: the elusive concept of frailty. *International Journal of Epidemiology* 44 (4), pp. 1408–1421.
- Aalen, O., O. Borgan, and H. Gjessing (2008). *Survival and Event History Analysis: A Process Point of View*. Springer-Verlag New York. DOI: [10.1007/978-0-387-68560-1](https://doi.org/10.1007/978-0-387-68560-1).
- Andersen, P. K., O. Borgan, R. D. Gill, and N. Keiding (1993). *Statistical Models Based on Counting Processes*. Springer Science & Business Media.
- Andersen, P. K. and R. D. Gill (1982). Cox’s regression model for counting processes: a large sample study. *The Annals of Statistics*, pp. 1100–1120.
- Andersen, P. K. and N. Keiding (2012). Interpretability and importance of functionals in competing risks and multistate models. *Statistics in Medicine* 31 (11-12), pp. 1074–1088.
- Andersen, P. K., J. P. Klein, K. M. Knudsen, and R. T. y Palacios (1997). Estimation of variance in Cox’s regression model with shared gamma frailties. *Biometrics*, pp. 1475–1484.
- Anderson, J. E., T. A. Louis, N. V. Holm, and B. Harvald (1992). Time-dependent association measures for bivariate survival distributions. *Journal of the American Statistical Association* 87 (419), pp. 641–650.

- Ash, R. P. (1972). *Real Analysis and Probability*. Academic press.
- Asmussen, S., J. L. Jensen, and L. Rojas-Nandayapa (2016). On the Laplace transform of the lognormal distribution. *Methodology and Computing in Applied Probability* 18 (2), pp. 441–458.
- Balan, T. A., M. A. Jonker, P. C. Johannesma, and H. Putter (2016). Ascertainment Correction in Frailty Models for Recurrent Events Data. *Statistics in Medicine* 35 (23), pp. 4183–4201. DOI: [10.1002/sim.6968](https://doi.org/10.1002/sim.6968).
- Balan, T. A. (2017). *dynfrail: Fitting Dynamic Frailty Models with the EM Algorithm*. R package version 0.5.2.
- Balan, T. A. and H. Putter (Forthcoming). *Non-proportional hazards and unobserved heterogeneity in clustered survival data: When can we tell the difference?*
- (2017). *frailtyEM: Fitting Frailty Models with the EM Algorithm*. R package version 0.8.2.
- Balan, T.-A., S. E. Boonk, M. H. Vermeer, and H. Putter (2016). Score Test for Association Between Recurrent Events and a Terminal Event. *Statistics in Medicine* 35 (18), pp. 3037–3048. DOI: [10.1002/sim.6913](https://doi.org/10.1002/sim.6913).
- Baumann, M. H. and M. Noppen (2004). Pneumothorax. *Respirology* 9 (2), pp. 157–164.
- Boonk, S., H. Putter, L. Koolhof, R. Willemze, and M. Vermeer (2014). Quantitation of tumour development correlates with prognosis in tumour stage (stage IIB) mycosis fungoides. *British Journal of Dermatology* 170 (5), pp. 1080–1086.
- Breslow, N. E. (1972). Contribution to discussion of paper by DR Cox. *Journal of the Royal Statistical Society. Series B (Methodological)* 34, pp. 216–217.
- Claeskens, G., R. Nguti, and P. Janssen (2008). One-sided tests in shared frailty models. *Test* 17 (1), pp. 69–82.
- Commenges, D. and P. K. Andersen (1995). Score Test of Homogeneity for Survival Data. *Lifetime Data Analysis* 1 (2), pp. 145–156. DOI: [10.1007/BF00985764](https://doi.org/10.1007/BF00985764).
- Commenges, D. and V. Rondeau (2000). Standardized Martingale Residuals Applied to Grouped Left Truncated Observations of Dementia Cases. *Lifetime Data Analysis* 6 (3), pp. 229–235.
- Cook, R. J. and J. F. Lawless (1997). Marginal Analysis of Recurrent Events and a Terminating Event. *Statistics in Medicine* 16, pp. 911–924.
- Cook, R. J. and J. Lawless (2007). *The Statistical Analysis of Recurrent Events*. Springer Science & Business Media.
- Cox, D. R. (1972). Regression Models and Life-Tables. *Journal of the Royal Statistical Society. Series B (Methodological)* 34, pp. 187–220.
- Cox, D. R. (1975). Partial likelihood. *Biometrika* 62 (2), pp. 269–276.
- Dahabreh, I. J. and D. M. Kent (2011). Index event bias as an explanation for the paradoxes of recurrence risk research. *JAMA* 305 (8), pp. 822–823.
- Dai, J., R. E. Krasnow, L. Liu, S. G. Sawada, and T. Reed (2013). The association between postload plasma glucose levels and 38-year mortality risk of coronary heart disease: the prospective NHLBI Twin Study. *PloS one* 8 (7), e69332.

- Dempster, A. P., N. M. Laird, and D. B. Rubin (1977). Maximum Likelihood from Incomplete Data via the EM Algorithm. *Journal of the Royal Statistical Society B*, pp. 1–38.
- Do Ha, I., M. Noh, and Y. Lee (2012). **frailtyHL**: A Package for Fitting Frailty Models with h-likelihood. *R Journal* 4 (2), pp. 28–36.
- Donohue, M. C., R. Overholser, R. Xu, and V. Florin (2011). Conditional Akaike Information under Generalized Linear and Proportional Hazards Mixed Models. *Biometrika* (98, 3), pp. 685–700. DOI: [10.1093/biomet/asr023](https://doi.org/10.1093/biomet/asr023).
- Donohue, M. C. and R. Xu (2013). **phmm**: Proportional Hazards Mixed-effects Models. R package version 0.7-5.
- Doorn, R. van, E. Scheffer, and R. Willemze (2002). Follicular mycosis fungoides, a distinct disease entity with or without associated follicular mucinosis: a clinicopathologic and follow-up study of 51 patients. *Archives of Dermatology* 138 (2), pp. 191–198.
- Duchateau, L. and P. Janssen (2007). *The Frailty Model*. Springer.
- Eddelbuettel, D. (2013). *Seamless R and C++ Integration with Rcpp*. ISBN 978-1-4614-6867-7. Springer-Verlag New York. DOI: [10.1007/978-1-4614-6868-4](https://doi.org/10.1007/978-1-4614-6868-4).
- Eddelbuettel, D. and R. François (2011). **Rcpp**: Seamless R and C++ Integration. *Journal of Statistical Software* 40 (8), pp. 1–18. DOI: [10.18637/jss.v040.i08](https://doi.org/10.18637/jss.v040.i08).
- Elbers, C. and G. Ridder (1982). True and spurious duration dependence: The identifiability of the proportional hazard model. *The Review of Economic Studies* 49 (3), pp. 403–409.
- Erikson, F., T. Martinussen, and T. H. Scheike (2015). Clustered Survival Data with Left-truncation. *Scandinavian Journal of Statistics*. DOI: [10.1111/sjos.12157](https://doi.org/10.1111/sjos.12157).
- Fiocco, M., H. Putter, and J. Van Houwelingen (2008). A new serially correlated gamma-frailty process for longitudinal count data. *Biostatistics* 10 (2), pp. 245–257.
- Gerster, M., M. Madsen, and P. K. Andersen (2014). Matched survival data in a co-twin control design. *Lifetime Data Analysis* 20 (1), pp. 38–50.
- Gharibvand, L. and L. Liu (2009). Analysis of survival data with clustered events. *SAS Global Forum 2009* (237), pp. 1–11.
- Gjessing, H. K., O. O. Aalen, and N. L. Hjort (2003). Frailty models based on Lévy processes. *Advances in Applied Probability* 35 (2), pp. 532–550.
- Gorfine, M., D. M. Zucker, and L. Hsu (2006). Prospective Survival Analysis with a General Semiparametric Shared Frailty Model: A Pseudo Full Likelihood Approach. *Biometrika*, pp. 735–741.
- Grambsch, P. M. and T. M. Therneau (1994). Proportional hazards tests and diagnostics based on weighted residuals. *Biometrika* 81 (3), pp. 515–526.
- Ha, I. D., J.-H. Jeong, and Y. Lee (2017). *Statistical Modelling of Survival Data with Random Effects*. Springer.
- Ha, I. D., Y. Lee, and J.-k. Song (2001). Hierarchical likelihood approach for frailty models. *Biometrika* 88 (1), pp. 233–233.

- Heckman, J. and B. Singer (1984). A method for minimizing the impact of distributional assumptions in econometric models for duration data. *Econometrica: Journal of the Econometric Society*, pp. 271–320.
- Hernán, M. A., S. Hernández-Díaz, and J. M. Robins (2004). A structural approach to selection bias. *Epidemiology* 15 (5), pp. 615–625.
- Hougaard, P. (1984). Life table methods for heterogeneous populations: distributions describing the heterogeneity. *Biometrika* 71 (1), pp. 75–83.
- (1986a). A class of multivariate failure time distributions. *Biometrika* 73 (3), pp. 671–678.
- (1986b). Survival models for heterogeneous populations derived from stable distributions. *Biometrika* 73 (2), pp. 387–396.
- (2000). *Analysis of Multivariate Survival Data*. Springer-Verlag, New York. doi: [10.1007/978-1-4612-1304-8](https://doi.org/10.1007/978-1-4612-1304-8).
- Huang, X. and R. A. Wolfe (2002). A Frailty Model for Informative Censoring. *Biometrics* 58, pp. 510–520.
- Huang, X., R. A. Wolfe, and C. Hu (2004). A test for informative censoring in clustered survival data. *Statistics in Medicine* 23, pp. 2089–2107.
- IBM Corp (2016). *IBM SPSS Statistics for Windows, Version 24.0*. IBM Corp. Armonk, NY.
- Inc., S. I. (2003). *SAS/STAT Software, Version 9.4*. Cary, NC.
- Jackson, C. H. (2011). Multi-State Models for Panel Data: The **msm** Package for R. *Journal of Statistical Software* 38 (8), pp. 1–29. doi: [10.18637/jss.v038.i08](https://doi.org/10.18637/jss.v038.i08).
- Jacqmin-Gadda, H., C. Proust-Lima, J. M. Taylor, and D. Commenges (2010). Score test for conditional independence between longitudinal outcome and time to event given the classes in the joint latent class model. *Biometrics* 66 (1), pp. 11–19.
- Jahn-Eimermacher, A., K. Ingel, A.-K. Ozga, S. Preussler, and H. Binder (2015). Simulating recurrent event data with hazard functions defined on a total time scale. *BMC medical research methodology* 15 (1), p. 16.
- Jensen, H., R. Brookmeyer, P. Aaby, and P. K. Andersen (2004). *Shared frailty model for left-truncated multivariate survival data*. Department of Biostatistics, University of Copenhagen.
- Johannesma, P. C., R. Reinhard, Y. Kon, J. D. Sriram, H. J. Smit, R. J. A. van Moorselaar, F. H. Menko, and P. E. Postmus (2015). Prevalence of Birt–Hogg–Dubé syndrome in patients with apparently primary spontaneous pneumothorax. *European Respiratory Journal* 45 (4), pp. 1191–1194.
- Johansen, S. (1983). An Extension of Cox’s Regression Model. *International Statistical Review* 51 (2), pp. 165–174.
- Kalbfleisch, J. D. and R. L. Prentice (2002). *The Statistical Analysis of Failure Time Data*. Ed. by Wiley-Interscience. Second edition. Wiley.
- Kaplan, E. L. and P. Meier (1958). Nonparametric estimation from incomplete observations. *Journal of the American Statistical Association* 53 (282), pp. 457–481.

- Kendler, K. S., C. O. Gardner, A. Fiske, and M. Gatz (2009). Major depression and coronary artery disease in the Swedish twin registry: phenotypic, genetic, and environmental sources of comorbidity. *Archives of General Psychiatry* 66 (8), pp. 857–863.
- Klein, J. P. (1992). Semiparametric Estimation of Random Effects using the Cox Model based on the EM Algorithm. *Biometrics* 48 (3), pp. 795–806.
- Klein, J. P. and M. L. Moeschberger (2005). *Survival Analysis: Techniques for Censored and Truncated Data*. Springer Science & Business Media.
- Kosorok, M. (2008). *Introduction to Empirical Process and Semiparametric Inference*. Springer.
- Lin, D. Y. and L.-J. Wei (1989). The robust inference for the Cox proportional hazards model. *Journal of the American Statistical Association* 84 (408), pp. 1074–1078.
- Lin, D. Y., L.-J. Wei, and Z. Ying (1993). Checking the Cox model with cumulative sums of martingale-based residuals. *Biometrika* 80 (3), pp. 557–572.
- Liu, L., R. A. Wolfe, and X. Huang (2004). Shared Frailty Models for Recurrent Events and a Terminal Event. *Biometrics* 60 (3), pp. 747–756.
- Louis, T. A. (1982). Finding the Observed Information Matrix When Using the EM Algorithm. *Journal of the Royal Statistical Society B*, pp. 226–233.
- Mantel, N., N. R. Bohidar, and J. L. Ciminera (1977). Mantel-Haenszel analyses of litter-matched time-to-response data, with modifications for recovery of interlitter information. *Cancer Research* 37 (11), pp. 3863–3868.
- McGilchrist, C. and C. Aisbett (1991). Regression with Frailty in Survival Analysis. *Biometrics*, pp. 461–466. doi: [10.2307/2532138](https://doi.org/10.2307/2532138).
- Menko, F. H., M. A. van Steensel, S. Giraud, L. Friis-Hansen, S. Richard, S. Ungari, M. Nordenskjöld, T. vO Hansen, J. Solly, E. R. Maher, et al. (2009). Birt-Hogg-Dubé syndrome: diagnosis and management. *The Lancet Oncology* 10 (12), pp. 1199–1206.
- Monaco, J. V., M. Gorfine, and L. Hsu (2017). **frailtySurv**: General Semiparametric Shared Frailty Model. R package version 1.3.2.
- Munda, M., C. Legrand, L. Duchateau, and P. Janssen (2016). Testing for decreasing heterogeneity in a new time-varying frailty model. *Test* 25 (4), pp. 591–606.
- Munda, M., F. Rotolo, and C. Legrand (2012). **parfm**: Parametric Frailty Models in R. *Journal of Statistical Software* 51 (1), pp. 1–20. doi: [10.18637/jss.v051.i11](https://doi.org/10.18637/jss.v051.i11).
- Murphy, S. A. (1995a). Asymptotic Theory for the Frailty Model. *The Annals of Statistics* 23 (1), pp. 182–198.
- Murphy, S. A. and A. W. van der Vaart (2000). On Profile Likelihood. *Journal of The American Statistical Association* 95 (450), pp. 449–465.
- Murphy, S. A. (1994). Consistency in a proportional hazards model incorporating a random effect. *The Annals of Statistics*, pp. 712–731.
- (1995b). Asymptotic theory for the frailty model. *The Annals of Statistics*, pp. 182–198.
- Nielsen, G. G., R. D. Gill, P. K. Andersen, and T. I. Sørensen (1992). A counting process approach to maximum likelihood estimation in frailty models. *Scandinavian Journal of Statistics* 19 (1), pp. 25–43.

- Oakes, D. (1989). Bivariate survival models induced by frailties. *Journal of the American Statistical Association* 84 (406), pp. 487–493.
- Paddy Farrington, C., S. Unkel, and K. Anaya-Izquierdo (2012). The relative frailty variance and shared frailty models. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)* 74 (4), pp. 673–696.
- Paik, M. C., W.-Y. Tsai, and R. Ottman (1994). Multivariate survival analysis using piecewise gamma frailty. *Biometrics*, pp. 975–988.
- Parner, E. (1998). Asymptotic theory for the correlated gamma-frailty model. *The Annals of Statistics* 26 (1), pp. 183–214.
- Plummer, M. and B. Carstensen (2011). **Lexis**: An R Class for Epidemiological Studies with Long-Term Follow-Up. *Journal of Statistical Software* 38 (5), pp. 1–12.
- Putter, H. and H. C. van Houwelingen (2015). Frailties in multi-state models: Are they identifiable? Do we need them? *Statistical methods in medical research* 24 (6), pp. 675–692.
- Putter, H. and H. C. Van Houwelingen (2015). Dynamic Frailty Models Based on Compound Birth–Death Processes. *Biostatistics* 16 (3), pp. 550–564. doi: [10 . 1093 / biostatistics/kxv002](https://doi.org/10.1093/biostatistics/kxv002).
- R Core Team (2016). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria.
- (2017). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria.
- Rabinowitz, D. (2000). Computing the Efficient Score in Semi-parametric Problems. *Statistica Sinica* 10, pp. 265–280.
- Ripatti, S. and J. Palmgren (2000). Estimation of multivariate frailty models using penalized partial likelihood. *Biometrics* 56 (4), pp. 1016–1022.
- Rizopoulos, D. (2012). *Joint Models for Longitudinal and Time-to-Event Data With Applications in R*. Chapman and Hall.
- (2016). The R Package JMbays for Fitting Joint Models for Longitudinal and Time-to-Event Data Using MCMC. *Journal of Statistical Software, Articles* 72 (7), pp. 1–46. ISSN: 1548-7660. doi: [10.18637/jss.v072.i07](https://doi.org/10.18637/jss.v072.i07).
- Rodriguez-Gironde, M., J. Deelen, E. P. Slagboom, and J. J. Houwing-Duistermaat (2018). Survival analysis with delayed entry in selected families with application to human longevity. *Statistical Methods in Medical Research* 27 (3). PMID: 27177884, pp. 933–954. doi: [10.1177/0962280216648356](https://doi.org/10.1177/0962280216648356).
- Rondeau, V. and J. R. Gonzalez (2005). **frailtypack**: A Computer Program for the Analysis of Correlated Failure Time Data Using Penalized Likelihood Estimation. *Computer Methods and Programs in Biomedicine* 80 (2), pp. 154–164. doi: [10 . 1016 / j . cmpb . 2005 . 06 . 010](https://doi.org/10.1016/j.cmpb.2005.06.010).
- Rondeau, V., S. Mathoulin-Pelissier, H. Jacqmion-Gadda, V. Brouste, and P. Soubeyran (2007). Joint frailty models for recurring events and death using maximum penalized likelihood estimation: application on cancer events. *Biostatistics* 8 (4), pp. 708–721.

- Rondeau, V., Y. Mazroui, and J. R. Gonzalez (2012). **frailtypack**: An R Package for the Analysis of Correlated Survival Data with Frailty Models Using Penalized Likelihood Estimation or Parametrical Estimation. *Journal of Statistical Software* 47 (4), pp. 1–28. DOI: [10.18637/jss.v047.i04](https://doi.org/10.18637/jss.v047.i04).
- Scheike, T. H., J. H. Petersen, and T. Martinussen (1999). Retrospective ascertainment of recurrent events: an application to time to pregnancy. *Journal of the American Statistical Association* 94 (447), pp. 713–725.
- Self, S. G. and K.-Y. Liang (1987). Asymptotic properties of maximum likelihood estimators and likelihood ratio tests under nonstandard conditions. *Journal of the American Statistical Association* 82 (398), pp. 605–610.
- StataCorp (2017). *Stata Statistical Software: Release 15*. StataCorp LLC. College Station, TX.
- Sun, W. and H. Li (2004). Ascertainment-adjusted maximum likelihood estimation for the additive genetic gamma frailty model. *Lifetime Data Analysis* 10 (3), pp. 229–245.
- Therneau, T. M. (2015a). *A Package for Survival Analysis in S*. version 2.38.
- Therneau, T. M. (2015b). **coxme**: *Mixed Effects Cox Models*. R package version 2.2-5.
- Therneau, T. M., P. M. Grambsch, and V. S. Pankratz (2003). Penalized Survival Models and Frailty. *Journal of Computational and Graphical Statistics* 12 (1), pp. 156–175. ISSN: 10618600. DOI: [10.2307/1391074](https://doi.org/10.2307/1391074).
- Therneau, T. M. and P. M. Grambsch (2000). *Modeling Survival Data: Extending the Cox Model*. New York: Springer-Verlag, New York. ISBN: 0-387-98784-3. DOI: [10.1007/978-1-4757-3294-8](https://doi.org/10.1007/978-1-4757-3294-8).
- Therneau, T. M., P. M. Grambsch, and T. R. Fleming (1990). Martingale-based residuals for survival models. *Biometrika* 77 (1), pp. 147–160.
- Vaida, F. and R. Xu (2000). Proportional Hazards Model with Random Effects. *Statistics in Medicine* (19), pp. 3309–3324.
- Van den Berg, G. J. and B. Drepper (2011). Inference for shared-frailty survival models with left-truncated data. *IZA Discussion Paper No. 6031*.
- Van Noorden, R., B. Maher, and R. Nuzzo (2014). The top 100 papers. *Nature News* 514 (7524), p. 550.
- Vaupel, J. W., K. G. Manton, and E. Stallard (1979). The Impact of Heterogeneity in Individual Frailty on the Dynamics of Mortality. *Demography* 16 (3), pp. 439–454. DOI: [10.2307/2061224](https://doi.org/10.2307/2061224).
- Vaupel, J. W. and A. I. Yashin (1985). Heterogeneity's ruses: some surprising effects of selection on population dynamics. *The American Statistician* 39 (3), pp. 176–185.
- Wienke, A. (2010). *Frailty Models in Survival Analysis*. CRC Press.
- Wintrebert, C., H. Putter, A. H. Zwinderman, and J. Van Houwelingen (2004). Centre-effect on Survival after Bone Marrow Transplantation: Application of Time-dependent Frailty Models. *Biometrical Journal* 46 (5), pp. 512–525.
- Woodbury, M. A. and K. G. Manton (1977). A random-walk model of human mortality and aging. *Theoretical Population Biology* 11 (1), pp. 37–48.



- Yashin, A. I., I. A. Iachine, A. Z. Begun, and J. W. Vaupel (2001). Hidden frailty: myths and reality. *Document de Travail* 34.
- Yashin, A. I. and K. G. Manton (1997). Effects of unobserved and partially observed covariate processes on system failure: a review of models and estimation strategies. *Statistical Science*, pp. 20–34.
- Yashin, A. I., J. W. Vaupel, and I. A. Iachine (1995). Correlated individual frailty: an advantageous approach to survival analysis of bivariate data. *Mathematical Population Studies* 5 (2), pp. 145–159.
- Yau, K. and C. McGilchrist (1998). ML and REML estimation in survival analysis with time dependent correlated frailty. *Statistics in Medicine* 17 (11), pp. 1201–1213.
- Ye, Y., J. D. Kalbfleisch, and D. E. Schaubel (2007). Semiparametric Analysis of Correlated Recurrent and Terminal Events. *Biometrics* 63, pp. 78–87.
- Zhi, X., P. M. Grambsch, and L. E. Eberly (2005). Likelihood Ratio Test for the Variance Component in a Semi-Parametric Shared Gamma Frailty Model. *Research Report* 2005-5.