



Universiteit
Leiden
The Netherlands

Statistical methods for the analysis of complex omics data

Tissier, R.

Citation

Tissier, R. (2018, December 4). *Statistical methods for the analysis of complex omics data*. Retrieved from <https://hdl.handle.net/1887/67092>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/67092>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:
<http://hdl.handle.net/1887/67092>

Author: Tissier, R.

Title: Statistical methods for the analysis of complex omics data

Issue Date: 2018-12-04

List of Publications

Tissier R.L.M., Uh H.W., van den Akker E., Balliu B., Tsonaka S., Houwing-Duistermaat J.J. (2016). Gene coexpression network analysis for family studies based on a meta-analytic approach. *BMC Proceedings* 10, (Suppl 7): 119–123.

Tissier R.L.M., Tsonaka S., Mooijaart S.P., Slagboom E., Houwing-Duistermaat J.J. (2017). Secondary phenotype analysis in ascertained family designs: application to the Leiden longevity study. *Statistics in Medicine* 36, (14): 2288–2301.

Tissier R.L.M., Houwing-Duistermaat J.J., Rodríguez-Girondo M. (2018). Improving stability of prediction models based on correlated omics data by using network approaches. *Plos One* 13, (2): e0192853.

Tissier R.L.M., Rodríguez-Girondo M., Houwing-Duistermaat J.J. Integration of several omic sources in prediction models using network-based approaches. Submitted for publication.

Tissier R.L.M., Houwing-Duistermaat J.J. Statistical methods for the analysis of secondary phenotypes in family proband designs. Submitted for publication.

Fuady A M, **Tissier R.L.M.**, Houwing-Duistermaat J.J. (2018). Genome-wide analysis in multiple-case families: assessing the relationship between triglyceride and methylation. *BMC Proceedings*, 2(Suppl 9):67–71.

Harrewijn A., van der Molen M.J.W., van Vliet I.M., **Tissier R.L.M.**, Westenberg P.M. (2018). Behavioral and EEG responses to social evaluation: A two-generation family study on social anxiety. *Neuroimage Clin*, (17): 549–562.

Bas-Hoogendam J.M., Harrewijn A., **Tissier R.L.M.**, van der Molen M.J.W., van Steenbergen H., Van Vliet I.M., Reichart C.G., Houwing-Duistermaat J.J., Slagboom E., van der Wee N.J.A., Westenberg P.M. (2018). The Leiden Family Lab study on Social Anxiety Disorder: a multiplex, multigenerational family study on neurocognitive endophenotype. *International Journal of Methods* 27, (2):e1616

Bas-Hoogendam J.M., van Steenbergen H., **Tissier R.L.M.**, Houwing-Duistermaat J.J., Westenberg P.M., van der Wee N.J.A. (2018). Subcortical brain volumes, cortical thickness and cortical surface area in families genetically enriched for social anxiety disorder - A multiplex multigenerational neuroimaging study. *EBioMedicine*, epub ahead of print.