



Universiteit
Leiden
The Netherlands

Methods and tools for mining multivariate time series

De Gouveia da Costa Cachucho, R.E.

Citation

De Gouveia da Costa Cachucho, R. E. (2018, December 10). *Methods and tools for mining multivariate time series*. Retrieved from <https://hdl.handle.net/1887/67130>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/67130>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:
<http://hdl.handle.net/1887/67130>

Author: de Gouveia da Costa Cachucho, R.E.

Title: Methods and tools for mining multivariate time series

Issue Date: 2018-12-10

Bibliography

- [1] <https://www.universiteitleiden.nl/nieuws/2016/10/leidse-onderzoekers-winnen-publieksprijs-slimste-project-van-nederland>.
- [2] S. Aghabozorgi, A. S. Shirkhorshidi, and T. Y. Wah. Time-series clustering — a decade review. *Information Systems*, 53:16–38, 2015.
- [3] E. Angelini, J. Henry, and M. Marcellino. Interpolation and backdating with a large information set. *Journal of Economic Dynamics and Control*, 30(12):2693–2724, Dec. 2006.
- [4] M. Armesto. Forecasting with mixed frequencies. *Federal Reserve Bank of St. Louis*, pages 521–536, 2010.
- [5] M. Atzmüller and F. Lemmerich. Fast subgroup discovery for continuous target concepts. In *ISMIS, the International Symposium on Methodologies for Intelligent Systems*, pages 35–44, 2009.
- [6] L. Bao and S. Intille. Activity recognition from user-annotated acceleration data. *Pervasive Computing*, pages 1–17, 2004.
- [7] S. Barkow, S. Bleuler, A. Prelić, P. Zimmermann, and E. Zitzler. Bi-cat: A biclustering analysis toolbox. *Bioinformatics*, 22(10):1282–1283, May 2006.
- [8] M. R. Berthold, N. Cebron, F. Dill, T. R. Gabriel, T. Kötter, T. Meinl, P. Ohl, K. Thiel, and B. Wiswedel. Knime - the konstanz information miner: Version 2.0 and beyond. *ACM SIGKDD Explorations Newsletter*, 11(1):26–31, Nov. 2009.
- [9] A. Bifet. *Adaptive Learning and Mining for Data Streams and Frequent Patterns*. PhD thesis, Universitat Politècnica de Catalunya, 2009.
- [10] A. Bifet, G. Holmes, R. Kirkby, and B. Pfahringer. Moa: Massive online analysis. *Journal of Machine Learning Research*, 11(May):1601–1604, 2010.

- [11] W. Bouten, E. W. Baaij, J. Shamoun-Baranes, and K. C. Camphuysen. A flexible gps tracking system for studying bird behaviour at multiple scales. *Journal of Ornithology*, 154(2):571–580, 2013.
- [12] A. Brush, J. Krumm, J. Scott, and T. Saponas. Recognizing Activities from Mobile Sensor Data: Challenges and Opportunities. In *Proceedings Ubicomp’ 11*, 2011.
- [13] R. Cachucho, K. Liu, S. Nijssen, and A. Knobbe. Bipeline: A web-based visualization tool for biclustering of multivariate time series. In B. Berendt, B. Bringmann, É. Fromont, G. Garriga, P. Miettinen, N. Tatti, and V. Tresp, editors, *Machine Learning and Knowledge Discovery in Databases: European Conference, ECML PKDD 2016, Riva del Garda, Italy, September 19-23, 2016, Proceedings, Part III*, pages 12–16, Cham, 2016. Springer International Publishing.
- [14] R. Cachucho, M. Meeng, U. Vespiere, S. Nijssen, and A. Knobbe. Mining multivariate time series with mixed sampling rates. In *Proceedings of the 2014 ACM International Joint Conference on Pervasive and Ubiquitous Computing, UbiComp ’14*, pages 413–423, New York, NY, USA, 2014. ACM.
- [15] R. Cachucho, S. Nijssen, and A. Knobbe. Biclustering multivariate time series. In *Intelligent Data Analysis*, 2017.
- [16] T. Calvert, E. Banister, M. Savage, and T. Bach. A systems model of the effects of training on physical performance. *IEEE Transactions on Systems, Man and Cybernetics*, SMC-6(2):94–102, 1976.
- [17] W. Chang, J. Cheng, J. Allaire, Y. Xie, and J. McPherson. *shiny: Web Application Framework for R*, 2016. R package version 0.13.1.
- [18] W. Chang, J. Cheng, J. Allaire, Y. Xie, and J. McPherson. shiny: Web application framework for r [computer software]. URL <http://CRAN.R-project.org/package=shiny> (R package version 1.0. 0), 2017.
- [19] Y. Cheng and G. M. Church. Biclustering of expression data. In *Proceedings of the Eighth International Conference on Intelligent Systems for Molecular Biology*, pages 93–103. AAAI Press, 2000.
- [20] B. Chiu, E. Keogh, and S. Lonardi. Probabilistic discovery of time series motifs. In *Proceedings of the Ninth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, KDD ’03, pages 493–498, New York, NY, USA, 2003. ACM.

- [21] G. Creasey, P. Jarvis, and L. Berk. Play and social competence. In O. N. Saracho and B. Spodek, editors, *Early Childhood Education: Inquiries and Insights. Multiple Perspectives on Play in Early Childhood Education*. State University of New York Press, New York, 1998.
- [22] M. de Winter. *A Missing Value Ignoring Approach for Whole Time Series Clustering of Longevity Corebody Temperature Data*. Master's thesis, Leiden University, Leiden Institute of Advance Computer Science, 2015.
- [23] W. Duivesteijn and A. Knobbe. Exploiting false discoveries – statistical validation of patterns and quality measures in subgroup discovery. In *ICDM, the International Conference on Data Mining*, pages 151–160, 2011.
- [24] P. Esling and C. Agon. Time-series data mining. *ACM Comput. Surv.*, 45(1):12:1–12:34, Dec. 2012.
- [25] D. Figo, P. C. Diniz, D. R. Ferreira, and J. a. M. P. Cardoso. Pre-processing techniques for context recognition from accelerometer data. *Personal and Ubiquitous Computing*, 14(7):645–662, Mar. 2010.
- [26] J. Friedman, T. Hastie, and R. Tibshirani. Regularization paths for generalized linear models via coordinate descent. *Journal of Statistical Software*, 2010.
- [27] J. Friedman, T. Hastie, and R. Tibshirani. Regularization paths for generalized linear models via coordinate descent. *Journal of Statistical Software*, 33(1):1–22, 2010.
- [28] E. Ghysels, P. Santa-Clara, and R. Valkanov. Predicting volatility: getting the most out of return data sampled at different frequencies. *Journal of Econometrics*, 2006.
- [29] J. P. Gonçalves, S. C. Madeira, and A. L. Oliveira. Biggests: integrated environment for biclustering analysis of time series gene expression data. *BMC Research Notes*, 2(1):124, 2009.
- [30] H. Grosskreutz and S. Rüping. On subgroup discovery in numerical domains. *Data Mining and Knowledge Discovery*, 19(2):210–226, 2009.
- [31] D. Gujarati. *Basic econometrics*. McGraw Hill, fourth edition, 2003.
- [32] M. Hall, E. Frank, G. Holmes, B. Pfahringer, P. Reutemann, and I. H. Witten. The weka data mining software: An update. *ACM SIGKDD Explorations Newsletter*, 11(1):10–18, Nov. 2009.

- [33] T. Hastie, R. Tibshirany, and J. Friedman. *The Elements of Statistical Learning Data Mining, Inference, and Prediction*. Springer, second edition, 2009.
- [34] J. Heinrich, R. Seifert, M. Burch, and D. Weiskopf. Bicluster viewer: a visualization tool for analyzing gene expression data. In *International Symposium on Visual Computing*, pages 641–652. Springer, 2011.
- [35] J. Himberg, K. Korpiaho, H. Mannila, J. Tikanmaki, and H. T. Toivonen. Time series segmentation for context recognition in mobile devices. In *Data Mining, 2001. ICDM 2001, Proceedings IEEE International Conference on*, pages 203–210. IEEE, 2001.
- [36] J. A. Hobson. Rem sleep and dreaming: towards a theory of protoconsciousness. *Nature Reviews Neuroscience*, 10(11):803–813, 2009.
- [37] T. Huynh and B. Schiele. Analyzing features for activity recognition. In *Proceedings of the 2005 joint conference on Smart objects and ambient intelligence: innovative context-aware services: usages and technologies*, pages 159–163. ACM, 2005.
- [38] IBM Corporation. *IBM SPSS Statistics*.
- [39] G. John, R. Kohavi, and K. Pfleger. Irrelevant features and the subset selection problem. In *Machine Learning*, pages 121–129, 1994.
- [40] S. Jongstra, L. W. Wijsman, R. Cachucho, M. P. Hoevenaar-Blom, S. P. Mooijaart, and E. Richard. Cognitive testing in people at increased risk of dementia using a smartphone app: The ivitality proof-of-principle study. *JMIR mHealth and uHealth*, 5(5):e68, 2017.
- [41] A. Jorge, P. Azevedo, and F. Pereira. Distribution rules with numeric attributes of interest. In *PKDD, the European Conference on Principles and Practice of Knowledge Discovery in Databases*, pages 247–258, 2006.
- [42] S. Kaiser and F. Leisch. A toolbox for bicluster analysis in r. In *UseR*, 2008.
- [43] S. Kaiser and F. Leisch. A generalized motif bicluster algorithm. In *UseR*, 2009.
- [44] S. Kaiser, R. Santamaria, T. Khamiakova, M. Sill, R. Theron, L. Quintales, F. Leisch, and E. D. Troyer. *biclust: BiCluster Algorithms*, 2015. R package version 1.2.0.

- [45] W. Kenney, J. Wilmore, and D. Costill. *Physiology of Sport and Exercise*. Human Kinetics, 2015.
- [46] E. Keogh, S. Chu, D. Hart, and M. Pazzani. An online algorithm for segmenting time series. In *Data Mining, 2001. ICDM 2001, Proceedings IEEE International Conference on*, pages 289–296. IEEE, 2001.
- [47] E. Keogh, S. Chu, D. Hart, and M. Pazzani. Segmenting time series: A survey and novel approach. *Data mining in time series databases*, 57:1–22, 2004.
- [48] E. Keogh and S. Kasetty. On the need for time series data mining benchmarks: a survey and empirical demonstration. *Data Mining and Knowledge Discovery*, pages 349–371, 2002.
- [49] E. Keogh and J. Lin. Clustering of time-series subsequences is meaningless: implications for previous and future research. *Knowledge and information systems*, 8(2):154–177, 2005.
- [50] W. Klösgen. *Subgroup Discovery, Handbook of Data Mining and Knowledge Discovery*, chapter 16.3. Oxford University Press, 2002.
- [51] Y. Kluger, R. Basri, J. T. Chang, and M. Gerstein. Spectral bioclustering of microarray cancer data: Co-clustering genes and conditions. *Genome Research*, 13:703–716, 2003.
- [52] A. Knobbe, H. Blockeel, and A. Koopman. InfraWatch: Data management of large systems for monitoring infrastructural performance. In *Intelligent Data Analysis*, pages 91–102, 2010.
- [53] A. Knobbe, J. Orie, N. Hofman, B. van der Burgh, and R. Cachuccho. Sports analytics for professional speed skating. *Data Mining and Knowledge Discovery*, 31(6):1872–1902, Nov 2017.
- [54] P. Kralj Novak, N. Lavrač, and G. Webb. Supervised descriptive rule discovery: A unifying survey of contrast set, emerging pattern and subgroup mining. *Journal of Machine Learning Research*, 10:377–403, 2009.
- [55] M. Krätzig. The software jmulti. *Applied Time Series Econometrics, Cambridge University Press, Cambridge*, pages 289–299, 2004.
- [56] M. Kuhn. Caret package. *Journal of Statistical Software*, 28(5):1–26, 2008.
- [57] V. Kuzin, M. Marcellino, and C. Schumacher. MIDAS vs. mixed-

- frequency VAR: Nowcasting GDP in the euro area. *International Journal of Forecasting*, 27(2):529–542, Apr. 2011.
- [58] J. Kwapisz, G. Weiss, and S. Moore. Activity recognition using cell phone accelerometers. *ACM SIGKDD Explorations Newsletter*, 2011.
 - [59] F. Lemmerich, M. Atzmueller, and F. Puppe. Fast exhaustive subgroup discovery with numerical target concepts. *Data Mining and Knowledge Discovery*, pages 1–52, 2015.
 - [60] J. Lin, E. Keogh, S. Lonardi, and B. Chiu. A symbolic representation of time series, with implications for streaming algorithms. *Proceedings of the 8th ACM SIGMOD workshop on Research issues in data mining and knowledge discovery - DMKD '03*, page 2, 2003.
 - [61] S. C. Madeira and A. L. Oliveira. Biclustering algorithms for biological data analysis: A survey. *IEEE/ACM Trans. Comput. Biol. Bioinformatics*, 1(1):24–45, Jan. 2004.
 - [62] S. C. Madeira and A. L. Oliveira. A linear time biclustering algorithm for time series gene expression data. In R. Casadio and G. Myers, editors, *Algorithms in Bioinformatics: 5th International Workshop, WABI 2005, Mallorca, Spain, October 3-6, 2005. Proceedings*, pages 39–52, Berlin, Heidelberg, 2005. Springer Berlin Heidelberg.
 - [63] S. Makridakis, S. C. Wheelwright, and R. J. Hyndman. *Forecasting methods and applications*. John Wiley & Sons, 1998.
 - [64] W. McArdle, F. Katch, and V. Katch. *Exercise Physiology: nutrition, energy, and human performance*. Lippincott, Williams & Wilkins, 2014.
 - [65] M. Meeng, R. Cachchoe, and A. Knobbe. Quickie: Quick user interface for convolution kernel-involving experiments. <http://liacs.leidenuniv.nl/~meengm/doc/index.html>. Accessed: 2017-12-07.
 - [66] M. Meeng and A. Knobbe. Flexible enrichment with Cortana – software demo. In *BeneLearn, the Annual Belgian-Dutch Conference on Machine Learning*, pages 117–119, 2011.
 - [67] S. Miao, U. Vespier, R. Cachchoe, M. Meeng, and A. Knobbe. Pre-defined pattern detection in large time series. *Information Sciences*, 329:950–964, 2016.
 - [68] S. Miao, U. Vespier, J. Vanschoren, A. Knobbe, and R. Cachchoe. Modeling sensor dependencies between multiple sensor types. In *Proceedings of BeneLearn*, 2013.

- [69] E. Miluzzo, N. Lane, and K. Fodor. Sensing meets mobile social networks: the design, implementation and evaluation of the CenceMe application. In *Proceedings of Embedded network sensor systems*, pages 337–350, 2008.
- [70] D. Minnen, C. Isbell, I. Essa, and T. Starner. Detecting subdimensional motifs: An efficient algorithm for generalized multivariate pattern discovery. In *Proceedings of the 2007 Seventh IEEE International Conference on Data Mining, ICDM '07*, pages 601–606, Washington, DC, USA, 2007. IEEE Computer Society.
- [71] A. Mueen, E. Keogh, Q. Zhu, S. Cash, and B. Westover. Exact discovery of time series motifs. In *Proceedings of the 2009 SIAM International Conference on Data Mining, ICDM '09*, pages 473–484, 2009.
- [72] T. M. Murali and S. Kasif. Extracting conserved gene expression motifs from gene expression data. In *Pac. Symp. Biocomput.*, pages 77–88, 2003.
- [73] J. Orie, N. Hofman, J. de Koning, and C. Foster. Thirty-eight years of training distribution in olympic speed skaters. *Int J Sports Physiol Perform*, 9:93–9, 2014.
- [74] S. Paraschiakos. *Comparing Sensor Networks for Activity Recognition*. Master’s thesis, Leiden University, Leiden Institute of Advance Computer Science, 2017.
- [75] J.-g. Park, A. Patel, D. Curtis, S. Teller, and J. Ledlie. Online pose classification and walking speed estimation using handheld devices. *Proceedings of the 2012 ACM Conference on Ubiquitous Computing - UbiComp '12*, page 10, 2012.
- [76] J. Pearl. *Causality: Models, Reasoning and Inference*. Cambridge University Press, 2nd edition edition, 2009.
- [77] F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, J. Vanderplas, A. Passos, D. Cournapeau, M. Brucher, M. Perrot, and E. Duchesnay. Scikit-learn: Machine learning in Python. *Journal of Machine Learning Research*, 12:2825–2830, 2011.
- [78] B. Pieters, A. Knobbe, and S. Džeroski. Subgroup discovery in ranked data, with an application to gene set enrichment. In *Preference Learning 2010 at ECML PKDD, the European Conference on Ma-*

- chine Learning and Principles and Practice of Knowledge Discovery in Databases*, 2010.
- [79] A. Prelić, S. Bleuler, P. Zimmermann, A. Wille, P. Bühlmann, W. Gruissem, L. Hennig, L. Thiele, and E. Zitzler. A systematic comparison and evaluation of biclustering methods for gene expression data. *Bioinformatics*, 22(9):1122–1129, May 2006.
 - [80] J. Quinlan. Induction of decision trees. *Machine learning*, pages 81–106, 1986.
 - [81] R Development Core Team. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria, 2008. ISBN 3-900051-07-0.
 - [82] R. Santamaría, R. Therón, and L. Quintales. Bicoverlapper: A tool for bicluster visualization. *Bioinformatics*, 24(9):1212, 2008.
 - [83] D. Shepard. A two-dimensional interpolation function for irregularly-spaced data. In *Proceedings of the 1968 23rd ACM national conference*, pages 517–524. ACM, 1968.
 - [84] V. Stodden. *Model selection when the number of variables exceeds the number of observations*. Phd thesis, Standford University, 2006.
 - [85] D. Stranneby and W. Walker. *Digital Signal Processing and Applications*. Elsevier, 2004.
 - [86] M. Sugiyama, T. Kanamori, T. Suzuki, M. C. d. Plessis, S. Liu, and I. Takeuchi. Density-difference estimation. *Neural Comput.*, 25(10):2734–2775, Oct. 2013.
 - [87] J. Sun, S. Papadimitriou, and P. S. Yu. Window-based tensor analysis on high-dimensional and multi-aspect streams. In *Proceedings of the Sixth International Conference on Data Mining*, ICDM ’06, pages 1076–1080, Washington, DC, USA, 2006. IEEE Computer Society.
 - [88] Y. Tanaka, K. Iwamoto, and K. Uehara. Discovery of time-series motif from multi-dimensional data based on mdl principle. *Mach. Learn.*, 58(2-3):269–300, Feb. 2005.
 - [89] R. Tibshirani. Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society, Series B*, 58, 1994.
 - [90] R. Tibshirani. Regression shrinkage and selection via the LASSO. *Journal of the Royal Statistical Society, Series B*, 58:267–288, 1994.

- [91] H. Turner, T. Bailey, and W. Krzanowski. Improved biclustering of microarray data demonstrated through systematic performance tests. *Computational Statistics & Data Analysis*, 48(2):235–254, 2005.
- [92] D. United Nations. World population ageing: 1950-2050. Technical report, New York, NY, USA, 2002.
- [93] A. Vahdatpour, N. Amini, and M. Sarrafzadeh. Toward unsupervised activity discovery using multi-dimensional motif detection in time series. In *Proceedings of the 21st International Joint Conference on Artificial Intelligence, IJCAI'09*, pages 1261–1266, San Francisco, CA, USA, 2009. Morgan Kaufmann Publishers Inc.
- [94] O. van de Rest, B. A. Schutte, J. Deelen, S. A. Stassen, E. B. van den Akker, D. van Heemst, P. Dibbets-Schneider, et al. Metabolic effects of a 13-weeks lifestyle intervention in older adults: The growing old together study. *Aging (Albany NY)*, 8(1):111, 2016.
- [95] O. van de Rest, B. A. Schutte, J. Deelen, S. A. Stassen, E. B. van den Akker, D. van Heemst, P. Dibbets-Schneider, et al. Metabolic effects of a 13-weeks lifestyle intervention in older adults: The growing old together study. *Aging (Albany NY)*, 8(1):111, 2016.
- [96] J. Van Hoof, H. Kort, P. Rutten, and M. Duijnstee. Ageing-in-place with the use of ambient intelligence technology: Perspectives of older users. *International journal of medical informatics*, 80(5):310–331, 2011.
- [97] D. Vanderkam, J. Allaire, J. Owen, D. Gromer, P. Shevtsov, and B. Thieurnel. *dygraphs: Interface to 'Dygraphs' Interactive Time Series Charting Library*, 2016. R package version 0.8.
- [98] J. Vanschoren, U. Vespier, S. Miao, M. Meeng, R. Cachucho, and A. Knobbe. Large-scale sensor network analysis: applications in structural health monitoring. In *Big Data Management, Technologies, and Applications*, pages 314–347. IGI Global, 2014.
- [99] G. Veiga, L. Ketelaar, W. De Leng, R. Cachucho, J. N. Kok, A. Knobbe, C. Neto, and C. Rieffe. Alone at the playground. *European Journal of Developmental Psychology*, 14(1):44–61, 2017.
- [100] G. Veiga, W. Leng, R. Cachucho, L. Ketelaar, J. N. Kok, A. Knobbe, C. Neto, and C. Rieffe. Social competence at the playground: Preschoolers during recess. *Infant and Child Development*, 26(1), 2017.

- [101] U. Vespier. *Mining sensor data from complex systems*. PhD thesis, Leiden Institute of Advanced Computer Science (LIACS), Faculty of Science, Leiden University, 2015.
- [102] U. Vespier, A. Knobbe, S. Nijssen, and J. Vanschoren. MDL-Based Analysis of Time Series at Multiple Time-Scales. In *Proceedings of ECML PKDD '12*, 2012.
- [103] U. Vespier, S. Nijssen, and A. Knobbe. Mining characteristic multi-scale motifs in sensor-based time series. In *Proceedings of the 22Nd ACM International Conference on Information & Knowledge Management*, CIKM '13, pages 2393–2398, New York, NY, USA, 2013. ACM.
- [104] R. Westendorp and et. al. Nonagenarian siblings and their offspring display lower risk of mortality and morbidity than sporadic nonagenarians: The leiden longevity study. *Journal of the American Geriatrics Society*, 57(9):1634–1637, 2009.
- [105] N. Wiener. *Extrapolation, interpolation, and smoothing of stationary time series*, volume 7. MIT press Cambridge, MA, 1949.
- [106] L. W. Wijsman, E. Richard, R. Cachucho, A. J. de Craen, S. Jongstra, and S. P. Mooijaart. Evaluation of the use of home blood pressure measurement using mobile phone-assisted technology: the ivitality proof-of-principle study. *JMIR mHealth and uHealth*, 4(2), 2016.
- [107] R. Wirth and J. Hipp. Crisp-dm: Towards a standard process model for data mining. In *Proceedings of the 4th international conference on the practical applications of knowledge discovery and data mining*, pages 29–39, 2000.
- [108] Y. Zhang, H. Zha, and C.-H. Chu. A time-series biclustering algorithm for revealing co-regulated genes. In *Proceedings of the International Conference on Information Technology: Coding and Computing (ITCC'05) - Volume I - Volume 01*, ITCC '05, pages 32–37, Washington, DC, USA, 2005. IEEE Computer Society.