



Universiteit
Leiden
The Netherlands

The rhizomicrobiome of Sorghum ; impact on plant growth and stress tolerance

Schlemper, T.R.

Citation

Schlemper, T. R. (2019, January 30). *The rhizomicrobiome of Sorghum ; impact on plant growth and stress tolerance*. NIOO-thesis. Retrieved from <https://hdl.handle.net/1887/68467>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/68467>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/68467> holds various files of this Leiden University dissertation.

Author: Schlemper, T.R.

Title: The rhizomicrobiome of Sorghum: impact on plant growth and stress tolerance

Issue Date: 2019-01-30

References

Abraham W-R, Rohde M & Bennasar A (2014) The family Caulobacteraceae. *The Prokaryotes*,(Rosenberg E DEF, Lory S, & Stackebrandt E TF, eds.), p.^pp. 179-205. Springer, Berlin, Germany.

Acosta-Martínez V, Dowd SE, Bell CW, Lascano R, Booker JD, Zobeck TM & Upchurch DR (2010) Microbial Community Composition as Affected by Dryland Cropping Systems and Tillage in a Semiarid Sandy Soil. *Diversity* **2**: 910.

Aira M, Gomez-Brandon M, Lazcano C, Baath E & Dominguez J (2010) Plant genotype strongly modifies the structure and growth of maize rhizosphere microbial communities. *Soil Biology & Biochemistry* **42**: 2276-2281.

Akiyama K, Ogasawara S, Ito S & Hayashi H (2010) Structural Requirements of Strigolactones for Hyphal Branching in AM Fungi. *Plant and Cell Physiology* **51**: 1104-1117.

Ali SZ, Sandhya V, Grover M, Kishore N, Rao LV & Venkateswarlu B (2009) Pseudomonas sp. strain AKM-P6 enhances tolerance of sorghum seedlings to elevated temperatures. *Biology and fertility of soils* **46**: 45-55.

Alves LMC, de Souza JAM, de Mello Varani A & de Macedo Lemos EG (2014) The family rhizobiaceae. *The Prokaryotes*,p.^pp. 419-437. Springer.

Amara U, Khalid R & Hayat R (2015) Soil Bacteria and Phytohormones for Sustainable Crop Production. *Bacterial Metabolites in Sustainable Agroecosystem*,(Maheshwari DK, ed.) p.^pp. 87-103. Springer International Publishing, Cham.

Amaral DL, dos Anjos Pinto N, de Souza VC, Aragão FJL & de Oliveira Santos M (2017) Control of Fusarium oxysporum infection in transgenic tobacco carrying oxalate descarboxilase gene. *Journal of Applied Biology & Biotechnology Vol* **5**: 079-083.

Armada E, Roldán A & Azcon R (2014) Differential activity of autochthonous bacteria in controlling drought stress in native Lavandula and Salvia plants species under drought conditions in natural arid soil. *Microbial ecology* **67**: 410-420.

Armada E, Leite MF, Medina A, Azcón R & Kuramae EE (2018) Native bacteria promote plant growth under drought stress condition without impacting the rhizomicobiome. *FEMS microbiology ecology*.

Aronesty E (2011) Ea-utils : Command-line Tools for Processing Biological Sequencing data. p.^pp.

Asif M, Rooney L, Acosta-Sanchez D, Mack C & Riaz M (2010) Uses of sorghum grain in gluten-free products. *Cereal foods world* **55**: 285-291.

Aydin G, Grant RJ & O'Rear J (1999) Brown midrib sorghum in diets for lactating dairy cows. *Journal of Dairy Science* **82**: 2127-2135.

Bachar A, Al-Ashhab A, Soares MIM, Sklarz MY, Angel R, Ungar ED & Gillor O (2010) Soil microbial abundance and diversity along a low precipitation gradient. *Microbial Ecology* **60**: 453-461.

Badri DV & Vivanco JM (2009) Regulation and function of root exudates. *Plant Cell and Environment* **32**: 666-681.

Bais HP, Weir TL, Perry LG, Gilroy S & Vivanco JM (2006) The role of root exudates in rhizosphere interations with plants and other organisms. *Annual Review of Plant Biology* **57**: 233-266.

Bakker AW & Schippers B (1987) Microbial cyanide production in the rhizosphere in relation to potato yield reduction and Pseudomonas spp-mediated plant growth-stimulation. *Soil Biology and Biochemistry* **19**: 451-457.

Bakker MG, Chaparro JM, Manter DK & Vivanco JM (2015) Impacts of bulk soil microbial community structure on rhizosphere microbiomes of Zea mays. *Plant and Soil* **392**: 115-126.

Bakker MG, Manter DK, Sheflin AM, Weir TL & Vivanco JM (2012) Harnessing the rhizosphere microbiome through plant breeding and agricultural management. *Plant and Soil* **360**: 1-13.

Barnard RL, Osborne CA & Firestone MK (2013) Responses of soil bacterial and fungal communities to extreme desiccation and rewetting. *The ISME journal* **7**: 2229.

Bates D, Maechler M, Bolker B & Walker S (2014) lme4: Linear mixed-effects models using Eigen and S4. *R package version 1*: 1-23.

Baudoin E, Benizri E & Guckert A (2003) Impact of artificial root exudates on the bacterial community structure in bulk soil and maize rhizosphere. *Soil Biology and Biochemistry* **35**: 1183-1192.

Bean BW, Baumhardt RL, McCollum FT, III & McCuistion KC (2013) Comparison of sorghum classes for grain and forage yield and forage nutritive value. *Field Crops Research* **142**: 20-26.

Bell TH, Hassan SE-D, Lauron-Moreau A, Al-Otaibi F, Hijri M, Yergeau E & St-Arnaud M (2014) Linkage between bacterial and fungal rhizosphere communities in hydrocarbon-contaminated soils is related to plant phylogeny. *The ISME journal* **8**: 331-343.

Bender EA, Case TJ & Gilpin ME (1984) Perturbation experiments in community ecology: theory and practice. *Ecology* **65**: 1-13.

Benjamini Y & Hochberg Y (1995) Controlling the false discovery rate: a practical and powerful approach to multiple testing. *Journal of the royal statistical society Series B (Methodological)* 289-300.

Berendsen RL, Pieterse CMJ & Bakker PAHM (2012) The rhizosphere microbiome and plant health. *Trends in Plant Science* **17**: 478-486.

Berenguer M & Faci J (2001) Sorghum (*Sorghum bicolor* L. Moench) yield compensation processes under different plant densities and variable water supply. *European Journal of Agronomy* **15**: 43-55.

Berg G & Smalla K (2009) Plant species and soil type cooperatively shape the structure and function of microbial communities in the rhizosphere. *Fems Microbiology Ecology* **68**: 1-13.

Berger B, Brock AK & Ruppel S (2013) Nitrogen supply influences plant growth and transcriptional responses induced by *Enterobacter* radicincitans in *Solanum lycopersicum*. *Plant and soil* **370**: 641-652.

Berger B, Wiesner M, Brock AK, Schreiner M & Ruppel S (2015) *K. radicincitans*, a beneficial bacteria that promotes radish growth under field conditions. *Agronomy for sustainable development* **35**: 1521–1528.

Bergmann GT, Bates ST, Eilers KG, Lauber CL, Caporaso JG, Walters WA, Knight R & Fierer N (2011) The under-recognized dominance of Verrucomicrobia in soil bacterial communities. *Soil Biology & Biochemistry* **43**: 1450-1455.

Bever JD, Platt TG & Morton ER (2012) Microbial Population and Community Dynamics on Plant Roots and Their Feedbacks on Plant Communities. *Annual Review of Microbiology*, Vol 66 **66**: 265-283.

Bezemer TM, Fountain MT, Barea JM, et al. (2010) Divergent composition but similar function of soil food webs of individual plants: plant species and community effects. *Ecology* **91**: 3027-3036.

Bhattacharyya P & Jha D (2012) Plant growth-promoting rhizobacteria (PGPR): emergence in agriculture. *World Journal of Microbiology and Biotechnology* **28**: 1327-1350.

Bonfante P & Anca IA (2009) Plants, Mycorrhizal Fungi, and Bacteria: A Network of Interactions. *Annual Review of Microbiology* **63**: 363-383.

Borghetti F, Silva L, Pinheiro J, Varella B & Ferreira A (2005) Aqueous leaf extract properties of Cerrado species in Central Brazil. p.^pp.

Bouskill NJ, Lim HC, Borglin S, Salve R, Wood TE, Silver WL & Brodie EL (2013) Pre-exposure to drought increases the resistance of tropical forest soil bacterial communities to extended drought. *The ISME journal* **7**: 384.

Bouwmeester HJ, Roux C, Lopez-Raez JA & Becard G (2007) Rhizosphere communication of plants, parasitic plants and AM fungi. *Trends in Plant Science* **12**: 224-230.

Bowers JE, Abbey C, Anderson S, Chang C, Draye X, Hoppe AH, Jessup R, Lemke C, Lennington J & Li Z (2003) A high-density genetic recombination map of sequence-tagged sites for sorghum, as a framework for comparative structural and evolutionary genomics of tropical grains and grasses. *Genetics* **165**: 367-386.

Bric JM, Bostock RM & Silverstone SE (1991) Rapid in situ assay for indoleacetic acid production by bacteria immobilized on a nitrocellulose membrane. *Applied and environmental Microbiology* **57**: 535-538.

Brock AK, Berger B, Mewis I & Ruppel S (2013) Impact of the PGPB Enterobacter radicincitans DSM 16656 on growth, glucosinolate profile, and immune responses of *Arabidopsis thaliana*. *Microbial ecology* **65**: 661-670.

Brown BL, LePrell RV, Franklin RB, Rivera MC, Cabral FM, Eaves HL, Gardiakos V, Keegan KP & King TL (2015) Metagenomic analysis of planktonic microbial consortia from a non-tidal urban-impacted segment of James River. *Standards in genomic sciences* **10**: 1.

Bulgarelli D, Garrido-Oter R, Muench PC, Weiman A, Droege J, Pan Y, McHardy AC & Schulze-Lefert P (2015) Structure and Function of the Bacterial Root Microbiota in Wild and Domesticated Barley. *Cell Host & Microbe* **17**: 392-403.

Burns JH, Anacker BL, Strauss SY & Burke DJ (2015) Soil microbial community variation correlates most strongly with plant species identity, followed by soil chemistry, spatial location and plant genus. *Aob Plants* **7**: 1-10.

Buyer JS, Roberts DP & Russek-Cohen E (2002) Soil and plant effects on microbial community structure. *Canadian Journal of Microbiology* **48**: 955-964.

Caporaso JG, Kuczynski J, Stombaugh J, et al. (2010) QIIME allows analysis of high-throughput community sequencing data. *Nature Methods* **7**: 335-336.

Casanovas EM, Barassi CA & Sueldo RJ (2002) Azospirillum inoculation mitigates water stress effects in maize seedlings. *Cereal Research Communications* 343-350.

Cassman NA, Leite MF, Pan Y, de Hollander M, van Veen JA & Kuramae EE (2016) Plant and soil fungal but not soil bacterial communities are linked in long-term fertilized grassland. *Scientific reports* **6**: 1-11.

Cavar S, Zwanenburg B & Tarkowski P (2015) Strigolactones: occurrence, structure, and biological activity in the rhizosphere. *Phytochemistry Reviews* **14**: 691-711.

Chaparro JM, Badri DV & Vivanco JM (2014) Rhizosphere microbiome assemblage is affected by plant development. *Isme Journal* **8**: 790-803.

Chaparro JM, Badri DV, Bakker MG, Sugiyama A, Manter DK & Vivanco JM (2013) Root exudation of phytochemicals in *Arabidopsis* follows specific patterns that are developmentally programmed and correlate with soil microbial functions. *PloS one* **8**: 1-10.

Chapelle E, Mendes R, Bakker PAH & Raaijmakers JM (2016) Fungal invasion of the rhizosphere microbiome. *The ISME journal* **10**: 265-268.

Chiarini L, Bevivino A, Tabacchioni S & Dalmastri C (1998) Inoculation of *Burkholderia cepacia*, *Pseudomonas fluorescens* and *Enterobacter* sp. on *Sorghum bicolor*: root colonization and plant growth promotion of dual strain inocula. *Soil Biology and Biochemistry* **30**: 81-87.

Chiarini L, Bevivino A, Dalmastri C, Nacamulli C & Tabacchioni S (1998) Influence of plant development, cultivar and soil type on microbial colonization of maize roots. *Applied Soil Ecology* **8**: 11-18.

Cipriano MA, Lupatini M, Lopes-Santos L, da Silva MJ, Roesch LF, Destefano SA, Freitas SS & Kuramae EE (2016) Lettuce and rhizosphere microbiome responses to growth promoting *Pseudomonas* species under field conditions. *FEMS Microbiology Ecology* **92**: fiw197.

Cobb AB, Wilson GW, Goad CL, Bean SR, Kaufman RC, Herald TJ & Wilson JD (2016) The role of arbuscular mycorrhizal fungi in grain production and nutrition of sorghum genotypes: Enhancing sustainability through plant-microbial partnership. *Agriculture, Ecosystems & Environment* **233**: 432-440.

Cole JR, Wang Q, Fish JA, Chai B, McGarrell DM, Sun Y, Brown CT, Porras-Alfaro A, Kuske CR & Tiedje JM (2014) Ribosomal Database Project: data and tools for high throughput rRNA analysis. *Nucleic Acids Research* **42**: D633-D642.

Coleman-Derr D & Tringe SG (2014) Building the crops of tomorrow: advantages of symbiont-based approaches to improving abiotic stress tolerance. *Frontiers in Microbiology* **5**: 1-6.

Cook RJ (2007) Management of resident plant growth-promoting rhizobacteria with the cropping system: a review of experience in the US Pacific Northwest. *European Journal of Plant Pathology* **119**: 255-264.

Costa OY, Raaijmakers JM & Kuramae EE (2018) Microbial Extracellular Polymeric Substances: Ecological Function and Impact on Soil Aggregation. *Frontiers in microbiology* **9**.

Cota LV, Silva DDd, Costa RVd & Ramos TCDA (2013) Caracterização e identificação de fontes de resistência à mancha foliar causada por Ramulispora sorghi em genótipos de sorgo. p.^pp.

Cota LV, Costa RVd, Silva DDd, Rodrigues JAS, Tardin FD & Parrella RAdC (2012) Avaliação da resistência de híbridos e linhagens de sorgo a *Exserohilum turcicum*. p.^pp. Boletim de pesquisa e desenvolvimento N.56. Sete Lagoas - Minas Gerais - BR.

Cretoiu MS, Korthals GW, Visser JH & van Elsas JD (2013) Chitin amendment increases soil suppressiveness toward plant pathogens and modulates the actinobacterial and oxalobacteraceal communities in an experimental agricultural field. *Applied and environmental microbiology* **79**: 5291-5301.

Culhane AC, Perrière G & Higgins DG (2003) Cross-platform comparison and visualisation of gene expression data using co-inertia analysis. *BMC Bioinformatics* **4**: 59.

Czarnota MA, Rimando AM & Weston LA (2003) Evaluation of root exudates of seven sorghum accessions. *Journal of Chemical Ecology* **29**: 2073-2083.

da Silva PRA, Vidal MS, de Paula Soares C, Polese V, Simões-Araújo JL & Baldani JI (2016) Selection and evaluation of reference genes for RT-qPCR expression studies on *Burkholderia tropica* strain Ppe8, a sugarcane-associated diazotrophic bacterium grown with different carbon sources or sugarcane juice. *Antonie van Leeuwenhoek* **109**: 1493-1502.

da Silveira APD, Sala VMR, Cardoso EJBN, Labanca EG & Cipriano MAP (2016) Nitrogen metabolism and growth of wheat plant under diazotrophic endophytic bacteria inoculation. *Applied Soil Ecology* **107**: 313-319.

Damasceno CM, Schaffert RE & Dweikat I (2014) Mining genetic diversity of sorghum as a bioenergy feedstock. *Plants and BioEnergy*, (Maureen M, Marcos, B., Nick, C. (Eds.), ed.) p.^pp. 81-106. Springer.

Dangl JL, Horvath DM & Staskawicz BJ (2013) Pivoting the plant immune system from dissection to deployment. *Science* **341**: 746-751.

Davila-Gomez FJ, Chuck-Hernandez C, Perez-Carrillo E, Rooney WL & Serna-Saldivar SO (2011) Evaluation of bioethanol production from five different varieties of sweet and forage sorghums (*Sorghum bicolor* (L) Moench). *Industrial Crops and Products* **33**: 611-616.

Dawwam G, Elbeltagy A, Emara H, Abbas I & Hassan M (2013) Beneficial effect of plant growth promoting bacteria isolated from the roots of potato plant. *Annals of Agricultural Sciences* **58**: 195-201.

de Boer W, Leveau JH, Kowalchuk GA, Gunnewiek PJK, Abeln EC, Figge MJ, Sjollema K, Janse JD & van Veen JA (2004) Collimonas fungivorans gen. nov., sp. nov., a chitinolytic soil bacterium with the ability to grow on living fungal hyphae. *International Journal of Systematic and Evolutionary Microbiology* **54**: 857-864.

De Micco V & Aronne G (2012) Morpho-anatomical traits for plant adaptation to drought. *Plant responses to drought stress*, p.^pp. 37-61. Springer.

Debenport SJ, Assigbetse K, Bayala R, Chapuis-Lardy L, Dick RP & Gardener BBM (2015) Association of Shifting Populations in the Root Zone Microbiome of Millet with Enhanced Crop Productivity in the Sahel Region (Africa). *Applied and Environmental Microbiology* **81**: 2841-2851.

Desjardins AE (2003) Gibberella from A (venaceae) to Z (eae) 1 2. *Annual review of phytopathology* **41**: 177-198.

Dhariwal A, Chong J, Habib S, King IL, Agellon LB & Xia J (2017) MicrobiomeAnalyst: a web-based tool for comprehensive statistical, visual and meta-analysis of microbiome data. *Nucleic Acids Research*.

Dhawi F, Datta R & Ramakrishna W (2016) Mycorrhiza and heavy metal resistant bacteria enhance growth, nutrient uptake and alter metabolic profile of sorghum grown in marginal soil. *Chemosphere* **157**: 33-41.

Dillon SL, Shapter FM, Henry RJ, Cordeiro G, Izquierdo L & Lee LS (2007) Domestication to Crop Improvement: Genetic Resources for Sorghum and S accharum (Andropogoneae). *Annals of botany* **100**: 975-989.

Diourte M, Starr J, Jeger M, Stack J & Rosenow D (1995) Charcoal rot (Macrophomina phaseolina) resistance and the effects of water stress on disease development in sorghum. *Plant Pathology* **44**: 196-202.

Dodt M, Roehr JT, Ahmed R & Dieterich C (2012) FLEXBAR—flexible barcode and adapter processing for next-generation sequencing platforms. *Biology* **1**: 895-905.

Dos Santos CLR, Alves GC, de Matos Macedo AV, Giori FG, Pereira W, Urquiaga S & Reis VM (2017) Contribution of a mixed inoculant containing strains of Burkholderia spp. and Herbaspirillum ssp. to the growth of three sorghum genotypes under increased nitrogen fertilization levels. *Applied Soil Ecology* **113**: 96-106.

Dray S & Dufour A-B (2007) The ade4 package: implementing the duality diagram for ecologists. *Journal of statistical software* **22**: 1-20.

Drigo B, Kowalchuk GA, Knapp BA, Pijl AS, Boschker HTS & van Veen JA (2013) Impacts of 3 years of elevated atmospheric CO₂ on rhizosphere carbon flow and microbial community dynamics. *Global Change Biology* **19**: 621-636.

Dudeja S, Giri R, Saini R, Suneja-Madan P & Kothe E (2012) Interaction of endophytic microbes with legumes. *Journal of Basic Microbiology* **52**: 248-260.

Duponnois R, Kisa M, Assigbetse K, Prin Y, Thioulouse J, Issartel M, Moulin P & Lepage M (2006) Fluorescent pseudomonads occurring in Macrotermes subhyalinus mound structures decrease Cd toxicity and improve its accumulation in sorghum plants. *Science of the Total Environment* **370**: 391-400.

Dutra ED, Barbosa Neto AG, de Souza RB, de Morais Junior MA, Tabosa JN & Cezar Menezes RS (2013) Ethanol Production from the Stem Juice of Different Sweet Sorghum Cultivars in the State of Pernambuco, Northeast of Brazil. *Sugar Tech* **15**: 316-321.

Dutta S, Morang P, Kumar N & Kumar BD (2014) Two rhizobacterial strains, individually and in interactions with Rhizobium sp., enhance fusarial wilt control, growth, and yield in pigeon pea. *Journal of Microbiology* **52**: 778-784.

Edgar RC (2010) Search and clustering orders of magnitude faster than BLAST. *Bioinformatics* **26**: 2460-2461.

Edgar RC, Haas BJ, Clemente JC, Quince C & Knight R (2011) UCHIME improves sensitivity and speed of chimera detection. *Bioinformatics* **27**: 2194-2200.

Edwards J, Johnson C, Santos-Medellín C, Lurie E, Podishetty NK, Bhatnagar S, Eisen JA & Sundaresan V (2015) Structure, variation, and assembly of the root-associated microbiomes of rice. *Proceedings of the National Academy of Sciences* **112**: E911-E920.

Ejeta G (2005) Integrating biotechnology, breeding, and agronomy in the control of the parasitic weed *Striga* spp in sorghum. In the Wake of the Double Helix: From the Green Revolution to the Gene Revolution Tuberosa R, Phillips RL, Gale M (Eds) Bologna, Italy 239-251.

Emendack Y, Burke J, Sanchez J, Laza HE & Hayes C (2018) Agro-morphological characterization of diverse sorghum lines for pre-and post-flowering drought tolerance. *Australian Journal of Crop Science* **12**: 135.

Estrada GA, Baldani VLD, de Oliveira DM, Urquiaga S & Baldani JI (2013) Selection of phosphate-solubilizing diazotrophic *Herbaspirillum* and *Burkholderia* strains and their effect on rice crop yield and nutrient uptake. *Plant and soil* **369**: 115-129.

Ettema CH & Wardle DA (2002) Spatial soil ecology. *Trends in Ecology & Evolution* **17**: 177-183.

Evans SE & Wallenstein MD (2012) Soil microbial community response to drying and rewetting stress: does historical precipitation regime matter? *Biogeochemistry* **109**: 101-116.

Fang B-Z, Salam N, Han M-X, Jiao J-Y, Cheng J, Wei D-Q, Xiao M & Li W-J (2017) Insights on the Effects of Heat Pretreatment, pH, and Calcium Salts on Isolation of Rare Actinobacteria from Karstic Caves. *Frontiers in Microbiology* **8**: 1535.

Fang M, Kremer RJ, Motavalli PP & Davis G (2005) Bacterial diversity in rhizospheres of nontransgenic and transgenic corn. *Applied and environmental microbiology* **71**: 4132-4136.

FAO (2015) FAO statistical Pocketbook - World food and agriculture (2015). Food and Agriculture Organization of the United Nations, Rome.

FAO (2017) Faostat - Annual sorghum production. Food and Agriculture Organization of the United Nations (FAO). p.^pp.

Farooq M, Hussain M, Wahid A & Siddique K (2012) Drought stress in plants: an overview. *Plant responses to drought stress*, p.^pp. 1-33. Springer.

Farre I & Faci JM (2006) Comparative response of maize (*Zea mays* L.) and sorghum (*Sorghum bicolor* L. Moench) to deficit irrigation in a Mediterranean environment. *Agricultural Water Management* **83**: 135-143.

Flouri T, Ijaz U, Mahé F, Nichols B, Quince C & Rognes T (2015) VSEARCH GitHub repository. Release 1.0. 16. Database: GitHub. p.^pp.

Fontaine S, Barot S, Barre P, Bdioui N, Mary B & Rumpel C (2007) Stability of organic carbon in deep soil layers controlled by fresh carbon supply. *Nature* **450**: 277-U210.

Funnell-Harris DL & Sattler SE (2014) Characterization of fluorescent *Pseudomonas* spp. associated with roots and soil of two sorghum genotypes. *Phytopathology* **104**: 43-43.

Funnell-Harris DL, Pedersen JF & Marx DB (2008) Effect of sorghum seedlings, and previous crop, on soil fluorescent *Pseudomonas* spp. *Plant and soil* **311**: 173-187.

Funnell-Harris DL, Sattler SE & Pedersen JF (2013) Characterization of fluorescent *Pseudomonas* spp. associated with roots and soil of two sorghum genotypes. *European Journal of Plant Pathology* **136**: 469-481.

Garbeva P, van Veen JA & van Elsas JD (2004) Microbial diversity in soil: Selection of microbial populations by plant and soil type and implications for disease suppressiveness. *Annual Review of Phytopathology* **42**: 243-270.

Girvan MS, Bullimore J, Pretty JN, Osborn AM & Ball AS (2003) Soil type is the primary determinant of the composition of the total and active bacterial communities in arable soils. *Applied and Environmental Microbiology* **69**: 1800-1809.

Glick BR (2012) Plant growth-promoting bacteria: mechanisms and applications. *Scientifica* **2012**: 1–15.

Gobena D, Shimels M, Rich PJ, Ruyter-Spira C, Bouwmeester H, Kanuganti S, Mengiste T & Ejeta G (2017) Mutation in sorghum LOW GERMINATION STIMULANT 1 alters strigolactones and causes Striga resistance. *Proceedings of the National Academy of Sciences*.

Gopal M, Gupta A & Thomas GV (2013) Bespoke microbiome therapy to manage plant diseases. *Frontiers in microbiology* **4**.

Govindasamy V, Raina SK, George P, Kumar M, Rane J, Minhas PS & Vittal KPR (2017) Functional and phylogenetic diversity of cultivable rhizobacterial endophytes of sorghum [Sorghum bicolor (L.) Moench]. *Antonie van Leeuwenhoek* **1-19**.

Grayston S, Griffith G, Mawdsley J, Campbell C & Bardgett RD (2001) Accounting for variability in soil microbial communities of temperate upland grassland ecosystems. *Soil Biology and Biochemistry* **33**: 533-551.

Green SJ, Inbar E, Michel FC, Hadar Y & Minz D (2006) Succession of bacterial communities during early plant development: transition from seed to root and effect of compost amendment. *Applied and environmental microbiology* **72**: 3975-3983.

Grover M, Madhubala R, Ali SZ, Yadav SK & Venkateswarlu B (2014) Influence of Bacillus spp. strains on seedling growth and physiological parameters of sorghum under moisture stress conditions. *Journal of Basic Microbiology* **54**: 951-961.

Grudzinska-Sterno M, Yuen J, Stenlid J & Djurle A (2016) Fungal communities in organically grown winter wheat affected by plant organ and development stage. *European journal of plant pathology* **146**: 401-417.

Guimarães DP, Dos Reis RJ & Landau EC (2010) Índices Pluviométricos em Minas Gerais p.^pp. 1-88. Embrapa Milho e Sorgo, Sete Lagoas - MG.

Haack FS, Poehlein A, Kröger C, Voigt CA, Piepenbring M, Bode HB, Daniel R, Schäfer W & Streit WR (2016) Molecular keys to the Janthinobacterium and Duganella spp. interaction with the plant pathogen Fusarium graminearum. *Frontiers in microbiology* **7**.

Haas D & Défago G (2005) Biological control of soil-borne pathogens by fluorescent pseudomonads. *Nature Reviews Microbiology* **3**: 307-319.

Haichar FE, Marol C, Berge O, Rangel-Castro JI, Prosser JI, Balesdent J, Heulin T & Achouak W (2008) Plant host habitat and root exudates shape soil bacterial community structure. *Isme Journal* **2**: 1221-1230.

Haichar FeZ, Santaella C, Heulin T & Achouak W (2014) Root exudates mediated interactions belowground. *Soil Biology & Biochemistry* **77**: 69-80.

Haiyambo DH, Reinhold-Hurek B & Chimwamurombe PM (2015) Effects of plant growth promoting bacterial isolates from Kavango on the vegetative growth of Sorghum bicolor. *African Journal of Microbiology Research* **9**: 725-729.

Hameeda B, Srijana M, Rupela O & Reddy G (2007) Effect of bacteria isolated from composts and macrofauna on sorghum growth and mycorrhizal colonization. *World Journal of Microbiology and Biotechnology* **23**: 883-887.

Hammer Ø, Harper DAT & Ryan PD (2001) PAST: Paleontological statistics software package for education and data analysis. *Palaeontologia Electronica* **4**: 9.

Han LL, Wang JT, Yang SH, Chen WF, Zhang LM & He JZ (2017) Temporal dynamics of fungal communities in soybean rhizosphere. *Journal of Soils and Sediments* **17**: 491-498.

Hassan MM, Gani M & Babiker A (2009) Management of *Striga hermonthica* in sorghum using soil rhizosphere bacteria and host plant resistance. *Int J Agric Biol* **11**: 367-373.

Henry A (2000) A study on the responses of rhizosphere bacteria to sorgoleone and allelopathic root exudates. *Unpublished Plant Science Honors Thesis, Cornell University, Ithaca, New York Google Scholar*.

Hiltner L (1904) Über neuere Erfahrungen und Probleme auf dem Gebiet der Bodenbakteriologie und unter besonderer Berücksichtigung der Gründüngung und Brache. Arbeiten der Deutschen Landwirtschafts Gesellschaft. **98**: 59-78.

Hu H & Xiong L (2014) Genetic engineering and breeding of drought-resistant crops. *Annual review of plant biology* **65**: 715-741.

Huang H, Wang H, Vivanco JM, Wei S, Wu W & Zhang C (2017) Shift of allelochemicals from Sorghum halepense in the soil and their effects on the soil's bacterial community. *Weed Biology and Management* **17**: 161-168.

Inceoglu O, Salles JF, van Overbeek L & van Elsas JD (2010) Effects of Plant Genotype and Growth Stage on the Betaproteobacterial Communities Associated with Different Potato Cultivars in Two Fields. *Applied and Environmental Microbiology* **76**: 3675-3684.

Jamil M, Charnikhova T, Verstappen F, Ali Z, Wainwright H & Bouwmeester HJ (2014) Effect of phosphate-based seed priming on strigolactone production and *Striga hermonthica* infection in cereals. *Weed Research* **54**: 307-313.

Kapulnik Y & Koltai H (2014) Strigolactone Involvement in Root Development, Response to Abiotic Stress, and Interactions with the Biotic Soil Environment. *Plant Physiology* **166**: 560-569.

Karlsson I, Edel-Hermann V, Gautheron N, Durling MB, Kolseth A-K, Steinberg C, Persson P & Friberg H (2016) Genus-Specific Primers for Study of Fusarium Communities in Field Samples. *Applied and environmental microbiology* **82**: 491-501.

Katznelson H & Bose B (1959) Metabolic activity and phosphate-dissolving capability of bacterial isolates from wheat roots, rhizosphere, and non-rhizosphere soil. *Canadian Journal of Microbiology* **5**: 79-85.

Kavamura VN, Santos SN, da Silva JL, Parma MM, Ávila LA, Visconti A, Zucchi TD, Taketani RG, Andreote FD & de Melo IS (2013) Screening of Brazilian cacti rhizobacteria for plant growth promotion under drought. *Microbiological research* **168**: 183-191.

Khalili A, Akbari N & Chaichi MR (2008) Limited irrigation and phosphorus fertilizer effects on yield and yield components of grain sorghum (*Sorghum bicolor* L. var. Kimia). *American-Eurasian Journal Agricultural & Environmental Science* **3**: 697-702.

Kielak A, Pijl AS, van Veen JA & Kowalchuk GA (2009) Phylogenetic diversity of Acidobacteria in a former agricultural soil. *The ISME journal* **3**: 378-382.

Kohlen W, Charnikhova T, Liu Q, Bours R, Domagalska MA, Beguerie S, Verstappen F, Leyser O, Bouwmeester H & Ruyter-Spira C (2011) Strigolactones are transported through the xylem and play a key role in shoot architectural response to phosphate deficiency in nonarbuscular mycorrhizal host *Arabidopsis*. *Plant Physiology* **155**: 974-987.

Koltai H (2014) Implications of non-specific strigolactone signaling in the rhizosphere. *Plant Science* **225**: 9-14.

Korthals GW, Thoden TC, van den Berg W & Visser JHM (2014) Long-term effects of eight soil health treatments to control plant-parasitic nematodes and *Verticillium dahliae* in agro-ecosystems. *Applied Soil Ecology* **76**: 112-123.

Köster J & Rahmann S (2012) Snakemake—a scalable bioinformatics workflow engine. *Bioinformatics* **28**: 2520-2522.

Kowalchuk GA, Buma DS, de Boer W, Klinkhamer PGL & van Veen JA (2002) Effects of above-ground plant species composition and diversity on the diversity of soil-borne microorganisms. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology* **81**: 509-520.

Kryuchkova YV, Burygin GL, Gogoleva NE, Gogolev YV, Chernyshova MP, Makarov OE, Fedorov EE & Turkovskaya OV (2014) Isolation and characterization of a glyphosate-degrading rhizosphere strain, *Enterobacter cloacae* K7. *Microbiol Res* **169**: 99-105.

Kumar GP, Kishore N, Amalraj ELD, Ahmed S, Rasul A & Desai S (2012) Evaluation of fluorescent Pseudomonas spp. with single and multiple PGPR traits for plant growth promotion of sorghum in combination with AM fungi. *Plant Growth Regulation* **67**: 133-140.

Kuramae EE, Yergeau E, Wong LC, Pijl AS, van Veen JA & Kowalchuk GA (2012) Soil characteristics more strongly influence soil bacterial communities than land-use type. *Fems Microbiology Ecology* **79**: 12-24.

Lake P (2000) Disturbance, patchiness, and diversity in streams. *Journal of the north american Benthological society* **19**: 573-592.

Lavecchia A, Curci M, Jangid K, Whitman WB, Ricciuti P, Pascazio S & Crecchio C (2015) Microbial 16S gene-based composition of a sorghum cropped rhizosphere soil under different fertilization managements. *Biology and Fertility of Soils* **51**: 661-672.

Lê S, Josse J & Husson F (2008) FactoMineR: an R package for multivariate analysis. *Journal of statistical software* **25**: 1-18.

Legendre P & Gallagher ED (2001) Ecologically meaningful transformations for ordination of species data. *Oecologia* **129**: 271-280.

Li X, Rui J, Mao Y, Yannarell A & Mackie R (2014) Dynamics of the bacterial community structure in the rhizosphere of a maize cultivar. *Soil Biology & Biochemistry* **68**: 392-401.

Lima AB, Cannavan FS, Navarrete AA, Teixeira WG, Kuramae EE & Tsai SM (2015) Amazonian Dark Earth and plant species from the Amazon region contribute to shape rhizosphere bacterial communities. *Microbial ecology* **69**: 855-866.

Lindedam J, Magid J, Poulsen P & Luxhoi J (2009) Tissue architecture and soil fertility controls on decomposer communities and decomposition of roots. *Soil Biology & Biochemistry* **41**: 1040-1049.

Liu F, Xing S, Ma H, Du Z & Ma B (2013) Plant growth-promoting rhizobacteria affect the growth and nutrient uptake of *Fraxinus americana* container seedlings. *Appl Microbiol Biotechnol* **97**: 4617-4625.

Lladó S, López-Mondéjar R & Baldrian P (2018) Drivers of microbial community structure in forest soils. *Applied microbiology and biotechnology* **102**: 4331-4338.

Lucy M, Reed E & Glick BR (2004) Applications of free living plant growth-promoting rhizobacteria. *Antonie van Leeuwenhoek* **86**: 1-25.

Lundberg DS, Lebeis SL, Paredes SH, et al. (2012) Defining the core *Arabidopsis thaliana* root microbiome. *Nature* **488**: 86-+.

Mabrouk Y, Zourgui L, Sifi B, Delavault P, Simier P & Belhadj O (2007) Some compatible *Rhizobium leguminosarum* strains in peas decrease infections when parasitised by *Orobanche crenata*. *Weed Research* **47**: 44-53.

Magalhaes JV, Liu J, Guimaraes CT, Lana UG, Alves V, Wang Y-H, Schaffert RE, Hoekenga OA, Pineros MA & Shaff JE (2007) A gene in the multidrug and toxic compound extrusion (MATE) family confers aluminum tolerance in sorghum. *Nature genetics* **39**.

Magnavaca R, Gardner C & Clark R (1987) Evaluation of inbred maize lines for aluminum tolerance in nutrient solution. *Genetic aspects of plant mineral nutrition*, p.^pp. 255-265. Springer.

Malusa E, Sas-Pasz L & Ciesielska J (2012) Technologies for Beneficial Microorganisms Inocula Used as Biofertilizers. *Scientific World Journal*.

Marasco R, Rolli E, Ettoumi B, Vigani G, Mapelli F, Borin S, Abou-Hadid AF, El-Behairy UA, Sorlini C & Cherif A (2012) A drought resistance-promoting microbiome is selected by root system under desert farming. *PLoS One* **7**: e48479.

Marcos FCC, Iório RdPF, Silveira APDd, Ribeiro RV, Machado EC & Lagôa AMMdA (2016) Endophytic bacteria affect sugarcane physiology without changing plant growth. *Bragantia* **75**: 1-9.

Mareque C, Taule C, Beracochea M & Battistoni F (2015) Isolation, characterization and plant growth promotion effects of putative bacterial endophytes associated with sweet sorghum (*Sorghum bicolor* (L) Moench). *Annals of Microbiology* **65**: 1057-1067.

Marques JM, da Silva TF, Vollu RE, Blank AF, Ding G-C, Seldin L & Smalla K (2014) Plant age and genotype affect the bacterial community composition in the tuber rhizosphere of field-grown sweet potato plants. *Fems Microbiology Ecology* **88**: 424-435.

Marschner P, Crowley DE & Lieberei R (2001) Arbuscular mycorrhizal infection changes the bacterial 16 S rDNA community composition in the rhizosphere of maize. *Mycorrhiza* **11**: 297-302.

Marschner P, Crowley D & Yang CH (2004) Development of specific rhizosphere bacterial communities in relation to plant species, nutrition and soil type. *Plant and soil* **261**: 199-208.

Marschner P, Yang CH, Lieberei R & Crowley DE (2001) Soil and plant specific effects on bacterial community composition in the rhizosphere. *Soil Biology & Biochemistry* **33**: 1437-1445.

Marschner P, Neumann G, Kania A, Weiskopf L & Lieberei R (2002) Spatial and temporal dynamics of the microbial community structure in the rhizosphere of cluster roots of white lupin (*Lupinus albus* L.). *Plant and Soil* **246**: 167-174.

Masella AP, Bartram AK, Truszkowski JM, Brown DG & Neufeld JD (2012) PANDAseq: paired-end assembler for illumina sequences. *BMC bioinformatics* **13**: 31.

Matiru VN & Dakora FD (2004) Potential use of rhizobial bacteria as promoters of plant growth for increased yield in landraces of African cereal crops. *African Journal of Biotechnology* **3**: 1-7.

Maul J & Drinkwater L (2010) Short-term plant species impact on microbial community structure in soils with long-term agricultural history. *Plant and Soil* **330**: 369-382.

May A, MENDES S, SILVA D, PARRELLA R, MIRANDA R, SILVA A, PACHECO T, AQUINO L, COTA L & COSTA Rd (2013) Cultivo de sorgo sacarino em áreas de reforma de canaviais. *Sete Lagoas: Embrapa Milho e Sorgo*.

Mazzola M, Funnell DL & Raaijmakers J (2004) Wheat cultivar-specific selection of 2, 4-diacetylphloroglucinol-producing fluorescent Pseudomonas species from resident soil populations. *Microbial Ecology* **48**: 338-348.

McDonald D, Clemente JC, Kuczynski J, Rideout JR, Stombaugh J, Wendel D, Wilke A, Huse S, Hufnagle J & Meyer F (2012) The Biological Observation Matrix (BIOM) format or: how I learned to stop worrying and love the ome-ome. *GigaScience* **1**: 1-6.

Mehnaz S, Saleem RSZ, Yameen B, Pianet I, Schnakenburg G, Pietraszkiewicz H, Valeriote F, Josten M, Sahl H-G & Franzblau SG (2013) Lahorenoic acids A-C, ortho-dialkyl-substituted aromatic acids from the biocontrol strain *Pseudomonas aurantiaca* PB-St2. *Journal of natural products* **76**: 135-141.

Mendes LW, Kuramae EE, Navarrete AA, Van Veen JA & Tsai SM (2014) Taxonomical and functional microbial community selection in soybean rhizosphere. *The ISME journal* **8**: 1577-1587.

Mendes LW, Kuramae EE, Navarrete AA, van Veen JA & Tsai SM (2014) Taxonomical and functional microbial community selection in soybean rhizosphere. *The ISME Journal* doi:10.1038/ismej.2014.17.

Mendes R, Garbeva P & Raaijmakers JM (2013) The rhizosphere microbiome: significance of plant beneficial, plant pathogenic, and human pathogenic microorganisms. *FEMS microbiology reviews* **37**: 634-663.

Mendes R, Kruijt M, de Bruijn I, Dekkers E, van der Voort M, Schneider JH, Piceno YM, DeSantis TZ, Andersen GL & Bakker PA (2011) Deciphering the rhizosphere microbiome for disease-suppressive bacteria. *Science* **332**: 1097-1100.

Micallef SA, Channer S, Shiari MP & Colón-Carmona A (2009) Plant age and genotype impact the progression of bacterial community succession in the *Arabidopsis* rhizosphere. *Plant signaling & behavior* **4**: 777-780.

Miché L, Bouillant M-L, Rohr R, Sallé G & Bally R (2000) Physiological and cytological studies on the inhibition of *Striga* seed germination by the plant growth-promoting bacterium *Azospirillum brasiliense*. *European Journal of Plant Pathology* **106**: 347-351.

Miethling R, Wieland G, Backhaus H & Tebbe CC (2000) Variation of microbial rhizosphere communities in response to crop species, soil origin, and inoculation with *Sinorhizobium meliloti* L33. *Microbial Ecology* **40**: 43-56.

Miller AW & Dearing D (2013) The metabolic and ecological interactions of oxalate-degrading bacteria in the mammalian gut. *Pathogens* **2**: 636-652.

Mishra V, Gupta A, Kaur P, Singh S, Singh N, Gehlot P & Singh J (2016) Synergistic effects of Arbuscular mycorrhizal fungi and plant growth promoting rhizobacteria in bioremediation of iron contaminated soils. *Int J Phytoremediation* **18**: 697-703.

Mitter EK, de Freitas JR & Germida JJ (2017) Bacterial root microbiome of plants growing in oil sands reclamation covers. *Frontiers in microbiology* **8**.

Mohemed N, Charnikhova T, Bakker EJ, Ast A, Babiker AG & Bouwmeester HJ (2016) Evaluation of field resistance to *Striga hermonthica* (Del.) Benth. in Sorghum bicolor (L.) Moench. The relationship with strigolactones. *Pest Management Science* **72**: 2082-2090.

Naseem H & Bano A (2014) Role of plant growth-promoting rhizobacteria and their exopolysaccharide in drought tolerance of maize. *Journal of plant interactions* **9**: 689-701.

Navarrete AA, Kuramae EE, de Hollander M, Pijl AS, van Veen JA & Tsai SM (2013) Acidobacterial community responses to agricultural management of soybean in Amazon forest soils. *Fems Microbiology Ecology* **83**: 607-621.

Naveed M, Mitter B, Reichenauer TG, Wieczorek K & Sessitsch A (2014) Increased drought stress resilience of maize through endophytic colonization by Burkholderia phytofirmans PsJN and Enterobacter sp. FD17. *Environmental and Experimental Botany* **97**: 30-39.

Naylor D, DeGraaf S, Purdom E & Coleman-Derr D (2017) Drought and host selection influence bacterial community dynamics in the grass root microbiome. *The ISME Journal*.

Nicolitch O, Colin Y, Turpault MP & Uroz S (2016) Soil type determines the distribution of nutrient mobilizing bacterial communities in the rhizosphere of beech trees. *Soil Biology & Biochemistry* **103**: 429-445.

Nielsen UN, Wall DH & Six J (2015) Soil biodiversity and the environment. *Annual Review of Environment and Resources* **40**: 63-90.

Nielsen UN, Ayres E, Wall DH & Bardgett RD (2011) Soil biodiversity and carbon cycling: a review and synthesis of studies examining diversity–function relationships. *European Journal of Soil Science* **62**: 105-116.

Nihorimbere V, Ongena M, Smargiassi M & Thonart P (2011) Beneficial effect of the rhizosphere microbial community for plant growth and health. *Biotechnologie, Agronomie, Société et Environnement* **15**: 327.

Nunan N, Daniell TJ, Singh BK, Papert A, McNicol JW & Prosser JI (2005) Links between plant and rhizoplane bacterial communities in grassland soils, characterized using molecular techniques. *Applied and environmental microbiology* **71**: 6784-6792.

Nunes I, Jurburg S, Jacquiod S, Brejnrod A, Salles JF, Priemé A & Sørensen SJ (2018) Soil bacteria show different tolerance ranges to an unprecedented disturbance. *Biology and Fertility of Soils* **54**: 189-202.

Oksanen J, Blanchet FG, Friendly M, et al. (2016) Vegan: Community Ecology Package. R package version 2.4-3. p.^pp.

Olemb K, M'mboyi F, Kiplagat S & OYUGI F (2010) Sorghum Breeding in Sub-Saharan Africa. *African Biotechnology, Nairobi*.

Oliver AL, Grant RJ, Pedersen JF & O'Rear J (2004) Comparison of brown midrib-6 and-18 forage sorghum with conventional sorghum and corn silage in diets of lactating dairy cows. *Journal of Dairy Science* **87**: 637-644.

Oyserman BO, Medema MH & Raaijmakers JM (2018) Road MAPs to engineer host microbiomes. *Current opinion in microbiology* **43**: 46-54.

Parks DH, Tyson GW, Hugenholtz P & Beiko RG (2014) STAMP: statistical analysis of taxonomic and functional profiles. *Bioinformatics* **30**: 3123-3124.

Pasqualini D, Uhlmann A & Stürmer SL (2007) Arbuscular mycorrhizal fungal communities influence growth and phosphorus concentration of woody plants species from the Atlantic rain forest in South Brazil. *Forest Ecology and Management* **245**: 148-155.

Paterson A, Bowers J & Chapman B (2004) Ancient polyploidization predating divergence of the cereals, and its consequences for comparative genomics. *Proceedings of the National Academy of Sciences of the United States of America* **101**: 9903-9908.

Peiffer JA, Spor A, Koren O, Jin Z, Tringe SG, Dangl JL, Buckler ES & Ley RE (2013) Diversity and heritability of the maize rhizosphere microbiome under field conditions. *Proceedings of the National Academy of Sciences* **201302837**.

Peláez-Vico MA, Bernabéu-Roda L, Kohlen W, Soto MJ & López-Ráez JA (2016) Strigolactones in the Rhizobium-legume symbiosis: stimulatory effect on bacterial surface motility and down-regulation of their levels in nodulated plants. *Plant Science* **245**: 119-127.

Penaloza-Vazquez A, Baker CM & Bender CL (2009) Osmoregulated Periplasmic Glucans (OPGs), Alginate and Biofilm Formation. *Bacterial Polysaccharides: Current Innovations and Future Trends* 239.

Perazzo AF, Santos EM, Pinho RMA, Campos FS, Ramos JPD, de Aquino MM, da Silva TC & Bezerra HFC (2013) Agronomic characteristics and rain use efficiency of sorghum genotypes in semiarid. *Ciencia Rural* **43**: 1771-1776.

Pereira TP, do Amaral FP, Dall'Asta P, Brod FC & Arisi AC (2014) Real-time PCR quantification of the plant growth promoting bacteria Herbaspirillum seropedicae strain SmR1 in maize roots. *Mol Biotechnol* **56**: 660-670.

Pérez-Jaramillo JE, Carrión VJ, Bosse M, Ferrão LF, de Hollander M, Garcia AA, Ramírez CA, Mendes R & Raaijmakers JM (2017) Linking rhizosphere microbiome composition of wild and domesticated Phaseolus vulgaris to genotypic and root phenotypic traits. *The ISME journal* **11**: 2244.

Pfeiffer S, Mitter B, Oswald A, Schloter-Hai B, Schloter M, Declerck S & Sessitsch A (2017) Rhizosphere microbiomes of potato cultivated in the High Andes show stable and dynamic core microbiomes with different responses to plant development. *FEMS Microbiology Ecology* **93**: fiw242.

Philipot L, Raaijmakers JM, Lemanceau P & van der Putten WH (2013) Going back to the roots: the microbial ecology of the rhizosphere. *Nature Reviews Microbiology* **11**: 789-799.

Picard C & Bosco M (2008) Genotypic and phenotypic diversity in populations of plant-probiotic *Pseudomonas* spp. colonizing roots. *Naturwissenschaften* **95**: 1-16.

Pii Y, Mimmo T, Tomasi N, Terzano R, Cesco S & Crecchio C (2015) Microbial interactions in the rhizosphere: beneficial influences of plant growth-promoting rhizobacteria on nutrient acquisition process. A review. *Biology and Fertility of Soils* **51**: 403-415.

Pinho RMA, Santos EM, Oliveira JSd, Bezerra HFC, Freitas PMDd, Perazzo AF, Ramos RCdS & Silva APGd (2015) Sorghum cultivars of different purposes silage. *Ciência Rural* **45**: 298-303.

Proust H, Hoffmann B, Xie X, Yoneyama K, Schaefer DG, Yoneyama K, Nogué F & Rameau C (2011) Strigolactones regulate protonema branching and act as a quorum sensing-like signal in the moss *Physcomitrella patens*. *Development* **138**: 1531-1539.

Pylro VS, Roesch LFW, Ortega JM, do Amaral AM, Tótola MR, Hirsch PR, Rosado AS, Góes-Neto A, da Silva ALdC & Rosa CA (2014) Brazilian microbiome project: revealing the unexplored microbial diversity—challenges and prospects. *Microbial ecology* **67**: 237-241.

R Development Core Team (2017) R: a language and environment for statistical computing. p.^pp. R Foundation for Statistical Computing, Vienna, Austria.

Raaijmakers JM & Weller DM (2001) Exploiting Genotypic Diversity of 2, 4-Diacetylphloroglucinol-Producing *Pseudomonas* spp.: Characterization of Superior Root-Colonizing *P. fluorescens*Strain Q8r1-96. *Applied and Environmental Microbiology* **67**: 2545-2554.

Raaijmakers JM, Paulitz TC, Steinberg C, Alabouvette C & Moenne-Loccoz Y (2009) The rhizosphere: a playground and battlefield for soilborne pathogens and beneficial microorganisms. *Plant and Soil* **321**: 341-361.

Rahdari P, Hosseini SM & Tavakoli S (2012) The studying effect of drought stress on germination, proline, sugar, lipid, protein and chlorophyll content in purslane (*Portulaca oleracea* L.) leaves. *Journal of Medicinal Plants Research* **6**: 1539-1547.

Rajasekar S & Elango R (2011) Effect of microbial consortium on plant growth and improvement of alkaloid content in *Withania somnifera* (Ashwagandha). *Current Botany* **2**.

Ramond JB, Tshabuse F, Bopda CW, Cowan DA & Tuffin MI (2013) Evidence of variability in the structure and recruitment of rhizospheric and endophytic bacterial communities associated with arable sweet sorghum (*Sorghum bicolor* (L) Moench). *Plant and Soil* **372**: 265-278.

Ramu P, Billot C, Rami JF, Senthilvel S, Upadhyaya HD, Reddy LA & Hash CT (2013) Assessment of genetic diversity in the sorghum reference set using EST-SSR markers. *Theoretical and Applied Genetics* **126**: 2051-2064.

Rao S, Reddy BV, Nagaraj N & Upadhyaya HD (2014) Sorghum production for diversified uses. *Genetics, genomics and breeding of Sorghum CRC Press, FL*,(Wang YH UH, Kole C (eds), ed.) p.^pp. 1-27.

Rasche F, Hödl V, Poll C, Kandeler E, Gerzabek MH, Van Elsas JD & Sessitsch A (2006) Rhizosphere bacteria affected by transgenic potatoes with antibacterial activities compared with the effects of soil, wild-type potatoes, vegetation stage and pathogen exposure. *FEMS Microbiology Ecology* **56**: 219-235.

Rashad M, Ragab A & Salem S (2001) The influence of some *Bradyrhizobium* and *Rhizobium* strains as plant growth promoting rhizobacteria on the growth and yield of sorghum (*Sorghum bicolor* L.) plants under drought stress. *Plant Nutrition*,p.^pp. 664-665. Springer.

Rasmussen A, Depuydt S, Goormachtig S & Geelen D (2013) Strigolactones fine-tune the root system. *Planta* **238**: 615-626.

Ribeiro E, Dias L, Mello J & Daniels W (2001) Dynamics of sulfur fractions in Brazilian soils submitted to consecutive harvests of sorghum. *Soil Science Society of America Journal* **65**: 787-794.

Richardson AE, Lynch JP, Ryan PR, Delhaize E, Smith FA, Smith SE, Harvey PR, Ryan MH, Veneklaas EJ & Lambers H (2011) Plant and microbial strategies to improve the phosphorus efficiency of agriculture. *Plant and soil* **349**: 121-156.

Rizhsky L, Liang H, Shuman J, Shulaev V, Davletova S & Mittler R (2004) When defense pathways collide. The response of *Arabidopsis* to a combination of drought and heat stress. *Plant physiology* **134**: 1683-1696.

Rodrigues JAS, Schaffert RE, Tardin FD, Casela CR, Parrela RAdC & Costa RVd (2009) BRS 802: híbrido de sorgo de pastojo: alternativa de produção de forragem de alta qualidade nutritiva. Vol. 2017 p.^pp. Embrapa Milho e Sorgo, Sete Lagoas, Minas Gerais - BR.

Rolli E, Marasco R, Vigani G, et al. (2015) Improved plant resistance to drought is promoted by the root-associated microbiome as a water stress-dependent trait. *Environmental Microbiology* **17**: 316-331.

Rudrappa T, Czermek KJ, Paré PW & Bais HP (2008) Root-secreted malic acid recruits beneficial soil bacteria. *Plant physiology* **148**: 1547-1556.

Sahin N, Portillo MC, Kato Y & Schumann P (2009) Description of *Oxalicibacterium horti* sp. nov. and *Oxalicibacterium faecigallinarum* sp. nov., new aerobic, yellow-pigmented, oxalotrophic bacteria. *FEMS microbiology letters* **296**: 198-202.

Salles JF, Van Veen JA & Van Elsas JD (2004) Multivariate analyses of Burkholderia species in soil: effect of crop and land use history. *Applied and environmental microbiology* **70**: 4012-4020.

Sandhya V, Grover M, Reddy G & Venkateswarlu B (2009) Alleviation of drought stress effects in sunflower seedlings by the exopolysaccharides producing *Pseudomonas putida* strain GAP-P45. *Biology and fertility of soils* **46**: 17-26.

Saravanan V, Madhaiyan M & Thangaraju M (2007) Solubilization of zinc compounds by the diazotrophic, plant growth promoting bacterium *Gluconacetobacter diazotrophicus*. *Chemosphere* **66**: 1794-1798.

Sauvant D, J. M. Perez, and G. Tran. (2004) *Tables of composition and nutritive value of feed materials: Pigs, poultry, cattle, sheep, goats, rabbits, horses, fish*. Wageningen Academic Publishers, Wageningen - NL.

Schlaeppi K & Bulgarelli D (2015) The plant microbiome at work. *Molecular Plant-Microbe Interactions* **28**: 212-217.

Schlemper TR, Leite MF, Lucheta AR, Shimels M, Bouwmeester HJ, van Veen JA & Kuramae EE (2017) Rhizobacterial community structure differences among sorghum cultivars in different growth stages and soils. *FEMS Microbiology Ecology* 1-11.

Schwyn B & Neilands J (1987) Universal chemical assay for the detection and determination of siderophores. *Analytical biochemistry* **160**: 47-56.

Selvakumar G, Panneerselvam P & Ganeshamurthy AN (2012) Bacterial mediated alleviation of abiotic stress in crops. *Bacteria in Agrobiology: Stress Management*, p.^pp. 205-224. Springer.

Serna-Chavez HM, Fierer N & vanBodegom PM (2013) Global drivers and patterns of microbial abundance in soil. *Global Ecology and Biogeography* **22**: 1162-1172.

Shade A, Peter H, Allison SD, Bahlo DL, Berga M, Bürgmann H, Huber DH, Langenheder S, Lennon JT & Martiny JB (2012) Fundamentals of microbial community resistance and resilience. *Frontiers in microbiology* **3**.

Singh BK, Munro S, Potts JM & Millard P (2007) Influence of grass species and soil type on rhizosphere microbial community structure in grassland soils. *Applied Soil Ecology* **36**: 147-155.

Singh BK, Nunan N, Ridgway KP, McNicol J, Young JPW, Daniell TJ, Prosser JI & Millard P (2008) Relationship between assemblages of mycorrhizal fungi and bacteria on grass roots. *Environmental Microbiology* **10**: 534-541.

Singh HP & Lohithaswa HC (2007) Sorghum. *Genome mapping and molecular breeding in plants*, Vol. 1 (Kole C, ed.) p.^pp. 46. Springer Heidelberg, Heidelberg.

Smalla K, Wieland G, Buchner A, Zock A, Parzy J, Kaiser S, Roskot N, Heuer H & Berg G (2001) Bulk and rhizosphere soil bacterial communities studied by denaturing gradient gel electrophoresis: Plant-dependent enrichment and seasonal shifts revealed. *Applied and Environmental Microbiology* **67**: 4742-4751.

Smith CW & Frederiksen RA (2000) *Sorghum: Origin, history, technology, and production*. John Wiley & Sons.

Straub D, Yang H, Liu Y, Tsap T & Ludewig U (2013) Root ethylene signalling is involved in *Miscanthus sinensis* growth promotion by the bacterial endophyte *Herbaspirillum frisingense* GSF30(T). *J Exp Bot* **64**: 4603-4615.

Sugiyama A, Bakker MG, Badri DV, Manter DK & Vivanco JM (2012) Relationships between *Arabidopsis* genotype-specific biomass accumulation and associated soil microbial communities. *Botany* **91**: 123-126.

Sukweenadhi J, Kim Y-J, Choi E-S, Koh S-C, Lee S-W, Kim Y-J & Yang DC (2015) *Paenibacillus yonginensis* DCY84T induces changes in *Arabidopsis thaliana* gene expression against aluminum, drought, and salt stress. *Microbiological research* **172**: 7-15.

Suleiman AK, Gonzatto R, Aita C, Lupatini M, Jacques RJ, Kuramae EE, Antoniolli ZI & Roesch LF (2016) Temporal variability of soil microbial communities after application of dicyandiamide-treated swine slurry and mineral fertilizers. *Soil Biology and Biochemistry* **97**: 71-82.

Taketani RG, Lançoni MD, Kavamura VN, Durrer A, Andreote FD & Melo IS (2017) Dry Season Constrains Bacterial Phylogenetic Diversity in a Semi-Arid Rhizosphere System. *Microbial Ecology* **73**: 153-161.

Tesfamariam T, Yoshinaga H, Deshpande SP, Rao PS, Sahrawat KL, Ando Y, Nakahara K, Hash CT & Subbarao GV (2014) Biological nitrification inhibition in sorghum: the role of sorgoleone production. *Plant and Soil* **379**: 325-335.

Tesso TT, Claflin LE & Tuinstra MR (2005) Analysis of stalk rot resistance and genetic diversity among drought tolerant sorghum genotypes. *Crop science* **45**: 645-652.

Tesso TT, Perumal R, Little CR, Adeyanju A, Radwan GL, Prom LK & Magill CW (2012) Sorghum pathology and biotechnology-a fungal disease perspective: Part II. Anthracnose, stalk rot, and downy mildew. *European Journal of Plant Science and Biotechnology* **6**: 31-44.

Tew TL, Cobill RM & Richard EP (2008) Evaluation of sweet sorghum and sorghum× sudangrass hybrids as feedstocks for ethanol production. *Bioenergy Research* **1**: 147-152.

Turner TR, James EK & Poole PS (2013) The plant microbiome. *Genome biology* **14**: 209.

Vacheron J, Desbrosses G, Bouffaud M-L, Touraine B & Prigent-Combaret C (2013) Plant growth-promoting rhizobacteria and root system functioning.

van Dam NM & Bouwmeester HJ (2016) Metabolomics in the rhizosphere: tapping into belowground chemical communication. *Trends in plant science* **21**: 256-265.

van der Heijden MGA, Bardgett RD & van Straalen NM (2008) The unseen majority: soil microbes as drivers of plant diversity and productivity in terrestrial ecosystems. *Ecology Letters* **11**: 296-310.

Van der Putten WH, Bardgett RD, Bever JD, Bezemer TM, Casper BB, Fukami T, Kardol P, Klironomos JN, Kulmatiski A & Schweitzer JA (2013) Plant–soil feedbacks: the past, the present and future challenges. *Journal of Ecology* **101**: 265-276.

van der Wal A, Ottosson E & de Boer W (2015) Neglected role of fungal community composition in explaining variation in wood decay rates. *Ecology* **96**: 124-133.

van Overbeek L & van Elsas JD (2008) Effects of plant genotype and growth stage on the structure of bacterial communities associated with potato (*Solanum tuberosum* L.). *Fems Microbiology Ecology* **64**: 283-296.

Vasanthakumari MM & Shivanna MB (2014) Biological control of sorghum anthracnose with rhizosphere and rhizoplane fungal isolates from perennial grasses of the Western Ghats of India. *European journal of plant pathology* **139**: 721-733.

Vázquez MM, César S, Azcón R & Barea JM (2000) Interactions between arbuscular mycorrhizal fungi and other microbial inoculants (*Azospirillum*, *Pseudomonas*, *Trichoderma*) and their effects on microbial population and enzyme activities in the rhizosphere of maize plants. *Applied Soil Ecology* **15**: 261-272.

Verbruggen E, Kuramae EE, Hillekens R, de Hollander M, Kiers ET, Röling WF, Kowalchuk GA & van der Heijden MG (2012) Testing potential effects of maize expressing the *Bacillus thuringiensis* Cry1Ab endotoxin (Bt maize) on

mycorrhizal fungal communities via DNA-and RNA-based pyrosequencing and molecular fingerprinting. *Applied and environmental microbiology* **78**: 7384-7392.

Vessey JK (2003) Plant growth promoting rhizobacteria as biofertilizers. *Plant and soil* **255**: 571-586.

Vurukonda SSKP, Vardharajula S, Shrivastava M & SkZ A (2016) Enhancement of drought stress tolerance in crops by plant growth promoting rhizobacteria. *Microbiological research* **184**: 13-24.

Wakelin SA, Barratt BI, Gerard E, Gregg AL, Brodie EL, Andersen GL, DeSantis TZ, Zhou J, He Z & Kowalchuk GA (2013) Shifts in the phylogenetic structure and functional capacity of soil microbial communities follow alteration of native tussock grassland ecosystems. *Soil Biology and Biochemistry* **57**: 675-682.

Walker GM (2011) 125th Anniversary Review: Fuel Alcohol: Current Production and Future Challenges. *Journal of the Institute of Brewing* **117**: 3-22.

Weiss S, Xu ZZ, Peddada S, Amir A, Bittinger K, Gonzalez A, Lozupone C, Zaneveld JR, Vázquez-Baeza Y & Birmingham A (2017) Normalization and microbial differential abundance strategies depend upon data characteristics. *Microbiome* **5**: 27.

Weller DM, Raaijmakers JM, Gardener BBM & Thomashow LS (2002) Microbial populations responsible for specific soil suppressiveness to plant pathogens. *Annual review of phytopathology* **40**: 309-348.

Wieland G, Neumann R & Backhaus H (2001) Variation of microbial communities in soil, rhizosphere, and rhizoplane in response to crop species, soil type, and crop development. *Applied and Environmental Microbiology* **67**: 5849-5854.

Wu L, Wu H, Chen J, Wang J & Lin W (2016) Microbial community structure and its temporal changes in Rehmannia glutinosa rhizospheric soils monocultured for different years. *European Journal of Soil Biology* **72**: 1-5.

Wu XR, Staggenborg S, Propheter JL, Rooney WL, Yu JM & Wang DH (2010) Features of sweet sorghum juice and their performance in ethanol fermentation. *Industrial Crops and Products* **31**: 164-170.

Xu L, Naylor D, Dong Z, Simmons T, Pierroz G, Hixson KK, Kim Y-M, Zink EM, Engbrecht KM & Wang Y (2018) Drought delays development of the sorghum root microbiome and enriches for monoderm bacteria. *Proceedings of the National Academy of Sciences* **201717308**.

Xu Y, Wang G, Jin J, Liu J, Zhang Q & Liu X (2009) Bacterial communities in soybean rhizosphere in response to soil type, soybean genotype, and their growth stage. *Soil Biology & Biochemistry* **41**: 919-925.

Yan Y, Kuramae EE, de Hollander M, Klinkhamer PG & van Veen JA (2016) Functional traits dominate the diversity-related selection of bacterial communities in the rhizosphere. *The ISME Journal*.

Yandigeri MS, Meena KK, Singh D, Malviya N, Singh DP, Solanki MK, Yadav AK & Arora DK (2012) Drought-tolerant endophytic actinobacteria promote growth of wheat (*Triticum aestivum*) under water stress conditions. *Plant Growth Regulation* **68**: 411-420.

Yang J, Kloepfer JW & Ryu C-M (2009) Rhizosphere bacteria help plants tolerate abiotic stress. *Trends in plant science* **14**: 1-4.

Yeoh YK, Paungfoo-Lonhienne C, Dennis PG, Robinson N, Ragan MA, Schmidt S & Hugenholtz P (2016) The core root microbiome of sugarcanes cultivated under varying nitrogen fertilizer application. *Environmental microbiology* **18**: 1338-1351.

Yoon V, Tian G, Vessey JK, Macfie SM, Dangi OP, Kumer AK & Tian L (2016) Colonization efficiency of different sorghum genotypes by *Gluconacetobacter diazotrophicus*. *Plant and soil* **398**: 243-256.

Zolla G, Badri DV, Bakker MG, Manter DK & Viyanco JM (2013) Soil microbiomes vary in their ability to confer drought tolerance to *Arabidopsis*. *Applied Soil Ecology* **68**: 1-9.