



Universiteit
Leiden
The Netherlands

Timing of surgery for sciatica

Peul, W.C.

Citation

Peul, W. C. (2008, April 10). *Timing of surgery for sciatica*. Retrieved from <https://hdl.handle.net/1887/12689>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/12689>

Note: To cite this publication please use the final published version (if applicable).



THE SCIATICA TRIAL

REFERENCE LIST

- (1) Oxford dictionary of English. Second edition (revised). Oxford University Press; 2005.
- (2) Vroomen PC, de Krom MC, Slofstra PD, Knottnerus JA. Conservative treatment of sciatica: a systematic review. *J Spinal Disord* 2000; 13(6):463-469.
- (3) Weber H, Holme I, Amlie E. The natural course of acute sciatica with nerve root symptoms in a double-blind placebo-controlled trial evaluating the effect of piroxicam. *Spine* 1993; 18(11):1433-1438.
- (4) Mixter WJ, Barr J. Rupture of the Intervertebral Disc With Involvement of the Spinal Canal. *N Engl J Med* 1934; 211:210-215.
- (5) Parisien RC, Ball PA. William Jason Mixter (1880-1958). Ushering in the "dynasty of the disc". *Spine* 1998; 23(21):2363-2366.
- (6) Marketos SG, Skiadas P. Hippocrates. The father of spine surgery. *Spine* 1999; 24(13):1381-1387.
- (7) Knoeller SM, Seifried C. Historical perspective: history of spinal surgery. *Spine* 2000; 25(21):2838-2843.
- (8) Sonntag VKH. History of degenerative and traumatic disease of the spine. In Samuel H. Greenblatt (Ed); T. Forcht Dagi and Mel H. Epstein, contributing editors. *A history of neurosurgery: in its scientific and professional contexts*. Park Ridge: American Association of Neurological Surgeons. 1997. Ref Type: Generic
- (9) Aurelianus Caelius. *Acute diseases and chronic diseases*. 1950.
- (10) Gurunluoglu R, Gurunluoglu A. Paul of Aegina: landmark in surgical progress. *World J Surg* 2003; 27(1):18-25.
- (11) Naderi S, Acar F, Arda MN. History of spinal disorders and Cerrahiyetül Haniye (Imperial Surgery): a review of a Turkish treatise written by Serefeddin Sabuncuoglu in the 15th century. *Historical vignette. J Neurosurg* 2002; 96(3 Suppl):352-356.
- (12) Vesalius A. *de humani corporis fabrica*. Basileae ex off Ioannis Oporini. 1543.
- (13) van Alphen HA. [Andreas Vesalius' 'De Humani Corporis Fabrica Libra Septem' 450 years]. *Ned Tijdschr Geneesk* 1993; 137(51):2632-2637.
- (14) Cotunnus [Cotugnus]D. *De ischiade nervosa commentarius*. Neapoli apud frat Simonios. 12 ed. Viennæ: 1764.
- (15) Niederstadt D. [In memory of Domestico Cotugno and his work on sciatica.]. *Z Rheumaforsch* 1951; 10(11-12):396-400.
- (16) Androutsos G. Giovanni-Battista Morgagni (1682-1773): creator of pathological anatomy. *J BUON* 2006; 11(1):95-101.
- (17) Walton GL, Paul WE. Contribution to the study of spinal surgery: one successful and one unsuccessful operation for the removal of tumor. *Bost Med Surg J* 153, 114-117. 1-1-1905. Ref Type: Generic
- (18) Kocher T. *Die Verletzungen der Wirbelsäule zugleich als Beitrag zur Physiologie des menschlichen Rückenmarks*. Mitt Grenzgeb Med Chir 1, 415-480. 1896. Ref Type: Generic
- (19) Virchow R. *Untersuchungen über die Entwicklung des Schadelgrunde*. Reimer, Berlin; 1857.
- (20) Stookey B. Compression of the spinal cord due to ventral extradural cervical chondromas: diagnosis and surgical treatment. *Arch Neurol Psychiatry* 20, 275-291. 1928. Ref Type: Generic
- (21) De SS. [Small history of an important sign: Lasegue's sign.]. *Sem Hop* 1958; 34(13/3):815-7SP.
- (22) Wartenberg R. Lasegue sign and Kernig sign; historical notes. *AMA Arch Neurol Psychiatry* 1951; 66(1):58-60.
- (23) Welfling J. [An inconspicuous birth, that of the Lasegue sign.]. *Rev Rhum Mal Osteoartic* 1954; 21(3):269-271.
- (24) Oppenheim H, Krause F. *Über Einklemmung bzw. Strangulation der cauda equine*. *Dtsch Med Wochenschr* 35, 697-700. 1909. Ref Type: Generic
- (25) Robinson JS. Sciatica and the lumbar disk syndrome: a historic perspective. *South Med J* 1983; 76(2):232-238.
- (26) Goldthwait JE. The lumbosacral articulation. An explanation of many cases of "lumbago", "sciatica" and paraplegia. *Boston Med Surg J* 1911; 164:365-601.
- (27) Middleton GS, Teacher JH. Injury of the spinal cord due to rupture of an intervertebral disc during muscular effort. *Glasgow Med J* 76, 1-6. 1911. Ref Type: Generic
- (28) Elsberg CA. Extradural ventral chondromas (echondroses), their favorite sites, spinal cord and root symptoms they produce, and their surgical treatment. *Bull Neurol Inst NY* 1, 350-388. 1931. Ref Type: Generic

- (29) Elsberg CA. Tumors of the spinal cord and the symptoms of irritation and compression of the spinal cord and nerve roots: pathology, symptomatology, diagnosis and treatment. New York: Paul B Hoeber, 195-198. 1-1-1925. Ref Type: Generic
- (30) Dandy WE. Loose cartilage from intervertebral disk simulating tumor of the spinal cord. *Arch Surg* 19, 660-672. 1929. Ref Type: Generic
- (31) Sicard A. [Examination of the epidural space with lipiodol in the diagnosis of lumbosciatica.]. *Mem Acad Chir (Paris)* 1950; 76(20-21):596-597.
- (32) Glorieux P. [Putti's vertebral syndrome.]. *J Belge Radiol* 1953; 36(4):467-480.
- (33) Putti V. New conceptions in the pathogenesis of sciatic pain. *Lancet* 2, 53. 1927. Ref Type: Generic
- (34) Alajouanine T, Nick J, Contamin F, Brevart P. [Trophic ulcers of the foot during radicular S1 sciatica.]. *Bull Mem Soc Med Hop Paris* 1959; 75(5-6):217-219.
- (35) Mishra R, Kaw R. Foix-Alajouanine syndrome: an uncommon cause of myelopathy from an anatomic variant circulation. *South Med J* 2005; 98(5):567-569.
- (36) Patwardhan RV, Hadley MN. History of surgery for ruptured disk. *Neurosurg Clin N Am* 2001; 12(1):173-9, x.
- (37) Schmorl G. Über die pathologische Anatomie der Wirbelbandscheiben. *Beitr Klin Chir* 151, 360-368. 1931. Ref Type: Generic
- (38) de Vet AC. Behandeling van de hernia nuclei pulposi. (S. prolaps van den discus intervertebralis). *Ned Tijdschr Geneesk* 1947; 91.1:493-504.
- (39) Lenshoek CH. hernia van de tusschenwervelschijf met verschijnselen van druk op ruggemerg en wortels. *Ned Tijdschr Geneesk* 1937; 81(3):4435-4443.
- (40) Weber H. Lumbar disc herniation. A controlled, prospective study with ten years of observation. *Spine* 1983; 8(2):131-140.
- (41) Yoshida M, Nakamura T, Sei A, Kikuchi T, Takagi K, Matsukawa A. Intervertebral disc cells produce tumor necrosis factor alpha, interleukin-1beta, and monocyte chemoattractant protein-1 immediately after herniation: an experimental study using a new hernia model. *Spine* 2005; 30(1):55-61.
- (42) Stafford MA, Peng P, Hill DA. Sciatica: a review of history, epidemiology, pathogenesis, and the role of epidural steroid injection in management. *Br J Anaesth* 2007; 99(4):461-473.
- (43) Korhonen T, Karpainen J, Paimela L, Malmivaara A, Lindgren K-A, Jarvinen S et al. The treatment of disc herniation-induced sciatica with infliximab: Results of a randomized, controlled, 3-month follow-up study. *Spine Vol 30(24)*(pp 2724-2728), 2005 2005;(24):2724-2728.
- (44) Stam J. [Consensus on diagnosis and treatment of the lumbosacral radicular syndrome. Dutch Society for Neurology]. *Ned Tijdschr Geneesk* 1996; 140(52):2621-2627.
- (45) Vader JP, Porchet F, Larequi-Lauber T, Dubois RW, Burnand B. Appropriateness of surgery for sciatica: reliability of guidelines from expert panels. *Spine* 2000; 25(14):1831-1836.
- (46) Cherkin DC, Deyo RA, Loeser JD, Bush T, Waddell G. An international comparison of back surgery rates. *Spine* 1994; 19(11):1201-1206.
- (47) Koes BW, van Tulder MW, Peul WC. Diagnosis and treatment of sciatica. *BMJ* 2007; 334(7607):1313-1317.
- (48) Weinstein JN, Lurie JD, Tosteson TD, Skinner JS, Hanscom B, Tosteson AN et al. Surgical vs nonoperative treatment for lumbar disk herniation: the Spine Patient Outcomes Research Trial (SPORT) observational cohort. *JAMA* 2006; 296(20):2451-2459.
- (49) Weinstein JN, Tosteson TD, Lurie JD, Tosteson AN, Hanscom B, Skinner JS et al. Surgical vs nonoperative treatment for lumbar disk herniation: the Spine Patient Outcomes Research Trial (SPORT): a randomized trial. *JAMA* 2006; 296(20):2441-2450.
- (50) Weinstein JN, Lurie JD, Olson PR, Bronner KK, Fisher ES. United States' trends and regional variations in lumbar spine surgery: 1992-2003. *Spine* 2006; 31(23):2707-2714.
- (51) Vroomen PC, de Krom MC, Knottnerus JA. Diagnostic value of history and physical examination in patients suspected of sciatica due to disc herniation: a systematic review. *J Neurol* 1999; 246(10):899-906.
- (52) Deville WL, van der Windt DA, Dzaferagic A, Bezemer PD, Bouter LM. The test of Lasegue: systematic review of the accuracy in diagnosing herniated discs. *Spine* 2000; 25(9):1140-1147.
- (53) Jensen MC, Brant-Zawadzki MN, Obuchowski N, Modic MT, Malkasian D, Ross JS. Magnetic resonance imaging of the lumbar spine in people without back pain. *N Engl J Med* 1994; 331(2):69-73.

- (54) Miranda H, Viikari-Juntura E, Martikainen R, Takala EP, Riihimäki H. Individual factors, occupational loading, and physical exercise as predictors of sciatic pain. *Spine* 2002; 27(10):1102-1109.
- (55) Modic MT, Ross JS, Obuchowski NA, Browning KH, Cianflocco AJ, Mazanec DJ. Contrast-enhanced MR imaging in acute lumbar radiculopathy: a pilot study of the natural history. *Radiology* 1995; 195(2):429-435.
- (56) Modic MT, Obuchowski NA, Ross JS, Brant-Zawadzki MN, Grooff PN, Mazanec DJ et al. Acute low back pain and radiculopathy: MR imaging findings and their prognostic role and effect on outcome. *Radiology* Vol 237(2)(pp 597-604), 2005 2005;(2):597-604.
- (57) Awad JN, Moskovich R. Lumbar disc herniations: surgical versus nonsurgical treatment. *Clin Orthop Relat Res* 2006; 443:183-197.
- (58) Govind J. Lumbar radicular pain. *Aust Fam Physician* 2004; 33(6):409-412.
- (59) Jarvik JG, Deyo RA. Diagnostic evaluation of low back pain with emphasis on imaging. *Ann Intern Med* 2002; 137(7):586-597.
- (60) Luijsterburg PA, Verhagen AP, Ostelo RW, van Os TA, Peul WC, Koes BW. Effectiveness of conservative treatments for the lumbosacral radicular syndrome: a systematic review. *Eur Spine J* 2007.
- (61) Hagen KB, Jamtvedt G, Hilde G, Winnem MF. The updated cochrane review of bed rest for low back pain and sciatica. *Spine* Vol 30(5)(pp 542-546), 2005 Date of Publication: 01 MAR 2005 2005;(5):542-546.
- (62) Health Council of the Netherlands. Management of the lumbosacral radicular syndrome (sciatica). 1999/18. 1999. Ref Type: Generic
- (63) Mens JMA, Chavannes AW, Koes BW, Lubbers WJ, Ostelo RWJG, Spinnewijn WEM et al. NHG-Standaard Lumbosacraal radiculair syndroom. *Huisarts Wet* 2005 48, 178. 2005. Ref Type: Generic
- (64) Gibson JN, Waddell G. Surgical interventions for lumbar disc prolapse. *Cochrane Database Syst Rev* 2007;(2):CD001350.
- (65) van Tulder MW, Koes B, Seitsalo S, Malmivaara A. Outcome of invasive treatment modalities on back pain and sciatica: an evidence-based review. *Eur Spine J* 2006; 15 Suppl 1:S82-S92.
- (66) Osterman H, Seitsalo S, Karpinen J, Malmivaara A. Effectiveness of microdiscectomy for lumbar disc herniation: a randomized controlled trial with 2 years of follow-up. *Spine* 2006; 31(21):2409-2414.
- (67) Mulleman D, Mammou S, Griffoul I, Watier H, Goupille P. Pathophysiology of disk-related low back pain and sciatica. II. Evidence supporting treatment with TNF-alpha antagonists. *Joint Bone Spine* 2006; 73(3):270-277.
- (68) Koes BW, van Tulder MW, Ostelo R, Kim BA, Waddell G. Clinical guidelines for the management of low back pain in primary care: an international comparison. *Spine* 2001; 26(22):2504-2513.
- (69) Mulleman D, Mammou S, Griffoul I, Watier H, Goupille P. Pathophysiology of disk-related sciatica. I.--Evidence supporting a chemical component. *Joint Bone Spine* 2006; 73(2):151-158.
- (70) Boden SD, Davis DO, Dina TS, Patronas NJ, Wiesel SW. Abnormal magnetic-resonance scans of the lumbar spine in asymptomatic subjects. A prospective investigation. *J Bone Joint Surg Am* 1990; 72(3):403-408.
- (71) Waddell G. *The back pain revolution*. Edinburgh: Churchill Livingstone . 1998. Ref Type: Generic
- (72) Egger M, Smith GD. Bias in location and selection of studies. *BMJ* 1998; 316(7124):61-66.
- (73) Thornton A, Lee P. Publication bias in meta-analysis: its causes and consequences. *J Clin Epidemiol* 2000; 53(2):207-216.
- (74) van de Velden J, de Bakker DH. Basisrapport: Morbiditeit in de huisartsenpraktijk. Utrecht Nivel . 1990. Ref Type: Generic
- (75) van den Bosch JH, Kardaun JW. *Ziekten van het zenuwstelsel in Nederland*. SDU uitgeverij, Den Haag . 1993. Ref Type: Generic
- (76) Gegevens uit de landelijke registratie van Nederlandse Ziekenhuizen. SIG Zorginformatie, Utrecht. 1996. Ref Type: Generic
- (77) van Tulder MW, Koes BW, Bouter LM. A cost-of-illness study of back pain in The Netherlands. *Pain* 1995; 62(2):233-240.
- (78) Weber H. Lumbar disc herniation. A prospective study of prognostic factors including a controlled trial. Part II. *J Oslo City Hosp* 1978; 28(7-8):89-113.
- (79) Hofstee DJ, Gijtenbeek JM, Hoogland PH, van Houwelingen HC, Kloet A, Lotters F et al. Westeinde sciatica trial: randomized controlled study of bed rest and physiotherapy for acute sciatica. *J Neurosurg* 2002; 96(1 Suppl):45-49.

- (80) Vroomen PC. The diagnosis and conservative treatment of Sciatica. 1998. Ref Type: Generic
- (81) Atlas SJ, Deyo RA, Keller RB, Chapin AM, Patrick DL, Long JM et al. The Maine Lumbar Spine Study, Part II. 1-year outcomes of surgical and nonsurgical management of sciatica. *Spine* 1996; 21(15):1777-1786.
- (82) Hakelius A. Prognosis in sciatica. A clinical follow-up of surgical and non-surgical treatment. *Acta Orthop Scand Suppl* 1970; 129:1-76.
- (83) Malter AD, McNeney B, Loeser JD, Deyo RA. 5-year reoperation rates after different types of lumbar spine surgery. *Spine* 1998; 23(7):814-820.
- (84) Saal JA. Natural history and nonoperative treatment of lumbar disc herniation. *Spine Vol 21(24 SUPPL)()*(pp 2S-9S), 1996 1996;(24 SUPPL.):2S-9S.
- (85) Spanfort EV. Lumbar disc herniation: a computer aided analysis of 2504 operations. *Acta Orthopaedica Scandinavica suppl*: 142. 1972. Ref Type: Generic
- (86) Besette L, Liang MH, Lew RA, Weinstein JN. Classics in Spine. Surgery literature revisited. *Spine* 1996; 21(3):259-263.
- (87) Saal JA, Saal JS. The natural history of lumbar intervertebral disc extrusions treated non-operatively. *Spine* 15, 683-686. 1989. Ref Type: Generic
- (88) Gibson JN, Grant IC, Waddell G. Surgery for lumbar disc prolapse. *Cochrane Database Syst Rev* 2000;(3):CD001350.
- (89) Gibson JNA, Grant IC, Waddell G. The Cochrane review of surgery for lumbar disc prolapse and degenerative lumbar spondylosis. *Spine Vol 24(17)()*(pp 1820-1832), 1999 Date of Publication: 01 SEP 1999 1999;(17):1820-1832.
- (90) Tubach F, Beaute J, Leclerc A. Natural history and prognostic indicators of sciatica. *J Clin Epidemiol* 2004; 57(2):174-179.
- (91) Smeele I.J., van den Hooghen JM, Mens JMA, e.a. NHG-Standaard Lumbosacraal Radiculair Syndroom. *Huisarts Wet* 1996 39, 78-89. 1996. Ref Type: Generic
- (92) Gezondsheidraad. Diagnostiek en behandeling van het lumbosacraal radiculair syndroom. 1999/18. 1999. Ref Type: Generic
- (93) Malter AD, Larson EB, Urban N, Deyo RA. Cost-effectiveness of lumbar discectomy for the treatment of herniated intervertebral disc. *Spine* 1996; 21(9):1048-1054.
- (94) Gatchel RJ, Turk DC. Psychological approaches to painmanagement: a practitioner's handbook. The Guilford Press . 1996. Ref Type: Generic
- (95) Aaronson NK, Acquadro C, Alonso J, Apolone G, Bucquet D, Bullinger M et al. International Quality of Life Assessment (IQOLA) Project. *Qual Life Res* 1992; 1(5):349-351.
- (96) Stansfeld SA, Roberts R, Foot SP. Assessing the validity of the SF-36 General Health Survey. *Qual Life Res* 1997; 6(3):217-224.
- (97) Main CJ, Wood PL, Hollis S, Spanswick CC, Waddell G. The Distress and Risk Assessment Method. A simple patient classification to identify distress and evaluate the risk of poor outcome. *Spine* 1992; 17(1):42-52.
- (98) Deyo RA, Battie M, Beurskens AJ, Bombardier C, Croft P, Koes B et al. Outcome measures for low back pain research. A proposal for standardized use. *Spine* 1998; 23(18):2003-2013.
- (99) Fordyce WE. Behavioral methods for chronic pain and illness. St.Louis: CV Mosby Company . 1976. Ref Type: Generic
- (100) Huskisson EC. Measurement of pain. *Lancet* 1974; 2(7889):1127-1131.
- (101) Joyce CR, Zutshi DW, Hrubes V, Mason RM. Comparison of fixed interval and visual analogue scales for rating chronic pain. *Eur J Clin Pharmacol* 1975; 8(6):415-420.
- (102) Scott J, Huskisson EC. Graphic representation of pain. *Pain* 1976; 2(2):175-184.
- (103) Gommans I, Koes BW. Validity and responsiveness of the Dutch adaptation of the Roland Disability Questionnaire. *Low Back Pain. EMGO* 1996 , 57-70. 1996. Ref Type: Generic
- (104) Prolo DJ, Oklund SA, Butcher M. Toward uniformity in evaluating results of lumbar spine operations. A paradigm applied to posterior lumbar interbody fusions. *Spine* 1986; 11(6):601-606.
- (105) EuroQol--a new facility for the measurement of health-related quality of life. The EuroQol Group. *Health Policy* 1990; 16(3):199-208.
- (106) Dolan P. Modeling valuations for EuroQol health states. *Med Care* 1997; 35(11):1095-1108.
- (107) Brazier JE, Harper R, Jones NM, O'Cathain A, Thomas KJ, Usherwood T et al. Validating the SF-36 health survey questionnaire: new outcome measure for primary care. *BMJ* 1992; 305(6846):160-164.

- (108) Ware JE, Jr., Sherbourne CD. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. *Med Care* 1992; 30(6):473-483.
- (109) Collins SL, Moore RA, McQuay HJ. The visual analogue pain intensity scale: what is moderate pain in millimetres? *Pain* 1997; 72(1-2):95-97.
- (110) Melzack R, Katz J. Pain measurement in persons in pain. *Textbook of Pain*. Ref Type: Generic
- (111) College voor zorgverzekeringen. Richtlijnen voor farmaco-economisch onderzoek. CvZ, afdeling FO/G&s. 1999. Ref Type: Generic
- (112) Oostenbrink JB, Koopmanschap MA, Rutten FF. Handleiding voor kostenonderzoek, methoden en richtlijnrijzen voor economische evaluaties in de gezondheidszorg. CVZ, 2000. 2000. Ref Type: Generic
- (113) Atlas SJ, Keller RB, Chang Y, Deyo RA, Singer DE. Surgical and nonsurgical management of sciatica secondary to a lumbar disc herniation: five-year outcomes from the Maine Lumbar Spine Study. *Spine* 2001; 26(10):1179-1187.
- (114) Patrick DL, Deyo RA, Atlas SJ, Singer DE, Chapin A, Keller RB. Assessing health-related quality of life in patients with sciatica. *Spine* 1995; 20(17):1899-1908.
- (115) Dolan P. Modelling valuations for health states: the effect of duration. *Health Policy* 1996; 38(3):189-203.
- (116) Vroomen PC, de Krom MC, Wilminck JT, Kester AD, Knottnerus JA. Lack of effectiveness of bed rest for sciatica. *N Engl J Med* 1999; 340(6):418-423.
- (117) Andersson GB, Brown MD, Dvorak J, Herzog RJ, Kambin P, Malter A et al. Consensus summary of the diagnosis and treatment of lumbar disc herniation. *Spine* 1996; 21(24 Suppl):75S-78S.
- (118) Peul WC, van Houwelingen HC, van der Hout WB, Brand R, Eekhof JA, Tans JT et al. Prolonged conservative treatment or 'early' surgery in sciatica caused by a lumbar disc herniation: rationale and design of a randomized trial [ISRCT 26872154]. *BMC Musculoskelet Disord* 2005; 6:8.
- (119) Promise version 2, Project Manager Internet Server, developed by the dept of Medical Statistics and Bioinformatics, Section Advanced Data Management, Leiden University Medical Center, the Netherlands [1900.
- (120) SPSS version 12.0, SPSS Inc. Headquarters, 233 S. Wacker Drive, 11th floor, Chicago, Illinois 60606 [2006.
- (121) Balderston RA, Gilyard GG, Jones AA, Wiesel SW, Spengler DM, Bigos SJ et al. The treatment of lumbar disc herniation: simple fragment excision versus disc space curettage. *J Spinal Disord* 1991; 4(1):22-25.
- (122) Carragee EJ, Spinnickie AO, Alamin TF, Paragioudakis S. A prospective controlled study of limited versus subtotal posterior discectomy: short-term outcomes in patients with herniated lumbar intervertebral discs and large posterior annular defect. *Spine* 2006; 31(6):653-657.
- (123) Thome C, Barth M, Scharf J, Schmiedek P. Outcome after lumbar sequestrectomy compared with microdiscectomy: a prospective randomized study. *J Neurosurg Spine* 2005; 2(3):271-278.
- (124) Moher D, Schulz KF, Altman DG. The CONSORT statement: revised recommendations for improving the quality of reports of parallel-group randomised trials. *Lancet* 2001; 357(9263):1191-1194.
- (125) Weber H. The effect of delayed disc surgery on muscular paresis. *Acta Orthop Scand* 1975; 46(4):631-642.
- (126) Buttermann GR. Treatment of lumbar disc herniation: epidural steroid injection compared with discectomy. A prospective, randomized study. *J Bone Joint Surg Am* 2004; 86-A(4):670-679.
- (127) Frymoyer JW. Back pain and sciatica. *N Engl J Med* 1988; 318(5):291-300.
- (128) Luijsterburg PA, Verhagen AP, Braak S, Avezaat CJ, Koes BW. Do neurosurgeons subscribe to the guideline lumbosacral radicular syndrome? *Clin Neurol Neurosurg* 2004; 106(4):313-317.
- (129) Peul WC, van Houwelingen HC, Van Den Hout WB, Brand R, Eekhof JA, Tans JT et al. Surgery versus prolonged conservative treatment for sciatica. *N Engl J Med* 2007; 356(22):2245-2256.
- (130) Launois R, Henry B, Marty JR, Gersberg M, Lassale C, Benoist M et al. Chemonucleolysis versus surgical discectomy for sciatica secondary to lumbar disc herniation. A cost and quality-of-life evaluation. *Pharmacoeconomics* 1994; 6(5):453-463.
- (131) McKinley DS, Shaffer LM. Cost effectiveness evaluation of ADCON-L adhesion control gel in lumbar surgery. *Neurol Res* 1999; 21 Suppl 1:S67-S71.
- (132) Ozkose Z, Ercan B, Unal Y, Yardim S, Kaymaz M, Dogulu F et al. Inhalation versus total intravenous anesthesia for lumbar disc herniation: comparison of hemodynamic effects, recovery characteristics, and cost. *J Neurosurg Anesthesiol* 2001; 13(4):296-302.

- (133) Stevenson RC, McCabe CJ, Findlay AM. An economic evaluation of a clinical trial to compare automated percutaneous lumbar discectomy with microdiscectomy in the treatment of contained lumbar disc herniation. *Spine* 1995; 20(6):739-742.
- (134) Karppinen J, Ohinmaa A, Malmivaara A, Kurunlahti M, Kyllonen E, Pienimäki T et al. Cost effectiveness of periradicular infiltration for sciatica: subgroup analysis of a randomized controlled trial. *Spine* 2001; 26(23):2587-2595.
- (135) Lafuma A, Bouvenot G, Cohen C, Eschwege E, Fagnani F, Vignon E. A pragmatic cost-effectiveness study of routine epidural corticosteroid injections for lumbosciatic syndrome requiring in-hospital management. *Rev Rhum Engl Ed* 1997; 64(10):549-555.
- (136) Ostelo RWJG, Goossens MEJB, De Vet HCW, van den Brandt PA. Economic Evaluation of a Behavioral-Graded Activity Program Compared to Physical Therapy for Patients Following Lumbar Disc Surgery. *Spine* Vol 29(6)(pp 615-622), 2004 Date of Publication: 15 MAR 2004 2004;(6):615-622.
- (137) Price C, Arden N, Coggan L, Rogers P. Cost-effectiveness and safety of epidural steroids in the management of sciatica. *Health Technology Assessment (Winchester, England)* Vol 9(33)(pp iii-46), 2005 (Winchester, England):iii-46.
- (138) Hansson E, Hansson T. The cost-utility of lumbar disc herniation surgery. *Eur Spine J* 2007; 16(3):329-337.
- (139) Carragee E. Surgical treatment of lumbar disk disorders. *JAMA* 2006; 296(20):2485-2487.
- (140) Shaw JW, Johnson JA, Coons SJ. US valuation of the EQ-5D health states: development and testing of the D1 valuation model. *Med Care* 2005; 43(3):203-220.
- (141) Brazier J, Roberts J, Deverill M. The estimation of a preference-based measure of health from the SF-36. *J Health Econ* 2002; 21(2):271-292.
- (142) Stiggelbout AM, Eijkemans MJ, Kiebert GM, Kievit J, Leer JW, De Haes HJ. The 'utility' of the visual analog scale in medical decision making and technology assessment. Is it an alternative to the time trade-off? *Int J Technol Assess Health Care* 1996; 12(2):291-298.
- (143) OECD. Purchasing Power Parities (PPPs) for OECD Countries 1980-2006 (accessed July 3, 2007 at www.oecd.org/dataoecd/61/56/1876133.xls). 2007. Ref Type: Generic
- (144) Briggs A, Clark T, Wolstenholme J, Clarke P. Missing... presumed at random: cost-analysis of incomplete data. *Health Econ* 2003; 12(5):377-392.
- (145) Oostenbrink JB, Koopmanschap MA, Rutten FF. Standardisation of costs: the Dutch Manual for Costing in economic evaluations. *Pharmacoeconomics* 2002; 20(7):443-454.
- (146) Oostenbrink JB, Koopmanschap MA, Rutten FF. Manual for cost analyses, methods and standard prices for economic evaluations in health care (in Dutch). Amstelveen: Dutch Health Insurance Executive Board . 2004. Ref Type: Generic
- (147) Dutch Health Insurance Executive Board. Pharmacotherapeutic Compass (in Dutch). www.fk.cvz.nl. 2006. Ref Type: Generic
- (148) van den BB, Brouwer W, van EJ, Koopmanschap M. Economic valuation of informal care: the contingent valuation method applied to informal caregiving. *Health Econ* 2005; 14(2):169-183.
- (149) Zethraeus N, Johannesson M, Jonsson B, Lothgren M, Tambour M. Advantages of using the net-benefit approach for analysing uncertainty in economic evaluation studies. *Pharmacoeconomics* 2003; 21(1):39-48.
- (150) Ubel PA, Hirsh RA, Chernew ME, Fendrick AM. What is the price of life and why doesn't it increase at the rate of inflation? *Arch Intern Med* 2003; 163(14):1637-1641.
- (151) Lutz GK, Butzlaff ME, Atlas SJ, Keller RB, Singer DE, Deyo RA. The relation between expectations and outcomes in surgery for sciatica. *J Gen Intern Med* 1999; 14(12):740-744.
- (152) Ito T, Takano Y, Yuasa N. Types of lumbar herniated disc and clinical course. *Spine* 2001; 26(6):648-651.
- (153) Vroomen PC, Wilmink JT, de KM. Prognostic value of MRI findings in sciatica. *Neuroradiology* 2002; 44(1):59-63.
- (154) Carragee EJ, Kim DH. A prospective analysis of magnetic resonance imaging findings in patients with sciatica and lumbar disc herniation. Correlation of outcomes with disc fragment and canal morphology. *Spine* 1997; 22(14):1650-1660.
- (155) Carragee EJ, Han MY, Suen PW, Kim D. Clinical outcomes after lumbar discectomy for sciatica: the effects of fragment type and anular competence. *J Bone Joint Surg Am* 2003; 85-A(1):102-108.

- (156) Autio RA, Karppinen J, Kurunlahti M, Haapea M, Vanharanta H, Tervonen O. Effect of periradicular methylprednisolone on spontaneous resorption of intervertebral disc herniations. *Spine* 2004; 29(15):1601-1607.
- (157) Komori H, Okawa A, Haro H, Muneta T, Yamamoto H, Shinomiya K. Contrast-enhanced magnetic resonance imaging in conservative management of lumbar disc herniation. *Spine* 1998; 23(1):67-73.
- (158) Dvorak J, Gauchat MH, Valach L. The outcome of surgery for lumbar disc herniation. I. A 4-17 years' follow-up with emphasis on somatic aspects. *Spine* 1988; 13(12):1418-1422.
- (159) Junge A, Frohlich M, Ahrens S, Hasenbring M, Sandler A, Grob D et al. Predictors of bad and good outcome of lumbar spine surgery. A prospective clinical study with 2 years' follow up. *Spine* 1996; 21(9):1056-1064.
- (160) Vroomen PC, de Krom MC, Knottnerus JA. When does the patient with a disc herniation undergo lumbosacral discectomy? *J Neurol Neurosurg Psychiatry* 2000; 68(1):75-79.
- (161) Deyo RA. Back surgery--who needs it? *N Engl J Med* 2007; 356(22):2239-2243.
- (162) Caspar W, Campbell B, Barbier DD, Kretschmer R, Gotfried Y. The Caspar microsurgical discectomy and comparison with a conventional standard lumbar disc procedure. *Neurosurgery* 1991; 28(1):78-86.
- (163) Hurme M, Alaranta H. Factors predicting the result of surgery for lumbar intervertebral disc herniation. *Spine* 1987; 12(9):933-938.
- (164) Hurme M, Alaranta H, Einola S, Falck B, Kallio V, Knuts LR et al. A prospective study of patients with sciatica. A comparison between conservatively treated patients and patients who have undergone operation, Part I: Patient characteristics and differences between groups. *Spine* 1990; 15(12):1340-1344.
- (165) Keller RB, Atlas SJ, Singer DE, Chapin AM, Mooney NA, Patrick DL et al. The Maine Lumbar Spine Study, Part I. Background and concepts. *Spine* 1996; 21(15):1769-1776.
- (166) Lauridsen HH, Hartvigsen J, Manniche C, Korsholm L, Grunnet-Nilsson N. Responsiveness and minimal clinically important difference for pain and disability instruments in low back pain patients. *BMC Musculoskelet Disord* 2006; 7:82.
- (167) Porchet F, Wietlisbach V, Burnand B, Daepfen K, Villemure JG, Vader JP. Relationship between severity of lumbar disc disease and disability scores in sciatica patients. *Neurosurgery* 2002; 50(6):1253-1259.
- (168) Deyo RA, Cherkin DC, Weinstein J, Howe J, Ciol M, Mulley AG, Jr. Involving patients in clinical decisions: impact of an interactive video program on use of back surgery. *Med Care* 2000; 38(9):959-969.
- (169) Kosteljanetz M, Espersen JO, Halaburt H, Miletic T. Predictive value of clinical and surgical findings in patients with lumbago-sciatica. A prospective study (Part I). *Acta Neurochir (Wien)* 1984; 73(1-2):67-76.
- (170) Thomas M, Grant N, Marshall J, Stevens J. Surgical treatment of low backache and sciatica. *Lancet* 1983; 2(8365-66):1437-1439.
- (171) Edwards RR, Doleys DM, Lowery D, Fillingim RB. Pain tolerance as a predictor of outcome following multidisciplinary treatment for chronic pain: differential effects as a function of sex. *Pain* 2003; 106(3):419-426.
- (172) Fillingim RB, Doleys DM, Edwards RR, Lowery D. Clinical characteristics of chronic back pain as a function of gender and oral opioid use. *Spine* 2003; 28(2):143-150.
- (173) Keogh E, McCracken LM, Eccleston C. Do men and women differ in their response to interdisciplinary chronic pain management? *Pain* 2005; 114(1-2):37-46.
- (174) Keogh E, McCracken LM, Eccleston C. Gender moderates the association between depression and disability in chronic pain patients. *Eur J Pain* 2006; 10(5):413-422.
- (175) Wijnhoven HA, de Vet HC, Picavet HS. Sex differences in consequences of musculoskeletal pain. *Spine* 2007; 32(12):1360-1367.
- (176) Hyypää MT, Alaranta H, Lahtela K, Nykvist E, Hurme M, Nyberg F et al. Neuropeptide converting enzyme activities in CSF of low back pain patients. *Pain* 1990; 43(2):163-168.
- (177) Takeuchi H, Kawaguchi S, Ohwada O, Kobayashi H, Hayakawa M, Takebayashi T et al. Plasma neuropeptides in patients undergoing lumbar discectomy. *Spine* 2007; 32(2):E79-E84.
- (178) den Boer JJ, Oostendorp RA, Beems T, Munneke M, Evers AW. Continued disability and pain after lumbar disc surgery: the role of cognitive-behavioral factors. *Pain* 2006; 123(1-2):45-52.

- (179) Hasenbring M, Ulrich HW, Hartmann M, Soyka D. The efficacy of a risk factor-based cognitive behavioral intervention and electromyographic biofeedback in patients with acute sciatic pain. An attempt to prevent chronicity. *Spine* 1999; 24(23):2525-2535.
- (180) Hakkinen A, Kautiainen H, Jarvenpaa S, Arkela-Kautiainen M, Ylinen J. Changes in the total Oswestry Index and its ten items in females and males pre- and post-surgery for lumbar disc herniation: a 1-year follow-up. *Eur Spine J* 2007; 16(3):347-352.
- (181) Pietrobon R, Taylor M, Guller U, Higgins LD, Jacobs DO, Carey T. Predicting gender differences as latent variables: summed scores, and individual item responses: a methods case study. *Health Qual Life Outcomes* 2004; 2:59.
- (182) Vroomen PC, de Krom MC, Knottnerus JA. Predicting the outcome of sciatica at short-term follow-up. *Br J Gen Pract* 2002; 52(475):119-123.
- (183) Mayer HM. [The delayed OP--indications for surgery of lumbar disc herniations]. *Z Orthop Ihre Grenzgeb* 2005; 143(3):287-291.
- (184) Rothoerl RD, Woertgen C, Brawanski A. When should conservative treatment for lumbar disc herniation be ceased and surgery considered? *Neurosurg Rev* 2002; 25(3):162-165.
- (185) Nygaard OP, Kloster R, Solberg T. Duration of leg pain as a predictor of outcome after surgery for lumbar disc herniation: a prospective cohort study with 1-year follow up. *J Neurosurg* 2000; 92(2 Suppl):131-134.
- (186) Ng LC, Sell P. Predictive value of the duration of sciatica for lumbar discectomy. A prospective cohort study. *J Bone Joint Surg Br* 2004; 86(4):546-549.
- (187) Nygaard OP, Romner B, Trumphy JH. Duration of symptoms as a predictor of outcome after lumbar disc surgery. *Acta Neurochir (Wien)* 1994; 128(1-4):53-56.
- (188) Spengler DM. Lumbar discectomy. Results with limited disc excision and selective foraminotomy. *Spine* 1982; 7(6):604-607.

