



Universiteit  
Leiden  
The Netherlands

## Regulation of the biosynthesis of cyclic lipopeptides from *Pseudomonas putida* PCL1445

Dubern, J.F.

### Citation

Dubern, J. F. (2006, June 19). *Regulation of the biosynthesis of cyclic lipopeptides from Pseudomonas putida PCL1445*. Retrieved from <https://hdl.handle.net/1887/4408>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/4408>

**Note:** To cite this publication please use the final published version (if applicable).

---

**References**

- Aarons, S., Abbas, A., Adams, C., Fenton, A., and O'Gara, F.** A regulatory RNA (PrrB RNA) modulates expression of secondary metabolite genes in *Pseudomonas fluorescens* F113. *J Bacteriol.* 2000. 182:3913-9.
- Adams, J. L., and McLean, R. J.** Impact of *rpoS* deletion on *Escherichia coli* biofilms. *Appl Environ Microbiol.* 1999. 65:4285-4287.
- Andersen, J. B., Koch, B., Nielsen, T. H., Sørensen, J., Molin, S., and Givskov, M.** Surface motility in *Pseudomonas* sp. DSS73 is required for efficient biological containment of the root-pathogenic microfungi *Rhizoctonia solani* and *Pythium ultimum*. 2003. 149:37-46.
- Andersen, J. B., Heydorn, A., Hentzer, M., Eberl, L., Geisenberger, O., Christensen, B. B., Molin, S., and Givskov, M.** *gfp*-Based *N*-acyl homoserine- lactone sensor system for detection of bacterial communication. *Appl Environ Microbiol.* 2001. 67:575-585.2.
- Ang, D., and Georgopoulos, C.** The heat-shock-regulated *grpE* gene of *Escherichia coli* is required for bacterial growth at all temperatures but is dispensable in certain mutant backgrounds. *J Bacteriol.* 1989. 171:2748-2755.
- Anthamatten, D., and Hennecke, H.** The regulatory status of the *fixL*-like and *fixJ*-like genes in *Bradyrhizobium japonicum* may be different from that in *Rhizobium meliloti*. *Mol Gen Genet.* 1991. 225:38-48.
- Arima, K., Kakinuma, A., and Tamura, G.** Surfactin, a crystalline peptide lipid surfactant produced by *Bacillus subtilis*: isolation, characterization and its inhibition of fibrin clot formation. *Biochem Biophys Res Commun.* 1968. 31:488-494.
- Bainton, N.J., Stead, P., Chhabra, S.R., Bycroft, B.W., Salmond, G.P., Stewart, G.S., and Williams, P.** *N*-(3-oxohexanoyl)-L-homoserine lactone regulates carbapenem antibiotic production in *Erwinia carotovora*. *Biochem J.* 1992. 288:997-1004.
- Bairoch, A.** The PROSITE dictionary of site and patterns in proteins, its current status. *Nucleic Acids Res.* 1993. 21:3097-3103.
- Barta, T.M., Kinscherf, T. G., and Willis, D. K.** Regulation of tabtoxin production by the *lemA* gene in *Pseudomonas syringae*. *J Bacteriol.* 1992. 174:3021-3029.
- Becher, P.** Emulsions, theory and practice, second ed. 1965. Reinhold Publishing, New york.
- Beeba, J. L., and Umbreit, W.W.W.** Extracellular lipids of *Thiobacillus thiooxidans*. *J Bacteriol.* 1971. 108:612-615.
- Bender, C.L., Alarcon-Chaidez, F., and Gross, D.C.** *Pseudomonas syringae* phytotoxins: mode of action, regulation, and biosynthesis by peptide and polyketide synthetases. *Microbiol Mol Biol Rev.* 1999. 63:266-92.
- Bernheimer, A. W., and Avigad, L. S.** Nature and properties of a cytological agent produced by *Bacillus subtilis*. *J Gen Microbiol.* 1970. 145:53-56.
- Bertani, I., and Venturi, V.** Regulation of the *N*-acyl homoserine lactone-dependent quorum sensing system in *Pseudomonas putida* WCS358 and cross-talk with the stationary-

- 
- phase RpoS sigma factor and the global regulator GacA. *Appl. Environ Microbiol.* 2004. 68:5493-5502.
- Bertani, I., Sevo, m., Kojic., M., and Venturi, V.** Role of GacA, LasI, RhII, Ppk, PsrA, Vfr and ClpXP in the regulation of the stationary-phase sigma factor rpoS/RpoS in *Pseudomonas*. 2003. *Arch. Microbiol.* 180:264-271.
- Bloemberg, G. V., and Lugtenberg, B. J. J.** Bacterial biofilm on plants: relevance and phenotypic aspects. 2004. *Microbial Biofilms.* 141-159.
- Bloemberg, G.V., and Lugtenberg, B.J.** Molecular basis of plant growth promotion and biocontrol by rhizobacteria. 2001. *Curr Opin Plant Biol.* 4:343-50.
- Bloemberg, G. V., Wijfjes, A. H., Lamers, G. E. M., Stuurman, N., and Lugtenberg, B. J. J.** Simultaneous imaging of *Pseudomonas fluorescens* WCS365 population expressing three different autofluorescent proteins in the rhizosphere: new perspectives for studying microbial communities. *Mol Plant Microbe Interact.* 2000. 13:1170-1176.
- Boothroyd, B., Thorn, J. A., and Haskins, R. H.** Biochemistry of the ustilaginales. XII. Characterization of extracellular glycolipids produced by *Ustilago* sp. *Can. J. Biochem. Physiol.* 1956. 34:10-14.
- Bouwer, E. J., and Zehnder, A. J. B.** Bioremediation of organic compounds-putting microbial metabolism to work. *Tibtech.* 11:267-360.
- Branda, S. S., Gonzalez-Pastor, J. E., Ben-Yehuda, S., Losick, R., and Kolter, R.** Fruiting body formation by *Bacillus subtilis*. *Proc Natl Acad Sci USA.* 2001. 98:11621-11626.
- Braun, A. C.** Thermal studies on the factors responsible for tumor initiation in crown gall. *Am J Bot.* 1947. 34:234-240.
- Busscher, H.J., van Hoogmoed, C.G., Geertsema-Doornbusch, G.I., van der Kuijl-Booij, M., and van der Mei, H.C.** *Streptococcus thermophilus* and its biosurfactants inhibit adhesion by *Candida* spp. on silicone rubber. *Appl Environ Microbiol.* 1997. 63:3810-3817.
- Calfe, M.W., Shelton, J.G., McCubrey, J.A., and Pesci, E.C.** Solubility and bioactivity of the *Pseudomonas* quinolone signal are increased by a *Pseudomonas aeruginosa*-produced surfactant. *Infect Immun.* 2005. 73:878-82.
- Camacho Carvajal, M. M., Wijfjes, A. H., Mulders, I. H. M., Lugtenberg, B. J. J., and Bloemberg, G. V.** Characterization of NADH dehydrogenases of *Pseudomonas fluorescens* WCS365 and their role in competitive root colonization. *Mol Plant-Microbe Interact.* 2002. 15:662-671.
- Cameotra, S. S., and Makkar, R. S.** Recent applications of biosurfactants as biological and immunological molecules. *Curr. Opinion in Microbiol.* 2004. 7:262-266.
- Chancey, S.T., Wood, D.W., and Pierson, L.S. 3rd.** Two-component transcriptional regulation of *N*-acyl-homoserine lactone production in *Pseudomonas aureofaciens*. *Appl Environ Microbiol.* 1999. 65:2294-2299.
- Chatterjee, A., Cui, Y., Yang, H., Collmer, A., Alfano, J.R., and Chatterjee, A.K.** GacA, the response regulator of a two-component system, acts as a master regulator in

- Pseudomonas syringae* pv. *tomato* DC3000 by controlling regulatory RNA, transcriptional activators, and alternate sigma factors. *Mol Plant Microbe Interact.* 2003. 16:1106-1117.
- Chin-A-Woeng, F. C., van den Broek, D., de Voer, G., van der Drift, K. M. G. M., tuinman, S., Thomas-Oates, J. E., Lugtenberg, B. J. J., and Bloemberg, G. V.** Phenazine-1-carboxamide production in the biocontrol strain *Pseudomonas chlororaphis* PCL1391 is regulated by multiple factors secreted into the growth medium. *Mol. Plant Microbe Interact.* 2001. 14:969-979.
- Chin-A-Woeng, T.F, Bloemberg, G.V., Mulders, I.H., Dekkers, L.C., and Lugtenberg, B.J.** Root colonization by phenazine-1-carboxamide-producing bacterium *Pseudomonas chlororaphis* PCL1391 is essential for biocontrol of tomato foot and root rot. *Mol Plant Microbe Interact.* 2000. 13:1340-1345.
- Choi, S.H., and Greenberg, E.P.** Genetic dissection of DNA binding and luminescence gene activation by the *Vibrio fischeri* LuxR protein. *J Bacteriol.* 1992. 174:4064-4069.
- Cirigliano, M. C., and Carman, G. M.** Isolation of a bioemulsifier from *Candida lipolytica*. *Appl Environ Microbiol.* 1984. 48:747-750.
- Cooper, D. G., and Paddock, D. A.** *Torulopsis petrophilum* and surface activity. *Appl Environ Microbiol.* 1983. 46:1426-1429.
- Cooper, D. G., Liss, S. N., Longay R., and Zajic, J. E.** Surface activities of *Mycobacterium* and *Pseudomonas*. *J Ferment Technol.* 1989. 59:97-101.
- Cowing, D. W., Bardwell, J. C., Craig, E. A., Woolford, C., Hendrix, R. W., and Gross, C. A.** Consensus sequence for *Escherichia coli* heat shock promoters. *Proc Natl Acad Sci USA.* 1985. 82:2679-2683.
- Cui, X., Harling, R., Mutch, P., and Darling, D.** Identification of *N*-3-hydroxyoctanoyl-homoserine lactone production in *Pseudomonas fluorescens* 5064, pathogenic to broccoli, and controlling biosurfactants production by quorum sensing. *Eur J Plant Pathol.* 2005. 111:297-308.
- Cutting, S., and Mandelstam, J.** The nucleotide sequence and the transcription during sporulation of the *gerE* gene of *Bacillus subtilis*. *J Gen Microbiol.* 1986. 132:3013-3024.
- Davey, M. E., Caiazza, N. C., and O'Toole, G. A.** 2003. Rhamnolipid surfactant production affects biofilm architecture in *Pseudomonas aeruginosa* PAO1. *J Bacteriol.* 2003. 185:1027-1036.
- Davey, M. E., and O'Toole, G. A.** Microbial biofilm: from ecology to molecular genetics. *Microbiol Mol Biol. Rev.* 2000. 64: 847-867.
- Davies, D. G., Parsek, M. R., Pearson, J. P., Iglewski, B. H., Costerton, J. W., and Greenberg, E. P.** The involvement of cell-to-cell signals in the development of a bacterial biofilm. *Science.* 1998. 280:295-298.

- 
- de Kievit, T., Seed, P. C., Nezezon, J., Passador, L., and Iglewski, B. H.** RsaL, a novel repressor of virulence gene expression in *Pseudomonas aeruginosa*. *J Bacteriol.* 1999. 181:2175-2184.
- Dekkers, L.C., Mulders, I. H., Phoelich, C. C., Chin-A-Woeng, T. F., Wijffes, A. H., and Lugtenberg, B. J.** The sss colonization gene of the tomato-*Fusarium oxysporum f. sp. radicis-lycopersici* biocontrol strain *Pseudomonas fluorescens* WCS365 can improve root colonization of other wild-type *pseudomonas* spp. bacteria. 2000. *Mol Plant Microbe Interact.* 2000. 11:1177-1183.
- Dekkers, L.C., van der Bij, A.J., Mulders, I.H., Phoelich, C.C., Wentwoord, R.A., Glandorf, D.C., Wijffelman, C.A., and Lugtenberg, B.J.** Role of the O-antigen of lipopolysaccharide, and possible roles of growth rate and of NADH: ubiquinone oxidoreductase (*nuo*) in competitive tomato root-tip colonization by *Pseudomonas fluorescens* WCS365. *Mol Plant Microbe Interact.* 1998. 11:763-71.
- Desai, J. D., and Banat, I. M.** Microbial production of surfactants and their commercial potential. *Microbiol Mol Biol Rev.* 1997. 61:47-64.
- Desai, A. J., Patel, K. M., and Desai, J. D.** Emulsifier production by *Pseudomonas fluorescens* during the growth on hydrocarbons. *Curr Sci.* 1988. 57:500-501.
- de Souza, J.T., Mazzola, M., and Raaijmakers, J.M.** Conservation of the response regulator gene *gacA* in *Pseudomonas* species. *Environ Microbiol.* 2003. 5:1328-1340.
- Devine, J. H., hadel, G. S., and Baldwin, T. O.** Identification of the operator of the *lux* regulon from *Vibrio fischeri* strain ATC7744. *Proc Natl Acad Sci U S A.* 1989. 86:5688-5692.
- de Weger, L.A., van Loosdrecht, M.C., Klaassen, H.E., and Lugtenberg, B.** Mutational changes in physicochemical cell surface properties of plant-growth-stimulating *Pseudomonas* spp. do not influence the attachment properties of the cells. *J Bacteriol.* 1989. 17:2756-61.
- DiMango, E., Zar, H.J., Bryan, R., and Prince, A.** Diverse *Pseudomonas aeruginosa* gene products stimulate respiratory epithelial cells to produce interleukin-8. *J Clin Invest.* 1995. 96:2204-2210.
- Ditta, G., Stanfield, S., Corbin, D., and Helinsky, D. R.** Broad host range DNA cloning system for gram-negative bacteria: construction of a gene bank of *Rhizobium meliloti*. *Proc Natl Acad Sci. U.S.A.* 1980. 77:7347-7351.
- Donlan, R.M., Costerton, J.W.** Biofilms: survival mechanisms of clinically relevant microorganisms. 2002. *Clin Microbiol Rev.* 15:167-193.
- Dubern, J-F., Lagendijk, E. L., Lugtenberg, B. J. J., and Bloemberg, G. V.** The heat shock genes *dnaK*, *dnaJ*, and *grpE* are involved in regulation of putisolvin biosynthesis in *Pseudomonas putida* PCL1445. *J Bacteriol.* 2005. 187:5967-5976.
- Dubern, J-F., Lugtenberg, B. J. J., and Bloemberg, G. V.** The *ppuI-rsaL-ppuR* quorum-sensing system regulates biofilm formation of *Pseudomonas putida* PCL1445 by

- controlling biosynthesis of the cyclic lipopeptides putisolvin I and II. *J. Bacteriol.* 2006. 188:2898-2906.
- Eberhard, A., Burlingame, A.L., Eberhard, C., Kenyon, G.L., Nealson, K.H., Oppenheimer, N.J.** Structural identification of autoinducer of *Photobacterium fischeri* luciferase. *Biochem.* 1981. 20:2444-2449.
- Eberl, L., Winson, M. K., Sternberg, C., Stewart, G. B., Christiansen, G., Shhabra, S. R., Bycroft, B., Williams, P., Molin, S., and Givskov, M.** Involvement of *N*-acyl-L-homoserine lactone autoinducers in controlling the multicellular behaviour of *Serratia liquefaciens*. *Mol Microbiol.* 1996. 20:127-136.
- Ellis, R. J., and Hemmingsen, S. M.** Molecular chaperones: proteins essential for the biogenesis of some macromolecular structures. *Trends Biochem Sci.* 1989. 14:339-342.
- El-Sayed, K. A., Hotherhall, J., and Thomas, C. M.** Quorum-sensing-dependent regulation of biosynthesis of the polyketide antibiotic mupirocin in *Pseudomonas fluorescens* NCIMB10586. *Microbiol.* 2001. 147:2127-2139.
- Feil, H., Feil, W.S., Chain, P., Larimer, F., DiBartolo, G., Copeland, A., Lykidis, A., Trong, S., Nolan, M., Goltsman, E., Thiel, J., Malfatti, S., Loper, J. E., Lapidus, A., Detter, J. C., Land, M., Richardson, P. M., Kyrpides, N. C., Ivanova, N., and Lindow, S. E.** Comparison of the complete genome sequences of *Pseudomonas syringae* pv. *syringae* B728a and pv. *tomato* DC3000. *Proc Natl Acad Sci U. S. A.* 2005. 102:11064-11069.
- Flemming H.C., Wingender J.** Relevance of microbial extracellular polymeric substances (EPSs): Technical aspects. *Water Sci Technol.* 2001. 43:9-16.
- Fletcher, M.** Bacterial attachment in aquatic environments: a diversity of surfaces and adhesion strategies, In M. Fletcher (ed.), *Bacterial adhesion: molecular and ecological diversity*. John Wiley & Sons, Inc., New York, N. Y. 1996. P. 1-24.
- Fuma, S., Fujishima, Y., Corbell, N., D'Souza, C., Nakano, M.M., Zuber, P., and Yamane, K.** Nucleotide sequence of 5' portion of *srfA* that contains the region required for competence establishment in *Bacillus subtilis*. *Nucleic Acids Res.* 1993. 21:93-97.
- Fuqua, W. C., Parsek, M. R., and Greenberg, E. P.** Regulation of gene expression by cell-to-cell communication: acyl-homoserine lactone quorum sensing. *Annu. Rev Genet.* 2001. 35:439-468.
- Fuqua, W. C., Winans, S. C., and Greenberg, E. P.** Census and consensus in bacterial ecosystems: The LuxR-LuxI family of quorum sensing transcriptional regulators. *Annu Rev Microbiol.* 1996. 50:727-751.
- Fuqua, W. C., Winans, S. C., and Greenberg, E. P.** Quorum sensing in bacteria: the *luxR-luxI* family of cell-density-responsive transcriptional regulators. *J Bacteriol.* 1994. 176:269-275.

- 
- Genevaux, P., Muller, S., and Bauda, P.** A rapid screening procedure to identify mini-Tn10 insertion mutants of *Escherichia coli* K-12 with altered adhesion properties. *FEMS Microbiol. Lett.* 1996. 1442:27-30.
- Ghigo, J.M.** Natural conjugative plasmids induce bacterial biofilm development. *Nature.* 2001. 412:442-445.
- Gilbert, P., Das, J., and Foley, I.** Biofilms susceptibility to antimicrobials. *Adv Dent Res.* 1997. 11:160-167.
- Girard, G., van Rij, E. T., Lugtenberg B. J. J., and G. V. Bloemberg.** Regulatory roles of *psrA* and *rpoS* in phenazine-1-carboxamide synthesis by *Pseudomonas chlororaphis* PCL1391. *Microbiol.* 2005. *in press.*
- Govan, J. R. W., and Deretic V.** Microbial pathogenesis in cystic fibrosis: mucoid *Pseudomonas aeruginosa* and *Burkholderia cepacia*. *Microbiol Rev.* 1996. 60:539-574.
- Grangemard, I., Wallach, J., Maget-Dana, R., and Peypoux, F.** Lichenysin: a more efficient cation chelator than surfactin. *Appl Biochem Biotechnol.* 2001. 90:199-210.
- Gross, D. C.** Molecular and genetic analysis of toxin production by pathovars of *Pseudomonas syringae*. *Annu Rev Phytopathol.* 1991. 29:247-278.
- Guerra-Santos, L. H., Kappeli, O., and Flechter, A.** Dependence of *Pseudomonas aeruginosa* continuous culture biosurfactants production on nutritional and environmental factors. *Appl Microbiol Biotechnol.* 1986. 24:443-448.
- Guenzi, E., Galli, G., Grgurina, I., Gross, D. C., and Grandi, G.** Characterization of the syringomycin synthetase gene cluster: A link between prokaryotic and eukaryotic peptide synthetases. *J Biol Chem.* 1998. 273:32857-32863.
- Haas, D., and Keel, C.** Regulation of antibiotic production in root-colonizing *Pseudomonas* spp. and relevance for biological control of plant disease. *Annu Rev Phytopathol.* 2003. 41:117-153.
- Hamblin, M. J., Shaw, J. G., and Kelly, D. J.** Sequence analysis and interposon mutagenesis of a sensor-kinase (DctS) and response-regulator (DctR) controlling synthesis of the high-affinity C4-dicarboxylate transport system in *Rhodobacter capsulatus*. *Mol Gen Genet.* 1993. 237:215-224.
- Hammer, B.K., Bassler, B.L.** Quorum sensing controls biofilm formation in *Vibrio cholerae*. *Mol Microbiol.* 2003. 50:101-104.
- Hanahan, D.** Studies on transformation of *Escherichia coli* with plasmids. *J Mol Biol* 1983. 166:557-580.
- He, X., Chang, W., Pierce D.L., Seib L.O., Wagner J., Fuqua C.** Quorum sensing in *Rhizobium* sp. strain NGR234 regulates conjugal transfer (*tra*) gene expression and influences growth rate. *J Bacteriol.* 2003. 185:809-822.
- Heeb, S., and Haas, D.** Regulatory roles of the GacS/GacA two-component system in plant-associated and other gram-negative bacteria. *Mol Plant Microbe Interact.* 2001. 14:1351-1363.

- Heeb, S., Itoh, Y., Nishijyo, T., Schnider, U., Keel, C., Wade, J., Walsh, U., O'Gara, F., and Haas, D.** Small, stable shuttle vectors based on the minimal pVS1 replicon for use in gram-negative, plant-associated bacteria. *Mol Plant Microbe Interact.* 2000. 13:232-237.
- Hengge-Aronis R.** Signal transduction and regulatory mechanisms involved in control of the sigma(S) (RpoS) subunit of RNA polymerase. *Microbiol Mol Biol Rev.* 2002. 66:373-395.
- Hengge-Aronis, R, Lange, R, Henneberg, N, and Fischer, D.** Osmotic regulation of *rpoS*-dependent genes in *Escherichia coli*. *J Bacteriol.* 1993. 175:259-265.
- Henriksen, A., Anthoni, U., Nielsen, T. H., Sørensen, J., Christophersen, C., and Gajhede, M.** Cyclic lipoundecapeptide tensin from *Pseudomonas fluorescens* strain 96.578. *Acta Crystal.* 2000. 56:113-115.
- Herman, D. C., Artiola, J. F., and Miller, R. M.** Removal of cadmium, lead and zinc from soil by a rhamnolipid biosurfactants. *Environ Sc and Technol.* 1995. 29:2280-2285.
- Hirano, S. S., and Upper, C. D.** Bacteria in the leaf ecosystem with emphasis on *Pseudomonas syringae*-a pathogen, ice nucleus, and epiphyte. *Microbiol Mol Biol Rev.* 2000. 64:624-653.
- Hisatsuka, K., Nakahara, T., Sano, N., and Yamada, K.** Formation of rhamnolipid by *Pseudomonas aeruginosa*: its function in hydrocarbon fermentations. *Agric Biol Chem.* 1971. 35:686-692.
- Hogan, D. A., Vik, A., and Kolter, R. A.** *Pseudomonas aeruginosa* quorum-sensing molecule influences *Candida albicans* morphology. *Mol Microbiol.* 2004. 54:1212-1223.
- Højberg, O., Schnider, U., Winteler, H. V., Sørensen, J., and Haas, D.** Oxygen-sensing reprot strain of *Pseudomonas fluorescens* for monitoring the distribution of low-oxygen habitats in soil. *Appl Environ Microbio.* 1999. 65:4085-4093.
- Hommel, R. K., Stuver, O., Stuber, W., Haferburg, D., and Kleber, H. P.** Production of water-soluble surface-active exolipids by *Torulopsis apicola*. *Appl Microbiol Biotechnol.* 1987. 26:199-205.
- Hossain, H., Wellensiek, H-J., Geyer, R., and Lochnit, G.** Structural analysis of glycolipids from *Borrelia burgdorferi*. *Biochem.* 2001. 83:683-692.
- Hrabak, E. M., and Willis, D. K.** The *lemA* gene required for pathogenicity of *Pseudomonas syringae* pv. *syringae* on bean is a member of a family of two-component regulators. *J Bacteriol.* 1992. 174:3011-3020.
- Huber, B., Riedel, K., Kothe, M., Givskov, M., Molin, S., and Eberl, L.** Genetic analysis of function involved in the late stages of biofilm development in *Burkholderia cepacia* HIII. *Mol Microbiol.* 2002. 46:411-426.
- Hughes, K.T., and Mathee, K.** The anti-sigma factors. *Annu Rev Microbiol.* 1998. 52:231-286.
- Hutchinson, M. L., Tester, M. A., and Gross, D. C.** Role of biosurfactants and ion-channel-forming activities of syringomycin in transmembrane ion flux – a model for the



- 
- mechanism of action in the plant-pathogen interaction. *Mol Plant Microbe Interact.* 1995. 8:610-620.
- Jain, D. K., Thomsom, D. K. C., Lee, H., and Trevors, J. T.** A drop-collapsing test for screening surfactant-producing microorganisms. *J Microbiol Methods.* 1991. 13:271-279.
- Javaheri, M., Jennema, G. A., McInnerney, M. J., and Knapp, R. M.** Anaerobic production of a biosurfactants by *Bacillus licheniformis* JF-2. *Appl Environ Microbiol* 50:698-700.
- Kaplan, H.B., and Greenberg, E.P.** Diffusion of autoinducer is involved in regulation of the *Vibrio fischeri* luminescence system. *J Bacteriol.* 1985. 163:1210-1214.
- Kappeli, O., Walther, P., Mueller, M., and Fiechter, A.** Structure of cell surface of the yeast *Candida tropicalis* and its relation to hydrocarbon transport. *Arch Microbiol.* 1984. 138:279-282.
- Kappeli, O., and W. R. Finnerty.** Partition of alkane by an extracellular vesicle derived from hexadecane-grown *Acinetobacter*. *J. Bacteriol.* 1979. 140:707-712.
- Keith, L. M. W., Partridge, J. E., and Bender, C. L.** *dnaK* and the heat stress response of *Pseudomonas syringae* pv. *glycinea*. *Mol Plant Microbe Interact.* 1999. 12:563-574.
- King, E. O., Ward, M. K., and Raney, D. E.** 1954. Two simple media for the demonstration of pyocyanin and fluorescin. *J Lab Clin Med.* 1954. 44:301-307.
- Kinscherf, T. G., and Willis, D. K.** Swarming by *Pseudomonas syringae* B728a requires *gacS* (*lemA*) and *gacA* but not the acyl-homoserine lactone biosynthetic gene *ahlI*. *J Bacteriol.* 181:4133-4136.
- Kitten, T., Kinscherf, T.G., McEvoy, J.L., and Willis, D.K.** A newly identified regulator is required for virulence and toxin production in *Pseudomonas syringae*. *Mol Microbiol.* 1998. 28:917-29.
- Kjelleberg, S., and Molin, S.** Is there a role for quorum sensing signals in bacterial biofilms? *Curr Opin Microbiol.* 2002. 5:254-258.
- Kleinkauf, H., and von Döhren, H.** A nonribosomal system of peptide biosynthesis. *Eur J Biochem.* 1996. 236:335-51.
- Kleinkauf, H., and von Döhren, H.** The nonribosomal peptide biosynthetic system--on the origins of structural diversity of peptides, cyclopeptides and related compounds. *Antonie Van Leeuwenhoek.* 1995. 67:229-42.
- Koch, B., Nielsen, T.H., Sørensen, D., Andersen, J.B., Christophersen, C., Molin, S., Givskov, M., Sorensen, J., and Nybroe, O.** Lipopeptide production in *Pseudomonas* sp. strain DSS73 is regulated by components of sugar beet seed exudate via the Gac two-component regulatory system. *Appl Environ Microbiol.* 2002. 68:4509-4516.
- Kohler, T., Curty, L. K., Barja, F., van Delden, C., and Pechere, J. C.** Swarming of *Pseudomonas aeruginosa* is dependent on cell-to-cell signaling and requires flagella and pili. *J Bacteriol.* 2000. 122:5999-5996.
- Kovach, M., Elzer, E. P. H., Hill, D. S., Robertson, G. T., Farris, M. A., Roop, R. M. 2<sup>nd</sup>, and Peterson, K. M.** Four new derivatives of the broad-host-range cloning vector

- pBBR1MCS, carrying different antibiotic-resistance cassettes. *Gene*. 1995.166:175-176.
- Kretschneser, A., H. Bock, and F. Wagner.** Chemical and physical characterization of interfacial-active lipids from *Rhodococcus erythropolis* grown on n-alkane. *Appl Environ Microbiol*. 1982. 44:864-870.
- Kuiper, I., Lagendijk E.L., Bloemberg G.V., and Lugtenberg B.J.** Rhizoremediation: a beneficial plant-microbe interaction. *Mol Plant Microbe Interact*. 2004. 17:6-15.
- Kuiper, I., Lagendijk, E. L., Pickford, R., Derrick, J. P., Lamers, G. E. M., Thomas-Oates, J. E. , Lugtenberg, B. J. J., and Bloemberg, G. V.** Characterization of two *Pseudomonas putida* lipopeptide biosurfactants, putisolvin I and II, which inhibit biofilm formation and break down existing biofilms. *Mol Microbiol*. 2003. 51:97-113.
- Kuiper, I., Bloemberg, G. V., and Lugtenberg, B. J. J.** Selection of a plant-bacterium pair as a novel tool for rhizostimulation of polycyclic aromatic hydrocarbon-degrading bacteria. *Mol Plant Microbe Interact*. 2001. 14:1197-1205.
- Kuiper, I., Bloemberg, G. V., Noreen, S., Thomas-Oates, J. E., and Lugtenberg, B. J. J.** Increased uptake of putrescine in the rhizosphere inhibits competitive root colonization by *Pseudomonas fluorescens* strain WCS365. *Mol Plant Microbe Interact*. 2001. 14:1096-1104.
- Kuo, A., Blough, N. V., and Dunlap, P. V.** Multiple *N*-acyl-L-homoserine lactone autoinducers of luminescence in the marine symbiotic bacterium *Vibrio fischeri*. *J Bacteriol*. 1994. 176:7558-7565.
- Labatte, M., Queck, S. Y., Koh, K. S., Rice, S. A., Givskov, M., and Kjelleberg, S.** Quorum sensing-controlled biofilm development in *Serratia liquefaciens* MG1. *J Bacteriol*. 2004. 186:692-698.
- Labes, M., Puhler, A., and Simon, R.** New family of RSF1010-derived expression and *lac*-fusion broad-host-range vectors for gram-negative bacteria. *Gene*. 1990. 89:37-46.
- Lang, S., and Wullbrandt, D.** Rhamnose lipids biosynthesis, microbial production and application potential. *Appl Microbiol Biotechnol*. 1999. 5:22-32.
- Lange R, and Hengge-Aronis R.** Identification of a central regulator of stationary-phase gene expression in *Escherichia coli*. *Mol Microbiol*. 1991. 5:49-59.
- Laskos, L., Ryan, C. S., Fyfe, J. A., Davies, J. K.** The RpoH-mediated stress response in *Neisseria gonorrhoeae* is regulated at the level of activity. *J Bacteriol*. 2004. 186:8443-8452.
- Lazazzera, B. A., Palmer, T., Quisel, J. D., and Grossman, A. D.** Cell density control of gene expression and development in *Bacillus subtilis*. In *Cell-Cell Signaling in Bacteria*. Washington, DC: American Society for Microbiology Press. 1999. P. 27-46.
- Lee, I.S., Lin, J., Hall, H.K., Bearson, B., and Foster, J.W.** The stationary-phase sigma factor sigma S (RpoS) is required for a sustained acid tolerance response in virulent *Salmonella typhimurium*. *Mol Microbiol*. 1995. 17:155-167.

- 
- Leoni, L., Rampioni, G., Di Stefano, V., and Zennaro, E.** Dual role of response regulator StyR in styrene catabolism regulation. *Appl. Environ. Microbiol.* 2005. 71:5411-5419.
- Lewis, K.** Riddle of biofilm resistance. *Antimicrob. Agents Chemother.* 2001. 45:999-1007
- Liao, C.H., McCallus, D.E., Fett, W.F., and Kang, Y.** Identification of gene loci controlling pectate lyase production and soft-rot pathogenicity in *Pseudomonas marginalis*. *Can J Microbiol.* 1997. 43:425-31.
- Lindum, P. W., Anthoni, U., Christophersen, C., Eberl, L., Molin, S., and Givskov, M.** *N*-acyl-L-homoserine lactone autoinducer control production of an extracellular lipopeptide biosurfactant required for swarming motility of *Serratia liquefaciens* MG1. 1998. *J Bacteriol.* 180:6384-6388.
- Liras, P., Asturias, J. A., and Martin, J. F.** Phosphate control sequences involved in transcriptional regulation of antibiotic biosynthesis. *Tibtech.* 1990. 8:184-189.
- Loewen, P.C., and Hengge-Aronis, R.** The role of the sigma factor sigma S (KatF) in bacterial global regulation. *Annu Rev Microbiol.* 1994. 48:53-80.
- Lugtenberg, B. J. J., Kravehenko, L. V., and Simons, M.** Tomato seed and root exudates sugars: composition, utilization by *Pseudomonas* biocontrol strain and role in rhizosphere colonization. *Environ Microbiol.* 1999. 5:439-446.
- Lu, S. E., Wang, N., Wang, J., Chen, Z. J., and Gross, D. C.** Oligonucleotide microarray analysis of the *salA* regulon controlling phytotoxin production by *Pseudomonas syringae* pv. *syringae*. *Mol. Plant Microbe Interact.* 2005. 18:324-333.
- Lu, S. E., Scholz-Schroeder, B. K., and Gross, D. C.** Characterization of the *salA*, *syrF*, and *syrG* regulatory genes located at the right border of the syringomycin gene cluster of *Pseudomonas syringae* pv. *syringae*. *Mol. Plant Microbe Interact.* 2002. 15:43-53.
- MacDonald, C. R., Cooper, D. G., and Zajic, J. E.** Surface-active lipids from *Nocardia erythropolis* grown on hydrocarbons. *Appl Environ Microbiol.* 41:117-123.
- Maier, R.M., and Soberon-Chavez, G.** *Pseudomonas aeruginosa* rhamnolipids: biosynthesis and potential applications. *Appl Microbiol Biotechnol.* 2000. 54:625-633.
- Marahiel, M., Denders, W., Krause, M., and Kleinkauf, H.** Biological role of gramicidin S in spore functions. Studies on gramicidin-S negative mutants of *Bacillus brevis* 9999. *Eur J Biochem.* 1977. 99:49-52.
- Marahiel, M. A., Stachelhaus, T., and Mootz, H. D.** Modular peptide synthetases involved in nonribosomal peptide synthesis. *Chem Rev.* 1997. 97:2651-2673.
- Margaritis, A., Kennedy, K., and Jazic, J. E.** Application of an air lift fermenter in the production of biosurfactants. *Dev Ind Microbiol.* 1980. 21:285-294.
- Mathesius, U., Mulders, S., Gao, M., Teplitski, M., Caetano-Anolles, G., Rolfe, B.G., and Bauer, W.D.** Extensive and specific responses of a eukaryote to bacterial quorum-sensing signals. *Proc Natl Acad Sci U S A.* 2003. 100:1444-1449.
- Matsuhisa, A, N. Suzuki, Noda, T., and Shiba, K.** Inositol monophosphatase activity from *Escherichia coli* *subB* gene product. *J Bacteriol.* 1995. 177:200-205.

- Matsuyama, T., Sogawa M., and Yano, I.** Direct colony thin-layer chromatography and rapid characterization of *Serratia marscens* mutants defective in production of wetting agents. *Appl Microbiol.* 1992. 53:1186-1188.
- Mc Clean, K. H., Winson, M. K., Fish, L., Taylor, A., Chabra, S. R., Camara, R., Daykin, M., Lamb, J. H., Swift, S., Bycroft, B. W., Stewart, G. B., and Williams, P.** Quorum sensing and *chromobacterium violaceum*: exploitation of violacein production and inhibition for the detection of *N*-acylhomoserine lactones. *Microbiol.* 1997. 143:3703-3711.
- Mc Leod, S. M., and Johnson, R. C.** Control of transcription by nucleoid proteins. *Curr Opin Microbiol.* 2001. 4:152-159.
- Miller, J. H.** Experiments in molecular genetics. Cold Spring Harbor Laboratory. 1972. Cold Spring Harbor, NY.
- Millsap, K. W., Reid, G., van der Mei, H. C., and Busscher, H. J.** Adhesion of *Lactobacillus* species in urine and phosphate buffer to silicone rubber and glass under flow. *Biomaterials.* 1997. 18:87-91.
- Mireles, J.R., II, Toguchi, A., and Harshey, R.M.** *Salmonella enterica Serovar Typhimurium* swarming mutants with altered biofilm-forming abilities: Surfactin inhibits biofilm formation. *J Bacteriol.* 2001. 183:5848-5854.
- Mitchell, R. E., and Frey, E. J.** Production of *N*-coronafacoyl-L-amino acid analogues of coronatine by *Pseudomonas syringae* pv. *atropurpurea* in liquid cultures supplemented with L-amino acids. *J Gen Microbiol.* 1986. 132:1503-1507.
- Mo, Y.-Y., and Gross, D. C.** Expression in vitro and during plant pathogenesis of the *sydB* gene required for syringomycin production by *Pseudomonas syringae* pv. *syringae*. *Mol Plant Microbe Interact.* 1991. 4:28-36.
- Morikawa, M., Daido, H., Taka, T., Murata, S., Shimonishi, Y., and Imanaka, T.** A new lipopeptide biosurfactants produced by *Arthrobacter* sp. strain MIS38. *J Bacteriol.* 1993. 175:6459-6466.
- Muffler, A., Barth, M., Marschall, C., and Hengge-Aronis, R.** Heat shock regulation of  $\sigma^S$  turnover: a role for DnaK and relationship between stress response mediated by  $\sigma^S$  and  $\sigma^{32}$  in *Escherichia coli*. *J Bacteriol.* 1997. 179:445-452.
- Mulligan, C. N.** Environmental applications for biosurfactants. *Environ Pol.* 2005. 133:183-198.
- Naberhaus, F., Giebeler, K., and Bohl, H.** Molecular characterization of the *dnaK* gene region of *Clostridium acetobutylicum*, including *grpE*, *dnaJ*, and a new heat shock gene, *J Bacteriol.* 1992. 174:3290-3299.
- Nakahigashi, K., Yanagi, H., and Yura, T.** DnaK Chaperone-mediated control of activity of a sigma(32) homolog (RpoH) plays a major role in the heat shock response of *Agrobacterium tumefaciens*. *J Bacteriol.* 2001. 183:5302-5310.
- Nakajima A., Sugimoto, Y., Yoneyama, H., and Nakae, T.** Localization of the outer membrane subunit OprM of resistance-nodulation-cell division family

- 
- multicomponent efflux pump in *Pseudomonas aeruginosa*. *J Biol Chem*. 2000. 275:30064-30068.
- Nealson, K.H., Platt, T., Hastings, J.W.** Cellular control of the synthesis and activity of the bacterial luminescent system. *J Bacteriol*. 1970. 104:313-322.
- Neu, T. R.** Significance of bacterial surface-active compounds in interaction of bacteria with interfaces. *Microbiol Rev*. 1996. 60:151-166.
- Neu, T. R., and Poralla, K.** Emulsifying agent from bacteria isolated during screening for cells with hydrophobic surfaces. *Appl Microbiol Biotechnol*. 1990. 32:521-525.
- Nielsen, T. H., and Sørensen, J.** Production of cyclic lipopeptides by *Pseudomonas fluorescens* strains in bulk soil and in the sugar beet rhizosphere. *Appl Environ Microbiol*. 2003. 69:861-868.
- Nielsen, T. H., Christophersen, C., Anthoni, V., and Sørensen, J.** Viscosinamide, a new cyclic depsipeptide with surfactant and antifungal properties produced by *Pseudomonas fluorescens* DR54. *J Appl Microbiol*. 1999. 87:80-90.
- Nyavad, B., and Kilian, M.** Comparison of the initial streptococcal microflora on dental enamel in caries-active and in caries-inactive individuals. *Caries Res*. 1998. 24:267-272.
- Nybroe, O., and Sørensen, J.** Production of cyclic lipopeptides by fluorescent pseudomonads. Pages 147-172 in: *Pseudomonas, Biosynthesis of Macromolecules and Molecular Metabolism*, Ramos, J-L., ed., Kluwer Academic/Plenum Publisher, New York.
- Nystrom, T., and Neidhardt, F. C.** Cloning, mapping and nucleotide sequencing of a gene encoding a universal stress protein in *Escherichia coli*. *Mol Microbiol*. 1992. 6:3187-3198.
- Ohta, T., Saito, K., Carate, M., Honda, K., Hayride, H., and Hayashi, H.** Molecular cloning of two new heat shock genes related to the hsp70 genes in *Staphylococcus aureus*. *J Bacteriol*. 1994. 176:4779-4782.
- O'Toole, G.A., Gibbs, K.A., Hager, P.W., Phibbs, P.V. Jr, and Kolter, R.** The global carbon metabolism regulator Crc is a component of a signal transduction pathway required for biofilm development by *Pseudomonas aeruginosa*. *J Bacteriol*. 2000. 182:425-431.
- O'Toole, G. A., and Kolter, R.** The initiation of biofilm formation in *Pseudomonas fluorescens* WCS365 proceeds via multiple, convergent signaling pathways: a genetic analysis. *Mol Microbiol*. 1998. 28:449-461.
- Pabo, C. O., and Sauer, R. T.** Transcription factors: structural families and principles of DNA recognition. *Annu Rev Biochem*. 1996. 12:1053-1095.
- Paek, K. H., and Walker, G. C.** *Escherichia coli dnaK* null mutants are unviable at high temperature. *J Bacteriol*. 1987. 169:283-290.
- Palmer, D. A., and Bender, C. L.** Effects of environmental and nutritional factors on production of the polyketide phytotoxin coronatine by *Pseudomonas syringae* pv. *glycinea*. 1993. 59:1619-1626.

- Parkins, M.D., Ceri, H., and Storey, D.G.** *Pseudomonas aeruginosa* GacA, a factor in multihost virulence, is also essential for biofilm formation. *Mol Microbiol.* 2001. 40:1215-1226.
- Parkinson, J. S., and Kofoid, E. C.** Communication modules in bacterial signaling proteins. *Annu Rev Genet.* 1992. 26:71-112.
- Passador, L., Cook, J.M., Gambello, M.J., Rust, L., and Iglewski, B.H.** Expression of *Pseudomonas aeruginosa* virulence genes requires cell-to-cell communication. *Science.* 1993. 260:1127-1130.
- Paulsen, I. T., Press, C. M., Ravel, J., Kobayashi, D. Y., Myers, G. S. A., Mavrodi, D. V., DeBoy, R. T., Seshadri, R., Ren, Q. H., Madupu, R., Dodson, R. J., Durkin, A. S., Brinkac, L. M., Daugherty, S. C., Sullivan, S. A., Rosovitz, M. J., Gwinn, M. L., Zhou, L. W., Schneider, D. J., Cartinhour, S. W., Nelson, W. C., Weidman, J., Watkins, K., Tran, K., Khouri, H., Pierson, E. A., Pierson, L. S., Thomashow, L. S., and Loper, J. E.** Complete genome sequence of the plant commensal *Pseudomonas fluorescens* Pf-5. *Nat Biotech.* 2005. 23:873-878.
- Pearson, J. P., van-Delden, C., and Iglewski, B. H.** Active efflux and diffusion are involved in transport of *Pseudomonas aeruginosa* cell-to-cell signals. *J Bacteriol.* 1999. 181:1203-1210.
- Pearson, J. P., Pesci, E.C., and Iglewski, B. H.** Roles of *Pseudomonas aeruginosa lasI* and *rhlI* quorum-sensing systems in control of elastase and rhamnolipid biosynthesis genes. *J bacteriol.* 1997. 179:5756-5767.
- Pearson, J.P., Gray, K.M., Passador, L., Tucker, K.D., Eberhard, A., Iglewski, B.H., Greenberg, E.P.** Structure of the autoinducer required for expression of *Pseudomonas aeruginosa* virulence genes. *Proc Natl Acad Sci U S A.* 1994. 4:197-201.
- Peypoux, F., Bonmatin, J. M., and Wallach, J.** Recent trends in the biochemistry of surfactin. *Applied Microbiology and Biotechnology.* 1999. 51:553-563.
- Piper, K. R., Beck von Bodman, S., and Farrand S. K.** Conjugation factor of *Agrobacterium tumefaciens* regulates Ti plasmid transfer by autoinduction. *Nature.* 1993. 362:448-450.
- Pittard, J., Camakaris, H., and Yang, J.** The TyrR regulon. *Mol. Microbiol. MicroRev.* 2005. 55: 16-26.
- Pratt, L. A., and Kolter, R.** Genetic analysis of *Escherichia coli* biofilm formation: defining the roles of flagella, motility, chemotaxis and type I pili. *Mol Microbiol.* 1998. 30:285-294.
- Pratt, L.A., and Silhavy, T.J.** Identification of base pairs important for OmpR-DNA interaction. *Mol Microbiol.* 1995. 17:565-73.
- Providenti, M. A., Fleming, C. A., Lee, H., and Trevors, J. T.** Effect of addition of rhamnolipid biosurfactants or rhamnolipid producing *Pseudomonas aeruginosa* on phenanthrene mineralization in soil slurries. *FEMS Microbiol.* 1995. 17:15-26.

- 
- Quigley, N.B., Mo, Y.Y., and Gross, D.C.** SyrD is required for syringomycin production by *Pseudomonas syringae* pathovar *syringae* and is related to a family of ATP-binding secretion proteins. *Mol Microbiol.* 1993. 9:787-801.
- Raaijmakers, J. M., de Kock, M., and de Bruijn, I.** Cyclic lipopeptide production by plant-associated *Pseudomonas* species: diversity, activity, biosynthesis and regulation. *Mol Plant-Microbe Interact Rev. In press*
- Rhaman, K. S. M., Banat, I. M., Rhaman, T. J., Thayumanavan, Tha., and Lakshmanaperumalsamy, P.** Bioremediation of gasoline contaminated soil by a bacterial consortium amended with poultry litter, coir pith and rhamnolipid biosurfactants. *Bioresource technology.* 2002. 81:25-32.
- Rich, J.J., Kinscherf, T.G., Kitten, T., and Willis, D.K.** Genetic evidence that the *gacA* gene encodes the cognate response regulator for the *lemA* sensor in *Pseudomonas syringae*. *J Bacteriol.* 1994. 176:7468-7475.
- Rockabrand, D., Livers, K., Austin, T., Kaiser, R., Jensen, D., Burgess, R., and Blum, P.** Roles of DnaK and RpoS in starvation-induced thermotolerance of *Escherichia coli*. *J Bacteriol.* 1998. 180:846-854.
- Rockabrand, D., Arthur, T., Korinek, G., Livers, K., and Blum, P.** An essential role for the *Escherichia coli* DnaK protein in starvation-induced thermotolerance, H<sub>2</sub>O<sub>2</sub> resistance, and reductive division. *J Bacteriol.* 1995. 177:3695-3703.
- Ron, E. Z., and Rosenberg, E.** Biosurfactants and oil remediation. *Curr Opin in Biotechnol.* 2002. 13:249-252.
- Ron, E. Z., and Rozenberg, E.** Natural roles of biosurfactants. *Environ Microbiol.* 2001. 3:229-236.
- Roongsawang, N., Hase, K., Haruki, M., Imanaka, T., Morikawa, M., and Kanaya, S.** Cloning and characterization of the gene cluster encoding arthrofascin synthetase from *Pseudomonas* sp. MIS38. *Chem Biol.* 2003. 10:869-880.
- Rosenberg, E., and Ron, E. Z.** Surface active polymers from the genus *Acinetobacter*. In *Biopolymers from Renewable Resources*. Kaplan, D.L. (ed). New York: Springer-Verlag. 1998. 281-291.
- Rosenberg, E., and Ron, E. Z.** Bioemulsans: microbial polymeric emulsifiers. *Curr Opin Biotechnol.* 1997. 8:313-316.
- Rosenberg, E.** Exploiting microbial growth on hydrocarbons- new markets. *Tibtech.* 1993. 11:419-424.
- Rosenberg, E., Rubinovitz, C., Legmann, R., and Ron, E. Z.** Purification and chemical properties of *Acinetobacter calcoaceticus* A2 biodispersant. *Appl Environ Microbiol.* 1988. 54:323-326.
- Rosenberg, E., Zuckerberg, A., Rubinovitz, C., and Gutnick, D. L.** Emulsifier *Arthrobacter* RAG-1: isolation and emulsifying properties. *Appl Environ Microbiol.* 1979. 37:402-408.

- Sambrook, J., and Russell, D. W.** Molecular Cloning: a Laboratory Manual, Cold Spring Harbor Laboratory Press. 2001. Cold Spring Harbor, New York.
- Schink, B.** Energetics of syntrophic cooperation in methanogenic degradation. 1997. *Microbiol. Mol Biol Rev.* 61:262-280.
- Schnider, U., Keel, Voisard, C., Defago, G., and Haas, D.** Tn5-directed cloning *pqq* genes from *Pseudomonas fluorescens* CHAO: mutational inactivation of the genes results in overproduction of the antibiotic pyoluteorin. *Appl Environ Microbiol.* 1995. 61:3856-3864.
- Scholz-Schroeder, B.K., Hutchison, ML, Grgurina, I, and Gross, DC.** The contribution of syringopeptin and syringomycin to virulence of *Pseudomonas syringae* pv. *syringae* strain B301D on the basis of *sypA* and *syrB1* biosynthesis mutant analysis. *Mol Plant Microbe Interact.* 2001. 14:336-48.
- Schuster, M., Hawkins, A. C., Harwood, C. S., and Greenberg, E. P.** The *Pseudomonas aeruginosa* RpoS regulon and its relationship to quorum sensing. *Mol Microbiol.* 2004. 51:973-985.
- Schuster, M., Hawkins, A.C., Harwood, C.S., and Greenberg, E.P.** The *Pseudomonas aeruginosa* RpoS regulon and its *rel*, *rpoS* transcription in *Escherichia coli* and *Pseudomonas*: why so different? *Mol Microbiol.* 2003. 49:1-9.
- Shreve, G. S., Inguva, S., and Gunnan, S.** Rhamnolipid biosurfactants enhancement of hexadecane biodegradation by *Pseudomonas aeruginosa*. *Molecular and Marine Biology and Biotechnology* 4. 1995. P.331-337.
- Sledjeski, D.D., Gupta, A., and Gottesman, S.** The small RNA, DsrA, is essential for the low temperature expression of RpoS during exponential growth in *Escherichia coli*. *EMBO J.* 1996. 15:3993-4000.
- Sonenshein, A.L.** Control of sporulation initiation in *Bacillus subtilis*. *Curr Opin Microbiol.* 2000. 3:561-566.
- Sørensen, D., Nielsen, T.H., Christophersen, C., Sørensen, J., and Gajhede, M.** Cyclic lipoundecapeptide amphisin from *Pseudomonas* sp. strain DSS73. *Acta Crystallog C.* 2001. 57:1123-1124.
- Stachelhaus, T., Mootz, H. D., and Marahiel, M. A.** The specificity-conferring code of adenylation domains in nonribosomal peptide synthetases. *Chem Biol.* 1999. 6: 493-505.
- Stachelhaus, T., and Marahiel, M.A.** Modular structure of genes encoding multifunctional peptide synthetases required for non-ribosomal peptide synthesis. *FEMS Microbiol. Lett.* 1995. 125:3-14.
- Stanley, N.R., Lazazzera, B.A.** Environmental signals and regulatory pathways that influence biofilm formation. 2004. *Mol Microbiol.* 52:917-24.
- Steidle, A., Allesen-Holm, M., Riedel, K., Berg, G., Givskov, M., Molin, S., Eberl, L.** Identification and characterization of an *N*-acylhomoserine lactone-dependent



- 
- quorum-sensing system in *Pseudomonas putida* strain IsoF. Appl Environ Microbiol. 2002. 68:6371-6382.
- Stevens, A. M., and Greenberg, E. P.** Quorum sensing in *Vibrio fischeri*: essential elements for activation of the luminescence genes. J Bacteriol. 1997. 179:557-62.
- Stewart, P. S., and Costerton, J. W.** Antibiotic resistance of bacteria in biofilms. Lancet. 2001. 358:135-138.
- Strauss, D., Walter, A., and Gross, C. A.** DnaK, DnaJ and GrpE heat shock proteins negatively regulate heat shock gene expression by controlling the synthesis and stability of sigma 32. Genes Dev. 1990. 4:2202-2209.
- Suzuki, T., Hayashi, R., Haferburg, D., and Tulloch, A. P.** Extracellular glycolipids of yeasts, P.523-540. In A. H. Rose (ed.), Economic microbiology, Vol. 3, Academic Press, Inc., New York.
- Swift, S., Downie, J. A., Whitehead, N. A., Barnard, A. M., Salmond, G. P., and Williams, P.** Quorum sensing as a population-density-dependent determinant of bacterial physiology. Adv Microb Physiol. 2001.45:199-270.
- Swift, S., Throup, J. P., Williams, P., Salmond, G. P. C., and Stewart, G. S. A. B.** Quorum sensing; a population density component in the determination of bacterial phenotype. Trends In Biochemical Sciences. 1996. 21:214-219.
- Trevors, J. T., van Elsas, J. D., Starodub, M. E., van Overbeek, L. S.** Survival of an plasmid stability in *Pseudomonas* and *Klebsiella* spp. introduced into agricultural drainage water. Can J Microbiol. 1989. 35:675-680.
- Tuleva, B. K., Ivanov, G. R., and Chrostova, N. E.** Biosurfactant production by a new *Pseudomonas putida* strain. Z. Naturforsch [C]. 2002. 57: 356-360.
- van den Broek, D., Chin-A-Woeng, T.F., Eijkemans K., Mulders, I.H., Bloemberg, G.V., and Lugtenberg, B.J.** Biocontrol traits of *Pseudomonas* spp. are regulated by phase variation. Mol Plant Microbe Interact. 2003. 16:1003-1012.
- Velraeds, M.M.C., van de Belt-Gritter, B., Busscher, H.J., Reid, G., and van der Mei, H.C.** Inhibition of uropathogenic biofilm growth on silicone rubber in human urine by lactobacilli – a teleologic approach. World J Urol. 2000. 18:422-426.
- Venturi, V.** Control of *rpoS* transcription in *Escherichia coli* and *Pseudomonas*: why so different? Mol Microbiol. 2003. 49:1-9.
- Vining, L.C.** Functions of secondary metabolites. Annu. Rev. Microbiol. 1990. 44:395-427.
- Von Döhren, H., Keller, U., Vater, J., and Zocher, R.** Multifunctional peptide synthetases. Chem Rev. 1997. 97:2675-2705.
- Wei, Y.H., Lai, H.C., Chen, S.Y., Yeh, M.S., and Chang, J.S.** Biosurfactant production by *Serratia marcescens* SS-1 and its isogenic strain SMDeltaR defective in SpnR, a quorum-sensing LuxR family protein. Biotechnol Lett. 2004. 26:799-802.
- Weng, S.F., Tai, P.M., Yang, C.H., Wu, C.D., Tsai, W.J., Lin, J.W., and Tseng, Y.H.** Characterization of stress responsive genes, *hrcA-grpE-dnaK-dnaJ*, from phytopathogenic *Xanthomonas campestris*. Arch Microbiol. 2001. 176:121-128.

- Whistler, C.A., Corbel, N.A., Sarniguet, A., Ream, W., and Loper, J.E.** The two-component regulators GacS and GacA influence accumulation of the stationary-phase sigma factor sigmaS and the stress response in *Pseudomonas fluorescens* PF-5. *J Bacteriol.* 1998. 180:6635-6641.
- Whiteley, M., Banger, M. G., Bumgarner, R. E., Parsek, M. R., Teitzel, G. M., Lory, S., and Greenberg, E. P.** Gene expression in *Pseudomonas aeruginosa* biofilms. *Nature.* 2001. 413: 860-864.
- Whiteley, M., Parsek, M. B., and Greenberg, E. P.** Regulation of quorum sensing by RpoS in *Pseudomonas aeruginosa*. *J Bacteriol.* 2000. 182:4356-4360.
- Winson, M. K., Swift, S., Fish, L., Throup, J. P., Jorgensen, F., Chabra, S. R., Bycroft, B. W., Williams, P., and Stewart, G. S.** Construction and analysis of *luxCDABE*-based plasmid sensors for investigating *N*-acyl-homoserine lactone-mediated quorum sensing. *FEMS Microbiol. Lett.* 1998. 163:185-192.
- Wise, A. A., and Price, C. W.** Four additional genes in the *sigB* operon of *Bacillus subtilis* that control activity of the general stress factor sigma B in response to environmental signals. *J Bacteriol.* 1995. 177:123-133.
- Wolfaardt, G.M., Lawrence, J.R., Robarts, R.D., and Caldwell, D.E.** In situ Characterization of Biofilm Exopolymers Involved in the Accumulation of Chlorinated Organics. *Microb Ecol.* 1998. 35:213-23.
- Wolk, C. P., Cai, Y., and Panoff, J. M.** Use of a transposon with luciferase as a reporter to identify environmentally responsive genes in a cyanobacterium. *Proc Natl Acad Sci U S A.* 1991. 88:5355-5359.
- Yakimov, M. M., Timmis, K. N., Wray, V., and Fredrickson, H. L.** Characterization of a new lipopeptide surfactant produced by thermotolerant and halotolerant subsurface *Bacillus licheniformis* BAS50. *Appl Environ Microbiol.* 1995. 61:1706-1713.
- Yang J., J. S. Hwang, H. Camakaris, W. Irawaty, A. Ishihama, and J. Pittard.** Mode of action of the TyrR protein: repression and activation of the *tyrP* promoter of *Escherichia coli*. *Mol Microbiol.* 2004. 52:243-256.
- Zhang, J.H., Quigley, N.B., and Gross, D.C.** Analysis of the *syrP* gene, which regulates syringomycin synthesis by *Pseudomonas syringae* pv. *syringae*. *Appl Environ Microbiol.* 1997. 63:2771-2778.
- Zhou, Y. N., Kusukawa, N., Erickson, J. W., Gross, C. A., and Yura, T.** Isolation and characterization of *Escherichia coli* mutants that lack the heat shock sigma factor sigma 32. *J Bacteriol.* 1988. 170:3640-3649.
- Zhu, J., and Mekalanos, J. J.** Quorum sensing-dependent biofilms enhance colonization in *Vibrio cholerae*. *Dev Cell.* 2003. 5:647-656.

