



Universiteit  
Leiden  
The Netherlands

## **Inverse Jacobian and related topics for certain superelliptic curves**

Somoza Henares, A.

### **Citation**

Somoza Henares, A. (2019, March 28). *Inverse Jacobian and related topics for certain superelliptic curves*. Retrieved from <https://hdl.handle.net/1887/70564>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/70564>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/70564> holds various files of this Leiden University dissertation.

**Author:** Somoza Henares, A.

**Title:** Inverse Jacobian and related topics for certain superelliptic curves

**Issue Date:** 2019-03-28

# INDEX

- Abel-Jacobi map, **14**, 15
- abelian variety, 10
  - absolutely simple, 10
  - Picard group, 10
- analytic representation, 12
- CM, *see* complex multiplication
- CM class number one, 78
  - CPQ case, **81**, 89
  - Picard case, 79
- CM-field, 50
- CM-type, 75
  - CPQ-compatible, 82
  - generalized, *see*  $m$ -CM-type
  - induced, 75
  - primitive, **76**
  - restricts to an  $m$ -CM-type, 82
  - type norm, 76
- complex torus polarizable 11
- CPQ curve, *see* cyclic plane quintic curve
- cyclic plane quintic curve, **35**
  - basis of regular differentials, 38
  - branch points, **35**, 42
  - invariants, 47
  - Legendre-Rosenhain equation, 35
  - with maximal CM, **47**, 77
- dicyclic group, 81
- dual variety, 11
- field of moduli, 78
- homomorphism
  - of complex tori, 12
  - of abelian variety, 10
- inverse Jacobian algorithm, 15
  - for CPQ curves, 45
  - for Picard curves, 27
- inverse Jacobian problem, 7
- isogeny, 10
- isomorphism
  - of polarized abelian varieties, 11
  - with  $m$ -CM-type, **50**, 62
- Jacobian of a curve, 7, **14**, 15
  - over  $\mathbb{C}$ , 15
- $m$ -CM-type, 50
- non-special divisor, *see* special divisor
- $\mathcal{O}_K$ -lattice, 63
  - ideal index, 64
  - polarized, 63
  - principally polarized, **63**
  - $S$ -maximal, 67
  - $S$ -norm, 67
  - $S$ -scale, 67
  - trace dual, 63
- period matrix, 12
  - big, 12
- Picard curve, 7, **9**
  - affine branch points, **9**, 18, 25

- invariants, 33
  - Legendre-Rosenhain equation, 9
  - with maximal CM, **33**, 77
- polarization, 11
  - principal, 11
- polarized abelian variety, *see also* polarization
  - over  $\mathbb{C}$ , 11
  - with  $m$ -CM-type, 50
  - with CM, 76
- rational representation, 12
- reflex
  - CM-type, 76
  - field, 76
- relative class number, 83
- Riemann
  - constant, 16
  - form, 11
    - associated hermitian form, 11
    - of a principal polarization, 11
    - with respect to bases, 12
  - theta constant, 18
    - implementation, 30
    - quasi-periodicity, 19
    - symmetry, 19
  - theta function, 16
    - with characteristic, 18
  - Vanishing Theorem, 16
- Riemann-Schottky problem, 7, **14**, 71
- Rosati involution, 11
- signature
  - of a hermitian matrix, 66
  - of an antihermitian matrix, 51
- special divisor, 17
- superelliptic curve, 7
  - basis of regular differentials, 37
  - $(1 - \rho_*)$ -torsion, 40
- symplectic
  - basis, 12
  - group, 13
  - matrix, *see* symplectic group
- Torelli locus, 71
  - open, 71
- Torelli map, 14
- Torelli's Theorem, 14