

Chronic obstructive pulmonary disease : new insights in morning symptons and physical activity

Buul, A.R. van

Citation

Buul, A. R. van. (2019, April 11). *Chronic obstructive pulmonary disease : new insights in morning symptons and physical activity.* Retrieved from https://hdl.handle.net/1887/71027

Version: Not Applicable (or Unknown)

License: Leiden University Non-exclusive license

Downloaded from: https://hdl.handle.net/1887/71027

 ${f Note:}$ To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle http://hdl.handle.net/1887/71027 holds various files of this Leiden University dissertation.

Author: Buul, A.R. van

Title: Chronic obstructive pulmonary disease: new insights in morning symptons and

physical activity

Issue Date: 2019-04-11

Stellingen behorende bij het proefschrift

Chronic obstructive pulmonary disease New insights in morning symptoms and physical activity

- 1. Morning symptoms are present in all COPD severity stages (this thesis).
- 2. Morning symptoms cause physical activity limitations in the morning (this thesis).
- 3. If we want to increase physical activity in COPD, the evening is the most suitable part of the day (this thesis).
- 4. Pulmonologists do not need a systematic approach to diagnose and phenotype asthma and COPD (this thesis).
- 5. Patients do not experience every kind of morning symptoms on any given day (A. Hareendran *International Journal of Chronic Obstructive Pulmonary Disease*, 2018).
- 6. COPD patients see the physical effects associated with the occurrence of symptoms in the morning as a greater challenge than the symptoms themselves (P. O'Hagan *Current Medical Research and Opinion*, 2014).
- 7. Five clusters of COPD patients can be identified: couch potatoes, highly sedentary, sedentary movers, sedentary exercisers and busy bees (R. Mesquita *Chronic Respiratory Disease*, 2017).
- 8. Patients with morning symptoms do not represent a distinct phenotype (I. Tsiligianni *NPJ primary care respiratory medicine*, 2016).
- 9. Zitten is het nieuwe roken (complete book, authored by K. de Bruin, 1st ed, de Geus, 2015). Like smoking, physical inactivity contributes to chronic diseases.
- 10. Use the 12-hour clock format including am and pm. Am stands for "awful morning" (a passer-by, poster session, ERS congress 2017, Milan). In the general population, a lot of people are grumpy in the morning.
- 11. "You cannot trust these guys" (C. Taube). Do not trust a patient if he states that he is physically active. Assess it.