Dynamic prediction in event history analysis
Grand, M.K.

Cover Page

The handle http://hdl.handle.net/1887/73914 holds various files of this Leiden University dissertation.

Author: Grand, M.K.
Title: Dynamic prediction in event history analysis
Issue Date: 2019-06-13

Bibliography

[1] Abe, O., Abe, R., Enomoto, K., Kikuchi, K., Koyama, H., Masuda, H., Nomura, Y., Sakai, K., Sugimachi, K., Tominaga, T., et al. (2005). Effects of chemotherapy and hormonal therapy for early breast cancer on recurrence and 15-year survival: an overview of the randomised trials. *The Lancet*, 365(9472), 1687–1717.

[2] Adjuvant, Inc (2003). Adjuvant! online. www.adjuvantonline.com.

[3] Albert, P. S. & Shih, J. H. (2010). On estimating the relationship between longitudinal measurements and time-to-event data using a simple two-stage procedure. *Biometrics*, 66(3), 983–987.

[4] Andersen, P., Hansen, L., & Keiding, N. (1991). Non- and semi-parametric estimation of transition probabilities from censored observation of a non-homogeneous markov process. *Scandinavian Journal of Statistics*, 18, 153–167.

[5] Andersen, P. K., Borgan, Ø., Gill, R. D., & Keiding, N. (1993). *Statistical models based on counting processes*. Springer-Verlag, New York.

[6] Andersen, P. K., Hansen, M. G., & Klein, J. P. (2004). Regression analysis of restricted mean survival time based on pseudo-observations. *Lifetime Data Analysis*, 10, 335–50.

[7] Andersen, P. K. & Keiding, N. (2002). Multi-state models for event history analysis. *Statistical Methods in Medical Research*, 11, 91–115.

[8]   Andersen, P. K. & Keiding, N. (2011).   Interpretability and importance of functionals in competing risks and multistate models. *Statistics in Medicine*, 31(11-12), 1074–1088.

[9]   Andersen, P. K., Klein, J. P., & Rosthøj, S. (2003). Generalised linear models for correlated pseudo-observations, with applications to multi-state models. *Biometrika*, 1, 15–27.

[10]   Andersen, P. K. & Perme, M. P. (2010). Pseudo-observations in survival analysis. *Statistical Methods in Medical Research*, 19, 71–99.

[11]   Anderson, J. R., Cain, K. C., & Gelber, R. D. (1983). Analysis of survival by tumor response. *Journal of Clinical Oncology*, 1(11), 710–719.

[12]   Azarang, L., Scheike, T. H., & de Uña-Álvarez, J. (2017).   Direct modeling of regression effects for transition probabilities in the progressive illness–death model. *Statistics in Medicine*, 36(12), 1964–1976.

[13]   Bates, D., Mächler, M., Bolker, B., & Walker, S. (2015). Fitting linear mixed-effects models using lme4. *Journal of Statistical Software*, 67(1), 1–48.

[14]   Binder, N., Gerds, T. A., & Andersen, P. K. (2014). Pseudo-observations for competing risks with covariate dependent censoring. *Lifetime Data Analysis*, 20(2), 303–315.

[15]   Breslow, N. (1974). Covariance analysis of censored survival data. *Biometrics*, (pp. 89–99).

[16]   Chang, J., Clark, G. M., Allred, D. C., Mohsin, S., Chamness, G., & Elledge, R. M. (2003).   Survival of patients with metastatic breast carcinoma. *Cancer*, 97(3), 545–553.

[17] Chen, P.-Y. & Tsiatis, A. A. (2001). Causal inference on the difference of the restricted mean lifetime between two groups. *Biometrics*, 57(4), 1030–1038.

[18] Clark, G. M., Jr, G. W. S., Osborne, C. K., & McGuire, W. L. (1987). Survival from first recurrence: relative importance of prognostic factors in 1015 breast cancer patients. *Journal of Clinical Oncology*, 5(1), 55–61.

[19] Cortese, G. & Andersen, P. K. (2010). Competing risks and time-dependent covariates. *Biometrical Journal*, 52, 138–158.

[20] Cortese, G., Holmboe, S. A., & Scheike, T. H. (2017). Regression models for the restricted residual mean life for right-censored and left-truncated data. *Statistics in Medicine*, 36(11), 1803–1822.

[21] Courdi, A., Largillier, R., Ferrero, J.-M., Lallement, M., Raoust, I., Ettore, F., Peyrottes, I., Chamorey, E., Balu-Maestro, C., & Chapellier, C. (2007). Early versus late local recurrences after conservative treatment of breast carcinoma: differences in primary tumor characteristics and patient outcome. *Oncology*, 71(5-6), 361–368.

[22] Cox, D. R. (1972). Regression models and life-tables. *Journal of the Royal Statistical Society - Series B*, 34(2), 187.

[23] Datta, S. & Satten, G. A. (2001). Validity of the Aalen-Johansen estimators of stage occupation probabilities and Nelson-Aalen estimators of integrated transition hazards for non-Markov models. *Statistics and Probability Letters*, 55, 403 – 411.

[24] Datta, S. & Satten, G. A. (2002). Estimation of integrated transition hazards and stage occupation probabilities for non-Markov systems under dependent censoring. *Biometrics*, 58(4).

[25] de Uña-Álvarez, J. & Machado, L. M. (2015). Nonparametric estimation of transition probabilities in the non-Markov illness-death model: a comparative study. *Biometrics*, 71(2), 364–375.

[26] De Wreede, L. C., Fiocco, M., & Putter, H. (2010). The mstate package for estimation and prediction in non-and semi-parametric multi-state and competing risks models. *Computer Methods and Programs in Biomedicine*, 99(3), 261–274.

[27] Diggle, P., Henderson, R., & Philipson, P. (2009). Random effects models for joint analysis of repeated-measurement and time-to-event outcomes. In G. Fitzmaurice, M. Davidian, G. Verbeke, & G. Molenberghs (Eds.), *Longitudinal data analysis* chapter 15, (pp. 349–366). Chapman & Hall/CRC.

[28] Faucett, C. & Thomas, D. (1996). Simultaneously modelling censored survival data and repeatedly measured covariates: a Gibbs sampling approach. *Statistics in Medicine*, (pp. 1663–1685).

[29] Fine, J. P. & Gray, R. J. (1999). A proportional hazards model for the subdistribution of a competing risk. *Journal of the American Statistical Association*, 94(446), 496–509.

[30] Fontein, D. B. Y., Grand, M. K., Nortier, J. W. R., Seynaeve, C., Kranenbarg, E. M.-K., Dirix, L. Y., van de Velde, C. J. H., & Putter, H. (2015). Dynamic prediction in breast cancer: proving feasibility in clinical practice using the team trial. *Annals of Oncology*, 26(6), 1254–1262.

[31] Foster, S. & Vitale, A. (2013). *Diagnosis & Treatment of Uveitis*. JP Medical Ltd.

[32] Galper, S., Blood, E., Gelman, R., Abner, A., Recht, A., Kohli, A., Wong, J. S., Smith, D., Bellon, J., Connolly, J., et al. (2005). Prognosis after local recurrence after conservative surgery and radiation for early-stage breast cancer. *International Journal of Radiation Oncology, Biology, Physics*, 61(2), 348–357.

[33] Gerds, T. A., Scheike, T. H., & Andersen, P. K. (2012). Absolute risk regression for competing risks: interpretation, link functions, and prediction. *Statistics in Medicine*, 31(29), 3921–3930.

[34] Geskus, R. B. (2011). Cause-specific cumulative incidence estimation and the Fine and Gray model under both left truncation and right censoring. *Biometrics*, 67, 39–49.

[35] Grand, M. K. & Putter, H. (2016). Regression models for expected length of stay. *Statistics in Medicine*, 35(7), 1178–1192.

[36] Grand, M. K. & Putter, H. (2018). Dynamic prediction of cumulative incidence functions by direct binomial regression. *Biometrical Journal*, 35(7), 1178–1192.

[37] Grand, M. K., Putter, H., Allignol, A., & Andersen, P. K. (2018a). A note on pseudo-observations and left-truncation. *Biometrical Journal*, 61(2), 290–298.

[38] Grand, M. K., Vermeer, K. A., Missotten, T., & Putter, H. (2018b). A joint model for dynamic prediction in uveitis. *Statistics in Medicine*, to appear.

[39] Graw, F., Gerds, T., & Schumacher, M. (2009). On pseudo-values for regression analysis in competing risks models. *Lifetime Data Analysis*, 15, 241–255.

[40] Green, A., Hauge, M., Holm, N. V., & Rasch, L. L. (1981). Epidemiological studies of diabetes mellitus in denmark. ii. a prevalence study based on insulin prescriptions. *Diabetologia*, 20, 468–470.

[41] Green, A. & Hougaard, P. (1984). Epidemiological studies of diabetes mellitus in denmark: 5. mortality and causes of death among insulin-treated diabetic patients. *Diabetologia*, 26, 190–194.

[42] Grøn, R. & Gerds, T. A. (2013). Binomial regression models. In J. P. Klein, H. C. van Houwelingen, J. G. Ibrahim, & T. H. Scheike (Eds.), *Handbook of Survival Analysis*. Chapman&Hall /CRC Press, Boca Raton.

[43] Gruttola, V. D. & Ming Tu, X. (1994). Modelling progression of CD4-lymphocyte count and its relationship to survival time. *Biometrics*, 50(4), 1003–1014.

[44] Gueorguieva, R., Rosenheck, R., & Lin, H. (2012). Joint modelling of longitudinal outcome and interval-censored competing risk dropout in a schizophrenia clinical trial. *Journal of the Royal Statistical Society. Series A*, 175(2), 417–433.

[45] Halekoh, U., Højsgaard, S., & Yan, J. (2006). The R package geepack for generalized estimating equations. *Journal of Statistical Software*, 15.

[46] Heinze, G. & Schemper, M. (2002). A solution to the problem of separation in logistic regression. *Statistics in Medicine*, 21, 2409–2419.

[47] Hougaard, P. & Madsen, E. (1985). Dynamic evaluation of short-term prognosis after myocardial infarction. *Statistics in Medicine*, 4(1), 29–38.

[48] Jacobsen, M. & Martinussen, T. (2016). A note on the large sample properties of estimators based on generalized linear models for correlated pseudo-observations. *Scandinavian Journal of Statistics*, 43(3), 845–862.

[49] Juster, F. & Suzman, R. (1995). An overview of the Health and Retirement Study. *The Journal of Human Resources*, 30, 7–56.

[50] Kaplan, E. L. & Meier, P. (1958). Nonparametric estimation from incomplete observations. *Journal of the American Statistical Association*, 53(282), 457–481.

[51] Karrison, T. (1987). Restricted mean life with adjustment for covariates. *Journal of the American Statistical Association*, 82(400), 1169–1176.

[52] Katz, S., Ford, A., Moskowitz, R., Jackson, B., & Jaffe, M. (1963). The index of ADL: a standardized measure of biological and psychosocial function. *Journal of the American Medical Association*, 185, 914–919.

[53] Klein, J. P. & Andersen, P. K. (2005). Regression modeling of competing risks data based on pseudovalues of the cumulative incidence function. *Biometrics*, 61, 223–229.

[54] Klein, J. P. & Moeschberger, M. L. (1997). *Survival analysis: techniques for censored and truncated data.* Springer Science & Business Media.

[55] Koul, H., Susarla, V., & Van Ryzin, J. (1981). Regression analysis with randomly right-censored data. *The Annals of Statistics*, (pp. 1276–1288).

[56] Kurland, B. F. & Heagerty, P. J. (2005). Directly parameterized regression conditioning on being alive: analysis of longitudinal data truncated by deaths. *Biostatistics*, 6, 241–258.

[57] Lai, T. L. & Ying, Z. (1994). A missing information principle and m-estimators in regression analysis with censored and truncated data. *The Annals of Statistics*, (pp. 1222–1255).

[58] Liang, K.-Y. & Zeger, S. L. (1986). Longitudinal data analysis using generalized linear models. *Biometrika*, 73, 13–22.

[59] Lin, D. Y. & Wei, L. J. (1989). The robust inference for the cox proportional hazards model. *Journal of the American Statistical Association*, 84, 1074–1078.

[60] McKeague, I. W. & Sasieni, P. D. (1994). A partly parametric additive risk model. *Biometrika*, 81, 501–514.

[61] Mook, S., Schmidt, M. K., Rutgers, E. J., van de Velde, A. O., Visser, O., Rutgers, S. M., Armstrong, N., van't Veer, L. J., & Ravdin, P. M. (2009). Calibration and discriminatory accuracy of prognosis calculation for breast cancer with the online adjuvant! program: a hospital-based retrospective cohort study. *The Lancet Oncology*, 10(11), 1070–1076.

[62] Müller, C. (2015). Nelson-Aalen and Aalen-Johansen estimators for randomly left-truncated and right-censored non-Markov multistate models with application to hospital epidemiology. MSc thesis, University of Ulm 2015.

[63] NABON 2012 (2011). Breast cancer guideline.

[64] Neri, A., Marrelli, D., Rossi, S., De Stefano, A., Mariani, F., De Marco, G., Caruso, S., Corso, G., Cioppa, T., Pinto, E., et al. (2007). Breast cancer local recurrence: risk factors and prognostic relevance of early time to recurrence. *World Journal of Surgery*, 31(1), 36–45.

[65] Nicolaie, M. A., Houwelingen, J. C., Witte, T. M., & Putter, H. (2013a). Dynamic prediction by landmarking in competing risks. *Statistics in Medicine*, 32(12), 2031–2047.

[66] Nicolaie, M. A., van Houwelingen, H. C., de Witte, T. M., & Putter, H. (2013b). Dynamic pseudo-observations: a robust approach to dynamic prediction in competing risks. *Biometrics*, 69, 1043–1052.

[67] Oakes, D. & Dasu, T. (1990). A note on residual life. *Biometrika*, 77, 409–410.

[68] Oeppen, J. & Vaupel, J. (2002). Broken limits to life expectancy. *Science*, 296, 1029–1031.

[69] Overgaard, M., Parner, E. T., & Pedersen, J. (2017). Asymptotic theory of generalized estimating equations based on jack-knife pseudo-observations. *The Annals of Statistics*, 45(5), 1988–2015.

[70] Proust-Lima, C. & Taylor, J. M. (2009). Development and validation of a dynamic prognostic tool for prostate cancer recurrence using repeated measures of posttreatment psa: a joint modeling approach. *Biostatistics*, 10(3), 535–549.

[71] Puhr, R., Heinze, G., Nold, M., Lusa, L., & Geroldinger, A. (2017). Firth's logistic regression with rare events: accurate effect estimates and predictions? *Statistics in Medicine*, 36(14), 2302–2317.

[72] Putter, H., Fiocco, M., & Geskus, R. (2007). Tutorial in biostatistics: competing risks and multi-state models. *Statistics in Medicine*, 26, 2277–2432.

[73] Putter, H. & van Houwelingen, H. C. (2017). Understanding landmarking and its relation with time-dependent cox regression. *Statistics in Biosciences*, 9(2), 489–503.

[74] Ravdin, P. M., Sicminoff, L. A., Davis, G. J., et al. (2001). Computer program to assist in making decisions about adjuvant therapy for women with early breast cancer. *Journal of Clinical Oncology*, 19(4), 980–991.

[75] Reuser, M., Bonneux, L., & Willekens, F. (2009). Smoking kills, obesity disables: a multistate approach of the US Health and Retirement Survey. *Obesity*, 17, 783–789.

[76] Rizopoulos, D. (2011). Dynamic predictions and prospective accuracy in joint models for longitudinal and time-to-event data. *Biometrics*, 67(3), 819–829.

[77] Rosen, P. R., Groshen, S., Saigo, P. E., Kinne, D. W., & Hellman, S. (1989). A long-term follow-up study of survival in stage i (T1N0M0) and stage ii (T1N1M0) breast carcinoma. *Journal of Clinical Oncology*, 7(3), 355–366.

[78] Rouanet, A., Helmer, C., Dartigues, J.-F., & Jacqmin-Gadda, H. (2017). Interpretation of mixed models and marginal models with cohort attrition due to death and drop-out. *Statistical Methods in Medical Research*.

[79] Rouanet, A., Joly, P., Dartigues, J.-F., Proust-Lima, C., & Jacqmin-Gadda, H. (2016). Joint latent class model for longitudinal data and interval-censored semi-competing events: Application to dementia. *Biometrics*, 72(4), 1123–1135.

[80] Rubin, D. & Little, R. (2002). Statistical analysis with missing data. *Hoboken, NJ: J Wiley & Sons*.

[81] Saphner, T., Tormey, D. C., & Gray, R. (1996). Annual hazard rates of recurrence for breast cancer after primary therapy. *Journal of Clinical Oncology*, 14(10), 2738–2746.

[82] Satten, G. A. & Datta, S. (2001). The Kaplan-Meier estimator as an inverse probability of censoring weighted average. *The American Statistician*, 55(3), 207–210.

[83] Scheike, T. H., Zhang, M.-J., & Gerds, T. A. (2008). Predicting cumulative incidence probability by direct binomial regression. *Biometrika*, 95, 205–220.

[84] Schluchter, M., Greene, T., & Beck, G. (2001). Analysis of change in the presence of informative censoring: Application to a longitudinal clinical trial of progressive renal disease. *Statistics in Medicine*, 20(7), 989–1007.

[85] Solomayer, E.-F., Diel, I., Meyberg, G., Gollan, C., & Bastert, G. (2000). Metastatic breast cancer: clinical course, prognosis and therapy related to the first site of metastasis. *Breast Cancer Research and Treatment*, 59(3), 271–278.

[86] Sweeting, M. J. & Thompson, S. G. (2011). Joint modelling of longitudinal and time-to-event data with application to predicting abdominal aortic aneurysm growth and rupture. *Biometrical Journal*, 53(5), 750–763.

[87] Tsiatis, A., De Gruttola, V., & Wulfsohn, M. (1995). Modeling the relationship of survival to longitudinal data measured with error - Applications to survival and CD4 counts in patients with aids. *Journal of the American Statistical Association*, 90(429), 27–37.

[88] Tukey, J. W. (1958). Bias and confidence in not quite so large samples. *Annals of Mathematical Statistics*, 29, 614.

[89] Turnbull, B. W. (1976). The empirical distribution function with arbitrarily grouped, censored and truncated data. *Journal of the Royal Statistical Society, Series B*, (pp. 290–295).

[90] Van de Velde, C. J., Rea, D., Seynaeve, C., Putter, H., Hasenburg, A., Vannetzel, J.-M., Paridaens, R., Markopoulos, C., Hozumi, Y., Hille, E. T., et al. (2011). Adjuvant tamoxifen and exemestane in early breast cancer (team): a randomised phase 3 trial. *The Lancet*, 377(9762), 321–331.

[91] Van der Sangen, M., Van de Poll-Franse, L., Roumen, R., Rutten, H., Coebergh, J., Vreugdenhil, G., & Voogd, A. (2006). The prognosis of patients with local recurrence more than five years after breast conservation therapy for invasive breast carcinoma. *European Journal of Surgical Oncology (EJSO)*, 32(1), 34–38.

[92] van Houwelingen, H. C. (2007). Dynamic prediction by landmarking in event history analysis. *Scandinavian Journal of Statistics*, 34(1), 70–85.

[93] van Houwelingen, H. C. & Le Cessie, S. (1990). Predictive value of statistical models. *Statistics in Medicine*, 9(11), 1303–1325.

[94] van Houwelingen, H. C. & Putter, H. (2008). Dynamic predicting by landmarking as an alternative for multi-state modeling: an application to acute lymphoid leukemia data. *Lifetime Data Analysis*, 14(4), 447.

[95] van Houwelingen, H. C. & Putter, H. (2012). *Dynamic prediction in clinical survival analysis*. Chapman&Hall /CRC Press, Boca Raton.

[96] van Houwelingen, H. C. & Putter, H. (2015). Comparison of stopped cox regression with direct methods such as pseudo-values and binomial regression. *Lifetime Data Analysis*, 21, 180–196.

[97] Veronesi, U., Marubini, E., Vecchio, M. D., Manzari, A., Andreola, S., Greco, M., Luini, A., Merson, M., Saccozzi, R., Rilke, F., & Salvadori, B. (1995). Local recurrences and distant metastases after conservative breast cancer treatments: partly independent events. *Journal of the National Cancer Institute*, 87(1), 19–27.

[98] Wu, M. C. & Carroll, R. J. (1988). Estimation and comparison of changes in the presence of informative right censoring by modeling the censoring. *Biometrics*, 44(1), 175–188.

[99] Wulfsohn, M. & Tsiatis, A. (1997). A joint model for survival and longitudinal data measured with error. *Biometrics*, 53(1), 330–339.

[100] Wynant, W. & Abrahamowicz, M. (2014). Impact of the model-building strategy on inference about nonlinear and time-dependent covariate effects in survival analysis. *Statistics in Medicine*, 33(19), 3318–3337.

[101] Yang, L., Yu, M., & Gao, S. (2016). Joint models for multiple longitudinal processes and time-to-event outcome. *Journal of Statistical Computation and Simulation*, 86(18), 3682–3700.

[102] Ye, W., Lin, X., & Taylor, J. (2008). A penalized likelihood approach to joint modeling of longitudinal measurements and time-to-event data. *Statistics and its Interface*, 1, 33–45.

[103] Yu, K.-D., Wu, J., Shen, Z.-Z., & Shao, Z.-M. (2012). Hazard of breast cancer-specific mortality among women with estrogen receptor-positive breast cancer after five years from diagnosis: implication for extended endocrine therapy. *The Journal of Clinical Endocrinology & Metabolism*, 97(12), E2201–E2209.

[104] Zhang, M. & Schaubel, D. E. (2011). Estimating differences in restricted mean lifetime using observational data subject to dependent censoring. *Biometrics*, 67(3), 740–749.

[105] Zheng, Y. & Heagerty, P. (2005). Partly conditional survival models for longitudinal data. *Biometrics*, 61, 379–391.

[106] Zucker, D. M. (1998). Restricted mean life with covariates: modification and extension of a useful survival analysis method. *Journal of the American Statistical Association*, 93(442), 702–709.