



Universiteit
Leiden
The Netherlands

Charge transport properties of Ru-complex molecules: the influence of humidity

Atesci, H.

Citation

Atesci, H. (2019, December 3). *Charge transport properties of Ru-complex molecules: the influence of humidity*. Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/81089>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/81089>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:
<http://hdl.handle.net/1887/81089>

Author: Atesci, H.

Title: Charge transport properties of Ru-complex molecules: the influence of humidity

Issue Date: 2019-12-03

Charge transport properties of Ru-complex molecules:
the influence of humidity

Charge transport properties of Ru-complex molecules: the influence of humidity

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. C.J.M.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op dinsdag 3 december 2019
klokke 12:30 uur

door

Hüseyin Ateşçi

geboren te Almelo
in 1990

Promotores: Prof. dr. ir. S.J. van der Molen
Prof. dr. J.M. van Ruitenbeek

Promotiecommissie: Prof. dr. ir. H.J.W. Zandvliet (Universiteit Twente)
Prof. dr. P.E. de Jongh (Universiteit Utrecht)
Prof. dr. M.A.G.J. Orrit
Prof. dr. E.R. Eliel

Casimir PhD series, Delft-Leiden 2019-42
ISBN number 978-90-8593-424-0
An electronic version of this thesis can be found at
<https://openaccess.leidenuniv.nl>

This work is part of the research program 'Quantum interference effects in single molecules' with project number 141, which is financed by the Netherlands Organization for Scientific Research (NWO). The research reported in this thesis was performed at Leiden University.



The cover image shows an impression of a **2-Ru-N** self-assembled monolayer being probed by an atomic force microscope, the tip of which is surrounded by a water meniscus. On the foreground, a detailed 3D ball-and-stick model of the **2-Ru-N** molecule surrounded by water molecules is displayed.

Contents

1 Introduction.....	1
1.1 History.....	2
1.2 Single-molecule techniques.....	2
1.3 Self-assembly techniques.....	4
1.4 Challenges: will molecular electronics replace current CMOS devices?	5
1.4.1 Electric fields during charge transport	5
1.4.2 High resistance	5
1.4.3 Why molecules should be used: intrinsic molecular properties.....	5
1.5 Molecules studied in this thesis	5
1.6 Outline of this thesis	7
2 Theory	8
2.1 Diffusive conductors.....	9
2.2 Ballistic conductors	9
2.3 Single-level model	10
2.4 Two-site model	13
2.5 Outlook.....	15
3 Sample preparation and experimental methods	16
3.1 Introduction.....	17
3.2 Sample preparation: molecular self-assembly	17
3.2.1 Cyclic voltammetry	18
3.3 Tip preparation	20
3.4 Conductive Atomic Force Microscopy (C-AFM).....	20
3.4.1 Force calibration.....	21
3.5 Experimental setup	22
3.5.1 Humidity-dependent measurements.....	23
3.5.2 Temperature-dependent measurements.....	23
3.6 I-V measurements and data analysis.....	23
3.7 Computational details	24
4. Switchable diode behavior in 2-Ru-N molecular layers.....	25
4.1 Introduction.....	26
4.2 Experiment	26
4.3 Results.....	27

4.4 Discussion	31
4.4.1 DFT calculations on 1-Ru-N in presence and absence of water	32
4.4.2 DFT calculations on 2-Ru-N in presence and absence of water	34
4.4.3 Incorporating tip radius and force dependent data	40
4.5 Conclusion	42
5. Switchable diode behavior in 2-Ru-N molecular layers with a Au top electrode	43
5.1 Introduction.....	44
5.2 Experiment	44
5.3 Results and discussion	45
5.4 Conclusion	54
6. Humidity-sensitive properties of ruthenium complex molecular junctions.....	55
6.1 Introduction.....	56
6.2 Experiment	56
6.3 Results.....	57
6.4 Discussion	59
6.5 Outlook.....	61
6.6 Conclusion	64
7. Correlation between ligand structure and charge-transport properties of dinuclear ruthenium complex molecular junctions	65
7.1 Introduction.....	66
7.2 Experiment	66
7.3 Results.....	67
7.4 Discussion	70
7.4.1 Ru-complex 2-Ru-N	70
7.4.2 Ru-complex 2-Ru-N-dec	71
7.4.3 Ru-complex 2-Ru-C	72
7.4.4 Hysteresis observed in 2-Ru-C.....	74
7.5 Conclusion	74
8. Double layers of Ru-complexes and outlook.....	76
8.1 Introduction.....	77
8.2 Experimental.....	77
8.3 Results and discussion	78
8.4 Conclusion	80
8.5 Outlook.....	80
Appendix	82

A.1 XPS characterization	82
A.2 AFM molecular height characterization	82
A.3 AFM surface topography characterization	83
A.4 Tip-radius-dependent measurements for 2-Ru-N at high humidity	85
A.5 Transport measurements on bare ITO	86
A.6 Temperature-dependent measurements for 2-Ru-N in humid conditions	86
A.7 Details on the Fermi-distribution-broadening calculations.....	87
Bibliography	89
Samenvatting.....	95
Curriculum vitae	97
List of publications.....	98
Acknowledgements	99