



Universiteit
Leiden
The Netherlands

Histone-DNA assemblies in archaea : shaping the genome on the edge of life

Henneman, B.

Citation

Henneman, B. (2019, December 4). *Histone-DNA assemblies in archaea : shaping the genome on the edge of life*. Retrieved from <https://hdl.handle.net/1887/81191>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/81191>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/81191> holds various files of this Leiden University dissertation.

Author: Henneman, B.

Title: Histone-DNA assemblies in archaea : shaping the genome on the edge of life

Issue Date: 2019-12-05

REFERENCES

-
1. Zillig W (1991) Comparative biochemistry of Archaea and Bacteria. *Curr Opin Gen Dev* 1(4):544-551.
 2. Eme L, Spang A, Lombard J, Stairs CW, & Ettema TJG (2017) Archaea and the origin of eukaryotes. *Nat Rev Microbiol* 15(12):711-723.
 3. Williams TA, Foster PG, Cox CJ, & Embley TM (2013) An archaeal origin of eukaryotes supports only two primary domains of life. *Nature* 504(7479):231-236.
 4. Cox CJ, Foster PG, Hirt RP, Harris SR, & Embley TM (2008) The archaeobacterial origin of eukaryotes. *Proc Natl Acad Sci USA* 105(51):20356-20361.
 5. Huet J, Schnabel R, Sentenac A, & Zillig W (1983) Archaeobacteria and eukaryotes possess DNA-dependent RNA polymerases of a common type. *EMBO J* 2(8):1291-1294.
 6. Lane WJ & Darst SA (2010) Molecular evolution of multisubunit RNA polymerases: structural analysis. *J Mol Biol* 395(4):686-704.
 7. Armache JP, *et al.* (2013) Promiscuous behaviour of archaeal ribosomal proteins: implications for eukaryotic ribosome evolution. *Nucleic Acids Res* 41(2):1284-1293.
 8. Petrov AS, *et al.* (2014) Evolution of the ribosome at atomic resolution. *Proc Natl Acad Sci USA* 111(28):10251-10256.
 9. Yutin N, Puigbo P, Koonin EV, & Wolf YI (2012) Phylogenomics of prokaryotic ribosomal proteins. *PLoS One* 7(5):e36972.
 10. Zaremba-Niedzwiedzka K, *et al.* (2017) Asgard archaea illuminate the origin of eukaryotic cellular complexity. *Nature* 541(7637):353-358.
 11. Dorman CJ (2013) Genome architecture and global gene regulation in bacteria: making progress towards a unified model? *Nat Rev Microbiol* 11(5):349-355.

12. Dame RT & Tark-Dame M (2016) Bacterial chromatin: converging views at different scales. *Curr Opin Cell Biol* 40:60-65.
13. Luijsterburg MS, White MF, van Driel R, & Dame RT (2008) The major architects of chromatin: architectural proteins in bacteria, archaea and eukaryotes. *Crit Rev Biochem Mol Biol* 43(6):393-418.
14. Woese CR & Fox GE (1977) Phylogenetic structure of the prokaryotic domain: the primary kingdoms. *Proc Natl Acad Sci USA* 74(11):5088-5090.
15. Woese CR, Kandler O, & Wheelis ML (1990) Towards a Natural System of Organisms - Proposal for the Domains Archaea, Bacteria, and Eucarya. *P Natl Acad Sci USA* 87(12):4576-4579.
16. Fox GE, *et al.* (1980) The Phylogeny of Prokaryotes. *Science* 209(4455):457-463.
17. Elkins JG, *et al.* (2008) A korarchaeal genome reveals insights into the evolution of the Archaea. *P Natl Acad Sci USA* 105(23):8102-8107.
18. Brochier-Armanet C, Boussau B, Gribaldo S, & Forterre P (2008) Mesophilic crenarchaeota: proposal for a third archaeal phylum, the Thaumarchaeota. *Nature Reviews Microbiology* 6(3):245-252.
19. Nunoura T, *et al.* (2011) Insights into the evolution of Archaea and eukaryotic protein modifier systems revealed by the genome of a novel archaeal group. *Nucleic Acids Research* 39(8):3204-3223.
20. Spang A, *et al.* (2015) Complex archaea that bridge the gap between prokaryotes and eukaryotes. *Nature* 521(7551):173-179.
21. Zaremba-Niedzwiedzka K, *et al.* (2017) Asgard archaea illuminate the origin of eukaryotic cellular complexity. *Nature* 541(7637):353.
22. Probst AJ, *et al.* (2018) Differential depth distribution of microbial function and putative symbionts through sediment-hosted aquifers in the deep terrestrial subsurface. *Nat Microbiol* 3(3):328-336.
23. Durbin AM & Teske A (2012) Archaea in organic-lean and organic-rich marine subsurface sediments: an environmental gradient reflected in distinct phylogenetic lineages. *Front Microbiol* 3.
24. Takai K & Horikoshi K (1999) Genetic diversity of archaea in deep-sea hydrothermal vent environments. *Genetics* 152(4):1285-1297.
25. Castelle CJ, *et al.* (2015) Genomic Expansion of Domain Archaea Highlights Roles for Organisms from New Phyla in Anaerobic Carbon Cycling. *Curr Biol* 25(6):690-701.
26. Baker BJ, *et al.* (2010) Enigmatic, ultrasmall, uncultivated Archaea. *P Natl Acad Sci USA* 107(19):8806-8811.
27. Castelle CJ & Banfield JF (2018) Major New Microbial Groups Expand Diversity and Alter our Understanding of the Tree of Life. *Cell* 172(6):1181-1197.
28. Meng J, *et al.* (2014) Genetic and functional properties of uncultivated MCG archaea assessed by metagenome and gene expression analyses. *Isme J* 8(3):650-659.
29. Vanwonterghem I, *et al.* (2016) Methylophilic methanogenesis discovered in the archaeal phylum Verstraetearchaeota. *Nat Microbiol* 1:16170.
30. Jay ZJ, *et al.* (2018) Marsarchaeota are an aerobic archaeal lineage abundant in geothermal iron oxide microbial mats. *Nat Microbiol* 3(6):732-740.
31. Kozubal MA, *et al.* (2013) Geoarchaeota: a new candidate phylum in the Archaea from high-temperature acidic iron mats in Yellowstone National Park. *Isme J* 7(3):622-634.
32. Sorokin DY, *et al.* (2017) Discovery of extremely halophilic, methyl-reducing euryarchaea provides insights into the evolutionary origin of methanogenesis. *Nat Microbiol* 2:17081.

References

33. Lazar CS, Baker BJ, Seitz KW, & Teske AP (2017) Genomic reconstruction of multiple lineages of uncultured benthic archaea suggests distinct biogeochemical roles and ecological niches. *Isme J* 11(5):1118-1129.
34. Baker BJ, *et al.* (2016) Genomic inference of the metabolism of cosmopolitan subsurface Archaea, Hadesarchaea (vol 1, 16002, 2016). *Nat Microbiol* 1(3).
35. Murray RG & Schleifer KH (1994) Taxonomic notes: a proposal for recording the properties of putative taxa of procaryotes. *Int J Syst Bacteriol* 44(1):174-176.
36. Murray RG & Stackebrandt E (1995) Taxonomic note: implementation of the provisional status Candidatus for incompletely described procaryotes. *Int J Syst Bacteriol* 45(1):186-187.
37. Euzéby JP, Tindall BJ, & International Committee on Systematics of P (2004) Status of strains that contravene Rules 27(3) and 30 of the Bacteriological Code. Request for an opinion. *Int J Syst Evol Microbiol* 54(Pt 1):293-301.
38. Dombrowski N, Lee JH, Williams TA, Offre P, & Spang A (2019) Genomic diversity, lifestyles and evolutionary origins of DPANN archaea. *FEMS Microbiol Lett* 366(2).
39. Rinke C, *et al.* (2013) Insights into the phylogeny and coding potential of microbial dark matter. *Nature* 499(7459):431-437.
40. Spang A, *et al.* (2013) Close encounters of the third domain: the emerging genomic view of archaeal diversity and evolution. *Archaea* 2013:202358.
41. Castelle CJ, *et al.* (2015) Genomic expansion of domain archaea highlights roles for organisms from new phyla in anaerobic carbon cycling. *Curr Biol* 25(6):690-701.
42. Saw JH, *et al.* (2015) Exploring microbial dark matter to resolve the deep archaeal ancestry of eukaryotes. *Philos Trans R Soc Lond B Biol Sci* 370(1678):20140328.
43. Spang A, Caceres EF, & Ettema TJG (2017) Genomic exploration of the diversity, ecology, and evolution of the archaeal domain of life. *Science* 357(6351).
44. Williams TA, *et al.* (2017) Integrative modeling of gene and genome evolution roots the archaeal tree of life. *Proc Natl Acad Sci USA* 114(23):E4602-E4611.
45. Aouad M, *et al.* (2018) Extreme halophilic archaea derive from two distinct methanogen Class II lineages. *Mol Phylogenet Evol* 127:46-54.
46. Da Cunha V, Gaia M, Gabelle D, Nasir A, & Forterre P (2017) Lokiarchaea are close relatives of Euryarchaeota, not bridging the gap between prokaryotes and eukaryotes. *Plos Genet* 13(6).
47. Eme L, Spang A, Lombard J, Stairs CW, & Ettema TJG (2017) Archaea and the origin of eukaryotes. *Nat Rev Microbiol* 15(12):711-723.
48. Koumandou VL, *et al.* (2013) Molecular paleontology and complexity in the last eukaryotic common ancestor. *Crit Rev Biochem Mol* 48(4):373-396.
49. Eme L, Sharpe SC, Brown MW, & Roger AJ (2014) On the Age of Eukaryotes: Evaluating Evidence from Fossils and Molecular Clocks. *Csh Perspect Biol* 6(8).
50. Martin W & Koonin EV (2006) Introns and the origin of nucleus-cytosol compartmentalization. *Nature* 440(7080):41-45.
51. Shabalina SA & Koonin EV (2008) Origins and evolution of eukaryotic RNA interference. *Trends Ecol Evol* 23(10):578-587.
52. Yang D, Oyaizu Y, Oyaizu H, Olsen GJ, & Woese CR (1985) Mitochondrial Origins. *P Natl Acad Sci USA* 82(13):4443-4447.
53. Gray MW (2012) Mitochondrial Evolution. *Csh Perspect Biol* 4(9).
54. Lykidis A (2007) Comparative genomics and evolution of eukaryotic phospholipid biosynthesis. *Prog Lipid Res* 46(3-4):171-199.
55. Villanueva L, Schouten S, & Damste JSS (2017) Phylogenomic analysis of lipid biosynthetic

- genes of Archaea shed light on the “lipid divide”. *Environ Microbiol* 19(1):54-69.
56. Lombard J, Lopez-Garcia P, & Moreira D (2012) An ACP-Independent Fatty Acid Synthesis Pathway in Archaea: Implications for the Origin of Phospholipids. *Mol Biol Evol* 29(11):3261-3265.
 57. Dibrova DV, Galperin MY, & Mulkidjanian AY (2014) Phylogenomic reconstruction of archaeal fatty acid metabolism. *Environ Microbiol* 16(4):907-918.
 58. Salcher MM, *et al.* (2019) Visualization of Loki- and Heimdallarchaeia (Asgardarchaeota) by fluorescence in situ hybridization and catalyzed reporter deposition (CARD-FISH). bioRxiv Preprint.
 59. Makarova KS, Yutin N, Bell SD, & Koonin EV (2010) Evolution of diverse cell division and vesicle formation systems in Archaea. *Nature Reviews Microbiology* 8(10):731-741.
 60. Yutin N & Koonin EV (2012) Archaeal origin of tubulin. *Biol Direct* 7.
 61. Ettema TJG, Lindas AC, & Bernander R (2011) An actin-based cytoskeleton in archaea. *Mol Microbiol* 80(4):1052-1061.
 62. Makarova KS & Koonin EV (2010) Archaeal Ubiquitin-Like Proteins: Functional Versatility and Putative Ancestral Involvement in tRNA Modification Revealed by Comparative Genomic Analysis. *Archaea-an International Microbiological Journal*.
 63. Adam PS, Borrel G, Brochier-Armanet C, & Gribaldo S (2017) The growing tree of Archaea: new perspectives on their diversity, evolution and ecology. *Isme J* 11(11):2407-2425.
 64. Dridi B, Raoult D, & Drancourt M (2011) Archaea as emerging organisms in complex human microbiomes. *Anaerobe* 17(2):56-63.
 65. Koskinen K, *et al.* (2017) First Insights into the Diverse Human Archaeome: Specific Detection of Archaea in the Gastrointestinal Tract, Lung, and Nose and on Skin. *mBio* 8(6).
 66. Moissl-Eichinger C, *et al.* (2018) Archaea Are Interactive Components of Complex Microbiomes. *Trends Microbiol* 26(1):70-85.
 67. Perez-Chaparro PJ, *et al.* (2014) Newly identified pathogens associated with periodontitis: a systematic review. *J Dent Res* 93(9):846-858.
 68. Drancourt M, *et al.* (2017) Evidence of Archaeal Methanogens in Brain Abscess. *Clin Infect Dis* 65(1):1-5.
 69. Lecours PB, *et al.* (2014) Increased Prevalence of *Methanosphaera stadtmanae* in Inflammatory Bowel Diseases. *Plos One* 9(2).
 70. Brugere JE, *et al.* (2014) Archaeobiotics Proposed therapeutic use of archaea to prevent trimethylaminuria and cardiovascular disease. *Gut Microbes* 5(1):5-10.
 71. Huber H, *et al.* (2002) A new phylum of Archaea represented by a nanosized hyperthermophilic symbiont. *Nature* 417(6884):63-67.
 72. Waters E, *et al.* (2003) The genome of *Nanoarchaeum equitans*: Insights into early archaeal evolution and derived parasitism. *P Natl Acad Sci USA* 100(22):12984-12988.
 73. Offre P, Spang A, & Schleper C (2013) Archaea in Biogeochemical Cycles. *Annu Rev Microbiol* 67:437-457.
 74. Berg IA, *et al.* (2010) Autotrophic carbon fixation in archaea. *Nature Reviews Microbiology* 8(6):447-460.
 75. Chen LX, *et al.* (2018) Metabolic versatility of small archaea Micrarchaeota and Parvarchaeota. *Isme J* 12(3):756-775.
 76. Iverson V, *et al.* (2012) Untangling genomes from metagenomes: revealing an uncultured class of marine Euryarchaeota. *Science* 335(6068):587-590.
 77. Liu Y & Whitman WB (2008) Metabolic, phylogenetic, and ecological diversity of the methanogenic archaea. *Ann N Y Acad Sci* 1125:171-189.

References

78. Knittel K & Boetius A (2009) Anaerobic oxidation of methane: progress with an unknown process. *Annu Rev Microbiol* 63:311-334.
79. Milucka J, *et al.* (2012) Zero-valent sulphur is a key intermediate in marine methane oxidation. *Nature* 491(7425):541-546.
80. Beal EJ, House CH, & Orphan VJ (2009) Manganese- and iron-dependent marine methane oxidation. *Science* 325(5937):184-187.
81. Cabello P, Roldan MD, & Moreno-Vivian C (2004) Nitrate reduction and the nitrogen cycle in archaea. *Microbiology* 150(Pt 11):3527-3546.
82. Dekas AE, Poretsky RS, & Orphan VJ (2009) Deep-sea archaea fix and share nitrogen in methane-consuming microbial consortia. *Science* 326(5951):422-426.
83. Mancinelli RL & Hochstein LI (1986) The occurrence of denitrification in extremely halophilic bacteria. *FEMS Microbiol Lett* 35:55-58.
84. Duan PP, Fan CH, Zhang QQ, & Xiong ZQ (2019) Overdose fertilization induced ammonia-oxidizing archaea producing nitrous oxide in intensive vegetable fields. *Sci Total Environ* 650:1787-1794.
85. Sorokin DY, *et al.* (2012) Sulfidogenesis in hypersaline chloride-sulfate lakes of Kulunda Steppe (Altai, Russia). *FEMS Microbiol Ecol* 79(2):445-453.
86. Rawlings DE (2002) Heavy metal mining using microbes. *Annu Rev Microbiol* 56:65-91.
87. Werner F & Grohmann D (2011) Evolution of multisubunit RNA polymerases in the three domains of life. *Nature Reviews Microbiology* 9(2):85-98.
88. Werner F (2013) Molecular Mechanisms of Transcription Elongation in Archaea. *Chem Rev* 113(11):8331-8349.
89. Grohmann D & Werner F (2011) Cycling through transcription with the RNA polymerase F/E (RPB4/7) complex: structure, function and evolution of archaeal RNA polymerase. *Res Microbiol* 162(1):10-18.
90. Gehring AM, Walker JE, & Santangelo TJ (2016) Transcription Regulation in Archaea. *J Bacteriol* 198(14):1906-1917.
91. Martinez-Pastor M, Tonner PD, Darnell CL, & Schmid AK (2017) Transcriptional Regulation in Archaea: From Individual Genes to Global Regulatory Networks. *Annu Rev Genet* 51:143.
92. Bell SD (2005) Archaeal transcriptional regulation - variation on a bacterial theme? *Trends Microbiol* 13(6):262-265.
93. Peeters E, Peixeiro N, & Sezonov G (2013) Cis-regulatory logic in archaeal transcription. *Biochem Soc T* 41:326-331.
94. Nagy J, *et al.* (2015) Complete architecture of the archaeal RNA polymerase open complex from single-molecule FRET and NPS. *Nat Commun* 6.
95. Schulz S, *et al.* (2016) TFE and Spt4/5 open and close the RNA polymerase clamp during the transcription cycle. *P Natl Acad Sci USA* 113(13):E1816-E1825.
96. Blombach F, Smollett KL, Grohmann D, & Werner F (2016) Molecular Mechanisms of Transcription Initiation-Structure, Function, and Evolution of TFE/TFIIE-Like Factors and Open Complex Formation. *J Mol Biol* 428(12):2592-2606.
97. Martinez-Rucobo FW, Sainsbury S, Cheung ACM, & Cramer P (2011) Architecture of the RNA polymerase-Spt4/5 complex and basis of universal transcription processivity. *EMBO Journal* 30(7):1302-1310.
98. Sanders TJ, *et al.* (2019) TFS and Spt4/5 accelerate transcription through archaeal histone-based chromatin. *Mol Microbiol* 111(3):784-797.
99. Grohmann D, *et al.* (2011) The Initiation Factor TFE and the Elongation Factor Spt4/5

- Compete for the RNAP Clamp during Transcription Initiation and Elongation. *Mol Cell* 43(2):263-274.
100. Smollett K, Blombach F, Reichelt R, Thomm M, & Werner F (2017) A global analysis of transcription reveals two modes of Spt4/5 recruitment to archaeal RNA polymerase. *Nat Microbiol* 2(5).
 101. Santangelo TJ & Reeve JN (2006) Archaeal RNA polymerase is sensitive to intrinsic termination directed by transcribed and remote sequences. *J Mol Biol* 355(2):196-210.
 102. Santangelo TJ, Cubonova L, Skinner KM, & Reeve JN (2009) Archaeal intrinsic transcription termination *in vivo*. *J Bacteriol* 191(22):7102-7108.
 103. Maier LK & Marchfelder A (2019) It's all about the T: transcription termination in archaea. *Biochem Soc Trans* 47(1):461-468.
 104. Walker JE, Luyties O, & Santangelo TJ (2017) Factor-dependent archaeal transcription termination. *P Natl Acad Sci USA* 114(33):E6767-E6773.
 105. Karr EA (2014) Transcription regulation in the third domain. *Adv Appl Microbiol* 89:101-133.
 106. Ouhammouch M & Geiduschek EP (2005) An expanding family of archaeal transcriptional activators. *Proc Natl Acad Sci USA* 102(43):15423-15428.
 107. Peeters E, Thia-Toong TL, Gigot D, Maes D, & Charlier D (2004) Ss-LrpB, a novel Lrp-like regulator of *Sulfolobus solfataricus* P2, binds cooperatively to three conserved targets in its own control region. *Mol Microbiol* 54(2):321-336.
 108. Weidenbach K, Ehlers C, Kock J, & Schmitz RA (2010) NrpRII mediates contacts between NrpRI and general transcription factors in the archaeon *Methanosarcina mazei* Go1. *FEBS J* 277(21):4398-4411.
 109. Koide T, *et al.* (2009) Prevalence of transcription promoters within archaeal operons and coding sequences. *Mol Syst Biol* 5.
 110. Lee SJ, *et al.* (2005) TrmB, a sugar sensing regulator of ABC transporter genes in *Pyrococcus furiosus* exhibits dual promoter specificity and is controlled by different inducers. *Mol Microbiol* 57(6):1797-1807.
 111. Todor H, Sharma K, Pittman AMC, & Schmid AK (2013) Protein-DNA binding dynamics predict transcriptional response to nutrients in archaea. *Nucleic Acids Research* 41(18):8546-8558.
 112. Perez-Rueda E & Janga SC (2010) Identification and Genomic Analysis of Transcription Factors in Archaeal Genomes Exemplifies Their Functional Architecture and Evolutionary Origin. *Mol Biol Evol* 27(6):1449-1459.
 113. Baliga NS, *et al.* (2000) Is gene expression in *Halobacterium* NRC-1 regulated by multiple TBP and TFB transcription factors? *Mol Microbiol* 36(5):1184-1185.
 114. Babski J, *et al.* (2014) Small regulatory RNAs in Archaea. *RNA Biol* 11(5):484-493.
 115. Maupin-Furlow JA (2013) Archaeal proteasomes and sumpylation. *Subcell Biochem* 66:297-327.
 116. Visone V, *et al.* (2014) Chromatin Structure and Dynamics in Hot Environments: Architectural Proteins and DNA Topoisomerases of Thermophilic Archaea. *Int J Mol Sci* 15(9):17162-17187.
 117. Peeters E, Driessen RPC, Werner F, & Dame RT (2015) The interplay between nucleoid organization and transcription in archaeal genomes. *Nature Reviews Microbiology* 13(6):333-341.
 118. Laurens N, *et al.* (2012) Alba shapes the archaeal genome using a delicate balance of bridging and stiffening the DNA. *Nat Commun* 3.
 119. Bell SD, Botting CH, Wardleworth BN, Jackson SP, & White MF (2002) The interaction of

References

- Alba, a conserved archaeal, chromatin protein, with Sir2 and its regulation by acetylation. *Science* 296(5565):148-151.
120. Cao JJ, Wang Q, Liu T, Peng N, & Huang L (2018) Insights into the post-translational modifications of archaeal Sis10b (Alba): lysine-16 is methylated, not acetylated, and this does not regulate transcription or growth. *Mol Microbiol* 109(2):192-208.
121. van der Valk RA, Vreede J, Cremazy F, & Dame RT (2014) Genomic looping: a key principle of chromatin organization. *J Mol Microbiol Biotechnol* 24(5-6):344-359.
122. Liu Y, Chen H, Kenney LJ, & Yan J (2010) A divalent switch drives H-NS/DNA-binding conformations between stiffening and bridging modes. *Genes Dev* 24(4):339-344.
123. van der Valk RA, *et al.* (2017) Mechanism of environmentally driven conformational changes that modulate H-NS DNA-bridging activity. *eLife* 6.
124. Kalichuk V, *et al.* (2016) The archaeal "7 kDa DNA-binding" proteins: extended characterization of an old gifted family. *Sci Rep-Uk* 6.
125. Driessen RP, *et al.* (2013) Crenarchaeal chromatin proteins Cren7 and Sul7 compact DNA by inducing rigid bends. *Nucleic Acids Res* 41(1):196-205.
126. Hsu CH & Wang AH (2011) The DNA-recognition fold of Sso7c4 suggests a new member of SpoVT-AbrB superfamily from archaea. *Nucleic Acids Res* 39(15):6764-6774.
127. Driessen RP, *et al.* (2016) Diverse architectural properties of Sso10a proteins: Evidence for a role in chromatin compaction and organization. *Sci Rep* 6:29422.
128. Luo X, *et al.* (2007) CC1, a novel crenarchaeal DNA binding protein. *J Bacteriol* 189(2):403-409.
129. Le Cam E, Culard F, Larquet E, Delain E, & Cognet JAH (1999) DNA bending induced by the archaeobacterial histone-like protein MC1. *Journal of Molecular Biology* 285(3):1011-1021.
130. Bayer B, *et al.* (2016) Physiological and genomic characterization of two novel marine thaumarchaeal strains indicates niche differentiation. *Isme J* 10(5):1051-1063.
131. Bridger SL, Lancaster WA, Poole FL, Schut GJ, & Adams MWW (2012) Genome Sequencing of a Genetically Tractable *Pyrococcus furiosus* Strain Reveals a Highly Dynamic Genome. *J Bacteriol* 194(15):4097-4106.
132. Cai SF, *et al.* (2012) Identification of the Haloarchaeal Phasin (PhaP) That Functions in Polyhydroxyalkanoate Accumulation and Granule Formation in *Haloferax mediterranei*. *Appl Environ Microb* 78(6):1946-1952.
133. Kamashev D, *et al.* (2017) Comparison of histone-like HU protein DNA-binding properties and HU/IHF protein sequence alignment. *Plos One* 12(11).
134. Henneman B, van Emmerik C, van Ingen H, & Dame RT (2018) Structure and function of archaeal histones. *Plos Genet* 14(9):e1007582.
135. Luger K, Mader AW, Richmond RK, Sargent DF, & Richmond TJ (1997) Crystal structure of the nucleosome core particle at 2.8 Å resolution. *Nature* 389(6648):251-260.
136. Kornberg RD (1974) Chromatin structure: a repeating unit of histones and DNA. *Science* 184(4139):868-871.
137. Decanniere K, Babu AM, Sandman K, Reeve JN, & Heinemann U (2000) Crystal structures of recombinant histones HMfA and HMfB from the hyperthermophilic archaeon *Methanothermus fervidus*. *J Mol Biol* 303(1):35-47.
138. Sandman K & Reeve JN (2006) Archaeal histones and the origin of the histone fold. *Curr Opin Microbiol* 9(5):520-525.
139. Arents G, Burlingame RW, Wang BC, Love WE, & Moudrianakis EN (1991) The nucleosomal core histone octamer at 3.1 Å resolution: a tripartite protein assembly and a left-handed superhelix. *Proc Natl Acad Sci USA* 88(22):10148-10152.

140. Henneman B & Dame RT (2015) Archaeal histones: dynamic and versatile genome architects. *Aims Microbiol* 1(1):72-81.
141. Malik HS & Henikoff S (2003) Phylogenomics of the nucleosome. *Nat Struct Biol* 10(11):882-891.
142. Katan AJ, Vlijm R, Lusser A, & Dekker C (2015) Dynamics of nucleosomal structures measured by high-speed atomic force microscopy. *Small* 11(8):976-984.
143. Levchenko V, Jackson B, & Jackson V (2005) Histone release during transcription: displacement of the two H2A-H2B dimers in the nucleosome is dependent on different levels of transcription-induced positive stress. *Biochemistry* 44(14):5357-5372.
144. Hamiche A, *et al.* (1996) Interaction of the histone (H3-H4)₂ tetramer of the nucleosome with positively supercoiled DNA minicircles: Potential flipping of the protein from a left- to a right-handed superhelical form. *Proc Natl Acad Sci USA* 93(15):7588-7593.
145. Arimura Y, Tachiwana H, Oda T, Sato M, & Kurumizaka H (2012) Structural analysis of the hexasome, lacking one histone H2A/H2B dimer from the conventional nucleosome. *Biochemistry* 51(15):3302-3309.
146. Bednar J, *et al.* (2017) Structure and Dynamics of a 197 bp Nucleosome in Complex with Linker Histone H1. *Mol Cell* 66(3):384-397 e388.
147. Zhou BR, *et al.* (2013) Structural insights into the histone H1-nucleosome complex. *P Natl Acad Sci USA* 110(48):19390-19395.
148. Cutter AR & Hayes JJ (2017) Linker histones: novel insights into structure-specific recognition of the nucleosome. *Biochem Cell Biol* 95(2):171-178.
149. Robinson PJ & Rhodes D (2006) Structure of the '30 nm' chromatin fibre: a key role for the linker histone. *Curr Opin Struct Biol* 16(3):336-343.
150. Shogren-Knaak M, *et al.* (2006) Histone H4-K16 acetylation controls chromatin structure and protein interactions. *Science* 311(5762):844-847.
151. Pepenella S, Murphy KJ, & Hayes JJ (2014) A distinct switch in interactions of the histone H4 tail domain upon salt-dependent folding of nucleosome arrays. *J Biol Chem* 289(39):27342-27351.
152. Zhang R, Erler J, & Langowski J (2017) Histone Acetylation Regulates Chromatin Accessibility: Role of H4K16 in Inter-nucleosome Interaction. *Biophys J* 112(3):450-459.
153. Zhao Y & Garcia BA (2015) Comprehensive Catalog of Currently Documented Histone Modifications. *Cold Spring Harb Perspect Biol* 7(9):a025064.
154. Jenuwein T & Allis CD (2001) Translating the histone code. *Science* 293(5532):1074-1080.
155. Kouzarides T (2007) Chromatin modifications and their function. *Cell* 128(4):693-705.
156. Kalashnikova AA, Porter-Goff ME, Muthurajan UM, Luger K, & Hansen JC (2013) The role of the nucleosome acidic patch in modulating higher order chromatin structure. *J R Soc Interface* 10(82):20121022.
157. Zhou J, Fan JY, Rangasamy D, & Tremethick DJ (2007) The nucleosome surface regulates chromatin compaction and couples it with transcriptional repression. *Nat Struct Mol Biol* 14(11):1070-1076.
158. Dorigo B, Schalch T, Bystricky K, & Richmond TJ (2003) Chromatin fiber folding: requirement for the histone H4 N-terminal tail. *J Mol Biol* 327(1):85-96.
159. Peeters E, Driessen RPC, Werner F, & Dame RT (2015) The interplay between nucleoid organization and transcription in archaeal genomes. *Nature Rev Microbiol* 13(6):333-341.
160. Bailey KA, Marc F, Sandman K, & Reeve JN (2002) Both DNA and histone fold sequences contribute to archaeal nucleosome stability. *J Biol Chem* 277(11):9293-9301.
161. Luger K, Dechassa ML, & Tremethick DJ (2012) New insights into nucleosome and chroma-

References

- tin structure: an ordered state or a disordered affair? *Nature reviews. Molecular cell biology* 13(7):436-447.
162. Pereira SL, Grayling RA, Lurz R, & Reeve JN (1997) Archaeal nucleosomes. *Proc Natl Acad Sci USA* 94(23):12633-12637.
163. Pereira SL & Reeve JN (1999) Archaeal nucleosome positioning sequence from *Methanothermobacter fervidus*. *J Mol Biol* 289(4):675-681.
164. Bailey KA, Pereira SL, Widom J, & Reeve JN (2000) Archaeal histone selection of nucleosome positioning sequences and the procaryotic origin of histone-dependent genome evolution. *J Mol Biol* 303(1):25-34.
165. Maruyama H, *et al.* (2013) An alternative beads-on-a-string chromatin architecture in *Thermococcus kodakarensis*. *EMBO Rep* 14(8):711-717.
166. Xie Y & Reeve JN (2004) Transcription by an archaeal RNA polymerase is slowed but not blocked by an archaeal nucleosome. *J Bact* 186(11):3492-3498.
167. Sandman K & Reeve JN (2006) Archaeal histones and the origin of the histone fold. *Curr Opin Microbiol* 9(5):520-525.
168. Li WT, Sandman K, Pereira SL, & Reeve JN (2000) MJ1647, an open reading frame in the genome of the hyperthermophile *Methanococcus jannaschii*, encodes a very thermostable archaeal histone with a C-terminal extension. *Extremophiles* 4(1):43-51.
169. Hartman AL, *et al.* (2010) The complete genome sequence of *Haloferax volcanii* DS2, a model archaeon. *PLoS One* 5(3):e9605.
170. Fahrner RL, Cascio D, Lake JA, & Slesarev A (2001) An ancestral nuclear protein assembly: crystal structure of the *Methanopyrus kandleri* histone. *Prot Science* 10(10):2002-2007.
171. Marc F, Sandman K, Lurz R, & Reeve JN (2002) Archaeal histone tetramerization determines DNA affinity and the direction of DNA supercoiling. *J Biol Chem* 277(34):30879-30886.
172. Ammar R, *et al.* (2012) Chromatin is an ancient innovation conserved between Archaea and Eukarya. *eLife* 2012(1):1-11.
173. Warnecke T, Becker EA, Facciotti MT, Nislow C, & Lehner B (2013) Conserved Substitution Patterns around Nucleosome Footprints in Eukaryotes and Archaea Derive from Frequent Nucleosome Repositioning through Evolution. *PLoS Comp Biol* 9(11):9-14.
174. Kaplan N, *et al.* (2009) The DNA-encoded nucleosome organization of a eukaryotic genome. *Nature* 458(7236):362-366.
175. Struhl K & Segal E (2013) Determinants of nucleosome positioning. *Nat Struct Mol Biol* 20(3):267-273.
176. Das C & Tyler JK (2013) Histone exchange and histone modifications during transcription and aging. *Biochim Biophys Acta* 1819:332-342.
177. Sandman K & Reeve JN (2005) Archaeal chromatin proteins: different structures but common function? *Curr Opin Microbiol* 8(6):656-661.
178. Sandman K, Krzycki JA, Dobrinski B, Lurz R, & Reeve JN (1990) HMF, a DNA-binding protein isolated from the hyperthermophilic archaeon *Methanothermobacter fervidus*, is most closely related to histones. *Proc Natl Acad Sci USA* 87(15):5788-5791.
179. Dame RT (2005) The role of nucleoid-associated proteins in the organization and compaction of bacterial chromatin. *Mol Microbiol* 56(4):858-870.
180. Hofmann A & Heermann DW (2015) The role of loops on the order of eukaryotes and prokaryotes. *FEBS letters* 589(20 Pt A):2958-2965.
181. Arents G & Moudrianakis EN (1995) The histone fold: a ubiquitous architectural motif utilized in DNA compaction and protein dimerization. *Proc Natl Acad Sci USA* 92(24):11170-11174.

182. Malik HS & Henikoff S (2003) Phylogenomics of the nucleosome. *Nat Struct Biol* 10(11):882-891.
183. Sandman K, Pereira SL, & Reeve JN (1998) Diversity of prokaryotic chromosomal proteins and the origin of the nucleosome. *Cell Mol Life Sci* 54(12):1350-1364.
184. Ng WV, *et al.* (2000) Genome sequence of Halobacterium species NRC-1. *Proc Natl Acad Sci USA* 97(22):12176-12181.
185. Dulmage KA, Todor H, & Schmid AK (2015) Growth-Phase-Specific Modulation of Cell Morphology and Gene Expression by an Archaeal Histone Protein. *mBio* 6(5):e00649-00615.
186. Becker EA, *et al.* (2014) Phylogenetically driven sequencing of extremely halophilic archaea reveals strategies for static and dynamic osmo-response. *Plos Genet* 10(11):e1004784.
187. Stoltzfus A (1999) On the possibility of constructive neutral evolution. *J Mol Evol* 49(2):169-181.
188. Lynch M & Force A (2000) The probability of duplicate gene preservation by subfunctionalization. *Genetics* 154(1):459-473.
189. Ausio J (2006) Histone variants--the structure behind the function. *Brief Funct Genomic Proteomic* 5(3):228-243.
190. Marzluff WF & Duronio RJ (2002) Histone mRNA expression: multiple levels of cell cycle regulation and important developmental consequences. *Curr Opin Cell Biol* 14(6):692-699.
191. Weber CM & Henikoff S (2014) Histone variants: dynamic punctuation in transcription. *Genes Dev* 28(7):672-682.
192. Henikoff S & Smith MM (2015) Histone variants and epigenetics. *Cold Spring Harb Perspect Biol* 7(1):a019364.
193. Sandman K, Krzycki JA, Dobrinski B, Lurz R, & Reeve JN (1990) HMf, a DNA-binding protein isolated from the hyperthermophilic archaeon *Methanothermus fervidus*, is most closely related to histones. *Proc Natl Acad Sci USA* 87(15):5788-5791.
194. Nishida H & Oshima T (2017) Archaeal histone distribution is associated with archaeal genome base composition. *J Gen Appl Microbiol* 63(1):28-35.
195. van der Valk RA, Laurens N, & Dame RT (2017) Tethered Particle Motion Analysis of the DNA Binding Properties of Architectural Proteins. *Methods Mol Biol* 1624:127-143.
196. Maruyama H, *et al.* (2013) An alternative beads-on-a-string chromatin architecture in *Thermococcus kodakarensis*. *EMBO Reports* 14(8):711-717.
197. Mattioli F, *et al.* (2017) Structure of histone-based chromatin in Archaea. *Science* 357(6351):609-611.
198. Fricke WF, *et al.* (2006) The genome sequence of *Methanosphaera stadtmanae* reveals why this human intestinal archaeon is restricted to methanol and H₂ for methane formation and ATP synthesis. *J Bacteriol* 188(2):642-658.
199. Hoedt EC, *et al.* (2018) Culture- and metagenomics-enabled analyses of the *Methanosphaera* genus reveals their monophyletic origin and differentiation according to genome size. *Isme J* 12(12):2942-2953.
200. Xue H, Guo R, Wen YF, Liu DX, & Huang L (2000) An abundant DNA binding protein from the hyperthermophilic archaeon *Sulfolobus shibatae* affects DNA supercoiling in a temperature-dependent fashion. *J Bacteriol* 182(14):3929-3933.
201. Driessen RPC & Dame RT (2011) Nucleoid-associated proteins in Crenarchaea. *Biochem Soc T* 39:116-121.
202. Driessen RP & Dame RT (2013) Structure and dynamics of the crenarchaeal nucleoid. *Biochem Soc Trans* 41(1):321-325.
203. White MF & Bell SD (2002) Holding it together: chromatin in the Archaea. *Trends Genet*

References

- 18(12):621-626.
204. O'Neill LP & Turner BM (1995) Histone H4 acetylation distinguishes coding regions of the human genome from heterochromatin in a differentiation-dependent but transcription-independent manner. *EMBO J* 14(16):3946-3957.
205. Reeve JN (2003) Archaeal chromatin and transcription. *Mol Microbiol* 48(3):587-598.
206. Beltrao P, Bork P, Krogan NJ, & van Noort V (2013) Evolution and functional cross-talk of protein post-translational modifications. *Mol Syst Biol* 9.
207. Eichler J & Adams MWW (2005) Posttranslational protein modification in Archaea (vol 69, 393, 2005). *Microbiol Mol Biol R* 69(4):696-696.
208. Sigrist CJA, *et al.* (2010) PROSITE, a protein domain database for functional characterization and annotation. *Nucleic Acids Research* 38:D161-D166.
209. Wu CH, *et al.* (2003) The Protein Information Resource. *Nucleic Acids Research* 31(1):345-347.
210. Berger SL (1999) Gene activation by histone and factor acetyltransferases. *Current Opinion in Cell Biology* 11(3):336-341.
211. Li YY, *et al.* (2014) AF9 YEATS Domain Links Histone Acetylation to DOT1L-Mediated H3K79 Methylation. *Cell* 159(3):558-571.
212. Shanle EK, *et al.* (2015) Association of Taf14 with acetylated histone H3 directs gene transcription and the DNA damage response. *Gene Dev* 29(17):1795-1800.
213. Andrews FH, *et al.* (2016) The Taf14 YEATS domain is a reader of histone crotonylation. *Nat Chem Biol* 12(6):396-U333.
214. Li YY, *et al.* (2016) Molecular Coupling of Histone Crotonylation and Active Transcription by AF9 YEATS Domain. *Mol Cell* 62(2):181-193.
215. Zhao D, *et al.* (2016) YEATS2 is a selective histone crotonylation reader. *Cell Res* 26(5):629-632.
216. Chavez MS, *et al.* (2012) The conformational flexibility of the C-terminus of histone H4 promotes histone octamer and nucleosome stability and yeast viability. *Epigenetics Chromatin* 5(1):5.
217. Decanniere K, Babu AM, Sandman K, Reeve JN, & Heinemann U (2000) Crystal structures of recombinant histones HMfA and HMfB from the hyperthermophilic archaeon *Methanothermus fervidus*. *Journal of Molecular Biology* 303(1):35-47.
218. Fahrner RL, Cascio D, Lake JA, & Slesarev A (2001) An ancestral nuclear protein assembly: Crystal structure of the *Methanopyrus kandleri* histone. *Protein Science* 10(10):2002-2007.
219. Wilkins MR, *et al.* (1999) Protein identification and analysis tools in the ExpASY server. *Methods Mol Biol* 112:531-552.
220. Ammar R, *et al.* (2012) Chromatin is an ancient innovation conserved between Archaea and Eukarya. *eLife* 1:e00078.
221. Nalabothula N, *et al.* (2013) Archaeal nucleosome positioning *in vivo* and *in vitro* is directed by primary sequence motifs. *Bmc Genomics* 14:391.
222. Toulme F, *et al.* (1995) Conformational changes of DNA minicircles upon the binding of the archaeobacterial histone-like protein MC1. *J Biol Chem* 270(11):6286-6291.
223. De Vuyst G, Aci S, Genest D, & Culard F (2005) Atypical recognition of particular DNA sequences by the archaeal chromosomal MC1 protein. *Biochemistry* 44(30):10369-10377.
224. Crooks GE, Hon G, Chandonia JM, & Brenner SE (2004) WebLogo: a sequence logo generator. *Genome Res* 14(6):1188-1190.
225. Dombrowski N, Teske AP, & Baker BJ (2018) Expansive microbial metabolic versatility and biodiversity in dynamic Guaymas Basin hydrothermal sediments. *Nat Commun* 9(1):4999.

226. Sandman K, Louvel H, Samson RY, Pereira SL, & Reeve JN (2008) Archaeal chromatin proteins histone HMtB and Alba have lost DNA-binding ability in laboratory strains of *Methanothermobacter thermautotrophicus*. *Extremophiles* 12(6):811-817.
227. Drozdetskiy A, Cole C, Procter J, & Barton GJ (2015) JPred4: a protein secondary structure prediction server. *Nucleic Acids Res* 43(W1):W389-394.
228. Weidenbach K, *et al.* (2008) Deletion of the archaeal histone in *Methanosarcina mazei* Go1 results in reduced growth and genomic transcription. *Mol Microbiol* 67(3):662-671.
229. Chartier F, Laine B, & Sautiere P (1988) Characterization of the chromosomal protein MC1 from the thermophilic archaeobacterium *Methanosarcina* sp. CHTI 55 and its effect on the thermal stability of DNA. *Biochim Biophys Acta* 951(1):149-156.
230. Chartier F, Laine B, Sautiere P, Touzel JP, & Albagnac G (1985) Characterization of the Chromosomal Protein Hmb Isolated from *Methanosarcina-Barkeri*. *FEBS letters* 183(1):119-123.
231. Fahrner RL, Cascio D, Lake JA, & Slesarev A (2001) An ancestral nuclear protein assembly: crystal structure of the *Methanopyrus kandleri* histone. *Protein Sci* 10(10):2002-2007.
232. Pavlov NA, Cherny DI, Jovin TM, & Slesarev AI (2002) Nucleosome-like complex of the histone from the hyperthermophile *Methanopyrus kandleri* (MkaH) with linear DNA. *J Biomol Struct Dyn* 20(2):207-214.
233. Soares DJ, Sandman K, & Reeve JN (2000) Mutational analysis of archaeal histone-DNA interactions. *Journal of Molecular Biology* 297(1):39-47.
234. DeLange RJ, Williams LC, & Searcy DG (1981) A histone-like protein (HTa) from *Thermoplasma acidophilum*. II. Complete amino acid sequence. *J Biol Chem* 256(2):905-911.
235. Hocher A, Rojec M, Swadling JB, Esin A, & Warnecke T (2019) The DNA-binding protein HTa from *Thermoplasma acidophilum* is an archaeal histone analog. *bioRxiv Preprint*.
236. Sun N, *et al.* (2010) Quantitative proteome and transcriptome analysis of the archaeon *Thermoplasma acidophilum* cultured under aerobic and anaerobic conditions. *J Proteome Res* 9(9):4839-4850.
237. Wilkinson SP, Ouhammouch M, & Geiduschek EP (2010) Transcriptional activation in the context of repression mediated by archaeal histones. *Proc Natl Acad Sci USA* 107(15):6777-6781.
238. Xie Y & Reeve JN (2004) Transcription by an archaeal RNA polymerase is slowed but not blocked by an archaeal nucleosome. *J Bacteriol* 186(11):3492-3498.
239. Ueguchi C, Kakeda M, & Mizuno T (1993) Autoregulatory expression of the *Escherichia coli* hns gene encoding a nucleoid protein: H-NS functions as a repressor of its own transcription. *Mol Gen Genet* 236(2-3):171-178.
240. Dorman CJ (2004) H-NS: A universal regulator for a dynamic genome. *Nature Reviews Microbiology* 2(5):391-400.
241. Baek JH, Rajagopala SV, & Chatteraj DK (2014) Chromosome Segregation Proteins of *Vibrio cholerae* as Transcription Regulators. *mBio* 5(3).
242. Ringgaard S, Ebersbach G, Borch J, & Gerdes K (2007) Regulatory cross-talk in the double par locus of plasmid pB171E. *Journal of Biological Chemistry* 282(5):3134-3145.
243. Breier AM & Grossman AD (2007) Whole-genome analysis of the chromosome partitioning and sporulation protein Spo0J (ParB) reveals spreading and origin-distal sites on the *Bacillus subtilis* chromosome. *Mol Microbiol* 64(3):703-718.
244. Pratto F, *et al.* (2008) *Streptococcus pyogenes* pSM19035 requires dynamic assembly of ATP-bound ParA and ParB on parS DNA during plasmid segregation. *Nucleic Acids Research* 36(11):3676-3689.
245. Lang B, *et al.* (2007) High-affinity DNA binding sites for H-NS provide a molecular basis for

References

- selective silencing within proteobacterial genomes. *Nucleic Acids Res* 35(18):6330-6337.
246. Tompitak M, Vaillant C, & Schiessel H (2017) Genomes of Multicellular Organisms Have Evolved to Attract Nucleosomes to Promoter Regions. *Biophys J* 112(3):505-511.
247. Jelinska C, Petrovic-Stojanovska B, Ingledew WJ, & White MF (2010) Dimer-dimer stacking interactions are important for nucleic acid binding by the archaeal chromatin protein Alba. *Biochem J* 427(1):49-55.
248. Zhao KH, Chai XM, & Marmorstein R (2003) Structure of a Sir2 substrate, Alba, reveals a mechanism for deacetylation-induced enhancement of DNA binding. *Journal of Biological Chemistry* 278(28):26071-26077.
249. Grohmann D & Werner F (2011) Recent advances in the understanding of archaeal transcription. *Current Opinion in Microbiology* 14(3):328-334.
250. Sheppard C & Werner F (2017) Structure and mechanisms of viral transcription factors in archaea. *Extremophiles* 21(5):829-838.
251. Sandman K, Grayling RA, Dobrinski B, Lurz R, & Reeve JN (1994) Growth-phase-dependent synthesis of histones in the archaeon *Methanothermus fervidus*. *Proc Natl Acad Sci USA* 91(26):12624-12628.
252. Soares DJ, Marc F, & Reeve JN (2003) Conserved eukaryotic histone-fold residues substituted into an archaeal histone increase DNA affinity but reduce complex flexibility. *J Bacteriol* 185(11):3453-3457.
253. Sievers F, *et al.* (2011) Fast, scalable generation of high-quality protein multiple sequence alignments using Clustal Omega. *Mol Syst Biol* 7.
254. Webb B & Sali A (2014) Comparative Protein Structure Modeling Using MODELLER. *Curr Protoc Bioinformatics* 47:5 6 1-32.
255. Dominguez C, Boelens R, & Bonvin AMJJ (2003) HADDOCK: A protein-protein docking approach based on biochemical or biophysical information. *J Am Chem Soc* 125(7):1731-1737.
256. Hellman LM & Fried MG (2007) Electrophoretic mobility shift assay (EMSA) for detecting protein-nucleic acid interactions. *Nat Protoc* 2(8):1849-1861.
257. Gilman AG (1970) A protein binding assay for adenosine 3':5'-cyclic monophosphate. *Proc Natl Acad Sci USA* 67(1):305-312.
258. Heyduk T, Ma Y, Tang H, & Ebright RH (1996) Fluorescence anisotropy: rapid, quantitative assay for protein-DNA and protein-protein interaction. *Methods Enzymol* 274:492-503.
259. Ziegler A & Seelig J (2007) High affinity of the cell-penetrating peptide HIV-1 Tat-PTD for DNA. *Biochemistry* 46(27):8138-8145.
260. Hart DJ, Speight RE, Cooper MA, Sutherland JD, & Blackburn JM (1999) The salt dependence of DNA recognition by NF-kappaB p50: a detailed kinetic analysis of the effects on affinity and specificity. *Nucleic Acids Res* 27(4):1063-1069.
261. Jerabek-Willemsen M, Wienken CJ, Braun D, Baaske P, & Duhr S (2011) Molecular interaction studies using microscale thermophoresis. *Assay Drug Dev Technol* 9(4):342-353.
262. Yang Y, Sass LE, Du C, Hsieh P, & Erie DA (2005) Determination of protein-DNA binding constants and specificities from statistical analyses of single molecules: MutS-DNA interactions. *Nucleic Acids Res* 33(13):4322-4334.
263. McCauley MJ & Williams MC (2011) Measuring DNA-protein binding affinity on a single molecule using optical tweezers. *Methods Mol Biol* 749:305-315.
264. Coats JE, Lin Y, Rueter E, Maher LJ, 3rd, & Rasnik I (2013) Single-molecule FRET analysis of DNA binding and bending by yeast HMGB protein Nhp6A. *Nucleic Acids Res* 41(2):1372-1381.

265. Schafer DA, Gelles J, Sheetz MP, & Landick R (1991) Transcription by single molecules of RNA polymerase observed by light microscopy. *Nature* 352(6334):444-448.
266. Kulic IM, Mohrbach H, Thaokar R, & Schiessel H (2007) Equation of state of looped DNA. *Phys Rev E Stat Nonlin Soft Matter Phys* 75(1 Pt 1):011913.
267. Chintakayala K, *et al.* (2015) DNA recognition by *Escherichia coli* CbpA protein requires a conserved arginine-minor-groove interaction. *Nucleic Acids Res* 43(4):2282-2292.
268. Wang H, Yehoshua S, Ali SS, Navarre WW, & Milstein JN (2014) A biomechanical mechanism for initiating DNA packaging. *Nucleic Acids Res* 42(19):11921-11927.
269. Mack AH, Schlingman DJ, Salinas RD, Regan L, & Mochrie SG (2015) Condensation transition and forced unravelling of DNA-histone H1 toroids: a multi-state free energy landscape. *J Phys Condens Matter* 27(6):064106.
270. Wu HY, Lu CH, & Li HW (2017) RecA-SSB Interaction Modulates RecA Nucleoprotein Filament Formation on SSB-Wrapped DNA. *Sci Rep* 7(1):11876.
271. Lu CH & Li HW (2017) DNA with Different Local Torsional States Affects RecA-Mediated Recombination Progression. *Chemphyschem* 18(6):584-590.
272. Fan HF, Cheng YS, Ma CH, & Jayaram M (2015) Single molecule TPM analysis of the catalytic pentad mutants of Cre and Flp site-specific recombinases: contributions of the pentad residues to the pre-chemical steps of recombination. *Nucleic Acids Res* 43(6):3237-3255.
273. Fan HF, Hsieh TS, Ma CH, & Jayaram M (2016) Single-molecule analysis of varphiC31 integrase-mediated site-specific recombination by tethered particle motion. *Nucleic Acids Res* 44(22):10804-10823.
274. Chen YF, *et al.* (2016) Modulation of yeast telomerase activity by Cdc13 and Est1 *in vitro*. *Sci Rep* 6:34104.
275. Mangan MW, *et al.* (2006) The integration host factor (IHF) integrates stationary-phase and virulence gene expression in *Salmonella enterica* serovar Typhimurium. *Mol Microbiol* 59(6):1831-1847.
276. Peacock S, Weissbach H, & Nash HA (1984) *In vitro* regulation of phage lambda cII gene expression by *Escherichia coli* integration host factor. *Proc Natl Acad Sci USA* 81(19):6009-6013.
277. Goosen N & van de Putte P (1995) The regulation of transcription initiation by integration host factor. *Mol Microbiol* 16(1):1-7.
278. Khodr A, Fairweather V, Bouffartigues E, & Rimsky S (2015) IHF is a trans-acting factor implicated in the regulation of the proU P2 promoter. *FEMS Microbiol Lett* 362(3):1-6.
279. Wang S, Cosstick R, Gardner JF, & Gumpert RI (1995) The specific binding of *Escherichia coli* integration host factor involves both major and minor grooves of DNA. *Biochemistry* 34(40):13082-13090.
280. Swinger KK & Rice PA (2004) IHF and HU: flexible architects of bent DNA. *Curr Opin Struct Biol* 14(1):28-35.
281. Rice PA, Yang S, Mizuuchi K, & Nash HA (1996) Crystal structure of an IHF-DNA complex: a protein-induced DNA U-turn. *Cell* 87(7):1295-1306.
282. Travers A (1997) DNA-protein interactions: IHF--the master bender. *Curr Biol* 7(4):R252-254.
283. Dame RT, *et al.* (2005) Analysis of scanning force microscopy images of protein-induced DNA bending using simulations. *Nucleic Acids Res* 33(7):e68.
284. Yang SW & Nash HA (1995) Comparison of protein binding to DNA *in vivo* and *in vitro*: defining an effective intracellular target. *EMBO J* 14(24):6292-6300.
285. van Noort J, Verbrugge S, Goosen N, Dekker C, & Dame RT (2004) Dual architectural

References

- roles of HU: formation of flexible hinges and rigid filaments. *Proc Natl Acad Sci USA* 101(18):6969-6974.
286. Giphart-Gassler M, Goosen T, van Meeteren A, Wijffelman C, & van de Putte P (1979) Properties of the recombinant plasmid pGP1 containing part of the early region of bacteriophage Mu. *Cold Spring Harb Symp Quant Biol* 43 Pt 2:1179-1185.
287. Holbrook JA, Tsodikov OV, Saecker RM, & Record MT, Jr. (2001) Specific and non-specific interactions of integration host factor with DNA: thermodynamic evidence for disruption of multiple IHF surface salt-bridges coupled to DNA binding. *J Mol Biol* 310(2):379-401.
288. Sitters G, *et al.* (2015) Acoustic force spectroscopy. *Nat Methods* 12(1):47-50.
289. Chenouard N, *et al.* (2014) Objective comparison of particle tracking methods. *Nat Methods* 11(3):281-289.
290. Rogers SS, Waigh TA, Zhao X, & Lu JR (2007) Precise particle tracking against a complicated background: polynomial fitting with Gaussian weight. *Phys Biol* 4(3):220-227.
291. Visser EW, van ILJ, & Prins MW (2016) Particle Motion Analysis Reveals Nanoscale Bond Characteristics and Enhances Dynamic Range for Biosensing. *ACS Nano* 10(3):3093-3101.
292. Driessen RP, *et al.* (2014) Effect of temperature on the intrinsic flexibility of DNA and its interaction with architectural proteins. *Biochemistry* 53(41):6430-6438.
293. Bowman GD & Poirier MG (2015) Post-translational modifications of histones that influence nucleosome dynamics. *Chem Rev* 115(6):2274-2295.
294. Cox CJ, Foster PG, Hirt RP, Harris SR, & Embley TM (2008) The archaeobacterial origin of eukaryotes. *P Natl Acad Sci USA* 105(51):20356-20361.
295. Peeters E, Driessen RP, Werner F, & Dame RT (2015) The interplay between nucleoid organization and transcription in archaeal genomes. *Nat Rev Microbiol* 13(6):333-341.
296. Bult CJ, *et al.* (1996) Complete genome sequence of the methanogenic archaeon, *Methanococcus jannaschii*. *Science* 273(5278):1058-1073.
297. Darcy TJ, Sandman K, & Reeve JN (1995) *Methanobacterium formicicum*, a mesophilic methanogen, contains three Hfo histones. *J Bacteriol* 177(3):858-860.
298. Tabassum R, Sandman KM, & Reeve JN (1992) HMt, a histone-related protein from *Methanobacterium thermoautotrophicum* delta H. *J Bacteriol* 174(24):7890-7895.
299. Fukui T, *et al.* (2005) Complete genome sequence of the hyperthermophilic archaeon *Thermococcus kodakaraensis* KOD1 and comparison with Pyrococcus genomes. *Genome Res* 15(3):352-363.
300. Anderson I, *et al.* (2010) Complete genome sequence of *Methanothermus fervidus* type strain (V24S). *Stand Genomic Sci* 3(3):315-324.
301. Musgrave DR, Sandman KM, & Reeve JN (1991) DNA binding by the archaeal histone HMf results in positive supercoiling. *Proc Natl Acad Sci USA* 88(23):10397-10401.
302. Grayling RA, Sandman K, & Reeve JN (1996) DNA stability and DNA binding proteins. *Adv Protein Chem* 48:437-467.
303. Howard MT, Sandman K, Reeve JN, & Griffith JD (1992) HMf, a histone-related protein from the hyperthermophilic archaeon *Methanothermus fervidus*, binds preferentially to DNA containing phased tracks of adenines. *J Bacteriol* 174(23):7864-7867.
304. Efremov AK, *et al.* (2015) Transcriptional Repressor TrmBL2 from *Thermococcus kodakarensis* Forms Filamentous Nucleoprotein Structures and Competes with Histones for DNA Binding in a Salt- and DNA Supercoiling-dependent Manner. *J Biol Chem* 290(25):15770-15784.
305. Musgrave D, Forterre P, & Slesarev A (2000) Negative constrained DNA supercoiling in archaeal nucleosomes. *Mol Microbiol* 35(2):341-349.

306. Tomschik M, Karymov MA, Zlatanova J, & Leuba SH (2001) The archaeal histone-fold protein HMf organizes DNA into bona fide chromatin fibers. *Structure* 9(12):1201-1211.
307. Feng Y, Yao H, & Wang J (2010) Crystal structure of the crenarchaeal conserved chromatin protein Cren7 and double-stranded DNA complex. *Protein Sci* 19(6):1253-1257.
308. Chen L, *et al.* (2004) The hyperthermophile protein Sso10a is a dimer of winged helix DNA-binding domains linked by an antiparallel coiled coil rod. *J Mol Biol* 341(1):73-91.
309. Kulic IM, Mohrbach H, Thaokar R, & Schiessel H (2007) Equation of state of looped DNA. *Phys Rev E* 75(1).
310. Marko JF & Siggia ED (1995) Stretching DNA. *Macromolecules* 28(26):8759-8770.
311. van Zundert GCP, *et al.* (2016) The HADDOCK2.2 Web Server: User-Friendly Integrative Modeling of Biomolecular Complexes. *J Mol Biol* 428(4):720-725.
312. Soares DJ, Sandman K, & Reeve JN (2000) Mutational analysis of archaeal histone-DNA interactions. *J Mol Biol* 297(1):39-47.
313. Sandman K & Reeve JN (2001) Chromosome packaging by archaeal histones. *Adv Appl Microbiol* 50:75-99.
314. Lipfert J, Klijnhout S, & Dekker NH (2010) Torsional sensing of small-molecule binding using magnetic tweezers. *Nucleic Acids Res* 38(20):7122-7132.
315. Meng H, Andresen K, & van Noort J (2015) Quantitative analysis of single-molecule force spectroscopy on folded chromatin fibers. *Nucleic Acids Res* 43(7):3578-3590.
316. Kaczmarczyk A, *et al.* (2017) Single-molecule force spectroscopy on histone H4 tail-cross-linked chromatin reveals fiber folding. *Journal of Biological Chemistry* 292(42):17506-17513.
317. Sanders TJ, Marshall CJ, & Santangelo TJ (2019) The Role of Archaeal Chromatin in Transcription. *J Mol Biol*.
318. Nishida H & Oshima T (2017) Archaeal histone distribution is associated with archaeal genome base composition. *Journal of General and Applied Microbiology* 63(1):28-35.
319. Pollock WB, Rosell FI, Twitchett MB, Dumont ME, & Mauk AG (1998) Bacterial expression of a mitochondrial cytochrome c. Trimethylation of lys72 in yeast iso-1-cytochrome c and the alkaline conformational transition. *Biochemistry* 37(17):6124-6131.
320. Lowary PT & Widom J (1998) New DNA sequence rules for high affinity binding to histone octamer and sequence-directed nucleosome positioning. *J Mol Biol* 276(1):19-42.
321. Brouwer TB, Kaczmarczyk A, Pham C, & van Noort J (2018) Unraveling DNA Organization with Single-Molecule Force Spectroscopy Using Magnetic Tweezers. *Methods Mol Biol* 1837:317-349.
322. Henneman B, Heinsman J, Battjes J, & Dame RT (2018) Quantitation of DNA-Binding Affinity Using Tethered Particle Motion. *Methods Mol Biol* 1837:257-275.
323. Strick TR, Allemand JF, Croquette V, & Bensimon D (1998) Physical approaches to the study of DNA. *J Stat Phys* 93(3-4):647-672.
324. Strick T, Allemand JF, Croquette V, & Bensimon D (2000) Twisting and stretching single DNA molecules. *Prog Biophys Mol Bio* 74(1-2):115-140.
325. Meng H, Andresen K, & van Noort J (2015) Quantitative analysis of single-molecule force spectroscopy on folded chromatin fibers. *Nucleic Acids Research* 43(7):3578-3590.
326. Pereira SL, Grayling RA, Lurz R, & Reeve JN (1997) Archaeal nucleosomes. *P Natl Acad Sci USA* 94(23):12633-12637.
327. Kulic IM & Schiessel H (2004) DNA spools under tension. *Phys Rev Lett* 92(22):228101.
328. Bustamante C, Bryant Z, & Smith SB (2003) Ten years of tension: single-molecule DNA mechanics. *Nature* 421(6921):423-427.

References

329. Narasingarao P, *et al.* (2012) De novo metagenomic assembly reveals abundant novel major lineage of Archaea in hypersaline microbial communities. *Isme J* 6(1):81-93.
330. Ghai R, *et al.* (2011) New abundant microbial groups in aquatic hypersaline environments. *Sci Rep* 1:135.
331. Crits-Christoph A, *et al.* (2016) Functional interactions of archaea, bacteria and viruses in a hypersaline endolithic community. *Environ Microbiol* 18(6):2064-2077.
332. Finstad KM, *et al.* (2017) Microbial Community Structure and the Persistence of Cyanobacterial Populations in Salt Crusts of the Hyperarid Atacama Desert from Genome-Resolved Metagenomics. *Front Microbiol* 8:1435.
333. Kozlowski LP (2017) Proteome-pI: proteome isoelectric point database. *Nucleic Acids Res* 45(D1):D1112-D1116.
334. Sleator RD & Hill C (2002) Bacterial osmoadaptation: the role of osmolytes in bacterial stress and virulence. *FEMS Microbiol Rev* 26(1):49-71.
335. Lanyi JK (1974) Salt-dependent properties of proteins from extremely halophilic bacteria. *Bacteriol Rev* 38(3):272-290.
336. Oren A (2008) Microbial life at high salt concentrations: phylogenetic and metabolic diversity. *Saline Systems* 4:2.
337. Roberts MF (2006) Characterization of organic compatible solutes of halotolerant and halophilic microorganisms. *Extremophiles* 35:615-647.
338. Jelinska C, *et al.* (2005) Obligate heterodimerization of the archaeal Alba2 protein with Alba1 provides a mechanism for control of DNA packaging. *Structure* 13(7):963-971.
339. Henneman B, van Emmerik C, van Ingen H, & Dame RT (2018) Structure and function of archaeal histones. *Plos Genetics* 14(9).
340. Corbeski I, *et al.* (2018) Microscale Thermophoresis Analysis of Chromatin Interactions. *Methods Mol Biol* 1837:177-197.
341. Van Der Valk RA (2016) Responding to environmental cues: the adaptive qualities of chromatin compaction proteins. PhD thesis (Leiden University, Leiden).
342. Duhr S & Braun D (2006) Why molecules move along a temperature gradient. *P Natl Acad Sci USA* 103(52):19678-19682.
343. Hwang H, Kim H, & Myong S (2011) Protein induced fluorescence enhancement as a single molecule assay with short distance sensitivity. *Proc Natl Acad Sci USA* 108(18):7414-7418.
344. Hwang H & Myong S (2014) Protein induced fluorescence enhancement (PIFE) for probing protein-nucleic acid interactions. *Chem Soc Rev* 43(4):1221-1229.
345. Aramendia PF, Negri RM, & Sanroman E (1994) Temperature-Dependence of Fluorescence and Photoisomerization in Symmetrical Carbocyanines - Influence of Medium Viscosity and Molecular-Structure. *J Phys Chem-Us* 98(12):3165-3173.
346. Levitus M & Ranjit S (2011) Cyanine dyes in biophysical research: the photophysics of polymethine fluorescent dyes in biomolecular environments. *Q Rev Biophys* 44(1):123-151.
347. Sosa D, *et al.* (2013) Periodic distribution of a putative nucleosome positioning motif in human, nonhuman primates, and archaea: mutual information analysis. *Int J Genomics* 2013:963956.
348. Segal E & Widom J (2009) Poly(dA:dT) tracts: major determinants of nucleosome organization. *Curr Opin Struc Biol* 19(1):65-71.
349. Pereira SL & Reeve JN (1999) Archaeal nucleosome positioning sequence from *Methanothermus fervidus*. *Journal of Molecular Biology* 289(4):675-681.
350. Bailey KA & Reeve JN (1999) DNA repeats and archaeal nucleosome positioning. *Res Microbiol* 150(9-10):701-709.

351. Warnecke T, Becker EA, Facciotti MT, Nislow C, & Lehner B (2013) Conserved substitution patterns around nucleosome footprints in eukaryotes and Archaea derive from frequent nucleosome repositioning through evolution. *PLoS Comput Biol* 9(11):e1003373.
352. Thastrom A, *et al.* (1999) Sequence motifs and free energies of selected natural and non-natural nucleosome positioning DNA sequences. *J Mol Biol* 288(2):213-229.
353. Vasudevan D, Chua EYD, & Davey CA (2010) Crystal structures of nucleosome core particles containing the '601' strong positioning sequence. *J Mol Biol* 403(1):1-10.
354. Eslami-Mossallam B, Schiessel H, & van Noort J (2016) Nucleosome dynamics: Sequence matters. *Adv Colloid Interfac* 232:101-113.
355. Roessler M & Muller V (2001) Osmoadaptation in bacteria and archaea: common principles and differences. *Environ Microbiol* 3(12):743-754.
356. Singh BK (2010) Archaea in a hyper-arid polar desert. *P Natl Acad Sci USA* 107(2):E1-E1.
357. Stetter KO (2013) A brief history of the discovery of hyperthermophilic life. *Biochem Soc T* 41:416-420.
358. Jiang C & Pugh BF (2009) Nucleosome positioning and gene regulation: advances through genomics. *Nat Rev Genet* 10(3):161-172.
359. Shi L, Wen H, & Shi X (2017) The Histone Variant H3.3 in Transcriptional Regulation and Human Disease. *J Mol Biol* 429(13):1934-1945.
360. Ahmad K & Henikoff S (2002) The histone variant H3.3 marks active chromatin by replication-independent nucleosome assembly. *Mol Cell* 9(6):1191-1200.
361. Draker R, *et al.* (2012) A combination of H2A.Z and H4 acetylation recruits Brd2 to chromatin during transcriptional activation. *Plos Genet* 8(11):e1003047.
362. Wiedemann SM, *et al.* (2010) Identification and characterization of two novel primate-specific histone H3 variants, H3.X and H3.Y. *J Cell Biol* 190(5):777-791.
363. Hoghoughi N, Barral S, Vargas A, Rousseaux S, & Khochbin S (2018) Histone variants: essential actors in male genome programming. *J Biochem* 163(2):97-103.
364. Campisi J & d'Adda di Fagagna F (2007) Cellular senescence: when bad things happen to good cells. *Nature reviews. Molecular cell biology* 8(9):729-740.
365. Quenet D (2018) Histone Variants and Disease. *Int Rev Cell Mol Biol* 335:1-39.
366. Segal E, *et al.* (2006) A genomic code for nucleosome positioning. *Nature* 442(7104):772-778.
367. Liu Y, *et al.* (2009) The Sac10b homolog in *Methanococcus maripaludis* binds DNA at specific sites. *J Bacteriol* 191(7):2315-2329.
368. Marsh VL, Peak-Chew SY, & Bell SD (2005) Sir2 and the acetyltransferase, Pat, regulate the archaeal chromatin protein, Alba. *J Biol Chem* 280(22):21122-21128.
369. Bohrmann B, Arnold-Schultz-Gahmen B, & Kellenberger E (1990) Ultrastructural localization of the histone-like protein HTa from the archaeon *Thermoplasma acidophilum*. *Journal of Structural Biology* 104(1-3):112-119.
370. Cabrera MA & Blamey JM (2018) Biotechnological applications of archaeal enzymes from extreme environments. *Biol Res* 51(1):37.
371. de Carvalho CC (2011) Enzymatic and whole cell catalysis: finding new strategies for old processes. *Biotechnol Adv* 29(1):75-83.
372. Haque RU, Paradisi F, & Allers T (2019) *Haloferax volcanii* as immobilised whole cell biocatalyst: new applications for halophilic systems. *Appl Microbiol Biotechnol* 103(9):3807-3817.

