



Universiteit
Leiden
The Netherlands

Matching, entropy, holes and expansions

Langeveld, N.D.S.

Citation

Langeveld, N. D. S. (2019, December 10). *Matching, entropy, holes and expansions*. Retrieved from <https://hdl.handle.net/1887/81488>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/81488>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:
<http://hdl.handle.net/1887/81488>

Author: Langeveld, N.D.S.

Title: Matching, entropy, holes and expansions

Issue Date: 2019-12-10

Bibliography

- [1] J. Aaronson. *An introduction to infinite ergodic theory*, volume 50 of *Mathematical Surveys and Monographs*. American Mathematical Society, Providence, RI, 1997.
- [2] R. Alcaraz Barrera. Topological and ergodic properties of symmetric sub-shifts. *Discrete Contin. Dyn. Syst.*, 34(11):4459–4486, 2014.
- [3] M. Anselm and S. H. Weintraub. A generalization of continued fractions. *J. Number Theory*, 131(12):2442–2460, 2011.
- [4] S. Baker and D. Kong. Two bifurcation sets arising from the beta transformation with a hole at 0. 2019.
- [5] D. Barbolosi and H. Jager. On a theorem of Legendre in the theory of continued fractions. *J. Théor. Nombres Bordeaux*, 6(1):81–94, 1994.
- [6] J. Barrionuevo, R. M. Burton, K. Dajani, and C. Kraaikamp. Ergodic properties of generalized Lüroth series. *Acta Arith.*, 74(4):311–327, 1996.
- [7] V. Berthé, J. Cassaigne, and W. Steiner. Balance properties of Arnoux-Rauzy words. *Internat. J. Algebra Comput.*, 23(4):689–703, 2013.
- [8] G. D. Birkhoff. Proof of the ergodic theorem. *Proc. Natl. Acad. Sci. USA*, 17:656–660, 1931.
- [9] J. Bourdon, B. Daireaux, and B. Vallée. Dynamical analysis of α -Euclidean algorithms. *J. Algorithms*, 44(1):246–285, 2002. Analysis of algorithms.
- [10] J. R. Brown. *Ergodic theory and topological dynamics*. Academic Press [Harcourt Brace Jovanovich, Publishers], New York-London, 1976. Pure and Applied Mathematics, No. 70.
- [11] H. Bruin, C. Carminati, and C. Kalle. Matching for generalised β -transformations. *Indag. Math. (N.S.)*, 28(1):55–73, 2017.
- [12] H. Bruin, C. Carminati, S. Marmi, and A. Profeti. Matching in a family of piecewise affine maps. *Nonlinearity*, 32(1):172–208, 2019.
- [13] Y. Bugeaud and B. Wang. Distribution of full cylinders and the Diophantine properties of the orbits in β -expansions. *J. Fractal Geom.*, 1(2):221–241, 2014.
- [14] L. Bunimovich and A. Yurchenko. Where to place a hole to achieve a maximal escape rate. *Israel J. Math.*, 182:229–252, 2011.

- [15] E. B. Burger, J. Gell-Redman, R. Kravitz, D. Walton, and N. Yates. Shrinking the period lengths of continued fractions while still capturing convergents. *J. Number Theory*, 128(1):144–153, 2008.
- [16] C.-Y. Cao. A result on the approximation properties of the orbit of 1 under the β -transformation. *J. Math. Anal. Appl.*, 420(1):242–256, 2014.
- [17] C. Carminati, S. Isola, and G. Tiozzo. Continued fractions with $SL(2, \mathbb{Z})$ -branches: combinatorics and entropy. *Trans. Amer. Math. Soc.*, 370(7):4927–4973, 2018.
- [18] C. Carminati and G. Tiozzo. A canonical thickening of \mathbb{Q} and the entropy of α -continued fraction transformations. *Ergodic Theory Dynam. Systems*, 32(4):1249–1269, 2012.
- [19] C. Carminati and G. Tiozzo. Tuning and plateaux for the entropy of α -continued fractions. *Nonlinearity*, 26(4):1049–1070, 2013.
- [20] C. Carminati and G. Tiozzo. The local Hölder exponent for the dimension of invariant subsets of the circle. *Ergodic Theory Dynam. Systems*, 37(6):1825–1840, 2017.
- [21] G. H. Choe. Generalized continued fractions. *Appl. Math. Comput.*, 109(2-3):287–299, 2000.
- [22] G. H. Choe. *Computational ergodic theory*, volume 13 of *Algorithms and Computation in Mathematics*. Springer-Verlag, Berlin, 2005.
- [23] G. H. Choe and C. Kim. The Khintchine constants for generalized continued fractions. *Appl. Math. Comput.*, 144(2-3):397–411, 2003.
- [24] L. Clark. The β -transformation with a hole. *Discrete Contin. Dyn. Syst.*, 36(3):1249–1269, 2016.
- [25] T. M. Cover and J. A. Thomas. *Elements of information theory*. Wiley Series in Telecommunications. John Wiley & Sons, Inc., New York, 1991. A Wiley-Interscience Publication.
- [26] K. Dajani and M. de Vries. Invariant densities for random β -expansions. *J. Eur. Math. Soc. (JEMS)*, 9(1):157–176, 2007.
- [27] K. Dajani, D. Hensley, C. Kraaikamp, and V. Masarotto. Arithmetic and ergodic properties of ‘flipped’ continued fraction algorithms. *Acta Arith.*, 153(1):51–79, 2012.
- [28] K. Dajani and C. Kraaikamp. “The mother of all continued fractions”. *Colloq. Math.*, 84/85(part 1):109–123, 2000. Dedicated to the memory of Anzelm Iwanik.

- [29] K. Dajani and C. Kraaikamp. *Ergodic theory of numbers*, volume 29 of *Carus Mathematical Monographs*. Mathematical Association of America, Washington, DC, 2002.
- [30] K. Dajani and C. Kraaikamp. From greedy to lazy expansions and their driving dynamics. *Expo. Math.*, 20(4):315–327, 2002.
- [31] K. Dajani and C. Kraaikamp. Random β -expansions. *Ergodic Theory Dynam. Systems*, 23(2):461–479, 2003.
- [32] K. Dajani, C. Kraaikamp, and N. D. S. Langeveld. Continued fraction expansions with variable numerators. *Ramanujan J.*, 37(3):617–639, 2015.
- [33] K. Dajani, C. Kraaikamp, and N. van der Wekken. Ergodicity of N -continued fraction expansions. *J. Number Theory*, 133(9):3183–3204, 2013.
- [34] J. de Jonge. *Gaps, frequencies and spacial limits of continued fraction expansions*. PhD thesis, Technical university of Delft, 2019.
- [35] J. de Jonge and C. Kraaikamp. Natural extensions for Nakada’s α -expansions: descending from 1 to g^2 . *J. Number Theory*, 183:172–212, 2018.
- [36] M. de Vries, V. Komornik, and P. Loreti. Topology of the set of univoque bases. *Topology Appl.*, 205:117–137, 2016.
- [37] C. Dettmann. Open circle maps: small hole asymptotics. *Nonlinearity*, 26(1):307–317, 2013.
- [38] P. Erdős, I. Joó, and V. Komornik. Characterization of the unique expansions $1 = \sum_{i=1}^{\infty} q^{-n_i}$ and related problems. *Bull. Soc. Math. France*, 118(3):377–390, 1990.
- [39] K. Falconer. *Fractal geometry*. John Wiley & Sons, Inc., Hoboken, NJ, second edition, 2003. Mathematical foundations and applications.
- [40] J. Galambos. *Representations of real numbers by infinite series*. Lecture Notes in Mathematics, Vol. 502. Springer-Verlag, Berlin-New York, 1976.
- [41] Y. Ge and F. Lü. A note on inhomogeneous Diophantine approximation in beta-dynamical system. *Bull. Aust. Math. Soc.*, 91(1):34–40, 2015.
- [42] A. O. Gelfond. A common property of number systems. *Izv. Akad. Nauk SSSR. Ser. Mat.*, 23:809–814, 1959.
- [43] P. Glendinning and N. Sidorov. Unique representations of real numbers in non-integer bases. *Math. Res. Lett.*, 8(4):535–543, 2001.
- [44] P. Glendinning and N. Sidorov. The doubling map with asymmetrical holes. *Ergodic Theory Dynam. Systems*, 35(4):1208–1228, 2015.
- [45] I. J. Good. The fractional dimensional theory of continued fractions. *Proc. Cambridge Philos. Soc.*, 37:199–228, 1941.

- [46] A. Haynes, J. L. Jensen, and S. Kristensen. Metrical musings on Littlewood and friends. *Proc. Amer. Math. Soc.*, 142(2):457–466, 2014.
- [47] H. Hu and Y. Yu. On Schmidt’s game and the set of points with non-dense orbits under a class of expanding maps. *J. Math. Anal. Appl.*, 418(2):906–920, 2014.
- [48] A. Hurwitz. Über eine besondere Art der Kettenbruch-Entwicklung reeller Grössen. *Acta Math.*, 12(1):367–405, 1889.
- [49] A. Hurwitz. Ueber die angenäherte Darstellung der Irrationalzahlen durch rationale Brüche. *Math. Ann.*, 39(2):279–284, 1891.
- [50] M. Iosifescu and C. Kraaikamp. *Metrical theory of continued fractions*, volume 547 of *Mathematics and its Applications*. Kluwer Academic Publishers, Dordrecht, 2002.
- [51] H. Jager and C. de Vroedt. Lüroth series and their ergodic properties. *Nederl. Akad. Wetensch. Proc. Ser. A 72=Indag. Math.*, 31:31–42, 1969.
- [52] V. Jarník. Zur metrischen theorie der diophantischen approximationen. *PraceMat.-Fiz.*, 36:91–106, 1928.
- [53] C. Kalle. Isomorphisms between positive and negative β -transformations. *Ergodic Theory Dynam. Systems*, 34(1):153–170, 2014.
- [54] S. Katok and I. Ugarcovici. Structure of attractors for (a, b) -continued fraction transformations. *J. Mod. Dyn.*, 4(4):637–691, 2010.
- [55] S. Katok and I. Ugarcovici. Theory of (a, b) -continued fraction transformations and applications. *Electron. Res. Announc. Math. Sci.*, 17:20–33, 2010.
- [56] S. Katok and I. Ugarcovici. Applications of (a, b) -continued fraction transformations. *Ergodic Theory Dynam. Systems*, 32(2):755–777, 2012.
- [57] M. Kesseböhmer, S. Munday, and B. O. Stratmann. *Infinite ergodic theory of numbers*. De Gruyter Graduate. De Gruyter, Berlin, 2016.
- [58] A. Khintchine. *Kettenbrüche*. B. G. Teubner Verlagsgesellschaft, Leipzig, 1956.
- [59] A. N. Kolmogorov. Entropy per unit time as a metric invariant of automorphisms. *Dokl. Akad. Nauk SSSR*, 124:754–755, 1959.
- [60] V. Komornik and P. Loreti. Unique developments in non-integer bases. *Amer. Math. Monthly*, 105(7):636–639, 1998.
- [61] V. Komornik and P. Loreti. On the topological structure of univoque sets. *J. Number Theory*, 122(1):157–183, 2007.
- [62] D. Kong, W. Li, F. Lü, and M. de Vries. Univoque bases and Hausdorff dimension. *Monatsh. Math.*, 184(3):443–458, 2017.

- [63] C. Kraaikamp. A new class of continued fraction expansions. *Acta Arith.*, 57(1):1–39, 1991.
- [64] C. Kraaikamp and N. Langeveld. Invariant measures for continued fraction algorithms with finitely many digits. *J. Math. Anal. Appl.*, 454(1):106–126, 2017.
- [65] C. Kraaikamp, T. A. Schmidt, and W. Steiner. Natural extensions and entropy of α -continued fractions. *Nonlinearity*, 25(8):2207–2243, 2012.
- [66] U. Krengel. Entropy of conservative transformations. *Z. Wahrscheinlichkeitstheorie und Verw. Gebiete*, 7:161–181, 1967.
- [67] W. Krieger. On entropy and generators of measure-preserving transformations. *Trans. Amer. Math. Soc.*, 149:453–464, 1970.
- [68] N. Langeveld. *Finding infinitely many even or odd continued fractions by introducing a new family of maps*, Master’s thesis. PhD thesis, Technical university of Delft, 2015.
- [69] D. Lascu. Dependence with complete connections and the Gauss-Kuzmin theorem for N -continued fractions. *J. Math. Anal. Appl.*, 444(1):610–623, 2016.
- [70] A. Legendre. Essai sur la théorie des nombres. *Duprat, Paris*, 6:27–29, 1798.
- [71] J. Lehner. Semiregular continued fractions whose partial denominators are 1 or 2. In *The mathematical legacy of Wilhelm Magnus: groups, geometry and special functions (Brooklyn, NY, 1992)*, volume 169 of *Contemp. Math.*, pages 407–410. Amer. Math. Soc., Providence, RI, 1994.
- [72] P. Levy. Sur les lois de probabilité dont dépendent les quotients complets et incomplets d’une fraction continue. *Bull. Soc. Math. France*, 57:178–194, 1929.
- [73] L. Lewin. *Polylogarithms and associated functions*. North-Holland Publishing Co., New York-Amsterdam, 1981. With a foreword by A. J. Van der Poorten.
- [74] B. Li, T. Persson, B. Wang, and J. Wu. Diophantine approximation of the orbit of 1 in the dynamical system of beta expansions. *Math. Z.*, 276(3-4):799–827, 2014.
- [75] T. M. Liggett. *Interacting particle systems*, volume 276 of *Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences]*. Springer-Verlag, New York, 1985.
- [76] M. Lothaire. *Algebraic combinatorics on words*. Cambridge University Press, Cambridge, 2002.
- [77] F. Lü and J. Wu. Diophantine analysis in beta-dynamical systems and Hausdorff dimensions. *Adv. Math.*, 290:919–937, 2016.

- [78] J. Lüroth. Ueber eine eindeutige Entwicklung von Zahlen in eine unendliche Reihe. *Math. Ann.*, 21(3):411–423, 1883.
- [79] L. Luzzi and S. Marmi. On the entropy of Japanese continued fractions. *Discrete Contin. Dyn. Syst.*, 20(3):673–711, 2008.
- [80] S. Marmi, P. Moussa, and J.-C. Yoccoz. The Brjuno functions and their regularity properties. *Comm. Math. Phys.*, 186(2):265–293, 1997.
- [81] P. Moussa, A. Cassa, and S. Marmi. Continued fractions and Brjuno functions. *J. Comput. Appl. Math.*, 105(1-2):403–415, 1999. Continued fractions and geometric function theory (CONFUN) (Trondheim, 1997).
- [82] H. Nakada. Metrical theory for a class of continued fraction transformations and their natural extensions. *Tokyo J. Math.*, 4(2):399–426, 1981.
- [83] H. Nakada, S. Ito, and S. Tanaka. On the invariant measure for the transformations associated with some real continued-fractions. *Keio Engrg. Rep.*, 30(13):159–175, 1977.
- [84] H. Nakada and R. Natsui. The non-monotonicity of the entropy of α -continued fraction transformations. *Nonlinearity*, 21(6):1207–1225, 2008.
- [85] J. Nilsson. *On numbers badly approximable by q -adic rationals*. PhD thesis, Lund University and Université du Sud Toulon-Var, 2007.
- [86] J. Nilsson. On numbers badly approximable by dyadic rationals. *Israel J. Math.*, 171:93–110, 2009.
- [87] D. Ornstein. Bernoulli shifts with the same entropy are isomorphic. *Advances in Math.*, 4:337–352, 1970.
- [88] W. Parry. On the β -expansions of real numbers. *Acta Math. Acad. Sci. Hungar.*, 11:401–416, 1960.
- [89] O. Perron. *Die Lehre von den Kettenbrüchen*. Chelsea Publishing Co., New York, N. Y., 1950. 2d ed.
- [90] T. Persson and J. Schmeling. Dyadic Diophantine approximation and Katok’s horseshoe approximation. *Acta Arith.*, 132(3):205–230, 2008.
- [91] P. Raith. Hausdorff dimension for piecewise monotonic maps. *Studia Math.*, 94(1):17–33, 1989.
- [92] P. Raith. Continuity of the Hausdorff dimension for piecewise monotonic maps. *Israel J. Math.*, 80(1-2):97–133, 1992.
- [93] P. Raith. Continuity of the Hausdorff dimension for invariant subsets of interval maps. *Acta Math. Univ. Comenian. (N.S.)*, 63(1):39–53, 1994.
- [94] A. Rényi. On algorithms for the generation of real numbers. *Magyar Tud. Akad. Mat. Fiz. Oszt. Közl.*, 7:265–293, 1957.

Bibliography

- [95] A. Rényi. Representations for real numbers and their ergodic properties. *Acta Math. Acad. Sci. Hungar.*, 8:477–493, 1957.
- [96] V. A. Rohlin. Exact endomorphisms of a Lebesgue space. *Izv. Akad. Nauk SSSR Ser. Mat.*, 25:499–530, 1961.
- [97] J. Schmeling. Symbolic dynamics for β -shifts and self-normal numbers. *Ergodic Theory Dynam. Systems*, 17(3):675–694, 1997.
- [98] F. Schweiger. *Continued fractions and their generalizations: a short history of f -expansions*. Docent Press, Boston, MA, 2016.
- [99] F. Schweiger and M. Waterman. Some remarks on Kuzmin’s theorem for F -expansions. *J. Number Theory*, 5:123–131, 1973.
- [100] N. Sidorov. Supercritical holes for the doubling map. *Acta Math. Hungar.*, 143(2):298–312, 2014.
- [101] J. Sinař. On the concept of entropy for a dynamic system. *Dokl. Akad. Nauk SSSR*, 124:768–771, 1959.
- [102] R. Siromoney, L. Mathew, V. R. Dare, and K. G. Subramanian. Infinite Lyndon words. *Inform. Process. Lett.*, 50(2):101–104, 1994.
- [103] S. Tanaka and S. Ito. On a family of continued-fraction transformations and their ergodic properties. *Tokyo J. Math.*, 4(1):153–175, 1981.
- [104] M. Urbański. On Hausdorff dimension of invariant sets for expanding maps of a circle. *Ergodic Theory Dynam. Systems*, 6(2):295–309, 1986.
- [105] M. Urbański. Invariant subsets of expanding mappings of the circle. *Ergodic Theory Dynam. Systems*, 7(4):627–645, 1987.
- [106] R. Zweimüller. Ergodic properties of infinite measure-preserving interval maps with indifferent fixed points. *Ergodic Theory Dynam. Systems*, 20(5):1519–1549, 2000.