Universiteit
Leiden
The Netherlands

Extremely shy & genetically close : investigating neurobiological endophenotypes of social anxiety disorder

Bas, J.M.

Citation
Bas, J. M. (2020, January 14). *Extremely shy & genetically close : investigating neurobiological endophenotypes of social anxiety disorder*. Retrieved from https://hdl.handle.net/1887/82705

Version:	Publisher's Version
License:	Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden
Downloaded from:	https://hdl.handle.net/1887/82705

Note: To cite this publication please use the final published version (if applicable).

Cover Page

Universiteit Leiden

The handle http://hdl.handle.net/1887/82705 holds various files of this Leiden University dissertation.

Author: Bas, J.M.
Title: Extremely shy & genetically close : investigating neurobiological endophenotypes of social anxiety disorder
Issue Date: 2020-01-14

Part 5

Appendices

References

Abraham, A., Kaufmann, C., Redlich, R., Hermann, A., Stark, R., Stevens, S., & Hermann, C. (2013). Self-referential and anxiety-relevant information processing in subclinical social anxiety: an fMRI study. *Brain Imaging and Behavior*, *7*, 35–48. doi:10.1007/s11682-012-9188-x

Acarturk, C., de Graaf, R., van Straten, A., Have, M. Ten, & Cuijpers, P. (2008). Social phobia and number of social fears, and their association with comorbidity, health-related quality of life and help seeking: a population-based study. *Social Psychiatry and Psychiatric Epidemiology*, *43*, 273–9. doi:10.1007/s00127-008-0309-1

Acarturk, C., Smit, F., de Graaf, R., van Straten, A., Ten Have, M., & Cuijpers, P. (2009). Economic costs of social phobia: a population-based study. *Journal of Affective Disorders*, *115*, 421–9. doi:10.1016/j.jad.2008.10.008

Adams, H. H. H., Hibar, D. P., Chouraki, V., Stein, J. L., Nyquist, P. A., Rentería, M. E., … Thompson, P. M. (2016). Novel genetic loci underlying human intracranial volume identified through genome-wide association. *Nature Neuroscience*, *19*, 1569. doi:10.1038/nn.4398

Adelstein, J. S., Shehzad, Z., Mennes, M., Deyoung, C. G., Zuo, X.-N., Kelly, C., … Milham, M. P. (2011). Personality is reflected in the brain's intrinsic functional architecture. *PloS One*, *6*, e27633. doi:10.1371/journal.pone.0027633

Aderka, I. M., Hofmann, S. G., Nickerson, A., Hermesh, H., Gilboa-Schechtman, E., & Marom, S. (2012). Functional impairment in social anxiety disorder. *Journal of Anxiety Disorders*, *26*, 393–400. doi:10.1016/j.janxdis.2012.01.003

Adluru, N., Hanlon, B. M., Lutz, A., Lainhart, J. E., Alexander, A. L., & Davidson, R. J. (2013). Penalized Likelihood Phenotyping: Unifying Voxelwise Analyses and Multi-Voxel Pattern Analyses in Neuroimaging. *Neuroinformatics*, *11*, 227–247. doi:10.1007/s12021-012-9175-9

Aghajani, M., Veer, I. M., van Tol, M.-J., Aleman, A., van Buchem, M. A., Veltman, D. J., … van der Wee, N. J. (2014). Neuroticism and extraversion are associated with amygdala resting-state functional connectivity. *Cognitive, Affective & Behavioral Neuroscience*, *14*, 836–48. doi:10.3758/s13415-013-0224-0

Ahrens, L. M., Mühlberger, A., Pauli, P., & Wieser, M. J. (2015). Impaired visuocortical discrimination learning of socially conditioned stimuli in social anxiety. *Social Cognitive and Affective Neuroscience*, *10*, 929–37. doi:10.1093/scan/nsu140

Åhs, F., Gingnell, M., Furmark, T., & Fredrikson, M. (2017). Within-session effect of repeated stress exposure on extinction circuitry function in social anxiety disorder. *Psychiatry Research: Neuroimaging*, *261*, 85–90. doi:10.1016/j.pscychresns.2017.01.009

Akimova, E., Lanzenberger, R., & Kasper, S. (2009). The serotonin-1A receptor in anxiety disorders. *Biological Psychiatry*, *66*, 627–35. doi:10.1016/j.biopsych.2009.03.012

Aktar, E., Bockstaele, B. Van, Perez-Edgar, K., Wiers, R. W., & Bögels, S. M. (2018). Intergenerational Transmission of Attentional Bias and Anxiety. *Developmental Science*, *0*, e12772. doi:10.1111/desc.12772

Aktar, E., Majdandžić, M., de Vente, W., & Bögels, S. M. (2013). The interplay between expressed parental anxiety and infant behavioural inhibition predicts infant avoidance in a social referencing paradigm. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, *54*, 144–56. doi:10.1111/j.1469-7610.2012.02601.x

Alisch, R. S., Chopra, P., Fox, A. S., Chen, K., White, A. T. J., Roseboom, P. H., … Kalin, N. H. (2014). Differentially methylated plasticity genes in the amygdala of young primates are linked to anxious

temperament, an at risk phenotype for anxiety and depressive disorders. *The Journal of Neuroscience*, *34*, 15548–56. doi:10.1523/JNEUROSCI.3338-14.2014

Almasy, L., & Blangero, J. (1998). Multipoint Quantitative-Trait Linkage Analysis in General Pedigrees. *The American Journal of Human Genetics*, *62*, 1198–1211. doi:10.1086/301844

Almasy, L., & Blangero, J. (2010). Variance component methods for analysis of complex phenotypes. *Cold Spring Harbor Protocols*, pdb.top77. doi:10.1101/pdb.top77

Alonso, J., Liu, Z., Evans-Lacko, S., Sadikova, E., Sampson, N., Chatterji, S., … Thornicroft, G. (2018). Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. *Depression and Anxiety*. doi:10.1002/da.22711

American Psychiatric Association. (2013). *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5)*.

Amir, N., Klumpp, H., Elias, J., Bedwell, J. S., Yanasak, N., & Miller, L. S. (2005). Increased activation of the anterior cingulate cortex during processing of disgust faces in individuals with social phobia. *Biological Psychiatry*, *57*, 975–81. doi:10.1016/j.biopsych.2005.01.044

Amodio, D. M., & Frith, C. D. (2006). Meeting of minds: the medial frontal cortex and social cognition. *Nature Reviews. Neuroscience*, *7*, 268–77. doi:10.1038/nrn1884

Amunts, K., Kedo, O., Kindler, M., Pieperhoff, P., Mohlberg, H., Shah, N. J., … Zilles, K. (2005). Cytoarchitectonic mapping of the human amygdala, hippocampal region and entorhinal cortex: intersubject variability and probability maps. *Anatomy and Embryology*, *210*, 343–52. doi:10.1007/s00429-005-0025-5

Andersson, J. L., Jenkinson, M., & Smith, S. (2007). Non-linear registration aka Spatial normalisation. Retrieved from www.fmrib.ox.ac.uk/analysis/techrep

Antony, M. M., Purdon, C. L., Huta, V., & Swinson, R. P. (1998). Dimensions of perfectionism across the anxiety disorders. *Behaviour Research and Therapy*, *36*, 1143–1154. doi:10.1016/S0005-7967(98)00083-7

Anttila, V., Bulik-Sullivan, B., Finucane, H. K., Walters, R. K., Bras, J., Duncan, L., … Neale, B. M. (2018). Analysis of shared heritability in common disorders of the brain. *Science*, *360*. doi:10.1126/science.aap8757

Arnold Anteraper, S., Triantafyllou, C., Sawyer, A. T., Hofmann, S. G., Gabrieli, J. D., & Whitfield-Gabrieli, S. (2014). Hyper-connectivity of Subcortical Resting State Networks in Social Anxiety Disorder. *Brain Connectivity*, *4*, 81–90. doi:10.1089/brain.2013.0180

Arsalidou, M., Duerden, E. G., & Taylor, M. J. (2012). The centre of the brain: Topographical model of motor, cognitive, affective, and somatosensory functions of the basal ganglia. *Human Brain Mapping*, *34*, 3031–3054. doi:10.1002/hbm.22124

Ashbaugh, A., Antony, M. M., Liss, A., Summerfeldt, L. J., McCabe, R. E., & Swinson, R. P. (2007). Changes in perfectionism following cognitive-behavioral treatment for social phobia. *Depression and Anxiety*, *24*, 169–177. doi:10.1002/da.20219

Ashburner, J., & Friston, K. J. (2000). Voxel-based morphometry--the methods. *NeuroImage*, *11*, 805–21. doi:10.1006/nimg.2000.0582

Ashburner, J., & Friston, K. J. (2001). Why voxel-based morphometry should be used. *NeuroImage*, *14*, 1238–43. doi:10.1006/nimg.2001.0961

Asher, M., Asnaani, A., & Aderka, I. M. (2017). Gender differences in social anxiety disorder: A review. *Clinical Psychology Review*, *56*, 1–12. doi:10.1016/j.cpr.2017.05.004

Avery, S. N., & Blackford, J. U. (2016). Slow to warm up: the role of habituation in social fear. *Social Cognitive and Affective Neuroscience*, *11*, 1832–1840. doi:10.1093/scan/nsw095

Avery, S. N., Clauss, J. A., & Blackford, J. U. (2015). The Human BNST: Functional Role in Anxiety and Addiction. *Neuropsychopharmacology*, *41*, 126–141. doi:10.1038/npp.2015.185

Avery, S. N., Clauss, J. A., Winder, D. G., Woodward, N., Heckers, S., & Blackford, J. U. (2014). BNST neurocircuitry in humans. *NeuroImage*, *91*, 311–23. doi:10.1016/j.neuroimage.2014.01.017

Ayling, E., Aghajani, M., Fouche, J.-P., & van der Wee, N. (2012). Diffusion tensor imaging in anxiety disorders. *Current Psychiatry Reports*, *14*, 197–202. doi:10.1007/s11920-012-0273-z

Baldwin, D. S., & Stein, D. J. (2012). A joint European and South African research network in anxiety disorders. *Human Psychopharmacology*, *27*, 4–5. doi:10.1002/hup.1267

Ball, T. M., Knapp, S. E., Paulus, M. P., & Stein, M. B. (2017). Brain activation during fear extinction predicts exposure success. *Depression and Anxiety*, *34*, 257–266. doi:10.1002/da.22583

Bandelow, B., Baldwin, D., Abelli, M., Altamura, C., Dell'Osso, B., Domschke, K., … Riederer, P. (2016). Biological markers for anxiety disorders, OCD and PTSD – a consensus statement. Part I: Neuroimaging and genetics. *The World Journal of Biological Psychiatry*, *17*, 321–365. doi:10.1080/15622975.2016.1181783

Bandelow, B., & Michaelis, S. (2015). Epidemiology of anxiety disorders in the 21st century. *Dialogues in Clinical Neuroscience*, *17*, 327–35.

Baron-Cohen, S., Wheelwright, S., Skinner, R., Martin, J., & Clubley, E. (2001). The Autism-Spectrum Quotient (AQ): Evidence from Asperger Syndrome/High-Functioning Autism, Malesand Females, Scientists and Mathematicians. *Journal of Autism and Developmental Disorders*, *31*, 5–17. doi:10.1023/A:1005653411471

Barrós-Loscertales, A., Meseguer, V., Sanjuán, A., Belloch, V., Parcet, M. A., Torrubia, R., & Avila, C. (2006). Behavioral Inhibition System activity is associated with increased amygdala and hippocampal gray matter volume: A voxel-based morphometry study. *NeuroImage*, *33*, 1011–5. doi:10.1016/j.neuroimage.2006.07.025

Bas-Hoogendam, J. M. (2019). Commentary: Gray Matter Structural Alterations in Social Anxiety Disorder: A Voxel-Based Meta-Analysis. *Frontiers in Psychiatry*. doi:10.3389/fpsyt.2019.00001

Bas-Hoogendam, J. M., Andela, C. D., van der Werff, S. J. A., Pannekoek, J. N., van Steenbergen, H., Meijer, O. C., … Pereira, A. M. (2015). Altered neural processing of emotional faces in remitted Cushing's disease. *Psychoneuroendocrinology*, *59*, 134–46. doi:10.1016/j.psyneuen.2015.05.001

Bas-Hoogendam, J. M., Blackford, J. U., Brühl, A. B., Blair, K. S., van der Wee, N. J. A., & Westenberg, P. M. (2016). Neurobiological candidate endophenotypes of social anxiety disorder. *Neuroscience & Biobehavioral Reviews*, *71*, 362–378. doi:10.1016/j.neubiorev.2016.08.040

Bas-Hoogendam, J. M., Harrewijn, A., Tissier, R. L. M., van der Molen, M. J. W., van Steenbergen, H., van Vliet, I. M., … Westenberg, P. M. (2018). The Leiden Family Lab study on Social Anxiety Disorder: a multiplex, multigenerational family study on neurocognitive endophenotypes. *International Journal of Methods in Psychiatric Research*, *27*, e1616. doi:10.1002/mpr.1616

Bas-Hoogendam, J. M., Harrewijn, A., van der Molen, M. J. W., van Steenbergen, H., van Vliet, I., Houwing-Duistermaat, J., … Westenberg, P. M. (2014a). Preregistration: General Background and Key Question of Project, part of "Profiling Endophenotypes in Social Anxiety Disorder: a neurocognitive approach." doi:10.17605/OSF.IO/E368H

Bas-Hoogendam, J. M., Harrewijn, A., van der Molen, M. J. W., van Steenbergen, H., van Vliet, I., Houwing-Duistermaat, J., … Westenberg, P. M. (2014b). Preregistration: Methods: Study Design and Sample. part of "Profiling Endophenotypes in Social Anxiety Disorder: a neurocognitive approach." doi:10.17605/OSF.IO/AQ3SV

Bas-Hoogendam, J. M., Harrewijn, A., van der Molen, M. J. W., van Steenbergen, H., van Vliet, I. M., Houwing-Duistermaat, J. J., … Westenberg, P. M. (2014c). Preregistration: Hypothesized Endophenotype: prefrontal cortex (MRI), part of "Profiling Endophenotypes in Social Anxiety Disorder: a neurocognitive approach." doi:10.17605/OSF.IO/Y5M8Q

Bas-Hoogendam, J. M., Roelofs, E. F., Westenberg, P. M., & van der Wee, N. J. A. (2019). Pathogenesis of SAD. In N. Simon, E. Hollander, B. O. Rothbaum, & D. J. Stein (Eds.), *The American Psychiatric Association Textbook of Anxiety, Trauma and OCD related Disorders*. Washington DC: American Psychiatric Association, Publishing.

Bas-Hoogendam, J. M., van Steenbergen, H., Blackford, J. U., Tissier, R. L. M., van der Wee, N. J. A., & Westenberg, P. M. (2019). Impaired neural habituation in families genetically enriched for social anxiety disorder. *Depression and Anxiety*, *in press*.doi:10.1002/da.22962

Bas-Hoogendam, J. M., van Steenbergen, H., Kreuk, T., van der Wee, N. J. A., & Westenberg, P. M. (2017a). How embarrassing! The behavioral and neural correlates of processing social norm violations. *PLOS ONE*, *12*, e0176326. doi:10.1371/journal.pone.0176326

Bas-Hoogendam, J. M., van Steenbergen, H., Kreuk, T., van der Wee, N. J. A., & Westenberg, P. M. (2017b). Revised Social Norm Processing Task (SNPT-R). doi:10.17605/OSF.IO/M8R76

Bas-Hoogendam, J. M., van Steenbergen, H., Pannekoek, J. N., Fouche, J.-P., Lochner, C., Hattingh, C. J., … van der Wee, N. J. A. (2017). Voxel-based morphometry multi-center mega-analysis of brain structure in social anxiety disorder. *NeuroImage: Clinical*, *16*, 678–688. doi:10.1016/j.nicl.2017.08.001

Bas-Hoogendam, J. M., van Steenbergen, H., Tissier, R. L. M., Houwing-Duistermaat, J. J., Westenberg, P. M., & van der Wee, N. J. A. (2018a). Gray matter characteristics as endophenotypes of Social Anxiety Disorder. *Database: Open Science Framework*. doi:10.17605/OSF.IO/M8Q2Z

Bas-Hoogendam, J. M., van Steenbergen, H., Tissier, R. L. M., Houwing-Duistermaat, J. J., Westenberg, P. M., & van der Wee, N. J. A. (2018b). Subcortical brain volumes, cortical thickness and cortical surface area in families genetically enriched for social anxiety disorder - A multiplex multigenerational neuroimaging study. *EBioMedicine*. doi:10.1016/j.ebiom.2018.08.048

Bas-Hoogendam, J. M., van Steenbergen, H., Tissier, R. L. M., van der Wee, N. J. A., & Westenberg, P. M. (2019). Altered neurobiological processing of unintentional social norm violations: a multiplex, multigenerational fMRI study on social anxiety endophenotypes. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, *in press*. doi:10.1016/j.bpsc.2019.03.003

Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2017a). Relationship between ratings SNPT-R and social anxiety. *Database: Open Science Framework*. doi:10.17605/OSF.IO/J58YC

Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2017b). Social norm processing as an endophenotype of social anxiety disorder: a family study in two generations. *European Neuropsychopharmacology*, *27*, S49-S50 (abstract P.3.001). doi:10.1016/S0924-977X(17)30120-7

Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2017c). Subcortical brain volumes as endophenotypes of social anxiety disorder-preliminary findings from the

Leiden Family Study on Social Anxiety Disorder. *European Neuropsychopharmacology*, *27*, s1021. doi:10.1016/S0924-977X(17)31789-3

Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2017d). Subcortical brain volumes as endophenotypes of social anxiety disorder— preliminary findings from the Leiden Family Study on Social Anxiety Disorder; part of "Abstracts of the WASAD Conference 2017, 14–16 September, Würzburg, Germany." *Journal of Neural Transmission*, *124*, 1277–1328. doi:10.1007/s00702-017-1777-9

Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2018). Not intended, still embarrassed: social anxiety is related to increased levels of embarrassment in response to unintentional social norm violations. *European Psychiatry*, *52*, 15–21. doi:10.1016/j.eurpsy.2018.03.002

Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2019). Amygdala hyperreactivity to faces conditioned with a social-evaluative meaning - a multiplex, multigenerational fMRI study on social anxiety endophenotypes. *Under review*.

Bas-Hoogendam, J. M., van Steenbergen, H., Westenberg, P. M., & van der Wee, N. J. A. (2015). Social conditioning of neutral faces: A pilot-study on brain functioning in social anxiety patients and their unaffected first-degree relatives. *European Neuropsychopharmacology*, 25, S573–S574. doi:10.1016/S0924-977X(15)30803-8

Bassett, D. S., & Sporns, O. (2017). Network neuroscience. *Nature Neuroscience*, *20*, 353–364. doi:10.1038/nn.4502

Bassett, D. S., Xia, C. H., & Satterthwaite, T. D. (2018). Understanding the Emergence of Neuropsychiatric Disorders With Network Neuroscience. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, *3*, 742–753. doi:10.1016/j.bpsc.2018.03.015

Bastiaansen, J. A., de Vries, Y. A., & Munafò, M. R. (2015). Citation Distortions in the Literature on the Serotonin-Transporter-Linked Polymorphic Region and Amygdala Activation. *Biological Psychiatry*, *78*, E35–E36. doi:10.1016/j.biopsych.2014.12.007

Bastiaansen, J. A., Servaas, M. N., Marsman, J. B. C., Ormel, J., Nolte, I. M., Riese, H., & Aleman, A. (2014). Filling the Gap: Relationship Between the Serotonin-Transporter-Linked Polymorphic Region and Amygdala Activation. *Psychological Science*, *25*, 2058–2066. doi:10.1177/0956797614548877

Battaglia, M., Zanoni, A., Taddei, M., Giorda, R., Bertoletti, E., Lampis, V., … Tettamanti, M. (2012). Cerebral responses to emotional expressions and the development of social anxiety disorder: a preliminary longitudinal study. *Depression and Anxiety*, *29*, 54–61. doi:10.1002/da.20896

Bauhuis, O., Jonker, K., Verdellen, C., Reynders, J., & Verbraak, M. (2013). De introductie van een Nederlandstalig instrument om DSM-IV-Tr-diagnoses bij kinderen te stellen. *Kind & Adolescent Praktijk*, *12*, 20–26. doi:10.1007/s12454-013-0005-5

Baur, V., Brühl, A. B., Herwig, U., Eberle, T., Rufer, M., Delsignore, A., … Hänggi, J. (2013). Evidence of frontotemporal structural hypoconnectivity in social anxiety disorder: A quantitative fiber tractography study. *Human Brain Mapping*, *34*, 437–46. doi:10.1002/hbm.21447

Baur, V., Hänggi, J., & Jäncke, L. (2012). Volumetric associations between uncinate fasciculus, amygdala, and trait anxiety. *BMC Neuroscience*, *13*, 1–8. doi:10.1186/1471-2202-13-4

Baur, V., Hänggi, J., Langer, N., & Jäncke, L. (2013). Resting-state functional and structural connectivity within an insula-amygdala route specifically index state and trait anxiety. *Biological Psychiatry*, *73*, 85–92. doi:10.1016/j.biopsych.2012.06.003

Baur, V., Hänggi, J., Rufer, M., Delsignore, A., Jäncke, L., Herwig, U., & Brühl, A. B. (2011). White matter alterations in social anxiety disorder. *Journal of Psychiatric Research*, *45*, 1366–72. doi:10.1016/j.jpsychires.2011.05.007

Baxter, A. J., Vos, T., Scott, K. M., Ferrari, A. J., & Whiteford, H. A. (2014). The global burden of anxiety disorders in 2010. *Psychological Medicine*, *44*, 1–12. doi:10.1017/S0033291713003243

Beard, C., Moitra, E., Weisberg, R. B., & Keller, M. B. (2010). Characteristics and predictors of social phobia course in a longitudinal study of primary-care patients. *Depression and Anxiety*, *27*, 839–845. doi:10.1002/da.20676

Bearden, C. E., & Freimer, N. B. (2006). Endophenotypes for psychiatric disorders: ready for primetime? *Trends in Genetics : TIG*, *22*, 306–13. doi:10.1016/j.tig.2006.04.004

Bearden, C. E., Jasinska, A. J., & Freimer, N. B. (2009). Methodological issues in molecular genetic studies of mental disorders. *Annual Review of Clinical Psychology*, *5*, 49–69. doi:10.1146/annurev.clinpsy.032408.153545

Bearden, C. E., Reus, V. I., & Freimer, N. B. (2004). Why genetic investigation of psychiatric disorders is so difficult. *Current Opinion in Genetics & Development*, *14*, 280–6. doi:10.1016/j.gde.2004.04.005

Bearden, C. E., & Thompson, P. M. (2017). Emerging Global Initiatives in Neurogenetics: The Enhancing Neuroimaging Genetics through Meta-analysis (ENIGMA) Consortium. *Neuron*, *94*, 232–236. doi:10.1016/j.neuron.2017.03.033

Beaton, E. A., Schmidt, L. A., Schulkin, J., Antony, M. M., Swinson, R. P., & Hall, G. B. (2008). Different neural responses to stranger and personally familiar faces in shy and bold adults. *Behavioral Neuroscience*, *122*, 704–9. doi:10.1037/0735-7044.122.3.704

Beauchaine, T. P., & Constantino, J. N. (2017). Redefining the endophenotype concept to accommodate transdiagnostic vulnerabilities and etiological complexity. *Biomarkers in Medicine*, *11*, 769–780. doi:10.2217/bmm-2017-0002

Beauchaine, T. P., Neuhaus, E., Brenner, S. L., & Gatzke-Kopp, L. (2008). Ten good reasons to consider biological processes in prevention and intervention research. *Development and Psychopathology*, *20*, 745–74. doi:10.1017/S0954579408000369

Beauchamp, M. S. (2015). The social mysteries of the superior temporal sulcus. *Trends in Cognitive Sciences*, *19*, 489–490. doi:10.1016/j.tics.2015.07.002

Beck, A. T., Steer, R. A., & Carbin, M. G. (1988). Psychometric properties of the Beck Depression Inventory: Twenty-five years of evaluation. *Clinical Psychology Review*, *8*, 77–100. doi:10.1016/0272-7358(88)90050-5

Beck, A. T., Steer, R., & Brown, G. (1996). *Manual for the Beck Depression Inventory-II.* San Antonio, TX: Psychological Corporation.

Beckmann, C. F., Jenkinson, M., & Smith, S. M. (2003). General multilevel linear modeling for group analysis in FMRI. *NeuroImage*, *20*, 1052–63. doi:10.1016/S1053-8119(03)00435-X

Beesdo-Baum, K., Knappe, S., Asselmann, E., Zimmermann, P., Brückl, T., Höfler, M., … Wittchen, H.-U. (2015). The "Early Developmental Stages of Psychopathology (EDSP) study": a 20-year review of methods and findings. *Social Psychiatry and Psychiatric Epidemiology*, *50*, 851–66. doi:10.1007/s00127-015-1062-x

Beesdo-Baum, K., Knappe, S., Fehm, L., Höfler, M., Lieb, R., Hofmann, S. G., & Wittchen, H.-U. (2012). The natural course of social anxiety disorder among adolescents and young adults. *Acta Psychiatrica Scandinavica*, *126*, 411–25. doi:10.1111/j.1600-0447.2012.01886.x

Beesdo, K., Bittner, A., Pine, D. S., Stein, M. B., Höfler, M., Lieb, R., & Wittchen, H.-U. (2007). Incidence of social anxiety disorder and the consistent risk for secondary depression in the first three decades of life. *Archives of General Psychiatry*, *64*, 903–12. doi:10.1001/archpsyc.64.8.903

Benjamini, Y., & Hochberg, Y. (1995). Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. *Journal of the Royal Statistical Society. Series B (Methodological)*, *57*, 289–300. doi:10.1111/j.2517-6161.1995.tb02031.x

Berger, U., Keshet, H., & Gilboa-Schechtman, E. (2017). Self-evaluations in social anxiety: The combined role of explicit and implicit social-rank. *Personality and Individual Differences*, *104*, 368–373. doi:10.1016/j.paid.2016.08.023

Berthoz, S., Armony, J. L., Blair, R. J. R., & Dolan, R. J. (2002). An fMRI study of intentional and unintentional (embarrassing) violations of social norms. *Brain*, *125*, 1696–1708. doi:10.1093/brain/awf190

Berthoz, S., Grèzes, J., Armony, J. L., Passingham, R. E., & Dolan, R. J. (2006). Affective response to one's own moral violations. *NeuroImage*, *31*, 945–50. doi:10.1016/j.neuroimage.2005.12.039

Bey, K., Kaufmann, C., Lennertz, L., Riesel, A., Klawohn, J., Heinzel, S., … Wagner, M. (2018). Impaired planning in patients with obsessive-compulsive disorder and unaffected first-degree relatives: Evidence for a cognitive endophenotype. *Journal of Anxiety Disorders*, *57*, 24–30. doi:10.1016/J.JANXDIS.2018.05.009

Bicchieri, C. (2006). *The Grammar of Society: The Nature and Dynamics of Social Norms* (1st ed.). Cambridge: Cambridge University Press.

Bienvenu, O. J., Hettema, J. M., Neale, M. C., Prescott, C. A., & Kendler, K. S. (2007). Low Extraversion and High Neuroticism as Indices of Genetic and Environmental Risk for Social Phobia, Agoraphobia, and Animal Phobia. *American Journal of Psychiatry*, *164*, 1714–1721. doi:10.1176/appi.ajp.2007.06101667

Binder, E. B. (2012). The genetic basis of mood and anxiety disorders - changing paradigms. *Biology of Mood & Anxiety Disorders*, *2*, 1–3. doi:10.1186/2045-5380-2-17

Binelli, C., Subirà, S., Batalla, A., Muñiz, A., Sugranyés, G., Crippa, J. A., … Martín-Santos, R. (2014). Common and distinct neural correlates of facial emotion processing in social anxiety disorder and Williams syndrome: A systematic review and voxel-based meta-analysis of functional resonance imaging studies. *Neuropsychologia*, *64C*, 205–217. doi:10.1016/j.neuropsychologia.2014.08.027

Birbaumer, N., Grodd, W., Diedrich, O., Klose, U., Erb, M., Lotze, M., … Flor, H. (1998). fMRI reveals amygdala activation to human faces in social phobics. *Neuroreport*, *9*, 1223–6. doi:10.1097/00001756-199804200-00048

Birn, R. M., Shackman, A. J., Oler, J. A., Williams, L. E., McFarlin, D. R., Rogers, G. M., … Kalin, N. H. (2014). Evolutionarily conserved prefrontal-amygdalar dysfunction in early-life anxiety. *Molecular Psychiatry*, *19*, 915–22. doi:10.1038/mp.2014.46

Blackford, J. U. (2017). Leveraging Statistical Methods to Improve Validity and Reproducibility of Research Findings. *JAMA Psychiatry*, *74*, 119–120. doi:10.1001/jamapsychiatry.2016.3730

Blackford, J. U., Allen, A. H., Cowan, R. L., & Avery, S. N. (2013). Amygdala and hippocampus fail to habituate to faces in individuals with an inhibited temperament. *Social Cognitive and Affective Neuroscience*, *8*, 143–50. doi:10.1093/scan/nsr078

Blackford, J. U., Avery, S. N., Cowan, R. L., Shelton, R. C., & Zald, D. H. (2011). Sustained amygdala response to both novel and newly familiar faces characterizes inhibited temperament. *Social Cognitive and Affective Neuroscience*, *6*, 621–9. doi:10.1093/scan/nsq073

Blackford, J. U., Clauss, J. A., Avery, S. N., Cowan, R. L., Benningfield, M. M., & Vanderklok, R. M. (2014). Amygdala-cingulate intrinsic connectivity is associated with degree of social inhibition. *Biological Psychology*, *99*, 15–25. doi:10.1016/j.biopsycho.2014.02.003

Blackford, J. U., & Pine, D. S. (2012). Neural substrates of childhood anxiety disorders: a review of neuroimaging findings. *Child and Adolescent Psychiatric Clinics of North America*, *21*, 501–25. doi:10.1016/j.chc.2012.05.002

Blackford, J. U., Williams, L. E., & Heckers, S. (2015). Neural correlates of out-group bias predict social impairment in patients with schizophrenia. *Schizophrenia Research*, *164*, 203–209. doi:10.1016/j.schres.2015.03.019

Blair, K. S., & Blair, R. J. R. (2012). A Cognitive Neuroscience Approach to Generalized Anxiety Disorder and Social Phobia. *Emotion Review*, *4*, 133–138. doi:10.1177/1754073911430251

Blair, K. S., Geraci, M., Devido, J., McCaffrey, D., Chen, G., Vythilingam, M., … Pine, D. S. (2008). Neural response to self- and other referential praise and criticism in generalized social phobia. *Archives of General Psychiatry*, *65*, 1176–84. doi:10.1001/archpsyc.65.10.1176

Blair, K. S., Geraci, M., Hollon, N., Otero, M., DeVido, J., Majestic, C., … Pine, D. S. (2010). Social norm processing in adult social phobia: atypically increased ventromedial frontal cortex responsiveness to unintentional (embarrassing) transgressions. *The American Journal of Psychiatry*, *167*, 1526–32. doi:10.1176/appi.ajp.2010.09121797

Blair, K. S., Geraci, M., Korelitz, K., Otero, M., Towbin, K., Ernst, M., … Pine, D. S. (2011). The pathology of social phobia is independent of developmental changes in face processing. *The American Journal of Psychiatry*, *168*, 1202–9. doi:10.1176/appi.ajp.2011.10121740

Blair, K. S., Geraci, M., Otero, M., Majestic, C., Odenheimer, S., Jacobs, M., … Pine, D. S. (2011). Atypical modulation of medial prefrontal cortex to self-referential comments in generalized social phobia. *Psychiatry Research*, *193*, 38–45. doi:10.1016/j.pscychresns.2010.12.016

Blakemore, S.-J. (2008). The social brain in adolescence. *Nature Reviews. Neuroscience*, *9*, 267–77. doi:10.1038/nrn2353

Blakey, R., Ranlund, S., Zartaloudi, E., Cahn, W., Calafato, S., Colizzi, M., … Bramon, E. (2018). Associations between psychosis endophenotypes across brain functional, structural, and cognitive domains. *Psychological Medicine*, *48*, 1325–1340. doi:10.1017/S0033291717002860

Blanco, C., Xu, Y., Schneier, F. R., Okuda, M., Liu, S.-M., & Heimberg, R. G. (2011). Predictors of persistence of social anxiety disorder: a national study. *Journal of Psychiatric Research*, *45*, 1557–63. doi:10.1016/j.jpsychires.2011.08.004

Blokland, G. A. M., de Zubicaray, G. I., McMahon, K. L., & Wright, M. J. (2012). Genetic and environmental influences on neuroimaging phenotypes: a meta-analytical perspective on twin imaging studies. *Twin Research and Human Genetics*, *15*, 351–71. doi:10.1017/thg.2012.11

Blöte, A. W., Miers, A. C., Heyne, D. A., Clark, D. M., & Westenberg, P. M. (2014). The Relation Between Social Anxiety and Audience Perception: Examining Clark and Wells' (1995) Model Among Adolescents. *Behavioural and Cognitive Psychotherapy*, *42*, 555–567. doi:10.1017/S1352465813000271

Boehme, S., Miltner, W. H. R., & Straube, T. (2015). Neural correlates of self-focused attention in social anxiety. *Social Cognitive and Affective Neuroscience*, *10*, 856–62. doi:10.1093/scan/nsu128

Boehme, S., Mohr, A., Becker, M. P., Miltner, W. H., & Straube, T. (2014). Area-dependent time courses of brain activation during video-induced symptom provocation in social anxiety disorder. *Biology of Mood & Anxiety Disorders*, *4*, 6. doi:10.1186/2045-5380-4-6

Boehme, S., Ritter, V., Tefikow, S., Stangier, U., Strauss, B., Miltner, W. H. R., & Straube, T. (2014). Brain activation during anticipatory anxiety in social anxiety disorder. *Social Cognitive and Affective Neuroscience*, *9*, 1413–1418. doi:10.1093/scan/nst129

Boehme, S., Ritter, V., Tefikow, S., Stangier, U., Strauss, B., Miltner, W. H. R., & Straube, T. (2015). Neural Correlates of Emotional Interference in Social Anxiety Disorder. *PLOS ONE*, *10*, e0128608. doi:10.1371/journal.pone.0128608

Bögels, S. M., & Perotti, E. C. (2011). Does Father Know Best? A Formal Model of the Paternal Influence on Childhood Social Anxiety. *Journal of Child and Family Studies*, *20*, 171–181. doi:10.1007/s10826-010-9441-0

Bohlken, M. M., Mandl, R. C. W., Brouwer, R. M., van den Heuvel, M. P., Hedman, A. M., Kahn, R. S., & Hulshoff Pol, H. E. (2014). Heritability of structural brain network topology: A DTI study of 156 twins. *Human Brain Mapping*, *35*, 5295–305. doi:10.1002/hbm.22550

Bois, C., Ronan, L., Levita, L., Whalley, H. C., Giles, S., McIntosh, A. M., … Lawrie, S. M. (2015). Cortical Surface Area Differentiates Familial High Risk Individuals Who Go on to Develop Schizophrenia. *Biological Psychiatry*, *78*, 413–20. doi:10.1016/j.biopsych.2014.12.030

Bootsman, F., Brouwer, R. M., Kemner, S. M., Schnack, H. G., van der Schot, A. C., Vonk, R., … van Haren, N. E. M. (2015). Contribution of genes and unique environment to cross-sectional and longitudinal measures of subcortical volumes in bipolar disorder. *European Neuropsychopharmacology*. doi:10.1016/j.euroneuro.2015.09.023

Brennan, G., Eriksson, L., Goodin, R. E., & Southwoord, N. (2013). Moral and social norms. In *Explaining Norms* (1st ed.). Oxford: Oxford University Press. doi:10.1093/acprof:oso/9780199654680.001.0001

Brito, N. H., & Noble, K. G. (2014). Socioeconomic status and structural brain development. *Frontiers in Neuroscience*, *8*. doi:10.3389/fnins.2014.00276

Brook, C. A., & Schmidt, L. A. (2008). Social anxiety disorder: a review of environmental risk factors. *Neuropsychiatric Disease and Treatment*, *4*, 123–43. doi:10.2147/ndt.s1799

Brown, L. A., Young, K. S., Goldin, P. R., Torre, J. B., Burklund, L. J., Davies, C. D., … Craske, M. G. (2019). Self-referential processing during observation of a speech performance task in social anxiety disorder from pre- to post-treatment: Evidence of disrupted neural activation. *Psychiatry Research: Neuroimaging*, *284*, 13–20. doi:10.1016/j.pscychresns.2018.12.017

Brühl, A. B., Delsignore, A., Komossa, K., & Weidt, S. (2014). Neuroimaging in Social Anxiety Disorder–a meta-analytic review resulting in a new neurofunctional model. *Neuroscience & Biobehavioral Reviews*, *47*, 260–280. doi:10.1016/j.neubiorev.2014.08.003

Brühl, A. B., Hänggi, J., Baur, V., Rufer, M., Delsignore, A., Weidt, S., … Herwig, U. (2014). Increased cortical thickness in a frontoparietal network in social anxiety disorder. *Human Brain Mapping*, *35*, 2966–77. doi:10.1002/hbm.22378

Brühl, A. B., Herwig, U., Delsignore, A., Jäncke, L., & Rufer, M. (2013). General emotion processing in social anxiety disorder: Neural issues of cognitive control. *Psychiatry Research: Neuroimaging*, *212*, 108–115. doi:10.1016/j.pscychresns.2012.05.006

Brühl, A. B., Rufer, M., Delsignore, A., Kaffenberger, T., Jäncke, L., & Herwig, U. (2011). Neural correlates of altered general emotion processing in social anxiety disorder. *Brain Research*, *1378*, 72–83. doi:10.1016/j.brainres.2010.12.084

Brühl, A. B., Scherpiet, S., Sulzer, J., Stämpfli, P., Seifritz, E., & Herwig, U. (2014). Real-time Neurofeedback Using Functional MRI Could Improve Down-Regulation of Amygdala Activity During Emotional Stimulation: A Proof-of-Concept Study. *Brain Topography*, *27*, 138–148. doi:10.1007/s10548-013-0331-9

Buckholtz, J. W., & Meyer-Lindenberg, A. (2012). Psychopathology and the Human Connectome: Toward a Transdiagnostic Model of Risk For Mental Illness. *Neuron*, *74*, 990–1004. doi:10.1016/j.neuron.2012.06.002

Budisavljevic, S., Kawadler, J. M., Dell'Acqua, F., Rijsdijk, F. V, Kane, F., Picchioni, M., … Catani, M. (2016). Heritability of the limbic networks. *Social Cognitive and Affective Neuroscience*, *11*, 746–757. doi:10.1093/scan/nsv156

Buhle, J. T., Silvers, J. A., Wager, T. D., Lopez, R., Onyemekwu, C., Kober, H., … Ochsner, K. N. (2013). Cognitive Reappraisal of Emotion: A Meta-Analysis of Human Neuroimaging Studies. *Cerebral Cortex*, *24*, 2981–2990. doi:10.1093/cercor/bht154

Burstein, M., He, J.-P., Kattan, G., Albano, A. M., Avenevoli, S., & Merikangas, K. R. (2011). Social phobia and subtypes in the national comorbidity survey-adolescent supplement: prevalence, correlates, and comorbidity. *Journal of the American Academy of Child and Adolescent Psychiatry*, *50*, 870–80. doi:10.1016/j.jaac.2011.06.005

Button, K. S., Ioannidis, J. P. A., Mokrysz, C., Nosek, B. A., Flint, J., Robinson, E. S. J., & Munafò, M. R. (2013). Power failure: why small sample size undermines the reliability of neuroscience. *Nature Reviews Neuroscience*, *14*, 365–376. doi:10.1038/nrn3475

Bynion, T.-M., Blumenthal, H., Bilsky, S. A., Cloutier, R. M., & Leen-Feldner, E. W. (2017). Dimensions of parenting among mothers and fathers in relation to social anxiety among female adolescents. *Journal of Adolescence*, *60*, 11–15. doi:10.1016/j.adolescence.2017.07.004

Bzdok, D., Laird, A. R., Zilles, K., Fox, P. T., & Eickhoff, S. B. (2013). An investigation of the structural, connectional, and functional subspecialization in the human amygdala. *Human Brain Mapping*, *34*, 3247–66. doi:10.1002/hbm.22138

Campbell, D. W., Sareen, J., Paulus, M. P., Goldin, P. R., Stein, M. B., & Reiss, J. P. (2007). Time-varying amygdala response to emotional faces in generalized social phobia. *Biological Psychiatry*, *62*, 455–63. doi:10.1016/j.biopsych.2006.09.017

Campbell, D. W., Sareen, J., Stein, M. B., Kravetsky, L. B., Paulus, M. P., Hassard, S. T., & Reiss, J. P. (2009). Happy but not so approachable: the social judgments of individuals with generalized social phobia. *Depression and Anxiety*, *26*, 419–24. doi:10.1002/da.20474

Canli, T., Sivers, H., Whitfield, S. L., Gotlib, I. H., Gabrieli, J. D. E., Davis, M., … Friesen, W. V. (2002). Amygdala response to happy faces as a function of extraversion. *Science*, *296*, 2191. doi:10.1126/science.1068749

Cannon, T. D., & Keller, M. C. (2006). Endophenotypes in the genetic analyses of mental disorders. *Annual Review of Clinical Psychology*, *2*, 267–90. doi:10.1146/annurev.clinpsy.2.022305.095232

Caouette, J. D., & Guyer, A. E. (2014). Gaining insight into adolescent vulnerability for social anxiety from developmental cognitive neuroscience. *Developmental Cognitive Neuroscience*, *8*, 65–76. doi:10.1016/j.dcn.2013.10.003

Carleton, R. N., Collimore, K. C., & Asmundson, G. J. G. (2007). Social anxiety and fear of negative evaluation: construct validity of the BFNE-II. *Journal of Anxiety Disorders*, *21*, 131–41. doi:10.1016/j.janxdis.2006.03.010

Carleton, R. N., McCreary, D. R., Norton, P. J., & Asmundson, G. J. G. (2006). Brief fear of negative evaluation scale-revised. *Depression and Anxiety*, *23*, 297–303. doi:10.1002/da.20142

Carlson, J. M., Cha, J., Harmon-Jones, E., Mujica-Parodi, L. R., & Hajcak, G. (2014). Influence of the BDNF genotype on amygdalo-prefrontal white matter microstructure is linked to nonconscious attention bias to threat. *Cerebral Cortex*, *24*, 2249–57. doi:10.1093/cercor/bht089

Carpenter, J. K., Andrews, L. A., Witcraft, S. M., Powers, M. B., Smits, J. A. J., & Hofmann, S. G. (2018). Cognitive behavioral therapy for anxiety and related disorders: A meta-analysis of randomized placebo-controlled trials. *Depression and Anxiety*, *35*, 502–514. doi:10.1002/da.22728

Carver, C. S., & White, T. L. (1994). Behavioral inhibition, behavioral activation, and affective responses to impending reward and punishment: The BIS/BAS Scales. *Journal of Personality and Social Psychology*, *67*, 319–333. doi:10.1037/0022-3514.67.2.319

Casey, B. J., Jones, R. M., & Hare, T. A. (2008). The adolescent brain. *Annals of the New York Academy of Sciences*, *1124*, 111–26. doi:10.1196/annals.1440.010

Caspi, A., Hariri, A. R., Holmes, A., Uher, R., & Moffitt, T. E. (2010). Genetic Sensitivity to the Environment: The Case of the Serotonin Transporter Gene and Its Implications for Studying Complex Diseases and Traits. *American Journal of Psychiatry*, *167*, 509–527. doi:10.1176/appi.ajp.2010.09101452

Cassimjee, N., Fouche, J.-P., Burnett, M., Lochner, C., Warwick, J., Dupont, P., … Carey, P. D. (2010). Changes in regional brain volumes in social anxiety disorder following 12 weeks of treatment with escitalopram. *Metabolic Brain Disease*, *25*, 369–374. doi:10.1007/s11011-010-9218-6

Cerasa, A., Quattrone, A., Piras, F., Mangone, G., Magariello, A., Fagioli, S., … Spalletta, G. (2014). 5-HTTLPR, anxiety and gender interaction moderates right amygdala volume in healthy subjects. *Social Cognitive and Affective Neuroscience*, *9*, 1537–1545. doi:10.1093/scan/nst144

Chakroff, A., Dungan, J., Koster-Hale, J., Brown, A., Saxe, R., & Young, L. (2016). When minds matter for moral judgment: intent information is neurally encoded for harmful but not impure acts. *Social Cognitive and Affective Neuroscience*, *11*, 476–484. doi:10.1093/scan/nsv131

Chanraud, S., Zahr, N., Sullivan, E. V, & Pfefferbaum, A. (2010). MR diffusion tensor imaging: a window into white matter integrity of the working brain. *Neuropsychology Review*, *20*, 209–25. doi:10.1007/s11065-010-9129-7

Chen, C.-H., Fiecas, M., Gutiérrez, E. D., Panizzon, M. S., Eyler, L. T., Vuoksimaa, E., … Kremen, W. S. (2013). Genetic topography of brain morphology. *Proceedings of the National Academy of Sciences of the United States of America*, *110*, 17089–94. doi:10.1073/pnas.1308091110

Chen, C.-H., Peng, Q., Schork, A. J., Lo, M.-T., Fan, C.-C., Wang, Y., … Dale, A. M. (2015). Large-scale genomics unveil polygenic architecture of human cortical surface area. *Nature Communications*, *6*, 7549. doi:10.1038/ncomms8549

Cherbuin, N., Windsor, T. D., Anstey, K. J., Maller, J. J., Meslin, C., & Sachdev, P. S. (2008). Hippocampal volume is positively associated with behavioural inhibition (BIS) in a large community-based sample of mid-life adults: the PATH through life study. *Social Cognitive and Affective Neuroscience*, *3*, 262–9. doi:10.1093/scan/nsn018

Christensen, R., Van Ameringen, M., & Hall, G. (2015). Increased activity of frontal and limbic regions to emotional stimuli in children at-risk for anxiety disorders. *Psychiatry Research: Neuroimaging*, *233*, 9–17. doi:10.1016/j.pscychresns.2015.04.004

Cialdini, R. B., & Goldstein, N. J. (2004). Social influence: compliance and conformity. *Annual Review of Psychology*, *55*, 591–621. doi:10.1146/annurev.psych.55.090902.142015

Clark, D. M., & McManus, F. (2002). Information processing in social phobia. *Biological Psychiatry*, *51*, 92–100. doi:10.1016/S0006-3223(01)01296-3

Clarkson, M. J., Cardoso, M. J., Ridgway, G. R., Modat, M., Leung, K. K., Rohrer, J. D., … Ourselin, S. (2011). A comparison of voxel and surface based cortical thickness estimation methods. *NeuroImage*, *57*, 856–865. doi:https://doi.org/10.1016/j.neuroimage.2011.05.053

Clauss, J. A., Avery, S. N., Benningfield, M. M., & Blackford, J. U. (2019). Social anxiety is associated with BNST response to unpredictability. *Depression and Anxiety*, *36*, 666–675. doi:10.1002/da.22891

Clauss, J. A., Avery, S. N., & Blackford, J. U. (2015). The nature of individual differences in inhibited temperament and risk for psychiatric disease: a review and meta-analysis. *Progress in Neurobiology*, *127–128*, 23–45. doi:10.1016/j.pneurobio.2015.03.001

Clauss, J. A., Avery, S. N., Vanderklok, R. M., Rogers, B. P., Cowan, R. L., Benningfield, M. M., & Blackford, J. U. (2014). Neurocircuitry underlying risk and resilience to Social Anxiety Disorder. *Depression and Anxiety*, *31*, 822–33. doi:10.1002/da.22265

Clauss, J. A., & Blackford, J. U. (2012). Behavioral inhibition and risk for developing social anxiety disorder: a meta-analytic study. *Journal of the American Academy of Child and Adolescent Psychiatry*, *51*, 1066–1075. doi:10.1016/j.jaac.2012.08.002

Clauss, J. A., Seay, A. L., Vanderklok, R. M., Avery, S., Cao, A., Cowan, R. L., … Blackford, J. U. (2014). Structural and functional bases of inhibited temperament. *Social Cognitive and Affective Neuroscience*, *9*, 2049–2058. doi:10.1093/scan/nsu019

Cohen Kadosh, K., & Staunton, G. (2019). A systematic review of the psychological factors that influence neurofeedback learning outcomes. *NeuroImage*, *185*, 545–555. doi:10.1016/j.neuroimage.2018.10.021

Colombo, M. (2014). Two neurocomputational building blocks of social norm compliance. *Biology & Philosophy*, *29*, 71–88. doi:10.1007/s10539-013-9385-z

Constantino, J. N., Davis, S. A., Todd, R. D., Schindler, M. K., Gross, M. M., Brophy, S. L., … Reich, W. (2003). Validation of a Brief Quantitative Measure of Autistic Traits: Comparison of the Social Responsiveness Scale with the Autism Diagnostic Interview-Revised. *Journal of Autism and Developmental Disorders*, *33*, 427–433. doi:10.1023/A:1025014929212

Cova, F., Dupoux, E., & Jacob, P. (2012). On Doing Things Intentionally. *Mind & Language*, *27*, 378–409. doi:10.1111/j.1468-0017.2012.01449.x

Cox, B. J., Fleet, C., & Stein, M. B. (2004). Self-criticism and social phobia in the US national comorbidity survey. *Journal of Affective Disorders*, *82*, 227–234. doi:10.1016/j.jad.2003.12.012

Cox, S. L., & Chen, J. (2015). Perfectionism: A contributor to social anxiety and its cognitive processes. *Australian Journal of Psychology*, *67*, 231–240. doi:10.1111/ajpy.12079

Craske, M. G., Liao, B., Brown, L., & Vervliet, B. (2012). Role of Inhibition in Exposure Therapy. *Journal of Experimental Psychopathology*, *3*, 322–345. doi:10.5127/jep.026511

Craske, M. G., Stein, M. B., Eley, T. C., Milad, M. R., Holmes, A., Rapee, R. M., & Wittchen, H.-U. (2017). Anxiety disorders. *Nature Reviews Disease Primers*, *3*, 17024. doi:10.1038/nrdp.2017.24

Craske, M. G., Treanor, M., Conway, C. C., Zbozinek, T., & Vervliet, B. (2014). Maximizing exposure therapy: An inhibitory learning approach. *Behaviour Research and Therapy*, *58*, 10–23. doi:10.1016/j.brat.2014.04.006

Craske, M. G., & Zucker, B. G. (2001). Prevention of anxiety disorders: A model for intervention. *Applied and Preventive Psychology*, *10*, 155–175. doi:10.1016/S0962-1849(01)80012-3

Crawford, J. R., & Henry, J. D. (2004). The Positive and Negative Affect Schedule (PANAS): Construct validity, measurement properties and normative data in a large non-clinical sample. *British Journal of Clinical Psychology*, *43*, 245–265. doi:10.1348/0144665031752934

Cremers, H. R., & Roelofs, K. (2016). Social anxiety disorder: a critical overview of neurocognitive research. *Wiley Interdisciplinary Reviews. Cognitive Science*, *7*, 218–232. doi:10.1002/wcs.1390

Cremers, H. R., van Tol, M.-J., Roelofs, K., Aleman, A., Zitman, F. G., van Buchem, M. A., … van der Wee, N. J. A. (2011). Extraversion is linked to volume of the orbitofrontal cortex and amygdala. *PloS One*, *6*, e28421. doi:10.1371/journal.pone.0028421

Cremers, H. R., Veer, I. M., Spinhoven, P., Rombouts, S. A. R. B., & Roelofs, K. (2015). Neural sensitivity to social reward and punishment anticipation in social anxiety disorder. *Frontiers in Behavioral Neuroscience*, *8*. doi:10.3389/fnbeh.2014.00439

Cremers, H. R., Veer, I. M., Spinhoven, P., Rombouts, S. A. R. B., Yarkoni, T., Wager, T. D., & Roelofs, K. (2014). Altered cortical-amygdala coupling in social anxiety disorder during the anticipation of giving a public speech. *Psychological Medicine*, 1–9. doi:10.1017/S0033291714002657

Crone, E. A., & Dahl, R. E. (2012). Understanding adolescence as a period of social-affective engagement and goal flexibility. *Nature Reviews. Neuroscience*, *13*, 636–50. doi:10.1038/nrn3313

Crone, E. A., & Elzinga, B. M. (2015). Changing brains: how longitudinal functional magnetic resonance imaging studies can inform us about cognitive and social-affective growth trajectories. *Wiley Interdisciplinary Reviews: Cognitive Science*, *6*, 53–63. doi:10.1002/wcs.1327

Cui, Q., Vanman, E. J., Long, Z., Pang, Y., Chen, Y., Wang, Y., … Chen, H. (2017). Social anxiety disorder exhibit impaired networks involved in self and theory of mind processing. *Social Cognitive and Affective Neuroscience*, *12*, 1284–1295. doi:10.1093/scan/nsx050

D'Avanzato, C., & Dalrymple, K. L. (2016). Recent Insight Into the Subtypes of Social Anxiety Disorder. *Current Psychiatry Reports*, *18*, 50. doi:10.1007/s11920-016-0688-z

Dale, A. M., Fischl, B., & Sereno, M. I. (1999). Cortical surface-based analysis. I. Segmentation and surface reconstruction. *NeuroImage*, *9*, 179–94. doi:10.1006/nimg.1998.0395

Damoiseaux, J. S., Rombouts, S. A. R. B., Barkhof, F., Scheltens, P., Stam, C. J., Smith, S. M., & Beckmann, C. F. (2006). Consistent resting-state networks across healthy subjects. *Proceedings of the National Academy of Sciences of the United States of America*, *103*, 13848–53. doi:10.1073/pnas.0601417103

Dams, J., König, H.-H., Bleibler, F., Hoyer, J., Wiltink, J., Beutel, M. E., … Konnopka, A. (2017). Excess costs of social anxiety disorder in Germany. *Journal of Affective Disorders*, *213*, 23–29. doi:10.1016/j.jad.2017.01.041

A

Dannlowski, U., Kugel, H., Franke, F., Stuhrmann, A., Hohoff, C., Zwanzger, P., … Domschke, K. (2011). Neuropeptide-S (NPS) receptor genotype modulates basolateral amygdala responsiveness to aversive stimuli. *Neuropsychopharmacology : Official Publication of the American College of Neuropsychopharmacology*, *36*, 1879–85. doi:10.1038/npp.2011.73

Danti, S., Ricciardi, E., Gentili, C., Gobbini, M. I., Pietrini, P., & Guazzelli, M. (2010). Is Social Phobia a "Mis-Communication" Disorder? Brain Functional Connectivity during Face Perception Differs between Patients with Social Phobia and Healthy Control Subjects. *Frontiers in Systems Neuroscience*, *4*, 1–11. doi:10.3389/fnsys.2010.00152

Davies, C. D., Young, K., Torre, J. B., Burklund, L. J., Goldin, P. R., Brown, L. A., … Craske, M. G. (2017). Altered time course of amygdala activation during speech anticipation in social anxiety disorder. *Journal of Affective Disorders*, *209*, 23–29. doi:10.1016/j.jad.2016.11.014

Davis, F. C., Johnstone, T., Mazzulla, E. C., Oler, J. A., & Whalen, P. J. (2010). Regional response differences across the human amygdaloid complex during social conditioning. *Cerebral Cortex*, *20*, 612–21. doi:10.1093/cercor/bhp126

de Andrade, M., & Amos, C. I. (2000). Ascertainment issues in variance components models. *Genetic Epidemiology*, *19*, 333–44. doi:10.1002/1098-2272(200012)19:4<333::AID-GEPI5>3.0.CO;2-%23

de Graaf, R., ten Have, M., van Gool, C., & van Dorsselaer, S. (2012). Prevalence of mental disorders and trends from 1996 to 2009. Results from the Netherlands Mental Health Survey and Incidence Study-2. *Social Psychiatry and Psychiatric Epidemiology*, *47*, 203–13. doi:10.1007/s00127-010-0334-8

de Vries, F. E., de Wit, S. J., Cath, D. C., van der Werf, Y. D., van der Borden, V., van Rossum, T. B., … van den Heuvel, O. A. (2013). Compensatory Fronto-Parietal Activity During Working Memory: An Endophenotype Of Obsessive-Compulsive Disorder. *Biological Psychiatry*, *76*, 878–887. doi:10.1016/j.biopsych.2013.11.021

Deen, B., Koldewyn, K., Kanwisher, N., & Saxe, R. (2015). Functional Organization of Social Perception and Cognition in the Superior Temporal Sulcus. *Cerebral Cortex*, *25*, 4596–4609. doi:10.1093/cercor/bhv111

DeLisi, L. E. (2016). A Case for Returning to Multiplex Families for Further Understanding the Heritability of Schizophrenia: A Psychiatrist's Perspective. *Molecular Neuropsychiatry*, *2*, 15–19. doi:10.1159/000442820

den Braber, A., Bohlken, M. M., Brouwer, R. M., van 't Ent, D., Kanai, R., Kahn, R. S., … Boomsma, D. I. (2013). Heritability of subcortical brain measures: A perspective for future genome-wide association studies. *NeuroImage*, *83C*, 98–102. doi:10.1016/j.neuroimage.2013.06.027

Denny, B. T., Kober, H., Wager, T. D., & Ochsner, K. N. (2012). A meta-analysis of functional neuroimaging studies of self- and other judgments reveals a spatial gradient for mentalizing in medial prefrontal cortex. *Journal of Cognitive Neuroscience*, *24*, 1742–52. doi:10.1162/jocn_a_00233

Desikan, R. S., Ségonne, F., Fischl, B., Quinn, B. T., Dickerson, B. C., Blacker, D., … Killiany, R. J. (2006). An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. *NeuroImage*, *31*, 968–80. doi:10.1016/j.neuroimage.2006.01.021

Dick, D. M. (2018). Mapping Risk from Genes to Behavior: The Enduring and Evolving Influence of Irving Gottesman's Endophenotype Concept. *Twin Research and Human Genetics*, *21*, 306–309. doi:10.1017/thg.2018.35

Ding, J., Chen, H., Qiu, C., Liao, W., Warwick, J. M., Duan, X., … Gong, Q. (2011). Disrupted functional connectivity in social anxiety disorder: a resting-state fMRI study. *Magnetic Resonance Imaging*, *29*, 701–11. doi:10.1016/j.mri.2011.02.013

Dingemans, A. ., van Vliet, I. ., Couvée, J., & Westenberg, H. . (2001). Characteristics of patients with social phobia and their treatment in specialized clinics for anxiety disorders in the Netherlands. *Journal of Affective Disorders*, *65*, 123–129. doi:10.1016/S0165-0327(00)00238-X

Dodhia, S., Hosanagar, A., Fitzgerald, D. A., Labuschagne, I., Wood, A. G., Nathan, P. J., & Phan, K. L. (2014). Modulation of resting-state amygdala-frontal functional connectivity by oxytocin in generalized social anxiety disorder. *Neuropsychopharmacology*, *39*, 2061–9. doi:10.1038/npp.2014.53

Domschke, K. (2013). Anxiety disorders: genetic mechanisms. *E-Neuroforum*, *4*, 71–78. doi:10.1007/s13295-013-0044-2

Domschke, K., Baune, B. T., Havlik, L., Stuhrmann, A., Suslow, T., Kugel, H., … Dannlowski, U. (2012). Catechol-O-methyltransferase gene variation: impact on amygdala response to aversive stimuli. *NeuroImage*, *60*, 2222–9. doi:10.1016/j.neuroimage.2012.02.039

Domschke, K., & Dannlowski, U. (2010). Imaging genetics of anxiety disorders. *NeuroImage*, *53*, 822–31. doi:10.1016/j.neuroimage.2009.11.042

Dubois, J. (2016). Brain Age: A State-Of-Mind? On the Stability of Functional Connectivity across Behavioral States. *The Journal of Neuroscience*, *36*, 2325–8. doi:10.1523/JNEUROSCI.4312-15.2016

Duke, D., Krishnan, M., Faith, M., & Storch, E. A. (2006). The psychometric properties of the Brief Fear of Negative Evaluation Scale. *Journal of Anxiety Disorders*, *20*, 807–17. doi:10.1016/j.janxdis.2005.11.002

Ebner, N. C., Riediger, M., & Lindenberger, U. (2010). FACES--a database of facial expressions in young, middle-aged, and older women and men: development and validation. *Behavior Research Methods*, *42*, 351–62. doi:10.3758/BRM.42.1.351

Eisenberg, N. (2000). Emotion, regulation, and moral development. *Annual Review of Psychology*, *51*, 665–97. doi:10.1146/annurev.psych.51.1.665

Elliott, M. L., Romer, A., Knodt, A. R., & Hariri, A. R. (2018). A Connectome-wide Functional Signature of Transdiagnostic Risk for Mental Illness. *Biological Psychiatry*, *84*, 452–459. doi:https://doi.org/10.1016/j.biopsych.2018.03.012

Erwin, B. A., Heimberg, R. G., Juster, H., & Mindlin, M. (2002). Comorbid anxiety and mood disorders among persons with social anxiety disorder. *Behaviour Research and Therapy*, *40*, 19–35. doi:10.1016/S0005-7967(00)00114-5

Essex, M. J., Klein, M. H., Slattery, M. J., Goldsmith, H. H., & Kalin, N. H. (2010). Early risk factors and developmental pathways to chronic high inhibition and social anxiety disorder in adolescence. *The American Journal of Psychiatry*, *167*, 40–6. doi:10.1176/appi.ajp.2009.07010051

Etkin, A. (2012). Neurobiology of anxiety: from neural circuits to novel solutions? *Depression and Anxiety*, *29*, 355–8. doi:10.1002/da.21957

Etkin, A., Büchel, C., & Gross, J. J. (2015). The neural bases of emotion regulation. *Nature Reviews Neuroscience*, *16*, 693–700. doi:10.1038/nrn4044

Etkin, A., Egner, T., & Kalisch, R. (2011). Emotional processing in anterior cingulate and medial prefrontal cortex. *Trends in Cognitive Sciences*, *15*, 85–93. doi:10.1016/j.tics.2010.11.004

Etkin, A., Egner, T., Peraza, D. M., Kandel, E. R., & Hirsch, J. (2006). Resolving emotional conflict: a role for the rostral anterior cingulate cortex in modulating activity in the amygdala. *Neuron*, *51*, 871–82. doi:10.1016/j.neuron.2006.07.029

Etkin, A., & Wager, T. D. (2007). Functional neuroimaging of anxiety: a meta-analysis of emotional processing in PTSD, social anxiety disorder, and specific phobia. *The American Journal of Psychiatry*, *164*, 1476–88. doi:10.1176/appi.ajp.2007.07030504

Evans, K. C., Wright, C. I., Wedig, M. M., Gold, A. L., Pollack, M. H., & Rauch, S. L. (2008). A functional MRI study of amygdala responses to angry schematic faces in social anxiety disorder. *Depression and Anxiety*, *25*, 496–505. doi:10.1002/da.20347

Eyler, L. T., Prom-Wormley, E., Panizzon, M. S., Kaup, A. R., Fennema-Notestine, C., Neale, M. C., … Kremen, W. S. (2011). Genetic and Environmental Contributions to Regional Cortical Surface Area in Humans: A Magnetic Resonance Imaging Twin Study. *Cerebral Cortex*, *21*, 2313–2321. doi:10.1093/cercor/bhr013

Faria, V., Appel, L., Åhs, F., Linnman, C., Pissiota, A., Frans, Ö., … Furmark, T. (2012). Amygdala subregions tied to SSRI and placebo response in patients with social anxiety disorder. *Neuropsychopharmacology*, *37*, 2222–32. doi:10.1038/npp.2012.72

Fears, S. C., Schür, R., Sjouwerman, R., Service, S. K., Araya, C., Araya, X., … Bearden, C. E. (2015). Brain structure-function associations in multi-generational families genetically enriched for bipolar disorder. *Brain*, *138*, 2087–102. doi:10.1093/brain/awv106

Fehm, L., Pelissolo, A., Furmark, T., & Wittchen, H.-U. (2005). Size and burden of social phobia in Europe. *European Neuropsychopharmacology*, *15*, 453–62. doi:10.1016/j.euroneuro.2005.04.002

Feinberg, M., Willer, R., & Keltner, D. (2012). Flustered and faithful: embarrassment as a signal of prosociality. *Journal of Personality and Social Psychology*, *102*, 81–97. doi:10.1037/a0025403

Ferri, J., Bress, J. N., Eaton, N. R., & Proudfit, G. H. (2014). The impact of puberty and social anxiety on amygdala activation to faces in adolescence. *Developmental Neuroscience*, *36*, 239–49. doi:10.1159/000363736

Figel, B., Brinkmann, L., Buff, C., Heitmann, C. Y., Hofmann, D., Bruchmann, M., … Straube, T. (2019). Phasic amygdala and BNST activation during the anticipation of temporally unpredictable social observation in social anxiety disorder patients. *NeuroImage: Clinical*, *22*, 101735. doi:https://doi.org/10.1016/j.nicl.2019.101735

Fineberg, N. A., Haddad, P. M., Carpenter, L., Gannon, B., Sharpe, R., Young, A. H., … Sahakian, B. J. (2013). The size, burden and cost of disorders of the brain in the UK. *Journal of Psychopharmacology*, *27*, 761–70. doi:10.1177/0269881113495118

Finger, E. C., Marsh, A. A., Kamel, N., Mitchell, D. G. V, & Blair, J. R. (2006). Caught in the act: the impact of audience on the neural response to morally and socially inappropriate behavior. *NeuroImage*, *33*, 414–21. doi:10.1016/j.neuroimage.2006.06.011

First, M., Spitzer, R., Gibbon, M., Williams, J., & Benjamin, L. (1998). *Structured clinical interview for DSM-IV axis I disorders (SCID) version 2.0.* New York, NY: Biometrics Research Department, New York State Psychiatric Institute.

Fischl, B., & Dale, A. M. (2000). Measuring the thickness of the human cerebral cortex from magnetic resonance images. *Proceedings of the National Academy of Sciences of the United States of America*, *97*, 11050–5. doi:10.1073/pnas.200033797

Fischl, B., Liu, A., & Dale, A. M. (2001). Automated manifold surgery: constructing geometrically accurate and topologically correct models of the human cerebral cortex. *IEEE Transactions on Medical Imaging*, *20*, 70–80. doi:10.1109/42.906426

Fischl, B., Salat, D. H., Busa, E., Albert, M., Dieterich, M., Haselgrove, C., … Dale, A. M. (2002). Whole brain segmentation: automated labeling of neuroanatomical structures in the human brain. *Neuron*, *33*, 341–55. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/11832223

Fischl, B., Salat, D. H., van der Kouwe, A. J. W., Makris, N., Ségonne, F., Quinn, B. T., & Dale, A. M. (2004). Sequence-independent segmentation of magnetic resonance images. *NeuroImage*, *23 Suppl 1*, S69-84. doi:10.1016/j.neuroimage.2004.07.016

Fischl, B., Sereno, M. I., & Dale, A. M. (1999). Cortical surface-based analysis. II: Inflation, flattening, and a surface-based coordinate system. *NeuroImage*, *9*, 195–207. doi:10.1006/nimg.1998.0396

Fischl, B., Sereno, M. I., Tootell, R. B., & Dale, A. M. (1999). High-resolution intersubject averaging and a coordinate system for the cortical surface. *Human Brain Mapping*, *8*, 272–84. doi:10.1002/(SICI)1097-0193(1999)8:4<272::AID-HBM10>3.0.CO;2-4

Fischl, B., van der Kouwe, A., Destrieux, C., Halgren, E., Ségonne, F., Salat, D. H., … Dale, A. M. (2004). Automatically parcellating the human cerebral cortex. *Cerebral Cortex (New York, N.Y. : 1991)*, *14*, 11–22. doi:10.1093/cercor/bhg087

Flint, J., & Munafò, M. R. (2007). The endophenotype concept in psychiatric genetics. *Psychological Medicine*, *37*, 163–180. doi:10.1017/S0033291706008750

Flint, J., Timpson, N., & Munafò, M. (2014). Assessing the utility of intermediate phenotypes for genetic mapping of psychiatric disease. *Trends in Neurosciences*, *37*, 733–41. doi:10.1016/j.tins.2014.08.007

Fonzo, G. A., Ramsawh, H. J., Flagan, T. M., Sullivan, S. G., Letamendi, A., Simmons, A. N., … Stein, M. B. (2015). Common and disorder-specific neural responses to emotional faces in generalised anxiety, social anxiety and panic disorders. *The British Journal of Psychiatry*, *206*, 206–15. doi:10.1192/bjp.bp.114.149880

Fornito, A., & Bullmore, E. T. (2015). Connectomics: a new paradigm for understanding brain disease. *European Neuropsychopharmacology*, *25*, 733–48. doi:10.1016/j.euroneuro.2014.02.011

Fornito, A., Zalesky, A., Bassett, D. S., Meunier, D., Ellison-Wright, I., Yücel, M., … Bullmore, E. T. (2011). Genetic influences on cost-efficient organization of human cortical functional networks. *The Journal of Neuroscience*, *31*, 3261–70. doi:10.1523/JNEUROSCI.4858-10.2011

Fornito, A., Zalesky, A., & Breakspear, M. (2015). The connectomics of brain disorders. *Nature Reviews Neuroscience*, *16*, 159–172. doi:10.1038/nrn3901

Fox, A. S., & Kalin, N. H. (2014). A Translational Neuroscience Approach to Understanding the Development of Social Anxiety Disorder and Its Pathophysiology. *The American Journal of Psychiatry*, *171*, 1162–1173. doi:10.1176/appi.ajp.2014.14040449

Fox, A. S., Oler, J. A., Shackman, A. J., Shelton, S. E., Raveendran, M., McKay, D. R., … Kalin, N. H. (2015). Intergenerational neural mediators of early-life anxious temperament. *Proceedings of the National Academy of Sciences*, *112*, 9118–9122. doi:10.1073/pnas.1508593112

Fox, A. S., Oler, J. A., Shelton, S. E., Nanda, S. A., Davidson, R. J., Roseboom, P. H., & Kalin, N. H. (2012). Central amygdala nucleus (Ce) gene expression linked to increased trait-like Ce metabolism and anxious temperament in young primates. *Proceedings of the National Academy of Sciences of the United States of America*, *109*, 18108–13. doi:10.1073/pnas.1206723109

Fox, A. S., Oler, J. A., Tromp, D. P. M., Fudge, J. L., & Kalin, N. H. (2015). Extending the amygdala in theories of threat processing. *Trends in Neurosciences*, *38*, 319–329. doi:10.1016/j.tins.2015.03.002

Fox, A. S., Shelton, S. E., Oakes, T. R., Davidson, R. J., & Kalin, N. H. (2008). Trait-like brain activity during adolescence predicts anxious temperament in primates. *PloS One*, *3*, e2570. doi:10.1371/journal.pone.0002570

Franken, I. H. A., Muris, P., & Rassin, E. (2005). Psychometric Properties of the Dutch BIS/BAS Scales. *Journal of Psychopathology and Behavioral Assessment*, *27*, 25–30. doi:10.1007/s10862-005-3262-2

Fresco, D. M., Coles, M. E., Heimberg, R. G., Liebowitz, M. R., Hami, S., Stein, M. B., & Goetz, D. (2001). The Liebowitz Social Anxiety Scale: a comparison of the psychometric properties of self-report and clinician-administered formats. *Psychological Medicine*, *31*, 1025–1035. doi:10.1017/S0033291701004056

Frick, A. (2017). Common and Distinct Gray Matter Alterations in Social Anxiety Disorder and Major Depressive Disorder. *EBioMedicine*, *21*, 53–54. doi:10.1016/j.ebiom.2017.06.021

Frick, A., Åhs, F., Engman, J., Jonasson, M., Alaie, I., Björkstrand, J., … Furmark, T. (2015). Serotonin Synthesis and Reuptake in Social Anxiety Disorder: A Positron Emission Tomography Study. *JAMA Psychiatry*, *72*, 794–802. doi:10.1001/jamapsychiatry.2015.0125

Frick, A., Engman, J., Alaie, I., Björkstrand, J., Faria, V., Gingnell, M., … Furmark, T. (2014). Enlargement of visual processing regions in social anxiety disorder is related to symptom severity. *Neuroscience Letters*, *583*, 114–119. doi:10.1016/j.neulet.2014.09.033

Frick, A., Gingnell, M., Marquand, A. F., Howner, K., Fischer, H., Kristiansson, M., … Furmark, T. (2014). Classifying social anxiety disorder using multivoxel pattern analyses of brain function and structure. *Behavioural Brain Research*, *259*, 330–5. doi:10.1016/j.bbr.2013.11.003

Frick, A., Howner, K., Fischer, H., Eskildsen, S. F., Kristiansson, M., & Furmark, T. (2013). Cortical thickness alterations in social anxiety disorder. *Neuroscience Letters*, *536*, 52–55. doi:10.1016/j.neulet.2012.12.060

Frick, A., Howner, K., Fischer, H., Kristiansson, M., & Furmark, T. (2013). Altered fusiform connectivity during processing of fearful faces in social anxiety disorder. *Translational Psychiatry*, *3*, e312. doi:10.1038/tp.2013.85

Frith, C. D., & Frith, U. (2007). Social Cognition in Humans. *Current Biology*, *17*, R724–R732. doi:https://doi.org/10.1016/j.cub.2007.05.068

Fuentes, P., Barrós-Loscertales, A., Bustamante, J. C., Rosell, P., Costumero, V., & Ávila, C. (2012). Individual differences in the Behavioral Inhibition System are associated with orbitofrontal cortex and precuneus gray matter volume. *Cognitive, Affective, & Behavioral Neuroscience*, *12*, 491–498. doi:10.3758/s13415-012-0099-5

Furmark, T. (2002). Social phobia: overview of community surveys. *Acta Psychiatrica Scandinavica*, *105*, 84–93. doi:10.1034/j.1600-0447.2002.1r103.x

Furmark, T., Appel, L., Henningsson, S., Ahs, F., Faria, V., Linnman, C., … Fredrikson, M. (2008). A link between serotonin-related gene polymorphisms, amygdala activity, and placebo-induced relief from social anxiety. *The Journal of Neuroscience*, *28*, 13066–74. doi:10.1523/JNEUROSCI.2534-08.2008

Furmark, T., Henningsson, S., Appel, L., Ahs, F., Linnman, C., Pissiota, A., … Fredrikson, M. (2009). Genotype over-diagnosis in amygdala responsiveness: affective processing in social anxiety disorder. *Journal of Psychiatry & Neuroscience*, *34*, 30–40.

Furmark, T., Marteinsdottir, I., Frick, A., Heurling, K., Tillfors, M., Appel, L., … Fredrikson, M. (2016). Serotonin synthesis rate and the tryptophan hydroxylase-2: G-703T polymorphism in social anxiety disorder. *Journal of Psychopharmacology*, *30*, 1028–1035. doi:10.1177/0269881116648317

Furmark, T., Tillfors, M., Garpenstrand, H., Marteinsdottir, I., Långström, B., Oreland, L., & Fredrikson, M. (2004). Serotonin transporter polymorphism related to amygdala excitability and symptom severity in patients with social phobia. *Neuroscience Letters*, *362*, 189–92. doi:10.1016/j.neulet.2004.02.070

Furmark, T., Tillfors, M., Marteinsdottir, I., Fischer, H., Pissiota, A., Långström, B., & Fredrikson, M. (2002). Common Changes in Cerebral Blood Flow in Patients With Social Phobia Treated With Citalopram or Cognitive-Behavioral Therapy. *Archives of General Psychiatry*, *59*, 425. doi:10.1001/archpsyc.59.5.425

Fydrich, T., Renneberg, B., Schmitz, B., & Wittchen, H. U. (1997). SKID II. Strukturiertes Klinisches Interview für DSM-IV, Achse II: Persönlichkeitsstörungen. Interviewheft. Eine deutschspeachige, erw. Bearb. d. amerikanischen Originalversion d. SKID-II.

Fyer, A. J., Costa, R., Haghighi, F., Logue, M. W., Knowles, J. A., Weissman, M. M., … Hamilton, S. P. (2012). Linkage analysis of alternative anxiety phenotypes in multiply affected panic disorder families. *Psychiatric Genetics*, *22*, 123–9. doi:10.1097/YPG.0b013e328353956a

Gallagher, H. L., & Frith, C. D. (2003). Functional imaging of 'theory of mind.' *Trends in Cognitive Sciences*, *7*, 77–83. doi:10.1016/S1364-6613(02)00025-6

Galván, A. (2010). Neural plasticity of development and learning. *Human Brain Mapping*, *31*, 879–90. doi:10.1002/hbm.21029

Ganis, G., Thompson, W. L., & Kosslyn, S. M. (2004). Brain areas underlying visual mental imagery and visual perception: an fMRI study. *Cognitive Brain Research*, *20*, 226–241. doi:https://doi.org/10.1016/j.cogbrainres.2004.02.012

Ganjgahi, H., Winkler, A. M., Glahn, D. C., Blangero, J., Kochunov, P., & Nichols, T. E. (2015). Fast and powerful heritability inference for family-based neuroimaging studies. *NeuroImage*, *115*, 256–268. doi:10.1016/j.neuroimage.2015.03.005

Gao, Q., Xu, Q., Duan, X., Liao, W., Ding, J., Zhang, Z., … Chen, H. (2013). Extraversion and neuroticism relate to topological properties of resting-state brain networks. *Frontiers in Human Neuroscience*, *7*, 257. doi:10.3389/fnhum.2013.00257

Garner, M., Möhler, H., Stein, D. J., Mueggler, T., & Baldwin, D. S. (2009). Research in anxiety disorders: from the bench to the bedside. *European Neuropsychopharmacology*, *19*, 381–90. doi:10.1016/j.euroneuro.2009.01.011

Gavric, D., Moscovitch, D. A., Rowa, K., & McCabe, R. E. (2017). Post-event processing in social anxiety disorder: Examining the mediating roles of positive metacognitive beliefs and perceptions of performance. *Behaviour Research and Therapy*, *91*, 1–12. doi:10.1016/j.brat.2017.01.002

Ge, T., Reuter, M., Winkler, A. M., Holmes, A. J., Lee, P. H., Tirrell, L. S., … Sabuncu, M. R. (2016). Multidimensional heritability analysis of neuroanatomical shape. *Nature Communications*, *7*, 13291. doi:10.1038/ncomms13291

Geerligs, L., Rubinov, M., Cam-Can, & Henson, R. N. (2015). State and Trait Components of Functional Connectivity: Individual Differences Vary with Mental State. *The Journal of Neuroscience*, *35*, 13949–61. doi:10.1523/JNEUROSCI.1324-15.2015

Geiger, M. J., Domschke, K., Ipser, J., Hattingh, C., Baldwin, D. S., Lochner, C., & Stein, D. J. (2016). Altered executive control network resting-state connectivity in social anxiety disorder. *The World Journal of Biological Psychiatry*, *17*, 47–57. doi:10.3109/15622975.2015.1083613

Gelernter, J., Page, G. P., Stein, M. B., & Woods, S. W. (2004). Genome-wide linkage scan for loci predisposing to social phobia: evidence for a chromosome 16 risk locus. *The American Journal of Psychiatry*, *161*, 59–66. doi:10.1176/appi.ajp.161.1.59

Gennatas, E. D., Avants, B. B., Wolf, D. H., Satterthwaite, T. D., Ruparel, K., Ciric, R., … Gur, R. C. (2017). Age-Related Effects and Sex Differences in Gray Matter Density, Volume, Mass, and Cortical Thickness from Childhood to Young Adulthood. *Journal of Neuroscience*, *37*, 5065–5073. doi:10.1523/JNEUROSCI.3550-16.2017

Gentili, C., Cristea, I. A., Angstadt, M., Klumpp, H., Tozzi, L., Phan, K. L., & Pietrini, P. (2016). Beyond emotions: A meta-analysis of neural response within face processing system in social anxiety. *Experimental Biology and Medicine*, *241*, 225–237. doi:10.1177/1535370215603514

Gentili, C., Gobbini, M. I., Ricciardi, E., Vanello, N., Pietrini, P., Haxby, J. V., & Guazzelli, M. (2008). Differential modulation of neural activity throughout the distributed neural system for face perception in patients with Social Phobia and healthy subjects. *Brain Research Bulletin*, *77*, 286–292. doi:10.1016/j.brainresbull.2008.08.003

Gentili, C., Ricciardi, E., Gobbini, M. I., Santarelli, M. F., Haxby, J. V, Pietrini, P., & Guazzelli, M. (2009). Beyond amygdala: Default Mode Network activity differs between patients with social phobia and healthy controls. *Brain Research Bulletin*, *79*, 409–13. doi:10.1016/j.brainresbull.2009.02.002

Gentili, C., Vanello, N., Cristea, I., David, D., Ricciardi, E., & Pietrini, P. (2015). Proneness to social anxiety modulates neural complexity in the absence of exposure: A resting state fMRI study using Hurst exponent. *Psychiatry Research*, *232*, 135–144. doi:10.1016/j.pscychresns.2015.03.005

Geschwind, D. H., & Rakic, P. (2013). Cortical Evolution: Judge the Brain by Its Cover. *Neuron*, *80*, 633–647. doi:10.1016/j.neuron.2013.10.045

Ghashghaei, H. T., Hilgetag, C. C., & Barbas, H. (2007). Sequence of information processing for emotions based on the anatomic dialogue between prefrontal cortex and amygdala. *NeuroImage*, *34*, 905–23. doi:10.1016/j.neuroimage.2006.09.046

Gilboa-Schechtman, E., Keshet, H., Livne, T., Berger, U., Zabag, R., Hermesh, H., & Marom, S. (2017). Explicit and implicit self-evaluations in social anxiety disorder. *Journal of Abnormal Psychology*, *126*, 285–290. doi:10.1037/abn0000261

Gilmore, J. H., Knickmeyer, R. C., & Gao, W. (2018). Imaging structural and functional brain development in early childhood. *Nature Reviews Neuroscience*, *19*, 123–137. doi:10.1038/nrn.2018.1

Giménez, M., Pujol, J., Ortiz, H., Soriano-Mas, C., López-Solà, M., Farré, M., … Martín-Santos, R. (2012). Altered brain functional connectivity in relation to perception of scrutiny in social anxiety disorder. *Psychiatry Research*, *202*, 214–23. doi:10.1016/j.pscychresns.2011.10.008

Ginsburg, G. S., Drake, K. L., Tein, J.-Y., Teetsel, R., & Riddle, M. A. (2015). Preventing Onset of Anxiety Disorders in Offspring of Anxious Parents: A Randomized Controlled Trial of a Family-Based Intervention. *American Journal of Psychiatry*, *172*, 1207–1214. doi:10.1176/appi.ajp.2015.14091178

Glahn, D. C., Knowles, E. E. M., McKay, D. R., Sprooten, E., Raventós, H., Blangero, J., … Almasy, L. (2014). Arguments for the sake of endophenotypes: examining common misconceptions about the use of en-

dophenotypes in psychiatric genetics. *American Journal of Medical Genetics. Part B, Neuropsychiatric Genetics*, *165B*, 122–30. doi:10.1002/ajmg.b.32221

Glahn, D. C., Nimgaonkar, V. L., Raventós, H., Contreras, J., McIntosh, A. M., Thomson, P. A., … Blangero, J. (2018). Rediscovering the value of families for psychiatric genetics research. *Molecular Psychiatry*, 1. doi:10.1038/s41380-018-0073-x

Glahn, D. C., Thompson, P. M., & Blangero, J. (2007). Neuroimaging endophenotypes: strategies for finding genes influencing brain structure and function. *Human Brain Mapping*, *28*, 488–501. doi:10.1002/hbm.20401

Glahn, D. C., Williams, J. T., McKay, D. R., Knowles, E. E., Sprooten, E., Mathias, S. R., … Blangero, J. (2014). Discovering Schizophrenia Endophenotypes in Randomly Ascertained Pedigrees. *Biological Psychiatry*, *77*, 75–83. doi:10.1016/j.biopsych.2014.06.027

Glahn, D. C., Winkler, A. M., Kochunov, P., Almasy, L., Duggirala, R., Carless, M. A., … Blangero, J. (2010). Genetic control over the resting brain. *Proceedings of the National Academy of Sciences of the United States of America*, *107*, 1223–8. doi:10.1073/pnas.0909969107

Glazier, B. L., & Alden, L. E. (2017). Social Anxiety and Biased Recall of Positive Information: It's Not the Content, It's the Valence. *Behavior Therapy*, *48*, 533–543. doi:10.1016/j.beth.2016.08.001

Goghari, V. M., MacDonald, A. W., & Sponheim, S. R. (2014). Relationship between prefrontal gray matter volumes and working memory performance in schizophrenia: A family study. *Schizophrenia Research*, *153*, 113–121. doi:https://doi.org/10.1016/j.schres.2014.01.032

Gold, A. L., Brotman, M. A., Adleman, N. E., Lever, S. N., Steuber, E. R., Fromm, S. J., … Leibenluft, E. (2016). Comparing Brain Morphometry Across Multiple Childhood Psychiatric Disorders. *Journal of the American Academy of Child & Adolescent Psychiatry*, *55*, 1027–1037. doi:10.1016/j.jaac.2016.08.008

Gold, A. L., Steuber, E. R., White, L. K., Pacheco, J., Sachs, J. F., Pagliaccio, D., … Pine, D. S. (2017). Cortical Thickness and Subcortical Gray Matter Volume in Pediatric Anxiety Disorders. *Neuropsychopharmacology*, 1–11. doi:10.1038/npp.2017.83

Goldin, P. R., Manber-Ball, T., Werner, K., Heimberg, R. G., & Gross, J. J. (2009). Neural mechanisms of cognitive reappraisal of negative self-beliefs in social anxiety disorder. *Biological Psychiatry*, *66*, 1091–9. doi:10.1016/j.biopsych.2009.07.014

Goldin, P. R., Manber, T., Hakimi, S., Canli, T., & Gross, J. J. (2009). Neural bases of social anxiety disorder: emotional reactivity and cognitive regulation during social and physical threat. *Archives of General Psychiatry*, *66*, 170–80. doi:10.1001/archgenpsychiatry.2008.525

Goldstein, B. L., & Klein, D. N. (2014). A review of selected candidate endophenotypes for depression. *Clinical Psychology Review*, *34*, 417–27. doi:10.1016/j.cpr.2014.06.003

Gong, Q., Scarpazza, C., Dai, J., He, M., Xu, X., Shi, Y., … Mechelli, A. (2019). A transdiagnostic neuroanatomical signature of psychiatric illness. *Neuropsychopharmacology*, *44*, 869–875. doi:10.1038/s41386-018-0175-9

Good, C. D., Johnsrude, I. S., Ashburner, J., Henson, R. N., Friston, K. J., & Frackowiak, R. S. (2001). A voxel-based morphometric study of ageing in 465 normal adult human brains. *NeuroImage*, *14*, 21–36. doi:10.1006/nimg.2001.0786

Goodkind, M., Eickhoff, S. B., Oathes, D. J., Jiang, Y., Chang, A., Jones-Hagata, L. B., … Etkin, A. (2015). Identification of a Common Neurobiological Substrate for Mental Illness. *JAMA Psychiatry*, *72*, 305–315. doi:10.1001/jamapsychiatry.2014.2206

Gorgolewski, K. J., Varoquaux, G., Rivera, G., Schwarz, Y., Ghosh, S. S., Maumet, C., … Margulies, D. S. (2015). NeuroVault.org: a web-based repository for collecting and sharing unthresholded statistical maps of the human brain. *Frontiers in Neuroinformatics*, *9*, 8. doi:10.3389/fninf.2015.00008

Gorka, A. X., Torrisi, S., Shackman, A. J., Grillon, C., & Ernst, M. (2018). Intrinsic functional connectivity of the central nucleus of the amygdala and bed nucleus of the stria terminalis. *NeuroImage*, *168*, 392–402. doi:10.1016/j.neuroimage.2017.03.007

Gorka, S. M., Fitzgerald, D. A., Labuschagne, I., Hosanagar, A., Wood, A. G., Nathan, P. J., & Phan, K. L. (2015). Oxytocin Modulation of Amygdala Functional Connectivity to Fearful Faces in Generalized Social Anxiety Disorder. *Neuropsychopharmacology*, *40*, 278–286. doi:10.1038/npp.2014.168

Gottesman, I. I., & Gould, T. D. (2003). The endophenotype concept in psychiatry: etymology and strategic intentions. *The American Journal of Psychiatry*, *160*, 636–45. doi:10.1176/appi.ajp.160.4.636

Gottschalk, M. G., & Domschke, K. (2016). Novel developments in genetic and epigenetic mechanisms of anxiety. *Current Opinion in Psychiatry*, *29(1)*, 32–38. doi:10.1097/YCO.0000000000000219

Gould, T. D., & Gottesman, I. I. (2006). Psychiatric endophenotypes and the development of valid animal models. *Genes, Brain, and Behavior*, *5*, 113–9. doi:10.1111/j.1601-183X.2005.00186.x

Griffanti, L., Salimi-Khorshidi, G., Beckmann, C. F., Auerbach, E. J., Douaud, G., Sexton, C. E., … Smith, S. M. (2014). ICA-based artefact removal and accelerated fMRI acquisition for improved resting state network imaging. *NeuroImage*, *95*, 232–247. doi:10.1016/J.NEUROIMAGE.2014.03.034

Groenewold, N., Bas-Hoogendam, J. M., Amod, A. R., van Velzen, L., Aghajani, M., Filippi, C., … van der Wee, N. J. A. (2018). F27. Subcortical Volumes in Social Anxiety Disorder: Preliminary Results From Enigma-Anxiety. *Biological Psychiatry*, *83*, S247–S248. doi:10.1016/j.biopsych.2018.02.640

Günther, V., Ihme, K., Kersting, A., Hoffmann, K.-T., Lobsien, D., & Suslow, T. (2018). Volumetric Associations Between Amygdala, Nucleus Accumbens, and Socially Anxious Tendencies in Healthy Women. *NeuroscienceNeuroscience*, *374*, 25–32. doi:10.1016/j.neuroscience.2018.01.034

Gur, R. C., Braff, D. L., Calkins, M. E., Dobie, D. J., Freedman, R., Green, M. F., … Gur, R. E. (2015). Neurocognitive performance in family-based and case-control studies of schizophrenia. *Schizophrenia Research*, *163*, 17–23. doi:10.1016/j.schres.2014.10.049

Gur, R. E., Nimgaonkar, V. L., Almasy, L., Calkins, M. E., Ragland, J. D., Pogue-Geile, M. F., … Gur, R. C. (2007). Neurocognitive Endophenotypes in a Multiplex Multigenerational Family Study of Schizophrenia. *American Journal of Psychiatry*, *164*, 813–819. doi:10.1176/ajp.2007.164.5.813

Gustavsson, A., Svensson, M., Jacobi, F., Allgulander, C., Alonso, J., Beghi, E., … Olesen, J. (2011). Cost of disorders of the brain in Europe 2010. *European Neuropsychopharmacology*, *21*, 718–779. doi:10.1016/j.euroneuro.2011.08.008

Guyer, A. E., Lau, J. Y. F., McClure-Tone, E. B., Parrish, J., Shiffrin, N. D., Reynolds, R. C., … Nelson, E. E. (2008). Amygdala and ventrolateral prefrontal cortex function during anticipated peer evaluation in pediatric social anxiety. *Archives of General Psychiatry*, *65*, 1303–12. doi:10.1001/archpsyc.65.11.1303

Hahn, A., Stein, P., Windischberger, C., Weissenbacher, A., Spindelegger, C., Moser, E., … Lanzenberger, R. (2011). Reduced resting-state functional connectivity between amygdala and orbitofrontal cortex in social anxiety disorder. *NeuroImage*, *56*, 881–9. doi:10.1016/j.neuroimage.2011.02.064

Hahn, A., Wadsak, W., Windischberger, C., Baldinger, P., Höflich, A. S., Losak, J., … Lanzenberger, R. (2012). Differential modulation of the default mode network via serotonin-1A receptors. *Proceed-*

ings of the National Academy of Sciences of the United States of America, *109*, 2619–24. doi:10.1073/pnas.1117104109

Haidt, J. (2003). The moral emotions. In H. H. Goldsmith, K. R. Scherer, & R. J. . Davidson (Eds.), *Handbook of Affective Sciences* (pp. 852–870). Oxford: Oxford University Press.

Haller, S. P. W., Cohen Kadosh, K., Scerif, G., & Lau, J. Y. F. (2015). Social anxiety disorder in adolescence: How developmental cognitive neuroscience findings may shape understanding and interventions for psychopathology. *Developmental Cognitive Neuroscience*, *13*, 11–20. doi:10.1016/j.dcn.2015.02.002

Haller, S. P. W., Mills, K. L., Hartwright, C. E., David, A. S., & Cohen Kadosh, K. (2018). When change is the only constant: The promise of longitudinal neuroimaging in understanding social anxiety disorder. *Developmental Cognitive Neuroscience*, *33*, 73–82. doi:https://doi.org/10.1016/j.dcn.2018.05.005

Hallett, M. (2000). Transcranial magnetic stimulation and the human brain. *Nature*, *406*, 147–150. doi:10.1038/35018000

Han, X., Jovicich, J., Salat, D., van der Kouwe, A., Quinn, B., Czanner, S., … Fischl, B. (2006). Reliability of MRI-derived measurements of human cerebral cortical thickness: the effects of field strength, scanner upgrade and manufacturer. *NeuroImage*, *32*, 180–94. doi:10.1016/j.neuroimage.2006.02.051

Hardee, J. E., Benson, B. E., Bar-Haim, Y., Mogg, K., Bradley, B. P., Chen, G., … Pérez-Edgar, K. (2013). Patterns of neural connectivity during an attention bias task moderate associations between early childhood temperament and internalizing symptoms in young adulthood. *Biological Psychiatry*, *74*, 273–9. doi:10.1016/j.biopsych.2013.01.036

Hariri, A. R., Mattay, V. S., Tessitore, A., Kolachana, B., Fera, F., Goldman, D., … Weinberger, D. R. (2002). Serotonin transporter genetic variation and the response of the human amygdala. *Science*, *297*, 400–3. doi:10.1126/science.1071829

Hariri, A. R., & Whalen, P. J. (2011). The amygdala: inside and out. *F1000 Biology Reports*, *3*, 2. doi:10.3410/B3-2

Harrewijn, A. (2017). *Shy parent, shy child? Delineating psychophysiological endophenotypes of social anxiety disorder.* Leiden University.

Harrewijn, A., Schmidt, L. A., Westenberg, P. M., Tang, A., & van der Molen, M. J. W. (2017). Electrocortical measures of information processing biases in social anxiety disorder: A review. *Biological Psychology*, *129*, 324–348. doi:10.1016/J.BIOPSYCHO.2017.09.013

Harrewijn, A., van der Molen, M. J. W., van Vliet, I. M., Houwing-Duistermaat, J. J., & Westenberg, P. M. (2017). Delta-beta correlation as a candidate endophenotype of social anxiety: A two-generation family study. *Journal of Affective Disorders*, *227*, 398–405. doi:10.1016/J.JAD.2017.11.019

Harrewijn, A., van der Molen, M. J. W., van Vliet, I. M., Tissier, R. L. ., & Westenberg, P. M. (2018). Behavioral and EEG responses to social evaluation: A two-generation family study on social anxiety. *NeuroImage: Clinical*, *17*, 549–562. doi:10.1016/j.nicl.2017.11.010

Harrewijn, A., Van der Molen, M. J. W., & Westenberg, P. M. (2016). Putative EEG measures of social anxiety: Comparing frontal alpha asymmetry and delta–beta cross-frequency correlation. *Cognitive, Affective, & Behavioral Neuroscience*, *16*, 1086–1098. doi:10.3758/s13415-016-0455-y

Hasler, G., & Northoff, G. (2011). Discovering imaging endophenotypes for major depression. *Molecular Psychiatry*, *16*, 604–619. doi:10.1038/mp.2011.23

Hattingh, C. J., Ipser, J., Tromp, S. A., Syal, S., Lochner, C., Brooks, S. J., & Stein, D. J. (2013). Functional magnetic resonance imaging during emotion recognition in social anxiety disorder: an activation likelihood meta-analysis. *Frontiers in Human Neuroscience*, *6*, 347. doi:10.3389/fnhum.2012.00347

He, Y., Xu, T., Zhang, W., & Zuo, X.-N. (2015). Lifespan anxiety is reflected in human amygdala cortical connectivity. *Human Brain Mapping*, *37*, 1178–93. doi:10.1002/hbm.23094

Heeren, A., Dricot, L., Billieux, J., Philippot, P., Grynberg, D., de Timary, P., & Maurage, P. (2017). Correlates of Social Exclusion in Social Anxiety Disorder: An fMRI study. *Scientific Reports*, *7*, 260. doi:10.1038/s41598-017-00310-9

Heimberg, R. G., Hofmann, S. G., Liebowitz, M. R., Schneier, F. R., Smits, J. A. J., Stein, M. B., … Craske, M. G. (2014). SOCIAL ANXIETY DISORDER IN DSM-5. *Depression and Anxiety*, *31*, 472–479. doi:10.1002/da.22231

Heimberg, R. G., Horner, K. J., Juster, H. R., Safren, S. A., Brown, E. J., Schneier, F. R., & Liebowitz, M. R. (1999). Psychometric properties of the Liebowitz Social Anxiety Scale. *Psychological Medicine*, *29*, 199–212. doi:10.1017/S0033291798007879

Heimer, L., & Van Hoesen, G. W. (2006). The limbic lobe and its output channels: implications for emotional functions and adaptive behavior. *Neuroscience and Biobehavioral Reviews*, *30*, 126–47. doi:10.1016/j.neubiorev.2005.06.006

Heitmann, C. Y., Feldker, K., Neumeister, P., Zepp, B. M., Peterburs, J., Zwitserlood, P., & Straube, T. (2016). Abnormal brain activation and connectivity to standardized disorder-related visual scenes in social anxiety disorder. *Human Brain Mapping*, *37*, 1559–72. doi:10.1002/hbm.23120

Heitmann, C. Y., Peterburs, J., Mothes-Lasch, M., Hallfarth, M. C., Böhme, S., Miltner, W. H. R., & Straube, T. (2014). Neural correlates of anticipation and processing of performance feedback in social anxiety. *Human Brain Mapping*, *35*, 6023–31. doi:10.1002/hbm.22602

Henderson, H. A., Pine, D. S., & Fox, N. A. (2015). Behavioral inhibition and developmental risk: a dual-processing perspective. *Neuropsychopharmacology : Official Publication of the American College of Neuropsychopharmacology*, *40*, 207–24. doi:10.1038/npp.2014.189

Hendriks, S. M., Spijker, J., Licht, C. M. M., Beekman, A. T. F., Hardeveld, F., de Graaf, R., … Penninx, B. W. J. H. (2014). Disability in Anxiety Disorders. *Journal of Affective Disorders*, *166*, 227–33. doi:10.1016/j.jad.2014.05.006

Hendriks, S. M., Spijker, J., Licht, C. M. M., Hardeveld, F., de Graaf, R., Batelaan, N. M., … Beekman, A. T. F. (2015). Long-term work disability and absenteeism in anxiety and depressive disorders. *Journal of Affective Disorders*, *178*, 121–130. doi:10.1016/j.jad.2015.03.004

Herwig, U., Lutz, J., Scherpiet, S., Scheerer, H., Kohlberg, J., Opialla, S., … Brühl, A. B. (2019). Training emotion regulation through real-time fMRI neurofeedback of amygdala activity. *NeuroImage*, *184*, 687–696. doi:10.1016/j.neuroimage.2018.09.068

Hettema, J. M., Neale, M. C., & Kendler, K. S. (2001). A Review and Meta-Analysis of the Genetic Epidemiology of Anxiety Disorders. *American Journal of Psychiatry*, *158*, 1568–1578. doi:10.1176/appi.ajp.158.10.1568

Hibar, D. P., Stein, J. L., Renteria, M. E., Arias-Vasquez, A., Desrivières, S., Jahanshad, N., … Medland, S. E. (2015). Common genetic variants influence human subcortical brain structures. *Nature*, *520*, 224–229. doi:10.1038/nature14101

Hinton, K. E., Lahey, B. B., Villalta-Gil, V., Meyer, F. A. C., Burgess, L. L., Chodes, L. K., … Zald, D. H. (2019). White matter microstructure correlates of general and specific second-order factors of psychopathology. *NeuroImage: Clinical*, *22*, 101705. doi:10.1016/j.nicl.2019.101705

Hirsch, C. R., & Clark, D. M. (2004). Information-processing bias in social phobia. *Clinical Psychology Review*, *24*, 799–825. doi:10.1016/j.cpr.2004.07.005

Hirshfeld-Becker, D. R. (2010). Familial and temperamental risk factors for social anxiety disorder. *New Directions for Child and Adolescent Development*, *2010*, 51–65. doi:10.1002/cd.262

Hirshfeld-Becker, D. R., & Biederman, J. (2002). Rationale and Principles for Early Intervention with Young Children at Risk for Anxiety Disorders. *Clinical Child and Family Psychology Review*, *5*, 161–172. doi:10.1023/A:1019687531040

Hirshfeld-Becker, D. R., Micco, J. A., Simoes, N. A., & Henin, A. (2008). High risk studies and developmental antecedents of anxiety disorders. *American Journal of Medical Genetics. Part C, Seminars in Medical Genetics*, *148C*, 99–117. doi:10.1002/ajmg.c.30170

Hofmann, S. G. (2007). Cognitive Factors that Maintain Social Anxiety Disorder: a Comprehensive Model and its Treatment Implications. *Cognitive Behaviour Therapy*, *36*, 193–209. doi:10.1080/16506070701421313

Hogstrom, L. J., Westlye, L. T., Walhovd, K. B., & Fjell, A. M. (2013). The Structure of the Cerebral Cortex Across Adult Life: Age-Related Patterns of Surface Area, Thickness, and Gyrification. *Cerebral Cortex*, *23*, 2521–2530. doi:10.1093/cercor/bhs231

Honea, R. A., Meyer-Lindenberg, A., Hobbs, K. B., Pezawas, L., Mattay, V. S., Egan, M. F., … Callicott, J. H. (2008). Is gray matter volume an intermediate phenotype for schizophrenia? A voxel-based morphometry study of patients with schizophrenia and their healthy siblings. *Biological Psychiatry*, *63*, 465–74. doi:10.1016/j.biopsych.2007.05.027

Hoogendam, J. M., Ramakers, G. M. J., & Di Lazzaro, V. (2010). Physiology of repetitive transcranial magnetic stimulation of the human brain. *Brain Stimulation*, *3*, 95–118. doi:10.1016/j.brs.2009.10.005

Hooker, C. I., Verosky, S. C., Miyakawa, A., Knight, R. T., & D'Esposito, M. (2008). The influence of personality on neural mechanisms of observational fear and reward learning. *Neuropsychologia*, *46*, 2709–2724. doi:10.1016/j.neuropsychologia.2008.05.005

Horien, C., Shen, X., Scheinost, D., & Constable, R. T. (2019). The individual functional connectome is unique and stable over months to years. *NeuroImage*, *189*, 676–687. doi:https://doi.org/10.1016/j.neuroimage.2019.02.002

Howells, F. M., Hattingh, C. J., Syal, S., Breet, E., Stein, D. J., & Lochner, C. (2015). (1)H-magnetic resonance spectroscopy in social anxiety disorder. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, *58*, 97–104. doi:10.1016/j.pnpbp.2014.12.008

Hrybouski, S., Aghamohammadi-Sereshki, A., Madan, C. R., Shafer, A. T., Baron, C. A., Seres, P., … Malykhin, N. V. (2016). Amygdala subnuclei response and connectivity during emotional processing. *NeuroImage*. doi:10.1016/j.neuroimage.2016.02.056

Hyett, M. P., & McEvoy, P. M. (2018). Social anxiety disorder: looking back and moving forward. *Psychological Medicine*, 1–8. doi:10.1017/S0033291717003816

Iacono, W. G. (2018). Endophenotypes in psychiatric disease: prospects and challenges. *Genome Medicine*, *10*, 1–3. doi:10.1186/s13073-018-0526-5

Im, K., Lee, J.-M., Lyttelton, O., Kim, S. H., Evans, A. C., & Kim, S. I. (2008). Brain Size and Cortical Structure in the Adult Human Brain. *Cerebral Cortex*, *18*, 2181–2191. doi:10.1093/cercor/bhm244

Ingles, C. J., La Greca, A. M., Marzo, J. C., Garcia-Lopez, L. J., & Garcia-Fernandez, J. M. (2010). Social Anxiety Scale for Adolescents: factorial invariance and latent mean differences across gender and age in Spanish adolescents. *Journal of Anxiety Disorders*, *24*, 847–55. doi:10.1016/j.janxdis.2010.06.007

Insel, T. R. (2014). The NIMH Research Domain Criteria (RDoC) Project: precision medicine for psychiatry. *The American Journal of Psychiatry*, *171*, 395–7. doi:10.1176/appi.ajp.2014.14020138

Ioannidis, J. P. A. (2011). Excess Significance Bias in the Literature on Brain Volume Abnormalities. *Archives of General Psychiatry*, *68*, 773. doi:10.1001/archgenpsychiatry.2011.28

Irle, E., Barke, A., Lange, C., & Ruhleder, M. (2014). Parietal abnormalities are related to avoidance in social anxiety disorder: a study using voxel-based morphometry and manual volumetry. *Psychiatry Research*, *224*, 175–83. doi:10.1016/j.pscychresns.2014.08.013

Irle, E., Ruhleder, M., Lange, C., Seidler-Brandler, U., Salzer, S., Dechent, P., … Leichsenring, F. (2010). Reduced amygdalar and hippocampal size in adults with generalized social phobia. *Journal of Psychiatry & Neuroscience*, *35*, 126–31. doi:10.1503/jpn.090041

Isomura, K., Boman, M., Rück, C., Serlachius, E., Larsson, H., Lichtenstein, P., & Mataix-Cols, D. (2015). Population-based, multi-generational family clustering study of social anxiety disorder and avoidant personality disorder. *Psychological Medicine*, *45*, 1581–9. doi:10.1017/S0033291714002116

Iza, M., Olfson, M., Vermes, D., Hoffer, M., Wang, S., & Blanco, C. (2013). Probability and predictors of first treatment contact for anxiety disorders in the United States: analysis of data from the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). *The Journal of Clinical Psychiatry*, *74*, 1093—1100. doi:10.4088/jcp.13m08361

Jacobi, F., Wittchen, H.-U., Hölting, C., Höfler, M., Pfister, H., Müller, N., & Lieb, R. (2004). Prevalence, co-morbidity and correlates of mental disorders in the general population: results from the German Health Interview and Examination Survey (GHS). *Psychological Medicine*, *34*, 597–611. doi:10.1017/S0033291703001399

Janak, P. H., & Tye, K. M. (2015). From circuits to behaviour in the amygdala. *Nature*, *517*, 284–292. doi:10.1038/nature14188

Jankowski, K. F., & Takahashi, H. (2014). Cognitive neuroscience of social emotions and implications for psychopathology: examining embarrassment, guilt, envy, and schadenfreude. *Psychiatry and Clinical Neurosciences*, *68*, 319–36. doi:10.1111/pcn.12182

Jarcho, J. M., Fox, N. A., Pine, D. S., Etkin, A., Leibenluft, E., Shechner, T., & Ernst, M. (2013). The neural correlates of emotion-based cognitive control in adults with early childhood behavioral inhibition. *Biological Psychology*, *92*, 306–14. doi:10.1016/j.biopsycho.2012.09.008

Jarcho, J. M., Fox, N. A., Pine, D. S., Leibenluft, E., Shechner, T., Degnan, K. A., … Ernst, M. (2014). Enduring influence of early temperament on neural mechanisms mediating attention-emotion conflict in adults. *Depression and Anxiety*, *31*, 53–62. doi:10.1002/da.22140

Jazaieri, H., Morrison, A. S., Goldin, P. R., & Gross, J. J. (2014). The role of emotion and emotion regulation in social anxiety disorder. *Current Psychiatry Reports*, *17*, 1–9. doi:10.1007/s11920-014-0531-3

Jenkins, A. C., & Mitchell, J. P. (2011). Medial prefrontal cortex subserves diverse forms of self-reflection. *Social Neuroscience*, *6*, 211–218. doi:10.1080/17470919.2010.507948

Jenkins, L. M., Barba, A., Campbell, M., Lamar, M., Shankman, S. A., Leow, A. D., … Langenecker, S. A. (2016). Shared white matter alterations across emotional disorders: A voxel-based meta-analysis of fractional anisotropy. *NeuroImage: Clinical*, *12*, 1022–1034. doi:10.1016/j.nicl.2016.09.001

Jenkinson, M., Bannister, P., Brady, M., & Smith, S. (2002). Improved Optimization for the Robust and Accurate Linear Registration and Motion Correction of Brain Images. *NeuroImage*, *17*, 825–841. doi:10.1006/nimg.2002.1132

Jenkinson, M., Beckmann, C. F., Behrens, T. E. J., Woolrich, M. W., & Smith, S. M. (2012). FSL. *NeuroImage*, *62*, 782–90. doi:10.1016/j.neuroimage.2011.09.015

Jenkinson, M., & Smith, S. (2001). A global optimisation method for robust affine registration of brain images. *Medical Image Analysis*, *5*, 143–156. doi:10.1016/S1361-8415(01)00036-6

Jennings, P. L., Mitchell, M. S., & Hannah, S. T. (2015). The moral self: A review and integration of the literature. *Journal of Organizational Behavior*, *36*, S104–S168. doi:10.1002/job.1919

Joshi, A. A., Leporé, N., Joshi, S. H., Lee, A. D., Barysheva, M., Stein, J. L., … Thompson, P. M. (2011). The contribution of genes to cortical thickness and volume. *NeuroReport*, *22*, 101–105. doi:10.1097/WNR.0b013e3283424c84

Kauppi, K., Nilsson, L.-G., Persson, J., & Nyberg, L. (2014). Additive genetic effect of APOE and BDNF on hippocampus activity. *NeuroImage*, *89*, 306–313. doi:10.1016/j.neuroimage.2013.11.049

Kempton, M. J., Haldane, M., Jogia, J., Christodoulou, T., Powell, J., Collier, D., … Frangou, S. (2009). The effects of gender and COMT Val158Met polymorphism on fearful facial affect recognition: a fMRI study. *The International Journal of Neuropsychopharmacology*, *12*, 371–81. doi:10.1017/S1461145708009395

Kendler, K. S., Gardner, C. O., & Lichtenstein, P. (2008). A developmental twin study of symptoms of anxiety and depression: evidence for genetic innovation and attenuation. *Psychological Medicine*, *38*, 1567–75. doi:10.1017/S003329170800384X

Kennis, M., Rademaker, A. R., & Geuze, E. (2013). Neural correlates of personality: an integrative review. *Neuroscience and Biobehavioral Reviews*, *37*, 73–95. doi:10.1016/j.neubiorev.2012.10.012

Kerestes, R., Chase, H. W., Phillips, M. L., Ladouceur, C. D., & Eickhoff, S. B. (2017). Multimodal evaluation of the amygdala's functional connectivity. *NeuroImage*, *148*, 219–229. doi:10.1016/j.neuroimage.2016.12.023

Kessler, R. C., Chiu, W. T., Demler, O., Merikangas, K. R., & Walters, E. E. (2005). Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, *62*, 617–27. doi:10.1001/archpsyc.62.6.617

Kessler, R. C., Petukhova, M., Sampson, N. A., Zaslavsky, A. M., & Wittchen, H.-U. (2012). Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. *International Journal of Methods in Psychiatric Research*, *21*, 169–84. doi:10.1002/mpr.1359

Kessler, R. C., & Ustün, T. B. (2004). The World Mental Health (WMH) Survey Initiative Version of the World Health Organization (WHO) Composite International Diagnostic Interview (CIDI). *International Journal of Methods in Psychiatric Research*, *13*, 93–121. doi:10.1002/mpr.168

Kim, M. J., Loucks, R. A., Palmer, A. L., Brown, A. C., Solomon, K. M., Marchante, A. N., & Whalen, P. J. (2011). The structural and functional connectivity of the amygdala: from normal emotion to pathological anxiety. *Behavioural Brain Research*, *223*, 403–10. doi:10.1016/j.bbr.2011.04.025

Kim, M. J., Shin, J., Taylor, J. M., Mattek, A. M., Chavez, S. J., & Whalen, P. J. (2017). Intolerance of Uncertainty Predicts Increased Striatal Volume. *Emotion (Washington, D.C.)*, *17*, 895–899. doi:10.1037/emo0000331

Kim, M. J., & Whalen, P. J. (2009). The structural integrity of an amygdala-prefrontal pathway predicts trait anxiety. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, *29*, 11614–8. doi:10.1523/JNEUROSCI.2335-09.2009

Kim, S.-Y., Shin, J. E., Lee, Y. I., Kim, H., Jo, H. J., & Choi, S.-H. (2018). Neural evidence for persistent attentional bias to threats in patients with social anxiety disorder. *Social Cognitive and Affective Neuroscience*, *13*, 1327–1336. doi:10.1093/scan/nsy101

Kleinhans, N. M., Johnson, L. C., Richards, T., Mahurin, R., Greenson, J., Dawson, G., & Aylward, E. (2009). Reduced neural habituation in the amygdala and social impairments in autism spectrum disorders. *The American Journal of Psychiatry*, *166*, 467–75. doi:10.1176/appi.ajp.2008.07101681

Klucken, T., Schweckendiek, J., Blecker, C., Walter, B., Kuepper, Y., Hennig, J., & Stark, R. (2015). The association between the 5-HTTLPR and neural correlates of fear conditioning and connectivity. *Social Cognitive and Affective Neuroscience*, *10*, 700–7. doi:10.1093/scan/nsu108

Klumpp, H., Angstadt, M., Nathan, P. J., & Phan, K. L. (2010). Amygdala reactivity to faces at varying intensities of threat in generalized social phobia: an event-related functional MRI study. *Psychiatry Research*, *183*, 167–9. doi:10.1016/j.pscychresns.2010.05.001

Klumpp, H., Angstadt, M., & Phan, K. L. (2012). Insula reactivity and connectivity to anterior cingulate cortex when processing threat in generalized social anxiety disorder. *Biological Psychology*, *89*, 273–6. doi:10.1016/j.biopsycho.2011.10.010

Klumpp, H., Fitzgerald, D. A., & Phan, K. L. (2013). Neural predictors and mechanisms of cognitive behavioral therapy on threat processing in social anxiety disorder. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, *45*, 83–91. doi:10.1016/j.pnpbp.2013.05.004

Klumpp, H., Fitzgerald, D. A., Piejko, K., Roberts, J., Kennedy, A. E., & Phan, K. L. (2015). Prefrontal control and predictors of cognitive behavioral therapy response in social anxiety disorder. *Social Cognitive and Affective Neuroscience*, *11*, 630–40. doi:10.1093/scan/nsv146

Klumpp, H., Fitzgerald, D. A., Piejko, K., Roberts, J., Kennedy, A. E., & Phan, K. L. (2016). Prefrontal control and predictors of cognitive behavioral therapy response in social anxiety disorder. *Social Cognitive and Affective Neuroscience*, *11*, 630–640. doi:10.1093/scan/nsv146

Klumpp, H., & Fitzgerald, J. M. (2018). Neuroimaging Predictors and Mechanisms of Treatment Response in Social Anxiety Disorder: an Overview of the Amygdala. *Current Psychiatry Reports*, *20*, 89. doi:10.1007/s11920-018-0948-1

Knappe, S., Beesdo-Baum, K., Fehm, L., Lieb, R., & Wittchen, H.-U. (2012). Characterizing the association between parenting and adolescent social phobia. *Journal of Anxiety Disorders*, *26*, 608–16. doi:10.1016/j.janxdis.2012.02.014

Knappe, S., Beesdo-Baum, K., & Wittchen, H.-U. (2010). Familial risk factors in social anxiety disorder: calling for a family-oriented approach for targeted prevention and early intervention. *European Child & Adolescent Psychiatry*, *19*, 857–71. doi:10.1007/s00787-010-0138-0

Knappe, S., Beesdo, K., Fehm, L., Lieb, R., & Wittchen, H.-U. (2009). Associations of familial risk factors with social fears and social phobia: evidence for the continuum hypothesis in social anxiety disorder? *Journal of Neural Transmission*, *116*, 639–48. doi:10.1007/s00702-008-0118-4

Knobe, J. (2003). Intentional action and side effects in ordinary language. *Analysis*, *63*, 190–194. doi:10.1111/1467-8284.00419

Knutson, K. M., Krueger, F., Koenigs, M., Hawley, A., Escobedo, J. R., Vasudeva, V., … Grafman, J. (2010). Behavioral norms for condensed moral vignettes. *Social Cognitive and Affective Neuroscience*, *5*, 378–84. doi:10.1093/scan/nsq005

Koban, L., Schneider, R., Ashar, Y. K., Andrews-Hanna, J. R., Landy, L., Moscovitch, D. A., … Arch, J. J. (2017). Social Anxiety is Characterized by Biased Learning About Performance and the Self. *Emotion*. doi:10.1037/emo0000296

Kochunov, P., Jahanshad, N., Sprooten, E., Nichols, T. E., Mandl, R. C., Almasy, L., … Glahn, D. C. (2014). Multi-site study of additive genetic effects on fractional anisotropy of cerebral white matter: Comparing meta and mega analytical approaches for data pooling. *NeuroImage*, *95*, 136–150. doi:10.1016/j.neuroimage.2014.03.033

Kotov, R., Gamez, W., Schmidt, F., & Watson, D. (2010). Linking "big" personality traits to anxiety, depressive, and substance use disorders: a meta-analysis. *Psychological Bulletin*, *136*, 768–821. doi:10.1037/a0020327

Kovacs, M. (1983). The Childrens' Depression Inventory: A self-rated depression scale for school-aged youngsters. *Pittsburgh: University of Pittsburgh School of Medicine*.

Kovacs, M. (1985). The Children's Depression Inventory (CDI). *Psychopharmacol. Bull.*, *21*, 995–998.

Kraus, J., Frick, A., Fischer, H., Howner, K., Fredrikson, M., & Furmark, T. (2018). Amygdala reactivity and connectivity during social and non-social aversive stimulation in social anxiety disorder. *Psychiatry Research: Neuroimaging*, *280*, 56–61. doi:https://doi.org/10.1016/j.pscychresns.2018.08.012

Kreifelts, B., Brück, C., Ethofer, T., Ritter, J., Weigel, L., Erb, M., & Wildgruber, D. (2017). Prefrontal mediation of emotion regulation in social anxiety disorder during laughter perception. *Neuropsychologia*, *96*, 175–183. doi:10.1016/j.neuropsychologia.2017.01.016

Kreifelts, B., Brück, C., Ritter, J., Ethofer, T., Domin, M., Lotze, M., … Wildgruber, D. (2014). They are laughing at me: cerebral mediation of cognitive biases in social anxiety. *PloS One*, *9*, e99815. doi:10.1371/journal.pone.0099815

Kreifelts, B., Eckstein, K. N., Ethofer, T., Wiegand, A., Wächter, S., Brück, C., … Wildgruber, D. (2019). Tuned to voices and faces: Cerebral responses linked to social anxiety. *NeuroImage*, *197*, 450–456. doi:10.1016/j.neuroimage.2019.05.018

Krettenauer, T., Colasante, T., Buchmann, M., & Malti, T. (2014). The Development of Moral Emotions and Decision-Making From Adolescence to Early Adulthood: A 6-Year Longitudinal Study. *Journal of Youth and Adolescence*, *43*, 583–596. doi:10.1007/s10964-013-9994-5

Kuperberg, G. R., Broome, M. R., McGuire, P. K., David, A. S., Eddy, M., Ozawa, F., … Fischl, B. (2003). Regionally localized thinning of the cerebral cortex in schizophrenia. *Archives of General Psychiatry*, *60*, 878–88. doi:10.1001/archpsyc.60.9.878

La Greca, A. M., & Lopez, N. (1998). Social Anxiety Among Adolescents: Linkages with Peer Relations and Friendships. *Journal of Abnormal Child Psychology*, *26*, 83–94. doi:10.1023/A:1022684520514

Labuschagne, I., Phan, K. L., Wood, A., Angstadt, M., Chua, P., Heinrichs, M., … Nathan, P. J. (2010). Oxytocin attenuates amygdala reactivity to fear in generalized social anxiety disorder. *Neuropsychopharmacology*, *35*, 2403–13. doi:10.1038/npp.2010.123

Labuschagne, I., Phan, K. L., Wood, A., Angstadt, M., Chua, P., Heinrichs, M., … Nathan, P. J. (2011). Medial frontal hyperactivity to sad faces in generalized social anxiety disorder and modulation by oxytocin. *The International Journal of Neuropsychopharmacology*, *15*, 1–14. doi:10.1017/S1461145711001489

Lago, T., Davis, A., Grillon, C., & Ernst, M. (2017). Striatum on the anxiety map: Small detours into adolescence. *Brain Research*, *1654*, 177–184. doi:10.1016/j.brainres.2016.06.006

Lahat, A., Helwig, C. C., & Zelazo, P. D. (2012). Age-related changes in cognitive processing of moral and social conventional violations. *Cognitive Development*, *27*, 181–194. doi:10.1016/j.cogdev.2012.02.002

Lanzenberger, R. R., Mitterhauser, M., Spindelegger, C., Wadsak, W., Klein, N., Mien, L.-K., … Tauscher, J. (2007). Reduced serotonin-1A receptor binding in social anxiety disorder. *Biological Psychiatry*, *61*, 1081–9. doi:10.1016/j.biopsych.2006.05.022

Lavin, C., Melis, C., Mikulan, E., Gelormini, C., Huepe, D., & Ibañez, A. (2013). The anterior cingulate cortex: an integrative hub for human socially-driven interactions. *Frontiers in Neuroscience*, *7*, 64. doi:10.3389/fnins.2013.00064

Lawrence, P. J., Murayama, K., & Creswell, C. (2019). Systematic Review and Meta-Analysis: Anxiety and Depressive Disorders in Offspring of Parents With Anxiety Disorders. *Journal of the American Academy of Child & Adolescent Psychiatry*, *58*, 46–60. doi:https://doi.org/10.1016/j.jaac.2018.07.898

Leary, M. R. (1983). A Brief Version of the Fear of Negative Evaluation Scale. *Personality and Social Psychology Bulletin*, *9*, 371–375. doi:10.1177/0146167283093007

LeDoux, J. (2007). The amygdala. *Current Biology : CB*, *17*, R868-74. doi:10.1016/j.cub.2007.08.005

Lei, X., Zhao, Z., & Chen, H. (2013). Extraversion is encoded by scale-free dynamics of default mode network. *NeuroImage*, *74*, 52–57. doi:10.1016/j.neuroimage.2013.02.020

Leichsenring, F., & Leweke, F. (2017). Social Anxiety Disorder. *New England Journal of Medicine*, *376*, 2255–2264. doi:10.1056/NEJMcp1614701

Leigh, E., & Clark, D. M. (2018). Understanding Social Anxiety Disorder in Adolescents and Improving Treatment Outcomes: Applying the Cognitive Model of Clark and Wells (1995). *Clinical Child and Family Psychology Review*. doi:10.1007/s10567-018-0258-5

Lenzenweger, M. F. (2013a). Endophenotype, intermediate phenotype, biomarker: definitions, concept comparisons, clarifications. *Depression and Anxiety*, *30*, 185–9. doi:10.1002/da.22042

Lenzenweger, M. F. (2013b). Thinking clearly about the endophenotype-intermediate phenotype-biomarker distinctions in developmental psychopathology research. *Development and Psychopathology*, *25*, 1347–57. doi:10.1017/S0954579413000655

Lerch, J. P., van der Kouwe, A. J. W., Raznahan, A., Paus, T., Johansen-Berg, H., Miller, K. L., … Sotiropoulos, S. N. (2017). Studying neuroanatomy using MRI. *Nature Neuroscience*, *20*, 314–326. doi:10.1038/nn.4501

Lesch, K.-P., & Waider, J. (2012). Serotonin in the modulation of neural plasticity and networks: implications for neurodevelopmental disorders. *Neuron*, *76*, 175–91. doi:10.1016/j.neuron.2012.09.013

Levita, L., Bois, C., Healey, A., Smyllie, E., Papakonstantinou, E., Hartley, T., & Lever, C. (2014). The Behavioural Inhibition System, anxiety and hippocampal volume in a non-clinical population. *Biology of Mood & Anxiety Disorders*, *4*, 4. doi:10.1186/2045-5380-4-4

Lewis, G. J., Panizzon, M. S., Eyler, L., Fennema-Notestine, C., Chen, C.-H., Neale, M. C., … Franz, C. E. (2014). Heritable influences on amygdala and orbitofrontal cortex contribute to genetic variation in core dimensions of personality. *NeuroImage*, *103C*, 309–315. doi:10.1016/j.neuroimage.2014.09.043

Liao, W., Chen, H., Feng, Y., Mantini, D., Gentili, C., Pan, Z., … Zhang, W. (2010). Selective aberrant functional connectivity of resting state networks in social anxiety disorder. *NeuroImage*, *52*, 1549–58. doi:10.1016/j.neuroimage.2010.05.010

Liao, W., Qiu, C., Gentili, C., Walter, M., Pan, Z., Ding, J., … Chen, H. (2010). Altered effective connectivity network of the amygdala in social anxiety disorder: a resting-state FMRI study. *PloS One*, *5*, e15238. doi:10.1371/journal.pone.0015238

Liao, W., Xu, Q., Mantini, D., Ding, J., Machado-de-Sousa, J. P., Hallak, J. E. C., … Chen, H. (2011). Altered gray matter morphometry and resting-state functional and structural connectivity in social anxiety disorder. *Brain Research*, *1388*, 167–77. doi:10.1016/j.brainres.2011.03.018

Lieb, R., Wittchen, H.-U., Höfler, M., Fuetsch, M., Stein, M. B., & Merikangas, K. R. (2000). Parental Psychopathology, Parenting Styles, and the Risk of Social Phobia in Offspring. *Archives of General Psychiatry*, *57*, 859. doi:10.1001/archpsyc.57.9.859

Lisciandra, C., Postma-Nilsenová, M., & Colombo, M. (2013). Conformorality. A Study on Group Conditioning of Normative Judgment. *Review of Philosophy and Psychology*, *4*, 751–764. doi:10.1007/s13164-013-0161-4

Lissek, S., Levenson, J., Biggs, A. L., Johnson, L. L., Ameli, R., Pine, D. S., & Grillon, C. (2008). Elevated fear conditioning to socially relevant unconditioned stimuli in social anxiety disorder. *The American Journal of Psychiatry*, *165*, 124–32. doi:10.1176/appi.ajp.2007.06091513

Liu, B., Song, M., Li, J., Liu, Y., Li, K., Yu, C., & Jiang, T. (2010). Prefrontal-related functional connectivities within the default network are modulated by COMT val158met in healthy young adults. *The Journal of Neuroscience*, *30*, 64–9. doi:10.1523/JNEUROSCI.3941-09.2010

Liu, F., Guo, W., Fouche, J.-P., Wang, Y., Wang, W., Ding, J., … Chen, H. (2015). Multivariate classification of social anxiety disorder using whole brain functional connectivity. *Brain Structure & Function*, *220*, 101–115. doi:10.1007/s00429-013-0641-4

Lonsdorf, T. B., Golkar, A., Lindstöm, K. M., Fransson, P., Schalling, M., Ohman, A., & Ingvar, M. (2011). 5-HTTLPR and COMTval158met genotype gate amygdala reactivity and habituation. *Biological Psychology*, *87*, 106–12. doi:10.1016/j.biopsycho.2011.02.014

Lorberbaum, J. P., Kose, S., Johnson, M. R., Arana, G. W., Sullivan, L. K., Hamner, M. B., … George, M. S. (2004). Neural correlates of speech anticipatory anxiety in generalized social phobia. *Neuroreport*, *15*, 2701–5.

Loscalzo, Y., Giannini, M., & Miers, A. C. (2017). Social anxiety and interpretation bias: examining clinical and subclinical components in adolescents. *Child and Adolescent Mental Health*. doi:10.1111/camh.12221

Ma, Y., Li, B., Wang, C., Shi, Z., Sun, Y., Sheng, F., … Han, S. (2014). 5-HTTLPR polymorphism modulates neural mechanisms of negative self-reflection. *Cerebral Cortex*, *24*, 2421–9. doi:10.1093/cercor/bht099

Machado-de-Sousa, J. P., Osório, F. de L., Jackowski, A. P., Bressan, R. A., Chagas, M. H. N., Torro-Alves, N., … Hallak, J. E. C. (2014). Increased amygdalar and hippocampal volumes in young adults with social anxiety. *PloS One*, *9*, e88523. doi:10.1371/journal.pone.0088523

Mack, S., Jacobi, F., Beesdo-Baum, K., Gerschler, A., Strehle, J., Höfler, M., … Wittchen, H.-U. (2015). Functional disability and quality of life decrements in mental disorders: Results from the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). *European Psychiatry : The Journal of the Association of European Psychiatrists*, *30*, 793–800. doi:10.1016/j.eurpsy.2015.06.003

Mackey, S., & Petrides, M. (2010). Quantitative demonstration of comparable architectonic areas within the ventromedial and lateral orbital frontal cortex in the human and the macaque monkey brains. *European Journal of Neuroscience*, *32*, 1940–1950. doi:10.1111/j.1460-9568.2010.07465.x

MacNamara, A., DiGangi, J., & Phan, K. L. (2016). Aberrant spontaneous and task-dependent functional connections in the anxious brain. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, *1*, 278–287. doi:10.1016/j.bpsc.2015.12.004

Malle, B. F., & Knobe, J. (1997). The Folk Concept of Intentionality. *Journal of Experimental Social Psychology*, *33*, 101–121. doi:10.1006/jesp.1996.1314

Mancini, C., Van Ameringen, M., Szatmari, P., Fugere, C., & Boyle, M. (1996). A High-Risk Pilot Study of the Children of Adults with Social Phobia. *Journal of the American Academy of Child & Adolescent Psychiatry*, *35*, 1511–1517. doi:10.1097/00004583-199611000-00020

Manning, J., Reynolds, G., Saygin, Z. M., Hofmann, S. G., Pollack, M., Gabrieli, J. D. E., & Whitfield-Gabrieli, S. (2015). Altered resting-state functional connectivity of the frontal-striatal reward system in social anxiety disorder. *PloS One*, *10*, e0125286. doi:10.1371/journal.pone.0125286

Månsson, K. N. T., Carlbring, P., Frick, A., Engman, J., Olsson, C.-J., Bodlund, O., … Andersson, G. (2013). Altered neural correlates of affective processing after internet-delivered cognitive behavior therapy for social anxiety disorder. *Psychiatry Research*, *214*, 229–37. doi:10.1016/j.pscychresns.2013.08.012

Månsson, K. N. T., Frick, A., Boraxbekk, C.-J., Marquand, A. F., Williams, S. C. R., Carlbring, P., … Furmark, T. (2015). Predicting long-term outcome of Internet-delivered cognitive behavior therapy for social anxiety disorder using fMRI and support vector machine learning. *Translational Psychiatry*, *5*, e530. doi:10.1038/tp.2015.22

Månsson, K. N. T., Salami, A., Frick, A., Carlbring, P., Andersson, G., Furmark, T., & Boraxbekk, C.-J. (2016). Neuroplasticity in response to cognitive behavior therapy for social anxiety disorder. *Translational Psychiatry*, *6*, e727. doi:10.1038/tp.2015.218

Marchand, W. R. (2010). Cortico-basal ganglia circuitry: a review of key research and implications for functional connectivity studies of mood and anxiety disorders. *Brain Structure & Function*, *215*, 73–96. doi:10.1007/s00429-010-0280-y

Marín, O. (2016). Developmental timing and critical windows for the treatment of psychiatric disorders. *Nature Medicine*, *22*, 1229–1238. doi:10.1038/nm.4225

Markett, S., Weber, B., Voigt, G., Montag, C., Felten, A., Elger, C., & Reuter, M. (2013). Intrinsic connectivity networks and personality: the temperament dimension harm avoidance moderates functional connectivity in the resting brain. *Neuroscience*, *240*, 98–105. doi:10.1016/j.neuroscience.2013.02.056

Mattay, V. S., & Goldberg, T. E. (2004). Imaging genetic influences in human brain function. *Current Opinion in Neurobiology*, *14*, 239–247. doi:https://doi.org/10.1016/j.conb.2004.03.014

McCarthy, N. S., Badcock, J. C., Clark, M. L., Knowles, E. E. M., Cadby, G., Melton, P. E., … Jablensky, A. (2018). Assessment of Cognition and Personality as Potential Endophenotypes in the Western Australian Family Study of Schizophrenia. *Schizophrenia Bulletin*, *44*, 908–921. doi:10.1093/schbul/sbx141

McDiarmid, T. A., Bernardos, A. C., & Rankin, C. H. (2017). Habituation is altered in neuropsychiatric disorders—A comprehensive review with recommendations for experimental design and analysis. *Neuroscience & Biobehavioral Reviews*, *80*, 286–305. doi:10.1016/j.neubiorev.2017.05.028

McGregor, N. W., Dimatelis, J. J., Van Zyl, P. J., Hemmings, S. M. J., Kinnear, C., Russell, V. A., … Lochner, C. (2018). A translational approach to the genetics of anxiety disorders. *Behavioural Brain Research*, *341*, 91–97. doi:10.1016/j.bbr.2017.12.030

McKnight, P. E., Monfort, S. S., Kashdan, T. B., Blalock, D. V, & Calton, J. M. (2016). Anxiety symptoms and functional impairment: A systematic review of the correlation between the two measures. *Clinical Psychology Review*, *45*, 115–130. doi:10.1016/j.cpr.2015.10.005

Mclatchie, N., Giner-Sorolla, R., & Derbyshire, S. W. G. (2016). "Imagined guilt" vs "recollected guilt": implications for fMRI. *Social Cognitive and Affective Neuroscience*, *11*, 703–711. doi:10.1093/scan/nsw001

Meier, S. M., & Deckert, J. (2019). Genetics of Anxiety Disorders. *Current Psychiatry Reports*, *21*, 16. doi:10.1007/s11920-019-1002-7

Meier, S. M., Petersen, L., Mattheisen, M., Mors, O., Mortensen, P. B., & Laursen, T. M. (2015). Secondary depression in severe anxiety disorders: a population-based cohort study in Denmark. *The Lancet Psychiatry*, *2*, 515–23. doi:10.1016/S2215-0366(15)00092-9

Meng, Y., Lui, S., Qiu, C., Qiu, L., Lama, S., Huang, X., … Zhang, W. (2013). Neuroanatomical deficits in drug-naïve adult patients with generalized social anxiety disorder: a voxel-based morphometry study. *Psychiatry Research*, *214*, 9–15. doi:10.1016/j.pscychresns.2013.06.002

Mennin, D. S., Fresco, D. M., Heimberg, R. G., Schneier, F. R., Davies, S. O., & Liebowitz, M. R. (2002). Screening for social anxiety disorder in the clinical setting: using the Liebowitz Social Anxiety Scale. *Journal of Anxiety Disorders*, *16*, 661–673. doi:10.1016/S0887-6185(02)00134-2

Menon, V. (2011). Large-scale brain networks and psychopathology: a unifying triple network model. *Trends in Cognitive Sciences*, *15*, 483–506. doi:10.1016/j.tics.2011.08.003

Menzies, L., Achard, S., Chamberlain, S. R., Fineberg, N., Chen, C.-H., del Campo, N., … Bullmore, E. (2007). Neurocognitive endophenotypes of obsessive-compulsive disorder. *Brain*, *130*, 3223–36. doi:10.1093/brain/awm205

Merikangas, K. R., He, J.-P., Burstein, M., Swanson, S. A., Avenevoli, S., Cui, L., … Swendsen, J. (2010). Lifetime prevalence of mental disorders in U.S. adolescents: results from the National Comorbidity Survey Replication--Adolescent Supplement (NCS-A). *Journal of the American Academy of Child and Adolescent Psychiatry*, *49*, 980–9. doi:10.1016/j.jaac.2010.05.017

Merikangas, K. R., Lieb, R., Wittchen, H.-U., & Avenevoli, S. (2003). Family and high-risk studies of social anxiety disorder. *Acta Psychiatrica Scandinavica. Supplementum*, 28–37. doi:10.1034/j.1600-0447.108.s417.5.x

Mesman, E. (2015). *At risk for bipolar disorder - bipolar offspring followed from adolescence into adulthood*. Rijksuniversiteit Groningen.

Meyer-Lindenberg, A. (2010). Behavioural neuroscience: Genes and the anxious brain. *Nature*, *466*, 827–8. doi:10.1038/466827a

Meyer-Lindenberg, A., & Weinberger, D. R. (2006). Intermediate phenotypes and genetic mechanisms of psychiatric disorders. *Nature Reviews. Neuroscience*, *7*, 818–27. doi:10.1038/nrn1993

Michl, P., Meindl, T., Meister, F., Born, C., Engel, R. R., Reiser, M., & Hennig-Fast, K. (2014). Neurobiological underpinnings of shame and guilt: a pilot fMRI study. *Social Cognitive and Affective Neuroscience*, *9*, 150–7. doi:10.1093/scan/nss114

Middeldorp, C. M., Birley, A. J., Cath, D. C., Gillespie, N. A., Willemsen, G., Statham, D. J., … Boomsma, D. I. (2005). Familial clustering of major depression and anxiety disorders in Australian and Dutch twins and siblings. *Twin Research and Human Genetics*, *8*, 609–15. doi:10.1375/183242705774860123

Miers, A. C., Blöte, A. W., Bögels, S. M., & Westenberg, P. M. (2008). Interpretation bias and social anxiety in adolescents. *Journal of Anxiety Disorders*, *22*, 1462–71. doi:10.1016/j.janxdis.2008.02.010

Miers, A. C., Blöte, A. W., de Rooij, M., Bokhorst, C. L., & Westenberg, P. M. (2013). Trajectories of social anxiety during adolescence and relations with cognition, social competence, and temperament. *Journal of Abnormal Child Psychology*, *41*, 97–110. doi:10.1007/s10802-012-9651-6

Miers, A. C., Blöte, A. W., Heyne, D. A., & Westenberg, P. M. (2014). Developmental pathways of social avoidance across adolescence: The role of social anxiety and negative cognition. *Journal of Anxiety Disorders*, *28*, 787–794. doi:10.1016/j.janxdis.2014.09.008

Miers, A. C., Blöte, A. W., & Westenberg, P. M. (2010). Peer perceptions of social skills in socially anxious and nonanxious adolescents. *Journal of Abnormal Child Psychology*, *38*, 33–41. doi:10.1007/s10802-009-9345-x

Milham, M. P., Nugenta, A. C., Drevets, W. C., Dickstein, D. S., Leibenluf, E., Ernst, M., … Pine, D. S. (2005). Selective reduction in amygdala volume in pediatric anxiety disorders: A voxel-based morphometry investigation. *Biological Psychiatry*, *57*, 961–966. doi:10.1016/J.BIOPSYCH.2005.01.038

Miller, G. A., & Rockstroh, B. (2013). Endophenotypes in psychopathology research: where do we stand? *Annual Review of Clinical Psychology*, *9*, 177–213. doi:10.1146/annurev-clinpsy-050212-185540

Miller, R. S. (2007). Is Embarrassment a Blessing or a Curse? In J. L. Tracy, R. W. Robins, & J. P. Tangney (Eds.), *The Self-conscious emotions* (1st ed., pp. 245–262). New York: The Guilford Press.

Miller, R. S. (2014). Embarrassment and Social Anxiety Disorder: Fraternal Twins or Distant Cousins? In S. G. Hofmann & P. M. DiBartolo (Eds.), *Social Anxiety: Clinical, Developmental, and Social Perspectives* (3rd ed., pp. 117–140). San Diego: Academic Press Inc Elsevier Science.

Mills, K. L., Lalonde, F., Clasen, L. S., Giedd, J. N., & Blakemore, S.-J. (2012). Developmental changes in the structure of the social brain in late childhood and adolescence. *Social Cognitive and Affective Neuroscience*, *9*, 123–131. doi:10.1093/scan/nss113

Mincic, A. M. (2015). Neuroanatomical correlates of negative emotionality-related traits: A systematic review and meta-analysis. *Neuropsychologia*, *77*, 97–118. doi:10.1016/j.neuropsychologia.2015.08.007

Minkova, L., Sladky, R., Kranz, G. S., Woletz, M., Geissberger, N., Kraus, C., … Windischberger, C. (2017). Task-dependent modulation of amygdala connectivity in social anxiety disorder. *Psychiatry Research: Neuroimaging*, *262*, 39–46. doi:10.1016/j.pscychresns.2016.12.016

Miskovic, V., & Schmidt, L. A. (2012). Social fearfulness in the human brain. *Neuroscience and Biobehavioral Reviews*, *36*, 459–78. doi:10.1016/j.neubiorev.2011.08.002

Miskowiak, K. W., Larsen, J. E., Harmer, C. J., Siebner, H. R., Kessing, L. V., Macoveanu, J., & Vinberg, M. (2018). Is negative self-referent bias an endophenotype for depression? An fMRI study of emotional self-referent words in twins at high vs. low risk of depression. *Journal of Affective Disorders*, *226*, 267–273. doi:10.1016/j.jad.2017.10.013

Moitra, E., Beard, C., Weisberg, R. B., & Keller, M. B. (2011). Occupational impairment and Social Anxiety Disorder in a sample of primary care patients. *Journal of Affective Disorders*, *130*, 209–212. doi:10.1016/j.jad.2010.09.024

Moll, J., de Oliveira-Souza, R., Bramati, I. E., & Grafman, J. (2002). Functional Networks in Emotional Moral and Nonmoral Social Judgments. *NeuroImage*, *16*, 696–703. doi:10.1006/nimg.2002.1118

Moll, J., de Oliveira-Souza, R., Eslinger, P. J., Bramati, I. E., Mourao-Miranda, J., Andreiuolo, P. A., & Pessoa, L. (2002). The Neural Correlates of Moral Sensitivity: A Functional Magnetic Resonance Imaging Investigation of Basic and Moral Emotions. *The Journal of Neuroscience*, *22*, 2730–2736. doi:10.1523/JNEUROSCI.22-07-02730.2002

Moll, J., & Schulkin, J. (2009). Social attachment and aversion in human moral cognition. *Neuroscience and Biobehavioral Reviews*, *33*, 456–65. doi:10.1016/j.neubiorev.2008.12.001

Montag, C., Reuter, M., Jurkiewicz, M., Markett, S., & Panksepp, J. (2013). Imaging the structure of the human anxious brain: a review of findings from neuroscientific personality psychology. *Reviews in the Neurosciences*, *24*, 167–90. doi:10.1515/revneuro-2012-0085

Morey, R. A., McCarthy, G., Selgrade, E. S., Seth, S., Nasser, J. D., & LaBar, K. S. (2012). Neural systems for guilt from actions affecting self versus others. *NeuroImage*, *60*, 683–692. doi:10.1016/j.neuroimage.2011.12.069

Morgan, J. K., Shaw, D. S., & Forbes, E. E. (2015). Fearfulness moderates the link between childhood social withdrawal and adolescent reward response. *Social Cognitive and Affective Neuroscience*, *10*, 761–8. doi:10.1093/scan/nsu113

Morgan, S. E., White, S. R., Bullmore, E. T., & Vértes, P. E. (2018). A Network Neuroscience Approach to Typical and Atypical Brain Development. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, *3*, 754–766. doi:10.1016/j.bpsc.2018.03.003

Morrison, A. S., & Heimberg, R. G. (2013). Social anxiety and social anxiety disorder. *Annual Review of Clinical Psychology*, *9*, 249–74. doi:10.1146/annurev-clinpsy-050212-185631

Moscovitch, D. A. (2009). What Is the Core Fear in Social Phobia? A New Model to Facilitate Individualized Case Conceptualization and Treatment. *Cognitive and Behavioral Practice*, *16*, 123–134. doi:10.1016/j.cbpra.2008.04.002

Moscovitch, D. A., Rodebaugh, T. L., & Hesch, B. D. (2012). How awkward! Social anxiety and the perceived consequences of social blunders. *Behaviour Research and Therapy*, *50*, 142–9. doi:10.1016/j.brat.2011.11.002

Moscovitch, D. A., Rowa, K., Paulitzki, J. R., Ierullo, M. D., Chiang, B., Antony, M. M., & McCabe, R. E. (2013). Self-portrayal concerns and their relation to safety behaviors and negative affect in social anxiety disorder. *Behaviour Research and Therapy*, *51*, 476–86. doi:10.1016/j.brat.2013.05.002

Moscovitch, D. A., Waechter, S., Bielak, T., Rowa, K., & McCabe, R. E. (2015). Out of the shadows and into the spotlight: Social blunders fuel fear of self-exposure in social anxiety disorder. *Journal of Anxiety Disorders*, *34*, 24–32. doi:10.1016/j.janxdis.2015.06.004

Mueller, S. C., Aouidad, A., Gorodetsky, E., Goldman, D., Pine, D. S., & Ernst, M. (2013). Gray Matter Volume in Adolescent Anxiety: An Impact of the Brain-Derived Neurotrophic Factor Val66Met Polymorphism? *Journal of the American Academy of Child & Adolescent Psychiatry*, *52*, 184–195. doi:10.1016/j.jaac.2012.11.016

Müller-Pinzler, L., Gazzola, V., Keysers, C., Sommer, J., Jansen, A., Frässle, S., … Krach, S. (2015). Neural pathways of embarrassment and their modulation by social anxiety. *NeuroImage*, *119*, 252–261. doi:10.1016/j.neuroimage.2015.06.036

Munafò, M. R., Brown, S. M., & Hariri, A. R. (2008). Serotonin transporter (5-HTTLPR) genotype and amygdala activation: a meta-analysis. *Biological Psychiatry*, *63*, 852–7. doi:10.1016/j.biopsych.2007.08.016

Munafò, M. R., & Flint, J. (2014a). Common or Rare Variants for Complex Traits? *Biological Psychiatry*, *75*, 752–753. doi:10.1016/j.biopsych.2014.03.010

Munafò, M. R., & Flint, J. (2014b). The genetic architecture of psychophysiological phenotypes. *Psychophysiology*, *51*, 1331–2. doi:10.1111/psyp.12355

Muris, P., Meesters, C., de Kanter, E., & Timmerman, P. E. (2005). Behavioural inhibition and behavioural activation system scales for children: relationships with Eysenck's personality traits and psychopathological symptoms. *Personality and Individual Differences*, *38*, 831–841. doi:10.1016/j.paid.2004.06.007

Murphy, S. E., Norbury, R., Godlewska, B. R., Cowen, P. J., Mannie, Z. M., Harmer, C. J., & Munafò, M. R. (2013). The effect of the serotonin transporter polymorphism (5-HTTLPR) on amygdala function: a meta-analysis. *Molecular Psychiatry*, *18*, 512–20. doi:10.1038/mp.2012.19

Mutlu, A. K., Schneider, M., Debbané, M., Badoud, D., Eliez, S., & Schaer, M. (2013). Sex differences in thickness, and folding developments throughout the cortex. *NeuroImage*, *82*, 200–207. doi:10.1016/j.neuroimage.2013.05.076

Naragon-Gainey, K., & Watson, D. (2011). Clarifying the dispositional basis of social anxiety: A hierarchical perspective. *Personality and Individual Differences*, *50*, 926–934. doi:10.1016/j.paid.2010.07.012

Natsuaki, M. N., Leve, L. D., Neiderhiser, J. M., Shaw, D. S., Scaramella, L. V, Ge, X., & Reiss, D. (2013). Intergenerational transmission of risk for social inhibition: the interplay between parental responsiveness and genetic influences. *Development and Psychopathology*, *25*, 261–74. doi:10.1017/S0954579412001010

Neal, J. A., & Edelmann, R. J. (2003). The etiology of social phobia: Toward a developmental profile. *Clinical Psychology Review*, *23*, 761–786. doi:10.1016/S0272-7358(03)00076-X

Nejad, A. B., Fossati, P., & Lemogne, C. (2013). Self-Referential Processing, Rumination, and Cortical Midline Structures in Major Depression. *Frontiers in Human Neuroscience*, *7*, 666. doi:10.3389/fnhum.2013.00666

Nelson, E. E., Jarcho, J. M., & Guyer, A. E. (2015). Social re-orientation and brain development: an expanded and updated view. *Developmental Cognitive Neuroscience*, *17*, 118–127. doi:10.1016/j.dcn.2015.12.008

Newby, J., Pitura, V. A., Penney, A. M., Klein, R. G., Flett, G. L., & Hewitt, P. L. (2017). Neuroticism and perfectionism as predictors of social anxiety. *Personality and Individual Differences*, *106*, 263–267. doi:10.1016/j.paid.2016.10.057

Nikolova, Y. S., & Hariri, A. R. (2015). Can we observe epigenetic effects on human brain function? *Trends in Cognitive Sciences*, *19*, 366–373. doi:10.1016/j.tics.2015.05.003

Nikolova, Y. S., Koenen, K. C., Galea, S., Wang, C.-M., Seney, M. L., Sibille, E., … Hariri, A. R. (2014). Beyond genotype: serotonin transporter epigenetic modification predicts human brain function. *Nature Neuroscience*, *17*, 1153–1155. doi:10.1038/nn.3778

Nitsche, M. A., Cohen, L. G., Wassermann, E. M., Priori, A., Lang, N., Antal, A., … Pascual-Leone, A. (2008). Transcranial direct current stimulation: State of the art 2008. *Brain Stimulation*, *1*, 206–223. doi:10.1016/j.brs.2008.06.004

Nivard, M. G., Dolan, C. V, Kendler, K. S., Kan, K.-J., Willemsen, G., van Beijsterveldt, C. E. M., … Boomsma, D. I. (2015). Stability in symptoms of anxiety and depression as a function of genotype and envi-

ronment: a longitudinal twin study from ages 3 to 63 years. *Psychological Medicine*, *45*, 1039–1049. doi:10.1017/S003329171400213X

Noble, K. G., Houston, S. M., Brito, N. H., Bartsch, H., Kan, E., Kuperman, J. M., … Sowell, E. R. (2015). Family income, parental education and brain structure in children and adolescents. *Nature Neuroscience*, *18*, 773–780. doi:10.0.4.14/nn.3983

Northoff, G., Heinzel, A., de Greck, M., Bermpohl, F., Dobrowolny, H., & Panksepp, J. (2006). Self-referential processing in our brain—A meta-analysis of imaging studies on the self. *NeuroImage*, *31*, 440–457. doi:10.1016/j.neuroimage.2005.12.002

Norton, A. R., & Abbott, M. J. (2017). The Role of Environmental Factors in the Aetiology of Social Anxiety Disorder: A Review of the Theoretical and Empirical Literature. *Behaviour Change*, 1–22. doi:10.1017/bec.2017.7

O'Callaghan, C., Bertoux, M., Irish, M., Shine, J. M., Wong, S., Spiliopoulos, L., … Hornberger, M. (2016). Fair play: social norm compliance failures in behavioural variant frontotemporal dementia. *Brain*, *139*.

Ohayon, M. M., & Schatzberg, A. F. (2010). Social phobia and depression: prevalence and comorbidity. *Journal of Psychosomatic Research*, *68*, 235–43. doi:10.1016/j.jpsychores.2009.07.018

Ohi, K., Otowa, T., Shimada, M., Sasaki, T., & Tanii, H. (2019). Shared genetic etiology between anxiety disorders and psychiatric and related intermediate phenotypes. *Psychological Medicine*, 1–13. doi:DOI: 10.1017/S003329171900059X

Oldfield, R. (1971). The assessment and analysis of handedness: The Edinburgh inventory. *Neuropsychologia*, *9*, 97–113. doi:10.1016/0028-3932(71)90067-4

Oler, J. A., Fox, A. S., Shelton, S. E., Rogers, J., Dyer, T. D., Davidson, R. J., … Kalin, N. H. (2010). Amygdalar and hippocampal substrates of anxious temperament differ in their heritability. *Nature*, *466*, 864–8. doi:10.1038/nature09282

Ollendick, T. H., & Benoit, K. E. (2012). A parent-child interactional model of social anxiety disorder in youth. *Clinical Child and Family Psychology Review*, *15*, 81–91. doi:10.1007/s10567-011-0108-1

Olsson, A., & Phelps, E. A. (2007). Social learning of fear. *Nature Neuroscience*, *10*, 1095–102. doi:10.1038/nn1968

Ormel, J., Raven, D., van Oort, F., Hartman, C. A., Reijneveld, S. A., Veenstra, R., … Oldehinkel, A. J. (2014). Mental health in Dutch adolescents: a TRAILS report on prevalence, severity, age of onset, continuity and co-morbidity of DSM disorders. *Psychological Medicine*, 1–16. doi:10.1017/S0033291714001469

Otowa, T., Hek, K., Lee, M., Byrne, E. M., Mirza, S. S., Nivard, M. G., … Hettema, J. M. (2016). Meta-analysis of genome-wide association studies of anxiety disorders. *Molecular Psychiatry*, *21*, 1–9. doi:10.1038/mp.2015.197

Pacheco, J., Beevers, C. G., Benavides, C., McGeary, J., Stice, E., & Schnyer, D. M. (2009). Frontal-limbic white matter pathway associations with the serotonin transporter gene promoter region (5-HTTLPR) polymorphism. *The Journal of Neuroscience*, *29*, 6229–33. doi:10.1523/JNEUROSCI.0896-09.2009

Pahl, K. M., Barrett, P. M., & Gullo, M. J. (2012). Examining potential risk factors for anxiety in early childhood. *Journal of Anxiety Disorders*, *26*, 311–20. doi:10.1016/j.janxdis.2011.12.013

Panizzon, M. S., Fennema-Notestine, C., Eyler, L. T., Jernigan, T. L., Prom-Wormley, E., Neale, M., … Kremen, W. S. (2009). Distinct Genetic Influences on Cortical Surface Area and Cortical Thickness. *Cerebral Cortex*, *19*, 2728–2735. doi:doi.org/10.1093/cercor/bhp026

Pannekoek, J. N., van der Werff, S. J. A., van Tol, M. J., Veltman, D. J., Aleman, A., Zitman, F. G., … van der Wee, N. J. A. (2015). Investigating Distinct and Common Abnormalities of Resting-State Functional Connectivity in Depression, Anxiety, and their Comorbid States. *European Neuropsychopharmacology*, *25*, 1933–1942. doi:10.1016/j.euroneuro.2015.08.002

Pannekoek, J. N., Veer, I. M., van Tol, M.-J., van der Werff, S. J. A., Demenescu, L. R., Aleman, A., … van der Wee, N. J. A. (2013). Resting-state functional connectivity abnormalities in limbic and salience networks in social anxiety disorder without comorbidity. *European Neuropsychopharmacology*, *23*, 186–95. doi:10.1016/j.euroneuro.2012.04.018

Patel, S., Patel, R., Park, M. T. M., Masellis, M., Knight, J., & Chakravarty, M. M. (2018). Heritability estimates of cortical anatomy: The influence and reliability of different estimation strategies. *NeuroImage*, *178*, 78–91. doi:https://doi.org/10.1016/j.neuroimage.2018.05.014

Paton, J. J., Belova, M. A., Morrison, S. E., & Salzman, C. D. (2006). The primate amygdala represents the positive and negative value of visual stimuli during learning. *Nature*, *439*, 865–70. doi:10.1038/nature04490

Paulus, F. M., Müller-Pinzler, L., Jansen, A., Gazzola, V., & Krach, S. (2015). Mentalizing and the Role of the Posterior Superior Temporal Sulcus in Sharing Others' Embarrassment. *Cerebral Cortex*, *25*, 2065–75. doi:10.1093/cercor/bhu011

Paus, T., Keshavan, M., & Giedd, J. N. (2008). Why do many psychiatric disorders emerge during adolescence? *Nature Reviews. Neuroscience*, *9*, 947–57. doi:10.1038/nrn2513

Peeters, F., Ponds, R., & Vermeer, M. (1996). Affectiviteit en zelfbeoordeling van depressie en angst. *Tijdschrift Voor Psychiatrie*, *38*, 240–250.

Pejic, T., Hermann, A., Vaitl, D., & Stark, R. (2013). Social anxiety modulates amygdala activation during social conditioning. *Social Cognitive and Affective Neuroscience*, *8*, 267–76. doi:10.1093/scan/nsr095

Pelphrey, K. A., Morris, J. P., & McCarthy, G. (2004). Grasping the Intentions of Others: The Perceived Intentionality of an Action Influences Activity in the Superior Temporal Sulcus during Social Perception. *Journal of Cognitive Neuroscience*, *16*, 1706–1716. doi:10.1162/0898929042947900

Penninx, B. W. J. H., Beekman, A. T. F., Smit, J. H., Zitman, F. G., Nolen, W. A., Spinhoven, P., … Van Dyck, R. (2008). The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. *International Journal of Methods in Psychiatric Research*, *17*, 121–140. doi:10.1002/mpr.256

Peper, J. S., Brouwer, R. M., Boomsma, D. I., Kahn, R. S., & Hulshoff Pol, H. E. (2007). Genetic influences on human brain structure: a review of brain imaging studies in twins. *Human Brain Mapping*, *28*, 464–73. doi:10.1002/hbm.20398

Pereira, F., Mitchell, T., & Botvinick, M. (2009). Machine learning classifiers and fMRI: A tutorial overview. *NeuroImage*, *45*, S199–S209. doi:10.1016/j.neuroimage.2008.11.007

Pérez-Edgar, K., Roberson-Nay, R., Hardin, M. G., Poeth, K., Guyer, A. E., Nelson, E. E., … Ernst, M. (2007). Attention alters neural responses to evocative faces in behaviorally inhibited adolescents. *NeuroImage*, *35*, 1538–46. doi:10.1016/j.neuroimage.2007.02.006

Perez-Rodriguez, M. M., New, A. S., Goldstein, K. E., Rosell, D., Yuan, Q., Zhou, Z., … Hazlett, E. A. (2017). Brain-derived neurotrophic factor Val66Met genotype modulates amygdala habituation. *Psychiatry Research: Neuroimaging*, *263*, 85–92. doi:10.1016/j.pscychresns.2017.03.008

Peris, T. S., & Galván, A. (2013). Contextual modulation of medial prefrontal cortex to neutral faces in anxious adolescents. *Biology of Mood & Anxiety Disorders*, *3*, 18. doi:10.1186/2045-5380-3-18

Peterburs, J., Sandrock, C., Miltner, W. H. R., & Straube, T. (2016). Look who's judging-Feedback source modulates brain activation to performance feedback in social anxiety. *NeuroImage*. doi:10.1016/j.neuroimage.2016.03.036

Pfeifer, J. H., Masten, C. L., Borofsky, L. A., Dapretto, M., Fuligni, A. J., & Lieberman, M. D. (2008). Neural Correlates of Direct and Reflected Self-Appraisals in Adolescents and Adults: When Social Perspective-Taking Informs Self-Perception. *Child Development*, *80*, 1016–1038. doi:10.1111/j.1467-8624.2009.01314.x

Phan, K. L., Coccaro, E. F., Angstadt, M., Kreger, K. J., Mayberg, H. S., Liberzon, I., & Stein, M. B. (2013). Corticolimbic brain reactivity to social signals of threat before and after sertraline treatment in generalized social phobia. *Biological Psychiatry*, *73*, 329–36. doi:10.1016/j.biopsych.2012.10.003

Phan, K. L., Fitzgerald, D. A., Nathan, P. J., Moore, G. J., Uhde, T. W., & Tancer, M. E. (2005). Neural substrates for voluntary suppression of negative affect: A functional magnetic resonance imaging study. *Biological Psychiatry*, *57*, 210–219. doi:https://doi.org/10.1016/j.biopsych.2004.10.030

Phan, K. L., Orlichenko, A., Boyd, E., Angstadt, M., Coccaro, E. F., Liberzon, I., & Arfanakis, K. (2009). Preliminary Evidence of White Matter Abnormality in the Uncinate Fasciculus in Generalized Social Anxiety Disorder. *Biological Psychiatry*, *66*, 691–694. doi:10.1016/j.biopsych.2009.02.028

Piccirillo, M. L., Dryman, M. T., & Heimberg, R. G. (2016). Safety Behaviors in Adults With Social Anxiety: Review and Future Directions. *Behavior Therapy*, *47*, 675–687. doi:10.1016/J.BETH.2015.11.005

Picó-Pérez, M., Radua, J., Steward, T., Menchón, J. M., & Soriano-Mas, C. (2017). Emotion regulation in mood and anxiety disorders: A meta-analysis of fMRI cognitive reappraisal studies. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, *79*, 96–104. doi:https://doi.org/10.1016/j.pnpbp.2017.06.001

Piel, J. H., Lett, T. A., Wackerhagen, C., Plichta, M. M., Mohnke, S., Grimm, O., … Erk, S. (2018). The effect of 5-HTTLPR and a serotonergic multi-marker score on amygdala, prefrontal and anterior cingulate cortex reactivity and habituation in a large, healthy fMRI cohort. *European Neuropsychopharmacology*, *28*, 415–427. doi:10.1016/j.euroneuro.2017.12.014

Piray, P., Ly, V., Roelofs, K., Cools, R., & Toni, I. (2018). Emotionally aversive cues suppress neural systems underlying optimal learning in socially anxious individuals. *The Journal of Neuroscience*, 1318–1394. doi:10.1523/JNEUROSCI.1394-18.2018

Pitcher, D., Japee, S., Rauth, L., & Ungerleider, L. G. (2017). The Superior Temporal Sulcus Is Causally Connected to the Amygdala: A Combined TBS-fMRI Study. *The Journal of Neuroscience*, *37*, 1156 LP – 1161. doi:/10.1523/JNEUROSCI.0114-16.2016

Pittig, A., Treanor, M., LeBeau, R. T., & Craske, M. G. (2018). The role of associative fear and avoidance learning in anxiety disorders: Gaps and directions for future research. *Neuroscience & Biobehavioral Reviews*, *88*, 117–140. doi:https://doi.org/10.1016/j.neubiorev.2018.03.015

Plichta, M. M., Grimm, O., Morgen, K., Mier, D., Sauer, C., Haddad, L., … Meyer-Lindenberg, A. (2014). Amygdala habituation: a reliable fMRI phenotype. *NeuroImage*, *103*, 383–90. doi:10.1016/j.neuroimage.2014.09.059

Poldrack, R. A. (2007). Region of interest analysis for fMRI. *Social Cognitive and Affective Neuroscience*, *2*, 67–70. doi:10.1093/scan/nsm006

Poon, C.-S., & Young, D. L. (2006). Nonassociative learning as gated neural integrator and differentiator in stimulus-response pathways. *Behavioral and Brain Functions*, *2*, 29. doi:10.1186/1744-9081-2-29

Potijk, M. R., Drost, L. M., Havinga, P. J., Hartman, C. A., & Schoevers, R. A. (2019). "…and How Are the Kids?" Psychoeducation for Adult Patients With Depressive and/or Anxiety Disorders: A Pilot Study. *Frontiers in Psychiatry*. Retrieved from https://www.frontiersin.org/article/10.3389/fpsyt.2019.00004

Potts, N. L., Davidson, J. R., Krishnan, K. R., & Doraiswamy, P. M. (1994). Magnetic resonance imaging in social phobia. *Psychiatry Research*, *52*, 35–42.

Prasad, K. M., Goradia, D., Eack, S., Rajagopalan, M., Nutche, J., Magge, T., … Keshavan, M. S. (2010). Cortical surface characteristics among offspring of schizophrenia subjects. *Schizophrenia Research*, *116*, 143–51. doi:10.1016/j.schres.2009.11.003

Prater, K. E., Hosanagar, A., Klumpp, H., Angstadt, M., & Phan, K. L. (2013). Aberrant amygdala-frontal cortex connectivity during perception of fearful faces and at rest in generalized social anxiety disorder. *Depression and Anxiety*, *30*, 234–41. doi:10.1002/da.22014

Pruim, R. H. R., Mennes, M., Buitelaar, J. K., & Beckmann, C. F. (2015). Evaluation of ICA-AROMA and alternative strategies for motion artifact removal in resting state fMRI. *NeuroImage*, *112*, 278–287. doi:10.1016/J.NEUROIMAGE.2015.02.063

Pruim, R. H. R., Mennes, M., van Rooij, D., Llera, A., Buitelaar, J. K., & Beckmann, C. F. (2015). ICA-AROMA: A robust ICA-based strategy for removing motion artifacts from fMRI data. *NeuroImage*, *112*, 267–277. doi:10.1016/J.NEUROIMAGE.2015.02.064

Puglia, M. H., Lillard, T. S., Morris, J. P., & Connelly, J. J. (2015). Epigenetic modification of the oxytocin receptor gene influences the perception of anger and fear in the human brain. *Proceedings of the National Academy of Sciences*, 201422096. doi:10.1073/pnas.1422096112

Puls, I., & Gallinat, J. (2008). The concept of endophenotypes in psychiatric diseases meeting the expectations? *Pharmacopsychiatry*, *41 Suppl 1*, S37-43. doi:10.1055/s-2008-1081462

Quirk, G. J., Garcia, R., & González-Lima, F. (2006). Prefrontal mechanisms in extinction of conditioned fear. *Biological Psychiatry*, *60*, 337–43. doi:10.1016/j.biopsych.2006.03.010

R Core Team. (2016). R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from https://www.r-project.org

Rakic, P. (1988). Specification of cerebral cortical areas. *Science*, *241*, 170 LP – 176. doi:10.1126/science.3291116

Ramaswami, M. (2014). Network Plasticity in Adaptive Filtering and Behavioral Habituation. *Neuron*, *82*, 1216–1229. doi:10.1016/j.neuron.2014.04.035

Rankin, C. H., Abrams, T., Barry, R. J., Bhatnagar, S., Clayton, D. F., Colombo, J., … Thompson, R. F. (2009). Habituation revisited: an updated and revised description of the behavioral characteristics of habituation. *Neurobiology of Learning and Memory*, *92*, 135–8. doi:10.1016/j.nlm.2008.09.012

Rao, H., Gillihan, S. J., Wang, J., Korczykowski, M., Sankoorikal, G. M. V, Kaercher, K. A., … Farah, M. J. (2007). Genetic variation in serotonin transporter alters resting brain function in healthy individuals. *Biological Psychiatry*, *62*, 600–6. doi:10.1016/j.biopsych.2006.11.028

Rapee, R. M. (2014). Preschool environment and temperament as predictors of social and nonsocial anxiety disorders in middle adolescence. *Journal of the American Academy of Child and Adolescent Psychiatry*, *53*, 320–8. doi:10.1016/j.jaac.2013.11.014

Rapee, R. M., & Spence, S. H. (2004). The etiology of social phobia: empirical evidence and an initial model. *Clinical Psychology Review*, *24*, 737–67. doi:10.1016/j.cpr.2004.06.004

Reddan, M. C., Lindquist, M. A., & Wager, T. D. (2017). Effect Size Estimation in Neuroimaging. *JAMA Psychiatry*, *74*, 207–208. doi:10.1001/jamapsychiatry.2016.3356

Reichenberger, J., & Blechert, J. (2018). Malaise with praise: A narrative review of 10 years of research on the concept of Fear of Positive Evaluation in social anxiety. *Depression and Anxiety*. doi:10.1002/da.22808

Reichenberger, J., Wiggert, N., Wilhelm, F. H., Liedlgruber, M., Voderholzer, U., Hillert, A., … Blechert, J. (2019). Fear of negative and positive evaluation and reactivity to social-evaluative videos in social anxiety disorder. *Behaviour Research and Therapy*, *116*, 140–148. doi:10.1016/j.brat.2019.03.009

Rentería, M. E., Hansell, N. K., Strike, L. T., McMahon, K. L., de Zubicaray, G. I., Hickie, I. B., … Wright, M. J. (2014). Genetic architecture of subcortical brain regions: common and region-specific genetic contributions. *Genes, Brain, and Behavior*, *13*, 821–30. doi:10.1111/gbb.12177

Reuter, M., Schmansky, N. J., Rosas, H. D., & Fischl, B. (2012). Within-subject template estimation for unbiased longitudinal image analysis. *NeuroImage*, *61*, 1402–18. doi:10.1016/j.neuroimage.2012.02.084

Richiardi, J., Altmann, A., Milazzo, A.-C., Chang, C., Chakravarty, M. M., Banaschewski, T., … Greicius, M. D. (2015). BRAIN NETWORKS. Correlated gene expression supports synchronous activity in brain networks. *Science*, *348*, 1241–4. doi:10.1126/science.1255905

Roalf, D. R., Vandekar, S. N., Almasy, L., Ruparel, K., Satterthwaite, T. D., Elliott, M. A., … Gur, R. E. (2015). Heritability of subcortical and limbic brain volume and shape in multiplex-multigenerational families with schizophrenia. *Biological Psychiatry*, *77*, 137–146. doi:10.1016/j.biopsych.2014.05.009

Robins, L. N., Wing, J., Wittchen, H.-U., Helzer, J. E., Babor, T. F., Burke, J., … Towle, L. H. (1988). The Composite International Diagnostic Interview. *Archives of General Psychiatry*, *45*, 1069. doi:10.1001/archpsyc.1988.01800360017003

Robins, R. W., & Schriber, R. A. (2009). The Self-Conscious Emotions: How are they Experienced, Expressed, and Assessed? *Social and Personality Psychology Compass*, *3*, 887–898. doi:10.1111/j.1751-9004.2009.00217.x

Robinson, O. J., Charney, D. R., Overstreet, C., Vytal, K., & Grillon, C. (2012). The adaptive threat bias in anxiety: amygdala-dorsomedial prefrontal cortex coupling and aversive amplification. *NeuroImage*, *60*, 523–9. doi:10.1016/j.neuroimage.2011.11.096

Robinson, O. J., Krimsky, M., Lieberman, L., Allen, P., Vytal, K., & Grillon, C. (2014). Towards a mechanistic understanding of pathological anxiety: the dorsal medial prefrontal-amygdala "aversive amplification" circuit in unmedicated generalized and social anxiety disorders. *The Lancet. Psychiatry*, *1*, 294–302. doi:10.1016/S2215-0366(14)70305-0

Robinson, S., Windischberger, C., Rauscher, A., & Moser, E. (2004). Optimized 3 T EPI of the amygdalae. *NeuroImage*, *22*, 203–210. doi:10.1016/j.neuroimage.2003.12.048

Roelofs, J., van Breukelen, G., de Graaf, L. E., Beck, A. T., Arntz, A., & Huibers, M. J. H. (2013). Norms for the Beck Depression Inventory (BDI-II) in a Large Dutch Community Sample. *Journal of Psychopathology and Behavioral Assessment*, *35*, 93–98. doi:10.1007/s10862-012-9309-2

Roeyers, H., Thys, M., Druart, C., De Schryver, M., & Schittekatte, M. (2011). *Screeningslijst voor autismespectrumstoornissen (SRS) handleiding*. Amsterdam: Hogrefe uitgevers bv.

Rohr, C. S., Dreyer, F. R., Aderka, I. M., Margulies, D. S., Frisch, S., Villringer, A., & Okon-Singer, H. (2015). Individual differences in common factors of emotional traits and executive functions predict functional connectivity of the amygdala. *NeuroImage*, *120*, 154–163. doi:10.1016/j.neuroimage.2015.06.049

Rosas, H. D., Liu, A. K., Hersch, S., Glessner, M., Ferrante, R. J., Salat, D. H., … Fischl, B. (2002). Regional and progressive thinning of the cortical ribbon in Huntington's disease. *Neurology*, *58*, 695–701. doi:10.1212/WNL.58.5.695

Roseboom, P. H., Nanda, S. A., Fox, A. S., Oler, J. A., Shackman, A. J., Shelton, S. E., … Kalin, N. H. (2014). Neuropeptide Y receptor gene expression in the primate amygdala predicts anxious temperament and brain metabolism. *Biological Psychiatry*, *76*, 850–7. doi:10.1016/j.biopsych.2013.11.012

Roshchupkin, G. V., Gutman, B. A., Vernooij, M. W., Jahanshad, N., Martin, N. G., Hofman, A., … Hochberg, Y. (2016). Heritability of the shape of subcortical brain structures in the general population. *Nature Communications*, *7*, 13738. doi:10.1038/ncomms13738

Roy, A. K., Benson, B. E., Degnan, K. A., Perez-Edgar, K., Pine, D. S., Fox, N. A., & Ernst, M. (2014). Alterations in amygdala functional connectivity reflect early temperament. *Biological Psychology*, *103*, 248–54. doi:10.1016/j.biopsycho.2014.09.007

Roy, A. K., Shehzad, Z., Margulies, D. S., Kelly, A. M. C., Uddin, L. Q., Gotimer, K., … Milham, M. P. (2009). Functional connectivity of the human amygdala using resting state fMRI. *NeuroImage*, *45*, 614–626. doi:10.1016/j.neuroimage.2008.11.030

Ruff, C. C., Ugazio, G., & Fehr, E. (2013). Changing Social Norm Compliance with Noninvasive Brain Stimulation. *Science*, *342*, 482–484.

Rupp, C., Doebler, P., Ehring, T., & Vossbeck-Elsebusch, A. N. (2017). Emotional Processing Theory Put to Test: A Meta-Analysis on the Association Between Process and Outcome Measures in Exposure Therapy. *Clinical Psychology & Psychotherapy*, *24*, 697–711. doi:10.1002/cpp.2039

Ruscio, A. M., Brown, T. A., Chiu, W. T., Sareen, J., Stein, M. B., & Kessler, R. C. (2008). Social fears and social phobia in the USA: results from the National Comorbidity Survey Replication. *Psychological Medicine*, *38*, 15–28. doi:10.1017/S0033291707001699

Russell, G., & Topham, P. (2012). The impact of social anxiety on student learning and well-being in higher education. *Journal of Mental Health*, *21*, 375–385. doi:10.3109/09638237.2012.694505

Rytwinski, N. K., Fresco, D. M., Heimberg, R. G., Coles, M. E., Liebowitz, M. R., Cissell, S., … Hofmann, S. G. (2009). Screening for social anxiety disorder with the self-report version of the Liebowitz Social Anxiety Scale. *Depression and Anxiety*, *26*, 34–38. doi:10.1002/da.20503

Safran Foer, J. (2005). *Extremely Loud and Incredibly Close*. Boston: Houghton Mifflin.

Salat, D. H., Buckner, R. L., Snyder, A. Z., Greve, D. N., Desikan, R. S. R., Busa, E., … Fischl, B. (2004). Thinning of the Cerebral Cortex in Aging. *Cerebral Cortex*, *14*, 721–730. doi:10.1093/cercor/bhh032

Salimi-Khorshidi, G., Douaud, G., Beckmann, C. F., Glasser, M. F., Griffanti, L., & Smith, S. M. (2014). Automatic denoising of functional MRI data: Combining independent component analysis and hierarchical fusion of classifiers. *NeuroImage*, *90*, 449–468. doi:10.1016/J.NEUROIMAGE.2013.11.046

Sallis, H., Davey Smith, G., & Munafò, M. R. (2018). Genetics of biologically based psychological differences. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *373*. doi:10.1098/rstb.2017.0162

Salloum, A., Johnco, C., Lewin, A. B., McBride, N. M., & Storch, E. A. (2016). Barriers to access and participation in community mental health treatment for anxious children. *Journal of Affective Disorders*, *196*, 54–61. doi:10.1016/j.jad.2016.02.026

Sanfey, A. G., Stallen, M., & Chang, L. J. (2014). Norms and expectations in social decision-making. *Trends in Cognitive Sciences*, *18*, 172–4. doi:10.1016/j.tics.2014.01.011

Sanislow, C. A., Pine, D. S., Quinn, K. J., Kozak, M. J., Garvey, M. A., Heinssen, R. K., … Cuthbert, B. N. (2010). Developing constructs for psychopathology research: Research domain criteria. *Journal of Abnormal Psychology*, *119*, 631–639. doi:10.1037/a0020909

Sareen, J., Campbell, D. W., Leslie, W. D., Malisza, K. L., Stein, M. B., Paulus, M. P., … Reiss, J. P. (2007). Striatal function in generalized social phobia: a functional magnetic resonance imaging study. *Biological Psychiatry*, *61*, 396–404. doi:10.1016/j.biopsych.2006.05.043

Satizabal, C. L., Adams, H. H. H., Hibar, D. P., White, C. C., Stein, J. L., Scholz, M., … Ikram, M. A. (2017). Genetic Architecture of Subcortical Brain Structures in Over 40,000 Individuals Worldwide. *BioRxiv*. Retrieved from http://www.biorxiv.org/content/early/2017/08/28/173831

Savalia, N. K., Agres, P. F., Chan, M. Y., Feczko, E. J., Kennedy, K. M., & Wig, G. S. (2016). Motion-related artifacts in structural brain images revealed with independent estimates of in-scanner head motion. *Human Brain Mapping*, *38*, 472–492. doi:10.1002/hbm.23397

Saxe, R., Xiao, D.-K., Kovacs, G., Perrett, D. I., & Kanwisher, N. (2004). A region of right posterior superior temporal sulcus responds to observed intentional actions. *Neuropsychologia*, *42*, 1435–1446. doi:https://doi.org/10.1016/j.neuropsychologia.2004.04.015

Scaini, S., Belotti, R., & Ogliari, A. (2014). Genetic and environmental contributions to social anxiety across different ages: a meta-analytic approach to twin data. *Journal of Anxiety Disorders*, *28*, 650–6. doi:10.1016/j.janxdis.2014.07.002

Schaich Borg, J., Hynes, C., Van Horn, J., Grafton, S., & Sinnott-Armstrong, W. (2006). Consequences, Action, and Intention as Factors in Moral Judgments: An fMRI Investigation. *Journal of Cognitive Neuroscience*, *18*, 803–817. doi:10.1162/jocn.2006.18.5.803

Schiele, M. A., & Domschke, K. (2017). Epigenetics at the crossroads between genes, environment and resilience in anxiety disorders. *Genes, Brain and Behavior*. doi:10.1111/gbb.12423

Schirmer, A., Meck, W. H., & Penney, T. B. (2016). The Socio-Temporal Brain: Connecting People in Time. *Trends in Cognitive Sciences*, *20*, 760–772. doi:10.1016/j.tics.2016.08.002

Schneider, F., Weiss, U., Kessler, C., Müller-Gärtner, H.-W., Posse, S., Salloum, J. B., … Birbaumer, N. (1999). Subcortical correlates of differential classical conditioning of aversive emotional reactions in social phobia. *Biological Psychiatry*, *45*, 863–871. doi:10.1016/S0006-3223(98)00269-8

Schneier, F. R., Liebowitz, M. R., Abi-Dargham, A., Zea-Ponce, Y., Lin, S. H., & Laruelle, M. (2000). Low dopamine D2 receptor binding potential in social phobia. *American Journal of Psychiatry*, *157*, 457–459. doi:10.1176/appi.ajp.157.3.457

Scholten, W. D., Batelaan, N. M., Penninx, B. W. J. H., Balkom, A. J. L. M. van, Smit, J. H., Schoevers, R. A., & Oppen, P. van. (2016). Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. *Journal of Affective Disorders*, *195*, 185–90. doi:10.1016/j.jad.2016.02.025

Scholtens, L. H., & van den Heuvel, M. P. (2018). Multimodal Connectomics in Psychiatry: Bridging Scales From Micro to Macro. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, *3*, 767–776. doi:10.1016/j.bpsc.2018.03.017

Schreiber, F., & Steil, R. (2013). Haunting self-images? The role of negative self-images in adolescent social anxiety disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, *44*, 158–64. doi:10.1016/j.jbtep.2012.10.003

Schwartz, C. E., Kunwar, P. S., Greve, D. N., Kagan, J., Snidman, N. C., & Bloch, R. B. (2012). A phenotype of early infancy predicts reactivity of the amygdala in male adults. *Molecular Psychiatry*, *17*, 1042–50. doi:10.1038/mp.2011.96

Schwartz, C. E., Kunwar, P. S., Greve, D. N., Moran, L. R., Viner, J. C., Covino, J. M., … Wallace, S. R. (2010). Structural differences in adult orbital and ventromedial prefrontal cortex predicted by infant temperament at 4 months of age. *Archives of General Psychiatry*, *67*, 78–84. doi:10.1001/archgenpsychiatry.2009.171

Schwartz, C. E., Wright, C. I., Shin, L. M., Kagan, J., & Rauch, S. L. (2003). Inhibited and uninhibited infants "grown up": adult amygdalar response to novelty. *Science*, *300*, 1952–3. doi:10.1126/science.1083703

Schwartz, C. E., Wright, C. I., Shin, L. M., Kagan, J., Whalen, P. J., McMullin, K. G., & Rauch, S. L. (2003). Differential amygdalar response to novel versus newly familiar neutral faces: a functional MRI probe developed for studying inhibited temperament. *Biological Psychiatry*, *53*, 854–862. doi:10.1016/S0006-3223(02)01906-6

Sha, Z., Wager, T. D., Mechelli, A., & He, Y. (2019). Common Dysfunction of Large-Scale Neurocognitive Networks Across Psychiatric Disorders. *Biological Psychiatry*, *85*, 379–388. doi:10.1016/j.biopsych.2018.11.011

Shackman, A. J., Fox, A. S., Oler, J. A., Shelton, S. E., Davidson, R. J., & Kalin, N. H. (2013). Neural mechanisms underlying heterogeneity in the presentation of anxious temperament. *Proceedings of the National Academy of Sciences of the United States of America*, *110*, 6145–50. doi:10.1073/pnas.1214364110

Shackman, A. J., Stockbridge, M., Tillman, R., Kaplan, C., Tromp, D., Fox, A., & Gamer, M. (2016). The neurobiology of dispositional negativity and attentional biases to threat: Implications for understanding anxiety disorders in adults and youth. *Journal of Experimental Psychopathology*, *7*, 311–342. doi:http://dx.doi.org/10.5127/jep.054015

Shah, S. G., Klumpp, H., Angstadt, M., Nathan, P., & Phan, K. L. (2009). Amygdala and insula response to emotional images in patients with generalized social anxiety disorder. *Journal of Psychiatry & Neuroscience*, *34*, 296–302.

Shan, Z. Y., Vinkhuyzen, A. A. E., Thompson, P. M., McMahon, K. L., Blokland, G. A. M., de Zubicaray, G. I., … Reutens, D. C. (2016). Genes influence the amplitude and timing of brain hemodynamic responses. *NeuroImage*, *124*, 663–671. doi:10.1016/j.neuroimage.2015.09.016

Shang, J., Fu, Y., Ren, Z., Zhang, T., Du, M., Gong, Q., … Zhang, W. (2014). The common traits of the ACC and PFC in anxiety disorders in the DSM-5: meta-analysis of voxel-based morphometry studies. *PloS One*, *9*, e93432. doi:10.1371/journal.pone.0093432

Sharma, S., Powers, A., Bradley, B., & Ressler, K. J. (2016). Gene × Environment Determinants of Stress- and Anxiety-Related Disorders. *Annual Review of Psychology*, *67*, 239–261. doi:10.1146/annurev-psych-122414-033408

Sheehan, D. V., Lecrubier, Y., Harnett Sheehan, K., Janavs, J., Weiller, E., Keskiner, A., … Dunbar, G. (1997). The validity of the Mini International Neuropsychiatric Interview (MINI) according to the SCID-P and its reliability. *European Psychiatry*, *12*, 232–241. doi:10.1016/S0924-9338(97)83297-X

Sheehan, D. V., Lecrubier, Y., Sheehan, K. H., Amorim, P., Janavs, J., Weiller, E., … Dunbar, G. C. (1998). The Mini-International Neuropsychiatric Interview (M.I.N.I.): the development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *The Journal of Clinical Psychiatry*, *59 Suppl 2*, 22–33.

Sheehan, D. V., Sheehan, K. H., Shytle, R. D., Janavs, J., Bannon, Y., Rogers, J. E., … Wilkinson, B. (2010). Reliability and Validity of the Mini International Neuropsychiatric Interview for Children and Adolescents (MINI-KID). *The Journal of Clinical Psychiatry*, *71*, 313–326. doi:10.4088/JCP.09m05305whi

Shen, K.-K., Rose, S., Fripp, J., McMahon, K. L., de Zubicaray, G. I., Martin, N. G., … Salvado, O. (2014). Investigating brain connectivity heritability in a twin study using diffusion imaging data. *NeuroImage*, *100C*, 628–641. doi:10.1016/j.neuroimage.2014.06.041

Shi, Z., Ma, Y., Wu, B., Wu, X., Wang, Y., & Han, S. (2015). Neural correlates of reflection on actual versus ideal self-discrepancy. *NeuroImage*, *124*, 573–580. doi:10.1016/j.neuroimage.2015.08.077

Shimada-Sugimoto, M., Otowa, T., & Hettema, J. M. (2015). Genetics of anxiety disorders: Genetic epidemiological and molecular studies in humans. *Psychiatry and Clinical Neurosciences*, *69*, 388–401. doi:10.1111/pcn.12291

Shin, L. M., & Liberzon, I. (2010). The neurocircuitry of fear, stress, and anxiety disorders. *Neuropsychopharmacology : Official Publication of the American College of Neuropsychopharmacology*, *35*, 169–91. doi:10.1038/npp.2009.83

Shin, L. M., Wright, C. I., Cannistraro, P. A., Wedig, M. M., McMullin, K., Martis, B., … Rauch, S. L. (2005). A functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder. *Archives of General Psychiatry*, *62*, 273–81. doi:10.1001/archpsyc.62.3.273

Shohamy, D. (2011). Learning and motivation in the human striatum. *Current Opinion in Neurobiology*, *21*, 408–14. doi:10.1016/j.conb.2011.05.009

Simon, D., Kaufmann, C., Müsch, K., Kischkel, E., & Kathmann, N. (2010). Fronto-striato-limbic hyperactivation in obsessive-compulsive disorder during individually tailored symptom provocation. *Psychophysiology*, *47*, 728–738. doi:10.1111/j.1469-8986.2010.00980.x

Sinclair, B., Hansell, N. K., Blokland, G. A. M., Martin, N. G., Thompson, P. M., Breakspear, M., … McMahon, K. L. (2015). Heritability of the Network Architecture of Intrinsic Brain Functional Connectivity. *NeuroImage*, *121*, 243–252. doi:10.1016/j.neuroimage.2015.07.048

Sitaram, R., Ros, T., Stoeckel, L., Haller, S., Scharnowski, F., Lewis-Peacock, J., … Sulzer, J. (2016). Closed-loop brain training: the science of neurofeedback. *Nature Reviews Neuroscience*, *18*, 86. Retrieved from https://doi.org/10.1038/nrn.2016.164

Sladky, R., Höflich, A., Atanelov, J., Kraus, C., Baldinger, P., Moser, E., … Windischberger, C. (2012). Increased neural habituation in the amygdala and orbitofrontal cortex in social anxiety disorder revealed by FMRI. *PloS One*, *7*, e50050. doi:10.1371/journal.pone.0050050

Sladky, R., Höflich, A., Küblböck, M., Kraus, C., Baldinger, P., Moser, E., … Windischberger, C. (2015). Disrupted effective connectivity between the amygdala and orbitofrontal cortex in social anxiety disorder during emotion discrimination revealed by dynamic causal modeling for FMRI. *Cerebral Cortex*, *25*, 895–903. doi:10.1093/cercor/bht279

Smith, S. M. (2002). Fast robust automated brain extraction. *Human Brain Mapping*, *17*, 143–55. doi:10.1002/hbm.10062

Smith, S. M., Jenkinson, M., Woolrich, M. W., Beckmann, C. F., Behrens, T. E. J., Johansen-Berg, H., … Matthews, P. M. (2004). Advances in functional and structural MR image analysis and implementation as FSL. *NeuroImage*, *23 Suppl 1*, S208-19. doi:10.1016/j.neuroimage.2004.07.051

Smith, S. M., & Nichols, T. E. (2009). Threshold-free cluster enhancement: addressing problems of smoothing, threshold dependence and localisation in cluster inference. *NeuroImage*, *44*, 83–98. doi:10.1016/j.neuroimage.2008.03.061

Smoller, J. W. (2015). The Genetics of Stress-Related Disorders: PTSD, Depression and Anxiety Disorders. *Neuropsychopharmacology : Official Publication of the American College of Neuropsychopharmacology*, *41*, 297–319. doi:10.1038/npp.2015.266

Smoller, J. W., Block, S. R., & Young, M. M. (2009). Genetics of anxiety disorders: the complex road from DSM to DNA. *Depression and Anxiety*, *26*, 965–75. doi:10.1002/da.20623

Smoller, J. W., Paulus, M. P., Fagerness, J. A., Purcell, S., Yamaki, L. H., Hirshfeld-Becker, D., … Stein, M. B. (2008). Influence of RGS2 on anxiety-related temperament, personality, and brain function. *Archives of General Psychiatry*, *65*, 298–308. doi:10.1001/archgenpsychiatry.2007.48

Spence, S. H., & Rapee, R. M. (2016). The etiology of social anxiety disorder: An evidence-based model. *Behaviour Research and Therapy*, *86*, 50–67. doi:10.1016/j.brat.2016.06.007

Spielberger, C. D., Gorsuch, R. L., & Lushene, R. E. (1970). *STAI manual for the State-Trait Anxiety Inventory*. Palo Alto, CA: Consulting Psychologists Press.

Spielberger, C. D., & Vagg, P. R. (1984). Psychometric Properties of the STAI: A Reply to Ramanaiah, Franzen, and Schill. *Journal of Personality Assessment*, *48*, 95–97. doi:10.1207/s15327752jpa4801_16

Spitzer, M., Fischbacher, U., Herrnberger, B., Grön, G., & Fehr, E. (2007). The Neural Signature of Social Norm Compliance. *Neuron*, *56*, 185–196. doi:10.1016/j.neuron.2007.09.011

Spurr, J. M., & Stopa, L. (2002). Self-focused attention in social phobia and social anxiety. *Clinical Psychology Review*, *22*, 947–975. doi:10.1016/S0272-7358(02)00107-1

Stathis, P., Panourias, I. G., & Themistocleous, M. S. Sakas, D. E. (2007). Connections of the basal ganglia with the limbic system: implications for neuromodulation therapies of anxiety and affective disorders. In S. B. A. Sakas D.E. (Ed.), *Acta Neurochir Suppl* (Vol. 97, pp. 575–586). doi:10.1007/978-3-211-33081-4_67

Steiger, V. R., Brühl, A. B., Weidt, S., Delsignore, A., Rufer, M., Jäncke, L., … Hänggi, J. (2017). Pattern of structural brain changes in social anxiety disorder after cognitive behavioral group therapy: a longitudinal multimodal MRI study. *Molecular Psychiatry*, *22*, 1164–1171. doi:10.1038/mp.2016.217

Stein, D. J. (2015). Social anxiety disorder and the psychobiology of self-consciousness. *Frontiers in Human Neuroscience*, *9*, 489. doi:10.3389/fnhum.2015.00489

Stein, D. J., Lim, C. C. W., Roest, A. M., de Jonge, P., Aguilar-Gaxiola, S., Al-Hamzawi, A., … Scott, K. M. (2017). The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. *BMC Medicine*, *15*, 143. doi:10.1186/s12916-017-0889-2

Stein, D. J., Ruscio, A. M., Lee, S., Petukhova, M., Alonso, J., Andrade, L. H. S. G., … Kessler, R. C. (2010). Subtyping social anxiety disorder in developed and developing countries. *Depression and Anxiety*, *27*, 390–403. doi:10.1002/da.20639

Stein, J. L., Medland, S. E., Vasquez, A. A., Hibar, D. P., Senstad, R. E., Winkler, A. M., … Consortium, E. N. I. G. through M.-A. (2012). Identification of common variants associated with human hippocampal and intracranial volumes. *Nature Genetics*, *44*, 552–61. doi:10.1038/ng.2250

Stein, M. B., & Kean, Y. M. (2000). Disability and Quality of Life in Social Phobia: Epidemiologic Findings. *American Journal of Psychiatry*, *157*, 1606–1613. doi:10.1176/appi.ajp.157.10.1606

Stein, M. B., Chartier, M. J., Hazen, A. L., Kozak, M. V., Tancer, M. E., Lander, S., … Walker, J. R. (1998). A Direct-Interview Family Study of Generalized Social Phobia. *American Journal of Psychiatry*, *155*, 90–97. doi:10.1176/ajp.155.1.90

Stein, M. B., Chartier, M. J., Kozak, M. V, King, N., & Kennedy, J. L. (1998). Genetic linkage to the serotonin transporter protein and 5HT2A receptor genes excluded in generalized social phobia. *Psychiatry Research*, *81*, 283–291. doi:10.1016/S0165-1781(98)00117-6

Stein, M. B., Chartier, M. J., Lizak, M. V, & Jang, K. L. (2001). Familial aggregation of anxiety-related quantitative traits in generalized social phobia: clues to understanding "disorder" heritability? *American Journal of Medical Genetics*, *105*, 79–83. doi:10.1002/1096-8628(20010108)105:1<79::AID-AJMG1067>3.0.CO;2-F

Stein, M. B., Chen, C.-Y., Jain, S., Jensen, K. P., He, F., Heeringa, S. G., … Gelernter, J. (2017). Genetic risk variants for social anxiety. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, *174*, 120–131. doi:10.1002/ajmg.b.32520

Stein, M. B., Goldin, P. R., Sareen, J., Zorrilla, L. T. E., & Brown, G. G. (2002). Increased Amygdala Activation to Angry and Contemptuous Faces in Generalized Social Phobia. *Archives of General Psychiatry*, *59*, 1027–1034. doi:10.1001/archpsyc.59.11.1027

Stein, M. B., Jang, K. L., & Livesley, W. J. (2002). Heritability of social anxiety-related concerns and personality characteristics: a twin study. *The Journal of Nervous and Mental Disease*, *190*, 219–24.

Stein, M. B., Simmons, A. N., Feinstein, J. S., & Paulus, M. P. (2007). Increased amygdala and insula activation during emotion processing in anxiety-prone subjects. *The American Journal of Psychiatry*, *164*, 318–27. doi:10.1176/appi.ajp.164.2.318

Stein, M. B., & Stein, D. J. (2008). Social anxiety disorder. *Lancet*, *371*, 1115–25. doi:10.1016/S0140-6736(08)60488-2

Steinert, C., Hofmann, M., Leichsenring, F., & Kruse, J. (2013). What do we know today about the prospective long-term course of social anxiety disorder? A systematic literature review. *Journal of Anxiety Disorders*, *27*, 692–702. doi:10.1016/j.janxdis.2013.08.002

Storch, E. A., Masia-Warner, C., Dent, H. C., Roberti, J. W., & Fisher, P. H. (2004). Psychometric evaluation of the Social Anxiety Scale for Adolescents and the Social Phobia and Anxiety Inventory for Children: construct validity and normative data. *Journal of Anxiety Disorders*, *18*, 665–79. doi:10.1016/j.janxdis.2003.09.002

Straube, T., Kolassa, I.-T., Glauer, M., Mentzel, H.-J., & Miltner, W. H. R. (2004). Effect of task conditions on brain responses to threatening faces in social phobics: an event-related functional magnetic resonance imaging study. *Biological Psychiatry*, *56*, 921–30. doi:10.1016/j.biopsych.2004.09.024

Straube, T., Mentzel, H.-J., & Miltner, W. H. R. (2005). Common and distinct brain activation to threat and safety signals in social phobia. *Neuropsychobiology*, *52*, 163–8. doi:10.1159/000087987

Strawn, J. R., Hamm, L., Fitzgerald, D. A., Fitzgerald, K. D., Monk, C. S., & Phan, K. L. (2015). Neurostructural abnormalities in pediatric anxiety disorders. *Journal of Anxiety Disorders*, *32*, 81–8. doi:10.1016/j.janxdis.2015.03.004

Strike, L. T., Hansell, N. K., Couvy-Duchesne, B., Thompson, P. M., de Zubicaray, G. I., McMahon, K. L., & Wright, M. J. (2018). Genetic Complexity of Cortical Structure: Differences in Genetic and Environmental Factors Influencing Cortical Surface Area and Thickness. *Cerebral Cortex*. doi:10.1093/cercor/bhy002

Stuhldreher, N., Leibing, E., Leichsenring, F., Beutel, M. E., Herpertz, S., Hoyer, J., … Koenig, H.-H. (2014). The costs of social anxiety disorder: The role of symptom severity and comorbidities. *Journal of Affective Disorders*, *165*, 87–94. doi:10.1016/j.jad.2014.04.039

Suffren, S., Chauret, M., Nassim, M., Lepore, F., & Maheu, F. S. (2019). On a continuum to anxiety disorders: Adolescents at parental risk for anxiety show smaller rostral anterior cingulate cortex and insula thickness. *Journal of Affective Disorders*, *248*, 34–41. doi:10.1016/j.jad.2019.01.028

Sutcliffe, G., Harneit, A., Tost, H., & Meyer-Lindenberg, A. (2016). Neuroimaging intermediate phenotypes of executive control dysfunction in schizophrenia. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*. doi:10.1016/j.bpsc.2016.03.002

Swagerman, S., Brouwer, R., Geus, E. de, Pol, H. H., & Boomsma, D. (2014). Development and heritability of subcortical brain volumes at age 9 and 12. *Genes, Brain, and Behavior*. doi:10.1111/gbb.12182

Syal, S., Hattingh, C. J., Fouché, J.-P., Spottiswoode, B., Carey, P. D., Lochner, C., & Stein, D. J. (2012). Grey matter abnormalities in social anxiety disorder: a pilot study. *Metabolic Brain Disease*, *27*, 299–309. doi:10.1007/s11011-012-9299-5

Sylvester, C. M. (2018). Brain Games to Reduce Anxiety in High-Risk Children. *Journal of the American Academy of Child & Adolescent Psychiatry*, *57*, 80–81. doi:https://doi.org/10.1016/j.jaac.2017.12.001

Sylvester, C. M., Barch, D. M., Harms, M. P., Belden, A. C., Oakberg, T. J., Gold, A. L., … Pine, D. S. (2015). Early Childhood Behavioral Inhibition Predicts Cortical Thickness in Adulthood. *Journal of the American Academy of Child & Adolescent Psychiatry*. doi:10.1016/j.jaac.2015.11.007

Sylvester, C. M., Corbetta, M., Raichle, M. E., Rodebaugh, T. L., Schlaggar, B. L., Sheline, Y. I., … Lenze, E. J. (2012). Functional network dysfunction in anxiety and anxiety disorders. *Trends in Neurosciences*, *35*, 527–535. doi:doi.org/10.1016/j.tins.2012.04.012

Sylvester, C. M., Smyser, C. D., Smyser, T., Kenley, J., Ackerman, J. J., Shimony, J. S., … Rogers, C. E. (2018). Cortical Functional Connectivity Evident After Birth and Behavioral Inhibition at Age 2. *American Journal of Psychiatry*, *175*, 180–187. doi:10.1176/appi.ajp.2017.17010018

Taber-Thomas, B. C., Morales, S., Hillary, F. G., & Pérez-Edgar, K. E. (2016). Altered topography of intrinsic functional connectivity in childhood risk for social anxiety. *Depression and Anxiety*, [Epub ahead of print]. doi:10.1002/da.22508

Takahashi, H., Yahata, N., Koeda, M., Matsuda, T., Asai, K., & Okubo, Y. (2004). Brain activation associated with evaluative processes of guilt and embarrassment: an fMRI study. *NeuroImage*, *23*, 967–74. doi:10.1016/j.neuroimage.2004.07.054

Talati, A., Pantazatos, S. P., Hirsch, J., & Schneier, F. (2015). A pilot study of gray matter volume changes associated with paroxetine treatment and response in social anxiety disorder. *Psychiatry Research*, *231*, 279–85. doi:10.1016/j.pscychresns.2015.01.008

Talati, A., Pantazatos, S. P., Schneier, F. R., Weissman, M. M., & Hirsch, J. (2013). Gray matter abnormalities in social anxiety disorder: primary, replication, and specificity studies. *Biological Psychiatry*, *73*, 75–84. doi:10.1016/j.biopsych.2012.05.022

Talati, A., Weissman, M. M., & Hamilton, S. P. (2013). Using the high-risk family design to identify biomarkers for major depression. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *368*, 20120129–20120129. doi:10.1098/rstb.2012.0129

Tamnes, C. K., Herting, M. M., Goddings, A.-L., Meuwese, R., Blakemore, S.-J., Dahl, R. E., … Mills, K. L. (2017). Development of the Cerebral Cortex across Adolescence: A Multisample Study of Inter-

Related Longitudinal Changes in Cortical Volume, Surface Area, and Thickness. *The Journal of Neuroscience*, *37*, 3402–3412. doi:10.1523/JNEUROSCI.3302-16.2017

Tangney, J., Stuewig, J., & Mashek, D. (2006). Moral emotions and moral behavior. *Annual Reviews*, *58*, 345–72. doi:10.1146/annurev.psych.56.091103.070145

Taylor, S. (2012). Endophenotypes of obsessive–compulsive disorder: Current status and future directions. *Journal of Obsessive-Compulsive and Related Disorders*, *1*, 258–262. doi:10.1016/j.jocrd.2012.06.004

Teale Sapach, M. J. N., Carleton, R. N., Mulvogue, M. K., Weeks, J. W., & Heimberg, R. G. (2014). Cognitive Constructs and Social Anxiety Disorder: Beyond Fearing Negative Evaluation. *Cognitive Behaviour Therapy*, 1–11. doi:10.1080/16506073.2014.961539

Thomason, M. E., & Thompson, P. M. (2011). Diffusion imaging, white matter, and psychopathology. *Annual Review of Clinical Psychology*, *7*, 63–85. doi:10.1146/annurev-clinpsy-032210-104507

Thompson, P. M., Cannon, T. D., Narr, K. L., van Erp, T., Poutanen, V. P., Huttunen, M., … Toga, A. W. (2001). Genetic influences on brain structure. *Nature Neuroscience*, *4*, 1253–8. doi:10.1038/nn758

Thompson, P. M., Ge, T., Glahn, D. C., Jahanshad, N., & Nichols, T. E. (2013). Genetics of the connectome. *NeuroImage*, *80*, 475–88. doi:10.1016/j.neuroimage.2013.05.013

Thompson, P. M., Stein, J. L., Medland, S. E., Hibar, D. P., Vasquez, A. A., Renteria, M. E., … Drevets, W. (2014). The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. *Brain Imaging and Behavior*, *8*, 153–82. doi:10.1007/s11682-013-9269-5

Tiihonen, J., Kuikka, J., Bergström, K., Lepola, U., Koponen, H., & Leinonen, E. (1997). Dopamine reuptake site densities in patients with social phobia. *The American Journal of Psychiatry*, *154*, 239–42. doi:10.1176/ajp.154.2.239

Tillfors, M., Furmark, T., Marteinsdottir, I., Fischer, H., Pissiota, A., Långström, B., & Fredrikson, M. (2001). Cerebral Blood Flow in Subjects With Social Phobia During Stressful Speaking Tasks: A PET Study. *American Journal of Psychiatry*, *158*, 1220–1226. doi:10.1176/appi.ajp.158.8.1220

Tillfors, M., Furmark, T., Marteinsdottir, I., & Fredrikson, M. (2002). Cerebral blood flow during anticipation of public speaking in social phobia: a PET study. *Biological Psychiatry*, *52*, 1113–1119. doi:10.1016/S0006-3223(02)01396-3

Timbremont, B., & Braet, C. (2002). *Children's Depression Inventory: Nederlandstalige versie [Children's Depression Inventory: Dutch Version]*. Lisse: Swets & Zeitlinger.

Tinoco-González, D., Fullana, M. A., Torrents-Rodas, D., Bonillo, A., Vervliet, B., Pailhez, G., … Torrubia, R. (2015). Conditioned Subjective Responses to Socially Relevant Stimuli in Social Anxiety Disorder and Subclinical Social Anxiety. *Clinical Psychology & Psychotherapy*, *22*, 221–231. doi:10.1002/cpp.1883

Tissier, R., Tsonaka, R., Mooijaart, S. P., Slagboom, E., & Houwing-Duistermaat, J. J. (2017). Secondary phenotype analysis in ascertained family designs: application to the Leiden longevity study. *Statistics in Medicine*, *36*, 2288–2301. doi:10.1002/sim.7281

Torvik, F. A., Welander-Vatn, A., Ystrom, E., Knudsen, G. P., Czajkowski, N., Kendler, K. S., & Reichborn-Kjennerud, T. (2016). Longitudinal Associations Between Social Anxiety Disorder and Avoidant Personality Disorder: A Twin Study. *JOURNAL OF ABNORMAL PSYCHOLOGY*, *125*, 114–124. doi:10.1037/abn0000124

Tromp, D. P. M., Grupe, D. W., Oathes, D. J., McFarlin, D. R., Hernandez, P. J., Kral, T. R. A., … Nitschke, J. B. (2012). Reduced structural connectivity of a major frontolimbic pathway in generalized anxiety disorder. *Archives of General Psychiatry*, *69*, 925–34. doi:10.1001/archgenpsychiatry.2011.2178

Tromp, D. P. M., Williams, L. E., Fox, A. S., Oler, J. A., Rogers, Gregory R., Pine, D. S., & Kalin, N. H. (2015). White Matter Alterations in Pre-Adolescent Children with Anxiety Disorders. In *Biological Psychiatry, 70th Annual Scientific Convention and Meeting* (pp. S142–S286).

Tükel, R., Aydın, K., Yüksel, Ç., Ertekin, E., Koyuncu, A., & Taş, C. (2015). Gray matter abnormalities in patients with social anxiety disorder: A voxel-based morphometry study. *Psychiatry Research*, *234*, 106–12. doi:10.1016/j.pscychresns.2015.09.003

Tunbridge, E. M., Farrell, S. M., Harrison, P. J., & Mackay, C. E. (2013). Catechol-O-methyltransferase (COMT) influences the connectivity of the prefrontal cortex at rest. *NeuroImage*, *68*, 49–54. doi:10.1016/j.neuroimage.2012.11.059

Turk, C. L., Heimberg, R. G., Orsillo, S. M., Holt, C. S., Gitow, A., Street, L. L., … Liebowitz, M. R. (1998). An Investigation of Gender Differences in Social Phobia. *Journal of Anxiety Disorders*, *12*, 209–223. doi:10.1016/S0887-6185(98)00010-3

Tzourio-Mazoyer, N., Landeau, B., Papathanassiou, D., Crivello, F., Etard, O., Delcroix, N., … Joliot, M. (2002). Automated anatomical labeling of activations in SPM using a macroscopic anatomical parcellation of the MNI MRI single-subject brain. *NeuroImage*, *15*, 273–89. doi:10.1006/nimg.2001.0978

Ursu, S. (2017). Planning Ahead: The Future of Searching for Endophenotypes of Obsessive-Compulsive Disorder in the Era of Research Domain Criteria. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, *2*, 638–639. doi:10.1016/J.BPSC.2017.09.011

Vaghi, M. M., Hampshire, A., Fineberg, N. A., Kaser, M., Brühl, A. B., Sahakian, B. J., … Robbins, T. W. (2017). Hypoactivation and Dysconnectivity of a Frontostriatal Circuit During Goal-Directed Planning as an Endophenotype for Obsessive-Compulsive Disorder. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, *2*, 655–663. doi:10.1016/J.BPSC.2017.05.005

van den Berg, L. J. M., Tollenaar, M. S., Compier-de Block, L. H. C. G., Bakermans-Kranenburg, M. J., & Elzinga, B. M. (2019). An intergenerational family study on the impact of experienced and perpetrated child maltreatment on neural face processing. *Psychoneuroendocrinology*, *103*, 266–275. doi:10.1016/j.psyneuen.2019.01.030

van den Berg, L. J. M., Tollenaar, M. S., Pittner, K., Compier-de Block, L. H. C. G., Buisman, R. S. M., van IJzendoorn, M. H., & Elzinga, B. M. (2018). Pass it on? The neural responses to rejection in the context of a family study on maltreatment. *Social Cognitive and Affective Neuroscience*, *13*, 616–627. doi:10.1093/scan/nsy035

Van der Does, A. (2002). *Handleiding bij de Nederlandse versie van Beck Depression Inventory—second edition (BDI—II—NL)[Manual for the Dutch version of the Beck Depression Inventory—second edition (BDI—II—NL).]*. Amsterdam: Harcourt.

Van der Molen, M. J. W., Poppelaars, E. S., Van Hartingsveldt, C. T. A., Harrewijn, A., Gunther Moor, B., & Westenberg, P. M. (2014). Fear of negative evaluation modulates electrocortical and behavioral responses when anticipating social evaluative feedback. *Frontiers in Human Neuroscience*, *7*, 936. doi:10.3389/fnhum.2013.00936

van der Wee, N. J., van Veen, J. F., Stevens, H., van Vliet, I. M., van Rijk, P. P., & Westenberg, H. G. (2008). Increased serotonin and dopamine transporter binding in psychotropic medication-naive patients

with generalized social anxiety disorder shown by 123I-beta-(4-iodophenyl)-tropane SPECT. *Journal of Nuclear Medicine*, *49*, 757–63. doi:10.2967/jnumed.107.045518

van Kleef, G. A., Wanders, F., Stamkou, E., & Homan, A. C. (2015). The social dynamics of breaking the rules: antecedents and consequences of norm-violating behavior. *Current Opinion in Psychology*, *6*, 25–31. doi:10.1016/j.copsyc.2015.03.013

van Tol, M.-J., van der Wee, N. J. A., van den Heuvel, O. A., Nielen, M. M. A., Demenescu, L. R., Aleman, A., … Veltman, D. J. (2010). Regional brain volume in depression and anxiety disorders. *Archives of General Psychiatry*, *67*, 1002–11. doi:10.1001/archgenpsychiatry.2010.121

van Vliet, I. M., & de Beurs, E. (2007). [The MINI-International Neuropsychiatric Interview. A brief structured diagnostic psychiatric interview for DSM-IV en ICD-10 psychiatric disorders]. *Tijdschrift Voor Psychiatrie*, *49*, 393–7.

Vandeleur, C. L., Fassassi, S., Castelao, E., Glaus, J., Strippoli, M.-P. F., Lasserre, A. M., … Preisig, M. (2017). Prevalence and correlates of DSM-5 major depressive and related disorders in the community. *Psychiatry Research*, *250*, 50–58. doi:10.1016/j.psychres.2017.01.060

Vaquero, J. J., & Kinahan, P. (2015). Positron Emission Tomography: Current Challenges and Opportunities for Technological Advances in Clinical and Preclinical Imaging Systems. *Annual Review of Biomedical Engineering*, *17*, 385–414. doi:10.1146/annurev-bioeng-071114-040723

Veit, R., Flor, H., Erb, M., Hermann, C., Lotze, M., Grodd, W., & Birbaumer, N. (2002). Brain circuits involved in emotional learning in antisocial behavior and social phobia in humans. *Neuroscience Letters*, *328*, 233–236. doi:10.1016/S0304-3940(02)00519-0

Vicario, C. M., Salehinejad, M. A., Felmingham, K., Martino, G., & Nitsche, M. A. (2019). A systematic review on the therapeutic effectiveness of non-invasive brain stimulation for the treatment of anxiety disorders. *Neuroscience & Biobehavioral Reviews*, *96*, 219–231. doi:10.1016/j.neubiorev.2018.12.012

Von Der Heide, R. J., Skipper, L. M., Klobusicky, E., & Olson, I. R. (2013). Dissecting the uncinate fasciculus: disorders, controversies and a hypothesis. *Brain*, *136*, 1692–707. doi:10.1093/brain/awt094

Vos, T., Allen, C., Arora, M., Barber, R. M., Bhutta, Z. A., Brown, A., … Wand, J. (2016). Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *The Lancet*, *388*, 1545–1602. doi:10.1016/S0140-6736(16)31678-6

Wang, X., Cheng, B., Luo, Q., Qiu, L., & Wang, S. (2018). Gray Matter Structural Alterations in Social Anxiety Disorder: A Voxel-Based Meta-Analysis. *Frontiers in Psychiatry*. doi:10.1093/scan/nsy035

Watson, D., Clark, L. A., & Tellegen, A. (1988). Development and validation of brief measures of positive and negative affect: The PANAS scales. *Journal of Personality and Social Psychology*, *54*, 1063–1070. doi:10.1037//0022-3514.54.6.1063

Wechsler, D. (1991). *Manual for the Wechsler Intelligence Scale for Children - Third Edition (WISC-III)*. San Antonio, TX: The Psychological Corporation.

Wechsler, D., Coalson, D., & Raiford, S. (2008). *WAIS-IV technical and interpretive manual*. San Antonio, TX: Pearson.

Wedig, M. M., Rauch, S. L., Albert, M. S., & Wright, C. I. (2005). Differential amygdala habituation to neutral faces in young and elderly adults. *Neuroscience Letters*, *385*, 114–9. doi:10.1016/j.neulet.2005.05.039

Weisberg, R. B., Beard, C., Moitra, E., Dyck, I., & Keller, M. B. (2014). ADEQUACY OF TREATMENT RECEIVED BY PRIMARY CARE PATIENTS WITH ANXIETY DISORDERS. *Depression and Anxiety*, *31*, 443–450. doi:10.1002/da.22209

Weissman, M. M., Brown, A. S., & Talati, A. (2011). Translational epidemiology in psychiatry: Linking population to clinical and basic sciences. *Archives of General Psychiatry*, *68*, 600–608. Retrieved from http://dx.doi.org/10.1001/archgenpsychiatry.2011.47

Wells, J. C., Tien, A. Y., Garrison, R., & Eaton, W. W. (1994). Risk factors for the incidence of social phobia as determined by the Diagnostic Interview Schedule in a population-based study. *Acta Psychiatrica Scandinavica*, *90*, 84–90. doi:10.1111/j.1600-0447.1994.tb01560.x

Wen, W., Thalamuthu, A., Mather, K. A., Zhu, W., Jiang, J., de Micheaux, P. L., … Boker, S. (2016). Distinct Genetic Influences on Cortical and Subcortical Brain Structures. *Scientific Reports*, *6*, 32760. doi:10.1038/srep32760

Wenzel, A., Graff-Dolezal, J., Macho, M., & Brendle, J. R. (2005). Communication and social skills in socially anxious and nonanxious individuals in the context of romantic relationships. *Behaviour Research and Therapy*, *43*, 505–19. doi:10.1016/j.brat.2004.03.010

Westenberg, P. M., Gullone, E., Bokhorst, C. L., Heyne, D. A., & King, N. J. (2007). Social evaluation fear in childhood and adolescence: Normative developmental course and continuity of individual differences. *British Journal of Developmental Psychology*, *25*, 471–483. doi:10.1348/026151006X173099

Westlye, L. T., Bjørnebekk, A., Grydeland, H., Fjell, A. M., & Walhovd, K. B. (2011). Linking an anxiety-related personality trait to brain white matter microstructure: diffusion tensor imaging and harm avoidance. *Archives of General Psychiatry*, *68*, 369–77. doi:10.1001/archgenpsychiatry.2011.24

Whalen, P. J. (2007). The uncertainty of it all. *Trends in Cognitive Sciences*, *11*, 499–500. doi:10.1016/j.tics.2007.08.016

Whelan, C. D., Hibar, D. P., van Velzen, L. S., Zannas, A. S., Carrillo-Roa, T., McMahon, K., … Thompson, P. M. (2015). Heritability and reliability of automatically segmented human hippocampal formation subregions. *NeuroImage*, *128*, 125–137. doi:10.1016/j.neuroimage.2015.12.039

Whitfield-Gabrieli, S., & Ford, J. M. (2012). Default mode network activity and connectivity in psychopathology. *Annual Review of Clinical Psychology*, *8*, 49–76. doi:10.1146/annurev-clinpsy-032511-143049

Wierenga, L. M., Langen, M., Oranje, B., & Durston, S. (2014). Unique developmental trajectories of cortical thickness and surface area. *NeuroImage*, *87*, 120–6. doi:10.1016/j.neuroimage.2013.11.010

Wierenga, L. M., van den Heuvel, M. P., van Dijk, S., Rijks, Y., de Reus, M. A., & Durston, S. (2016). The development of brain network architecture. *Human Brain Mapping*, *37*, 717–729. doi:10.1002/hbm.23062

Wiggins, J. L., Swartz, J. R., Martin, D. M., Lord, C., & Monk, C. S. (2014). Serotonin transporter genotype impacts amygdala habituation in youth with autism spectrum disorders. *Social Cognitive and Affective Neuroscience*, *9*, 832–8. doi:10.1093/scan/nst039

Williams, J. T., & Blangero, J. (1999). Power of variance component linkage analysis to detect quantitative trait loci. *Annals of Human Genetics*, *63*, 545–63. doi:10.1017/S0003480099007848

Williams, L. E., Blackford, J. U., Luksik, A., Gauthier, I., & Heckers, S. (2013). Reduced habituation in patients with schizophrenia. *Schizophrenia Research*, *151*, 124–132. doi:10.1016/j.schres.2013.10.017

Williams, L. E., Oler, J. A., Fox, A. S., McFarlin, D. R., Rogers, G. M., Jesson, M. A. L., … Kalin, N. H. (2015). Fear of the unknown: uncertain anticipation reveals amygdala alterations in childhood anxiety disorders. *Neuropsychopharmacology*, *40*, 1428–35. doi:10.1038/npp.2014.328

Winkler, A. M., Greve, D. N., Bjuland, K. J., Nichols, T. E., Sabuncu, M. R., Håberg, A. K., … Rimol, L. M. (2018). Joint Analysis of Cortical Area and Thickness as a Replacement for the Analysis of the Volume of the Cerebral Cortex. *Cerebral Cortex*, *28*, 738–749. doi:10.1093/cercor/bhx308

Winkler, A. M., Kochunov, P., Blangero, J., Almasy, L., Zilles, K., Fox, P. T., … Glahn, D. C. (2010). Cortical thickness or grey matter volume? The importance of selecting the phenotype for imaging genetics studies. *NeuroImage*, *53*, 1135–1146. doi:10.1016/j.neuroimage.2009.12.028

Wittchen, H.-U. (1997). Strukturiertes klinisches Interview für DSM-IV: SKID. Achse I: Psychische Störungen: Interviewheft und Beurteilungsheft; eine deutschsprachige, erweiterte Bearbeitung der amerikanischen Originalversion des SCID-I. Hogrefe, Verlag für Psychologie.

Wittchen, H.-U., & Fehm, L. (2003). Epidemiology and natural course of social fears and social phobia. *Acta Psychiatrica Scandinavica*, *108*, 4–18. doi:10.1034/j.1600-0447.108.s417.1.x

Wittchen, H.-U., Fuetsch, M., Sonntag, H., Müller, N., & Liebowitz, M. (2000). Disability and quality of life in pure and comorbid social phobia. Findings from a controlled study. *European Psychiatry*, *15*, 46–58. doi:10.1016/S0924-9338(00)00211-X

Wittchen, H.-U., Jacobi, F., Rehm, J., Gustavsson, A., Svensson, M., Jönsson, B., … Steinhausen, H.-C. (2011). The size and burden of mental disorders and other disorders of the brain in Europe 2010. *European Neuropsychopharmacology*, *21*, 655–79. doi:10.1016/j.euroneuro.2011.07.018

Wolfensberger, S. P. A., Veltman, D. J., Hoogendijk, W. J. G., Boomsma, D. I., & de Geus, E. J. C. (2008). Amygdala responses to emotional faces in twins discordant or concordant for the risk for anxiety and depression. *NeuroImage*, *41*, 544–52. doi:10.1016/j.neuroimage.2008.01.053

Wong, Q. J. J., & Rapee, R. M. (2016). The aetiology and maintenance of social anxiety disorder: A synthesis of complimentary theoretical models and formulation of a new integrated model. *Journal of Affective Disorders*, *203*, 84–100. doi:10.1016/j.jad.2016.05.069

Woody, M. L., Yang, J. O., Cummings, L., Gilchrist, D., Graur, S., Siegle, G. J., & Price, R. B. (2019). Protracted amygdalar response predicts efficacy of a computer-based intervention targeting attentional patterns in transdiagnostic clinical anxiety. *Translational Psychiatry*, *9*, 121. doi:10.1038/s41398-019-0458-x

Woolrich, M. W. (2008). Robust group analysis using outlier inference. *NeuroImage*, *41*, 286–301. doi:10.1016/j.neuroimage.2008.02.042

Woolrich, M. W., Behrens, T. E. J., Beckmann, C. F., Jenkinson, M., & Smith, S. M. (2004). Multilevel linear modelling for FMRI group analysis using Bayesian inference. *NeuroImage*, *21*, 1732–1747. doi:10.1016/j.neuroimage.2003.12.023

Woolrich, M. W., Ripley, B. D., Brady, M., & Smith, S. M. (2001). Temporal autocorrelation in univariate linear modeling of FMRI data. *NeuroImage*, *14*, 1370–86. doi:10.1006/nimg.2001.0931

Worsley, K. J. (2001). Statistical analysis of activation images. In P. Jezzard, P. M. . Matthews, & S. M. Smith (Eds.), *Functional MRI: An Introduction to Methods* (pp. 1–23). Oxford University Press. doi:10.1093/acprof:oso/9780192630711.003.0014

Wray, N., & Visscher, P. (2008). Estimating trait heritability. *Nature Education*, *1*, 29.

Wright, C. I., Williams, D., Feczko, E., Barrett, L. F., Dickerson, B. C., Schwartz, C. E., & Wedig, M. M. (2006). Neuroanatomical correlates of extraversion and neuroticism. *Cerebral Cortex (New York, N.Y. : 1991)*, *16*, 1809–19. doi:10.1093/cercor/bhj118

Xu, J., Van Dam, N. T., Feng, C., Luo, Y., Ai, H., Gu, R., & Xu, P. (2019). Anxious brain networks: A coordinate-based activation likelihood estimation meta-analysis of resting-state functional connectivity studies in anxiety. *Neuroscience & Biobehavioral Reviews*, *96*, 21–30. doi:10.1016/j.neubiorev.2018.11.005

Yalin, N., Saricicek, A., Hidiroglu, C., Zugman, A., Direk, N., Ada, E., … Ozerdem, A. (2019). Cortical thickness and surface area as an endophenotype in bipolar disorder type I patients and their first-degree relatives. *NeuroImage: Clinical*, 101695. doi:10.1016/j.nicl.2019.101695

Yamasue, H., Abe, O., Suga, M., Yamada, H., Inoue, H., Tochigi, M., … Kasai, K. (2008). Gender-common and -specific neuroanatomical basis of human anxiety-related personality traits. *Cerebral Cortex (New York, N.Y. : 1991)*, *18*, 46–52. doi:10.1093/cercor/bhm030

Yang, X., Liu, J., Meng, Y., Xia, M., Cui, Z., Wu, X., … He, Y. (2019). Network analysis reveals disrupted functional brain circuitry in drug-naive social anxiety disorder. *NeuroImage*, *190*, 213–223. doi:10.1016/j.neuroimage.2017.12.011

Yoon, K. L., Fitzgerald, D. A., Angstadt, M., McCarron, R. A., & Phan, K. L. (2007). Amygdala reactivity to emotional faces at high and low intensity in generalized social phobia: a 4-Tesla functional MRI study. *Psychiatry Research*, *154*, 93–8. doi:10.1016/j.pscychresns.2006.05.004

You, D., Maeda, Y., & Bebeau, M. J. (2011). Gender Differences in Moral Sensitivity: A Meta-Analysis. *Ethics & Behavior*, *21*, 263–282.

Young, K. S., Burklund, L. J., Torre, J. B., Saxbe, D., Lieberman, M. D., & Craske, M. G. (2017). Treatment for social anxiety disorder alters functional connectivity in emotion regulation neural circuitry. *Psychiatry Research: Neuroimaging*, *261*, 44–51. doi:10.1016/j.pscychresns.2017.01.005

Yuan, C., Zhu, H., Ren, Z., Yuan, M., Gao, M., Zhang, Y., … Zhang, W. (2018). Precuneus-related regional and network functional deficits in social anxiety disorder: A resting-state functional MRI study. *Comprehensive Psychiatry*, *82*, 22–29. doi:https://doi.org/10.1016/j.comppsych.2017.12.002

Yun, J.-Y., Kim, J.-C., Ku, J., Shin, J.-E., Kim, J.-J., & Choi, S.-H. (2017). The left middle temporal gyrus in the middle of an impaired social-affective communication network in social anxiety disorder. *Journal of Affective Disorders*, *214*, 53–59. doi:10.1016/j.jad.2017.01.043

Zahn, R., Moll, J., Paiva, M., Garrido, G., Krueger, F., Huey, E. D., & Grafman, J. (2009). The neural basis of human social values: evidence from functional MRI. *Cerebral Cortex*, *19*, 276–83. doi:10.1093/cercor/bhn080

Zald, D. H. (2003). The human amygdala and the emotional evaluation of sensory stimuli. *Brain Research. Brain Research Reviews*, *41*, 88–123. doi:10.1016/S0165-0173(02)00248-5

Zatorre, R. J., Fields, R. D., & Johansen-Berg, H. (2012). Plasticity in gray and white: neuroimaging changes in brain structure during learning. *Nature Neuroscience*, *15*, 528–536. doi:10.1038/nn.3045

Zhang, Y, Brady, M., & Smith, S. (2001). Segmentation of brain MR images through a hidden Markov random field model and the expectation-maximization algorithm. *IEEE Transactions on Medical Imaging*, *20*, 45–57. doi:10.1109/42.906424

Zhang, Yuan, Yu, H., Yin, Y., & Zhou, X. (2016). Intention Modulates the Effect of Punishment Threat in Norm Enforcement via the Lateral Orbitofrontal Cortex. *The Journal of Neuroscience*, *36*, 9217–26. doi:10.1523/JNEUROSCI.0595-16.2016

Zhao, Y., Chen, L., Zhang, W., Xiao, Y., Shah, C., Zhu, H., … Lui, S. (2017). Gray Matter Abnormalities in Non-comorbid Medication-naive Patients with Major Depressive Disorder or Social Anxiety Disorder. *EBioMedicine*. doi:10.1016/j.ebiom.2017.06.013

Ziegler, C., Dannlowski, U., Bräuer, D., Stevens, S., Laeger, I., Wittmann, H., … Domschke, K. (2015). Oxytocin receptor gene methylation: converging multilevel evidence for a role in social anxiety. *Neuropsychopharmacology : Official Publication of the American College of Neuropsychopharmacology*, *40*, 1528–38. doi:10.1038/npp.2015.2

Ziv, M., Goldin, P. R., Jazaieri, H., Hahn, K. S., & Gross, J. J. (2013). Is there less to social anxiety than meets the eye? Behavioral and neural responses to three socio-emotional tasks. *Biology of Mood & Anxiety Disorders*, *3*, 5. doi:10.1186/2045-5380-3-5

Contributing authors

Prof. Gerhard Andersson, PhD.

Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden; Department of Behavioural Sciences and Learning, Psychology, Linköping University, Linköping, Sweden.

Prof. Jennifer U. Blackford, PhD.

Department of Psychiatry and Behavioral Sciences, Vanderbilt University Medical Center, Nashville, TN, United States of America; Research Service, Research and Development, Department of Veterans Affairs Medical Center, Nashville, TN, United States of America.

Karina S. Blair, PhD.

National Institute of Mental Health, National Institutes of Health, Department of Health and Human Services, Bethesda, MD, United States of America; *Present: Center for Neurobehavioral Research, Boys Town National Research Hospital, Boys Town, NE, United States of America.*

Prof. Carl-Johan Boraxbekk, PhD.

Umeå Centre for Functional Brain Imaging (UFBI), Umeå University, Umeå, Sweden; Danish Research Centre for Magnetic Resonance (DRCMR), Centre for Functional and Diagnostic Imaging and Research, Copenhagen University Hospital Hvidovre, Denmark.

Annette B. Brühl, PhD.

Behavioural and Clinical Neuroscience Institute, Department of Psychiatry, University of Cambridge, Cambridge, United Kingdom; Department of Psychiatry, Psychotherapy, and Psychosomatics, Psychiatric Hospital, University of Zurich, Zurich, Switzerland.

Prof. Per Carlbring, PhD.

Department of Psychology, Stockholm University, Stockholm, Sweden.

Henk R. Cremers, PhD.

Department of Clinical Psychology, University of Amsterdam, Amsterdam, The Netherlands.

Jonas Engman, MSc.

Department of Psychology, Uppsala University, Uppsala, Sweden.

Jean-Paul Fouche, PhD.

Department of Psychiatry and Mental Health, University of Cape Town, Observatory, Cape Town, South Africa.

Prof. Mats Fredrikson, PhD.

Department of Psychology, Uppsala University, Uppsala, Sweden; Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

Andreas Frick, PhD.

Department of Psychology, Uppsala University, Uppsala, Sweden; Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

Prof. Tomas Furmark, PhD.

Department of Psychology, Uppsala University, Uppsala, Sweden.

Anita Harrewijn, PhD.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands. *Present: Department of Human Development and Quantitative Methodology, University of Maryland, College Park, United States of America; Emotion and Development Branch, National Institutes of Mental Health, Bethesda, United States of America.*

Coenraad J. Hattingh, PhD.

Department of Psychiatry and Mental Health, University of Cape Town, Observatory, Cape Town, South Africa.

Prof. Jeanine J. Houwing-Duistermaat, PhD.

Department of Statistics, University of Leeds, Leeds, United Kingdom.

Heide Klumpp, PhD.

Departments of Psychiatry and Psychology, University of Illinois at Chicago, Chicago, IL, United States of America.

Tanja Kreuk, MSc.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands.

Prof. Christine Lochner, PhD.

SU/UCT MRC Unit on Anxiety & Stress Disorders, South Africa; Department of Psychiatry, Stellenbosch University, Tygerberg, South Africa.

Kristoffer N.T. Månsson, PhD.

Department of Psychology, Stockholm University, Stockholm, Sweden; Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

Melle J.W. van der Molen, PhD.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands.

J. Nienke Pannekoek, PhD.

Neuropsychopharmacology Unit, Centre for Psychiatry, Division of Brain Sciences, Imperial College London, United Kingdom; *Present: MRC Unit on Risk & Resilience in Mental Disorders, Stellenbosch University, Stellenbosch, South Africa.*

Jutta Peterburs, PhD.

Institute of Medical Psychology and Systems Neuroscience, University of Münster, Münster, Germany; *Present: Department of Biological Psychology, Institute for Experimental Psychology, Heinrich-Heine- University, Düsseldorf, Germany.*

Prof. K. Luan Phan, PhD.

Departments of Psychiatry, Psychology and Anatomy and Cell Biology, and the Graduate Program in Neuroscience, University of Illinois at Chicago, Chicago, IL, United States of America.

Catrien G. Reichart, PhD.

Curium, Leiden University Medical Center, Leiden, The Netherlands.

Prof. Karin Roelofs, PhD.

Behavioural Science Institute, Radboud University, Nijmegen, The Netherlands; Donders Institute for Brain, Cognition and Behaviour, Radboud University, Nijmegen, The Netherlands.

Prof. P. Eline Slagboom, PhD.

Section of Molecular Epidemiology, Department of Medical Statistics and Bioinformatics, Leiden University Medical Center, Leiden, The Netherlands.

Prof. Thomas Straube, PhD.

Institute of Medical Psychology and Systems Neuroscience, University of Münster, Münster, Germany.

Renaud L.M. Tissier, PhD.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; *Present: Department of Epidemiology and Biostatistics, Vrije Universiteit Medical Center, Amsterdam, The Netherlands.*

Marie-José van Tol, PhD.

Department of Neuroscience, University Medical Center Groningen, University of Groningen, Groningen, The Netherlands.

Prof. Dick J. Veltman, PhD.

Department of Psychiatry, Neuroscience Campus Amsterdam, VU University Medical Center, Amsterdam, The Netherlands.

Irene M. Van Vliet, PhD.

Department of Psychiatry, Leiden University Medical Center, Leiden, The Netherlands.

Henk van Steenbergen, PhD.

Cognitive Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands.

Prof. Dan J. Stein, PhD.

Department of Psychiatry and Mental Health, University of Cape Town, Observatory, Cape Town, South Africa.

Prof. Nic J.A. van der Wee, PhD.

Department of Psychiatry, Leiden University Medical Center, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands.

Prof. P. Michiel Westenberg, PhD.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands.

Funding sources

All chapters

Janna Marie Bas-Hoogendam was funded by Leiden University Research Profile 'Health, Prevention and the Human Life Cycle' and the Institute of Psychology of Leiden University.

Chapter 4

Henk van Steenbergen was supported by a grant from the Netherlands Organization for Scientific Research (NWO) to Bernhard Hommel. Henk van Steenbergen, J. Nienke Pannekoek and Jean-Paul Fouche were partially supported by the EU 7th Frame Work Marie Curie Actions International Staff Exchange Scheme grant 'European and South African Research Network in Anxiety Disorders' (EUSARNAD). Jean-Paul Fouche is funded by the South African Medical Research Council National Health Scholarship. Münster (Jena) collaborators were partially supported by the Collaborative Research Center "Fear, Anxiety, and Anxiety disorders" in Münster, funded by the German Research Society (SFB/TRR-58, project C07 awarded to Thomas Straube) and by the Research Group "Person Perception" in Jena, funded by the German Research Society (grant number STR 987/6-1 to Thomas Straube). The infrastructure for the Netherlands Study of Depression and Anxiety (NESDA) was funded through the Geestkracht programme of the Netherlands Organization for Health Research and Development (ZonMw, grant number 10-000-1002) and is supported by participating universities and mental health care organizations (VU University Medical Center, GGZ inGeest, Arkin, Leiden University Medical Center, GGZ Rivierduinen, University Medical Center Groningen, Lentis, GGZ Friesland, GGZ Drenthe, IQ Healthcare, Netherlands Institute for Health Services Research (NIVEL) and Netherlands Institute of Mental Health and Addiction (Trimbos Institute)). Studies in Umea and Uppsala were supported by the Swedish Research Council and the Swedish Research Council for Health, Working Life and Welfare.

Acknowledgments

Chapters 2, 3, 5, 8-10

We are grateful to the Royal Dutch Academy of Sciences (KNAW) which enabled the organization of the Social Anxiety Conference, consisting of a two-day KNAW Academy Colloquium and a Master Class day (6 - 8 June 2011, Leiden, the Netherlands), and we thank the Lorentz Center (Leiden, the Netherlands) for their financial and practical support in organizing the workshop 'Endophenotypes of Social Anxiety Disorder: Can we detect them and are they useful in clinical practice?', which took place 14 - 18 December 2015 (https://www.lorentzcenter.nl/lc/web/2015/754/info.php3?wsid=754).

Chapter 4

We thank Tanja Kreuk (research intern, Leiden University) for her contribution to the visual inspection of the data, and the Anxiety Disorders Research Network of the European College of Psychopharmacology for its scientific and administrative support.

Chapters 5, 8 -10

We thank Anita Harrewijn, Melle J.W. van der Molen and Irene M. van Vliet for their contribution to the design and execution of the LFLSAD and their role in the recruitment of the families. Furthermore, we are grateful to several master students (Marjolein Barendse, Tanja Kreuk, Saskia van Leuverden, Farah Mesbahi, Eefje Poppelaars) and the support team of the Leiden Institute for Brain and Cognition (LIBC) who assisted in acquiring the MRI data.

Chapter 6

We thank Karina S. Blair (Boys Town National Research Hospital, Boys Town, NE, USA) and Melle J.W. van der Molen (Leiden University, Leiden, The Netherlands) for their assistance in developing the stories included in the SNPT-R, and Anne C. Miers (Leiden University, Leiden, The Netherlands) for her help in back translating the Dutch stories into English.

Chapter 7

We gratefully thank Tanja Kreuk who was involved in designing the study and data acquisition as part of her research master thesis project.

Chapter 10

We thank Renaud L. M. Tissier and Jeanine J. Houwing-Duistermaat for their statistical support and providing the analyses scripts.

Curriculum vitae

Janna Marie Bas-Hoogendam was born on November 21, 1985 in Gouda, The Netherlands. In 2003, she graduated from Gymnasium Camphusianum in Gorinchem (cum laude / with honours) and started studying Medicine at the Erasmus Medical Center, Rotterdam. After finishing the Bachelor's phase (cum laude / with honours, 2004), she continued with the Master's phase of this study. During several research internships at the department of Psychiatry of the Erasmus Medical Center, she got acquainted with brain research and became more and more enthusiastic about the possibilities of neuroimaging, especially in relation to psychopathology. She wrote a review on the effect of antipsychotics on the blood-oxygen-level-dependent (BOLD) signal (published in revised form in *Current Pharmaceutical Design*) and decided to focus on brain research after her graduation. She was admitted to the prestige research master Neuroscience and Cognition at Utrecht University (2007). As part of this master, she completed an internship involving the combination of functional Magnetic Resonance Imaging (fMRI) and repetitive Transcranial Magnetic Stimulation (rTMS) at the Psychiatry department of the University Medical Center (UMC) Utrecht, and an internship concerning a magneto-encephalogram experiment in patients with Parkinson's disease and obsessive-compulsive disorder at the VU Medical Center in Amsterdam. In addition, she wrote a master's thesis on the physiological basis of the effects of rTMS on the brain, with a focus on synaptic plasticity (published as a review in *Brain Stimulation*).

She obtained her master's degree (cum laude / with honours) in 2009 and started working as a research assistant at the Psychiatry department of the UMC Utrecht on the BRain Imaging, Development & Genetics (BRIDGE) project. In this project, she investigated the structural and functional brain development of children (10 - 16 years of age) who were genetically at high risk for the development of schizophrenia and bipolar disorder. In 2012, she moved to the United Kingdom to work as a Marie Curie Early Stage Researcher at the Cognitive Neuroimaging Laboratory of the University of Birmingham within the Adaptive Brain Computations research program, a training network funded by the European Union.

In 2013, Janna Marie Bas-Hoogendam started her PhD project at the unit Developmental and Educational Psychology of the Institute of Psychology (Leiden University) and the department of Psychiatry of the Leiden University Medical Center (LUMC). This PhD project, embedded within the Leiden Family Lab study on Social Anxiety Disorder (LFLSAD) and supervised by prof. dr. P. Michiel Westenberg, prof. dr. Nic. J. A. van der Wee and dr. Henk van Steenbergen, aimed to determine endophenotypes of social anxiety disorder using structural and functional MRI. The results of this study are included in this thesis.

In addition to the data collection and analysis of the LFLSAD project, she was involved in the Netherlands Study of Depression and Anxiety (NESDA) and worked on a study on the neurobiological effects of cortisol on the brain, a collaboration between the departments of Psychiatry and Endocrinology (LUMC). Furthermore, Janna Marie was part-time

employed as a Junior staff-member at the Netherlands Organization for Scientific Research (NWO), the Hague (2015), and she was actively involved in teaching: she supervised Bachelor's and Master's theses, was coordinator and working group leader of Clinical Child and Adolescent Psychology and a mentor of first year's students of the International Bachelor in Psychology. She obtained her University Teaching Qualification in 2017.

Furthermore, Janna Marie Bas-Hoogendam is a coordinator of the ENIGMA-ANXIETY working group (since 2016) and associate faculty member of F1000prime (since 2017). Currently, Janna Marie is appointed as a researcher at the unit Developmental and Educational Psychology of the Institute of Psychology (Leiden University) and the department of Psychiatry (LUMC).

Janna Marie is married to Matthijs Bas and they have two sons: David (2016) and Manuel (2018).

Curriculum vitae (*Nederlands*)

Janna Marie Bas-Hoogendam is geboren op 21 November 1985 in Gouda. In 2003 behaalde ze haar diploma aan het Gymnasium Camphusianum in Gorinchem (*cum laude*) en in datzelfde jaar startte ze met de opleiding Geneeskunde aan het Erasmus Medisch Centrum, Rotterdam. Na het afronden van de propedeutische fase (*cum laude*, 2004), zette ze haar studie voort met de doctoraal fase van de opleiding. Tijdens meerdere onderzoeksstages bij de afdeling Psychiatrie van het Erasmus MC maakte ze kennis met hersenonderzoek, en werd daarbij steeds enthousiaster over de mogelijkheden van beeldvormende technieken om inzicht te krijgen in de neurobiologische basis van psychopathologie. Ze schreef een overzichtsartikel over het effect van antipsychotica op hersenactiviteit (in herziene vorm gepubliceerd in het wetenschappelijke tijdscrift *Current Pharmaceutical Design*) en besloot om zich na het afronden van haar doctoraal te richten op het doen van wetenschappelijk onderzoek naar het brein. Ze werd geselecteerd voor de prestige researchmaster Neuroscience and Cognition aan de Universiteit Utrecht (2007). Tijdens deze master rondde Janna Marie twee stages af. In de eerste stage, die plaatsvond op de afdeling Psychiatrie van het Universitair Medisch Centrum (UMC) Utrecht werkte ze mee aan een project waarin functionele Magnetische Resonantie Imaging (fMRI) gecombineerd werd met repetitieve Transcraniële Magnetische Stimulatie (rTMS); tijdens de tweede stage hield ze zich bezig met een magneto-encefalografie in patiënten met de ziekte van Parkinson en patiënten met een obsessieve-compulsieve dwangstoornis (VU Medisch Centrum, Amsterdam). Daarnaast schreef ze haar master scriptie over de fysiologische basis van de effecten van rTMS op het brein, waarbij ze zich met name richtte op synaptische plasticiteit. Deze scriptie werd in 2010 in het blad *Brain Stimulation* gepubliceerd.

Na het behalen van haar masterdiploma (*cum laude*) in 2009 werkte Janna Marie een aantal jaar als onderzoeksassistent op de afdeling psychiatrie van het UMC Utrecht aan het *BRain Imaging, Development & Genetics* (BRIDGE) onderzoek. In dit project onderzocht ze de structurele en functionele ontwikkeling van de hersenen in kinderen (10 - 16 jaar oud) die een hoog genetisch risico hadden voor het ontwikkelen van schizofrenie of een bipolaire stoornis. In 2012 verhuisde ze naar het Verenigd Koninkijk om daar als een *Marie Curie Early Stage Researcher* te werken bij het *Cognitive Neuroimaging Laboratory* van de Universiteit van Birmingham, in het kader van het *Adaptive Brain Computations* onderzoeksprogramma (financieel mogelijk gemaakt door de Europese Unie).

In 2013 begon Janna Marie Bas-Hoogendam met haar promotieonderzoek bij de afdeling Ontwikkelings- en onderwijspsychologie (Instituut Psychologie, Universiteit Leiden) en de afdeling Psychiatrie (Leiden Universitair Medisch Centrum, LUMC), onder begeleiding van prof. dr. P. Michiel Westenberg, prof. dr. Nic. J. A. van der Wee en dr. Henk van Steenbergen. Het project was onderdeel van de Leidse Familiestudie naar Sociale Angststoornis (LFLSAD) en was erop gericht om endofenotypes van sociale angststoornis vast te stellen

met behulp van structurele en functionele MRI. De resultaten van het onderzoek zijn in dit proefschrift beschreven.

Naast het verzamelen en analyseren van de onderzoeksgegevens van de LFLSAD was Janna Marie betrokken bij de Nederlandse Studie naar Depressie en Angst (NESDA), en werkte ze aan een onderzoek naar de neurobiologische effecten van cortisol op het brein, een samenwerking tussen de afdelingen Psychiatrie en Endocrinologie van het LUMC. Verder werkte ze parttime als Junior Beleidsmedewerker bij de Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO; Den Haag; 2015) en vervulde ze diverse onderwijstaken. Ze begeleidde studenten bij het schrijven van hun bachelor- en masterscripties, was coördinator en werkgroepdocent van het vak *Clinical Child and Adolescent Psychology* en mentor van eerstejaarsstudenten van de *International Bachelor in Psychology*. Ze behaalde haar Basiskwalificatie Onderwijs in 2017.

Verder is Janna Marie sinds 2016 coördinator van de ENIGMA-ANXIETY werkgroep en *associate faculty member* van de website F1000prime (sinds 2017). Momenteel is Janna Marie werkzaam als onderzoeker bij de afdeling Ontwikkelings- en onderwijspsychologie (Instituut Psychologie, Universiteit Leiden) en de afdeling Psychiatrie (LUMC).

Janna Marie is getrouwd met Matthijs Bas en samen hebben ze twee zoons: David (2016) en Manuel (2018).

List of publications

Papers in peer-reviewed journals

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Jennifer U. Blackford, Renaud L.M. Tissier, Nic. J.A. van der Wee, P. Michiel Westenberg (2019b). Impaired neural habituation to neutral faces in families genetically enriched for Social Anxiety Disorder. *Depression & Anxiety* (available online, in press).

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Renaud L.M. Tissier, Nic. J.A. van der Wee, P. Michiel Westenberg (2019a). Altered neurobiological processing of unintentional social norm violations: a multiplex, multigenerational fMRI study on social anxiety endophenotypes. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging* (available online, in press).

Janna Marie Bas-Hoogendam (2019). Commentary: Gray Matter Structural Alterations in Social Anxiety Disorder: a Voxel-Based Meta-Analysis. *Front. Psychiatry* 10:1.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Renaud L.M. Tissier, Jeanine J. Houwing-Duistermaat, P. Michiel Westenberg, Nic J.A. van der Wee (2018b). Subcortical brain volumes, cortical thickness and cortical surface area in families genetically enriched for social anxiety disorder – a multiplex multigenerational neuroimaging study. *EBioMedicine, 36,* 410-428

Janna Marie Bas-Hoogendam, Anita Harrewijn, Renaud L.M. Tissier, Melle J.W. van der Molen, Henk van Steenbergen, Irene M. Van Vliet, Catrien G. Reichart, Jeanine J. Houwing-Duistermaat, P. Eline Slagboom, Nic J.A. van der Wee, P. Michiel Westenberg (2018a). The Leiden Family Lab study on Social Anxiety Disorder: a multiplex, multigenerational family study on neurocognitive endophenotypes. *International Journal of Methods in Psychiatric Research*: e1616.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2018c). Not intended, still embarrassed: social anxiety modulates the experience of unintentional social norm violations. *European Psychiatry*, *52*, 15-21.

Janna Marie Bas-Hoogendam*, Henk van Steenbergen* , J. Nienke Pannekoek, Jean-Paul Fouche, Christine Lochner, Coenraad J. Hattingh, Karin Roelofs, Tomas Furmark, Kristoffer N.T. Månsson, Andreas Frick, Jonas Engman, Carl-Johan Boraxbekk, Per Carlbring, Gerhard Andersson, Mats Fredrikson , Thomas Straube, Jutta Peterburs, Heide Klumpp, K. Luan Phan, Henk R. Cremers, Dick J. Veltman, Marie-José van Tol, Dan J. Stein, Nic

J.A. van der Wee (2017a). Voxel-Based Morphometry Multi-Center Mega-Analysis of Brain Structure in Social Anxiety Disorder. *NeuroImage: Clinical, 16*, 678-688. (*: shared first authorship)

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Tanja Kreuk, Nic J.A. van der Wee, P. Michiel Westenberg (2017b). How embarrassing! The behavioral and neural correlates of processing social norm violations. *PLOS ONE, 12 (4)*, e0176326.

Janna Marie Bas-Hoogendam, Jennifer U. Blackford, Annette B. Brühl, Karina S. Blair, Nic J.A. van der Wee, P. Michiel Westenberg (2016). Neurobiological Candidate Endophenotypes of Social Anxiety Disorder. *Neuroscience and Biobehavioral Reviews* , *71*, 362-378.

Janna Marie Bas-Hoogendam*, Cornelie D. Andela*, Steven J.A. van der Werff, J. Nienke Pannekoek, Henk van Steenbergen, Onno C. Meijer, Mark A. van Buchem, Serge A.R.B. Rombouts, Roos C. van der Mast, Nienke R. Biermasz, Nic J.A. van der Wee, Alberto M. Pereira (2015). Altered neural processing of emotional faces in remitted Cushing's disease. *Psychoneuroendocrinology* 59, 134–146. (*: shared first authorship)

Matthijs Vink, Bram B. Zandbelt, Thomas Gladwin, Manon Hillegers, **Janna Marie Hoogendam**, Wery P.M. van den Wildenberg, Stefan Du Plessis, René S Kahn (2014). Frontostriatal activity and connectivity increase during proactive inhibition across adolescence and early adulthood. *Human Brain Mapping 35 (9)*, 4415-4427.

Matthijs Vink, Jolanda M. Derks, **Janna Marie Hoogendam**, Manon Hillegers, René S. Kahn (2014). Functional differences in emotion processing during adolescence and early adulthood. *NeuroImage 91*, pp 70-76.

Janna Marie Hoogendam, René S. Kahn, Manon H.J. Hillegers, Mariët van Buuren, Matthijs Vink (2013). Different developmental trajectories for anticipation and receipt of reward during adolescence. *Developmental Cognitive Neuroscience 6*, 113-124.

Bram B. Zandbelt, Mirjam Bloemendaal, **Janna Marie Hoogendam**, René S. Kahn, Matthijs Vink (2013). Transcranial magnetic stimulation and functional MRI reveal cortical and subcortical interactions during stop-signal response inhibition. *Journal of Cognitive Neuroscience, 25 (2)*, 157-174.

N.M.J. van Veelen, M. Vink, N.F. Ramsey, M. van Buuren, **J.M. Hoogendam**, R.S. Kahn (2011). Prefrontal lobe dysfunction predicts treatment response in medication-naive first-episode schizophrenia. *Schizophrenia Research 129 (2-3)*, 156-162.

N.M.J. van Veelen, M. Vink, N.F. Ramsey, I.E.C. Sommer, M. van Buuren, **J.M. Hoogendam**, R.S. Kahn (2011). Reduced language lateralization in first-episode medication-naive schizophrenia. *Schizophrenia Research 127 (1-3),* 195-201.

C.H. Röder, **J.M. Hoogendam**, F.M. van der Veen (2010). FMRI, antipsychotics and schizophrenia. Influence of different antipsychotics on BOLD-signal. *Current Pharmaceutical Design 16 (18)*, 2012-2025.

J.M. Hoogendam, G.M.J.Ramakers, V.Di Lazzaro (2010). Physiology of repetitive transcranial magnetic stimulation of the human brain. *Brain Stimulation 3 (2)*, 95-118.

Papers under review

Paul Thompson, Neda Jahanshad, Christopher R. K. Ching, Lauren E. Salminen, Sophia I. Thomopoulos, Joanna Bright, Bernhard T. Baune, …., **Janna Marie Bas-Hoogendam**, …, Nic J. A. van der Wee, Ysbrand D. van der Werf, Theo G. M. van Erp, PhD, Neeltje E. M. van Haren, Daan van Rooij, Laura S. van Velzen, Ilya M. Veer, Dick J. Veltman, Julio E. Villalon-Reina, Henrik Walter, Christopher D. Whelan, Elisabeth A. Wilde, Mojtaba Zarei, and Vladimir Zelman, for the ENIGMA Consortium (2019). *ENIGMA and Global Neuroscience: A Decade of Large-Scale Studies of the Brain in Health and Disease across 43 Countries.* ***PsyArXiv.*** *July 4*.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic. J.A. van der Wee, P. Michiel Westenberg (under review). Amygdala hyperreactivity to faces conditioned with a social-evaluative meaning – a multiplex, multigenerational fMRI study on social anxiety endophentoypes.

Laura S. van Velzen, Marie-José van Tol, Martijn P. van den Heuvel, **Janna Marie Bas-Hoogendam**, Nic J. A. van der Wee, Dick J. Veltman, Brenda W. J. H. Penninx, Lianne Schmaal (in revision). Multimodal graph theoretical brain networks and the 9-year cumulative disease load of depression and anxiety.

Book chapters

Janna Marie Bas-Hoogendam, Eline F. Roelofs, P. Michiel Westenberg, Nic J. A. van der Wee. Pathogenesis of SAD; chapter in 'The American Psychiatric Association Textbook of Anxiety, Trauma and OCD related Disorders', edited by Naomi Simon, Eric Hollander, Barbara O. Rothbaum, and Dan J. Stein (2019, in press).

Dick J. Veltman, **Janna Marie Bas-Hoogendam**, Nic J. A. van der Wee en Odile A. van den Heuvel. Het angstige brein: beeldvormend onderzoek; hoofdstuk in 'Handboek angst- en

dwangstoornissen', onder redactie van Ton van Balkom, Désirée Oosterbaan, Saka Visser en Irene van Vliet. Uitgeverij de Tijdstroom (2018).

Conference abstracts *(selection)*

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2019). Neuroimaging results from the Leiden Family Lab study on Social Anxiety Disorder: a multiplex, multigenerational endophenotype study. *Journal of Neural Transmission* (in press).

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2019). Social conditioning of neutral faces in families genetically enriched for social anxiety disorder. *European Neuropsychopharmacology* (in press). ***WINNER TRAVEL AWARD 32nd ECNP Congress (2019), and selected for 'Poster Jam Session: Anxiety and stress related disorders' dedicated to four high-scoring posters.***

Laura van Velzen, Marie-José van Tol, Martijn van den Heuvel, **Janna Marie Bas-Hoogendam**, Nic van der Wee, Dick Veltman, Brenda Penninx, Lianne Schmaal (2019). Multimodal Graph Theoretical Brain Networks and the 9-Year Cumulative Disease Load of Depression and Anxiety. *Biological Psychiatry 85 (10),* S264.

Nynke A. Groenewold, **Janna Marie Bas-Hoogendam**, Alyssa R. Amod, Laura van Velzen, Moji Aghajani, Courtney A. Filippi, Andrea L. Gold, Christopher R.K. Ching, Karin Roelofs, Tomas Furmark, Kristoffer N.T. Månsson, Thomas Straube, Jutta Peterburs, Heide Klumpp, K. Luan Phan, Christine Lochner, Alexander Doruyter, Jesus Pujol, Narcis Cardoner, Laura Blanco-Hinojo, Katja Beesdo-Baum, Kevin Hilbert, Benjamin Kreifelts, Michael Erb, Qiyong Gong, Su Lui, Jair C. Soares, Mon-Ju Wu, P. Michiel Westenberg, Dominik Grotegerd, Elisabeth J. Leehr, Udo Dannlowski, Peter Zwanzger, Dick J. Veltman, Daniel S. Pine, Neda Jahanshad, Paul M. Thompson, Dan J. Stein, and Nic J.A. van der Wee, on behalf of the ENIGMA-Anxiety Working Group (2018). Subcortical volumes in Social Anxiety Disorder: Preliminary Results from ENIGMA-Anxiety. *Biological Psychiatry 83 (9),* S247-S248.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2017); Subcortical brain volumes as endophenotypes of social anxiety disorder – preliminary findings from the Leiden Family Study on Social Anxiety Disorder. *Journal of Neural Transmission 124 (10),* 1300. ***WINNER TRAVEL AWARD WASAD Congress (2017).***

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2017); Subcortical brain volumes as endophenotypes of social anxiety disorder

– preliminary findings from the Leiden Family Study on Social Anxiety Disorder. *European Neuropsychopharmacology 27 (4),* s1021.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, J. Nienke Pannekoek, Jean-Paul Fouche, Christine Lochner, Coenraad J. Hattingh, Henk R. Cremers, Tomas Furmark, Kristoffer N.T. Månsson, Andreas Frick, Jonas Engman, Carl-Johan Boraxbekk, Per Carlbring, Gerhard Andersson, Mats Fredrikson, Thomas Straube, Jutta Peterburs, Heide Klumpp, K. Luan Phan, Karin Roelofs, Dan J. Stein, Nic J.A. van der Wee (2017). Sample size matters: A voxel-based morphometry multi-center mega-analysis of gray matter volume in Social Anxiety Disorder. *Biological Psychiatry 81 (10),* S7-S8.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2017). Social norm processing as an endophenotype of social anxiety disorder - a family study in two generations. *European Neuropsychopharmacology 27*, S49-S50. ***WINNER TRAVEL AWARD ECNP Workshop on Neuropsychopharmacology for Junior Scientists in Europe (2017).***

Janna Marie Bas-Hoogendam, Henk van Steenbergen, P. Michiel Westenberg, Nic J.A. van der Wee (2015). Social conditioning of neutral faces: A pilot-study on brain functioning in social anxiety patients and their unaffected first-degree relatives. *European Neuropsychopharmacology 25*, S573-S574. ***WINNER TRAVEL AWARD 28th ECNP Congress (2015).***

Patients with social anxiety disorder (SAD) are 'extremely shy': they are afraid of a negative evaluation and avoid social situations as much as possible, with negative influences on their lives. SAD runs in families: being 'genetically close' to a patient with SAD substantially increases the risk to develop the disorder.

The studies summarized in this thesis aim to broaden our knowledge of this genetic vulnerability to SAD. Using MRI scans from the unique Leiden Family Lab study on Social Anxiety Disorder, we demonstrate that alterations in the structure and function of the brain are genetically linked to the disorder. These results offer novel insights in the neurobiological pathways leading to SAD.