



Universiteit
Leiden
The Netherlands

Extremely shy & genetically close : investigating neurobiological endophenotypes of social anxiety disorder

Bas, J.M.

Citation

Bas, J. M. (2020, January 14). *Extremely shy & genetically close : investigating neurobiological endophenotypes of social anxiety disorder*. Retrieved from <https://hdl.handle.net/1887/82705>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/82705>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden




The handle <http://hdl.handle.net/1887/82705> holds various files of this Leiden University dissertation.

Author: Bas, J.M.


Title: Extremely shy & genetically close : investigating neurobiological endophenotypes of social anxiety disorder

Issue Date: 2020-01-14



Part 5

Appendices





REFERENCES

- Abraham, A., Kaufmann, C., Redlich, R., Hermann, A., Stark, R., Stevens, S., & Hermann, C. (2013). Self-referential and anxiety-relevant information processing in subclinical social anxiety: an fMRI study. *Brain Imaging and Behavior*, 7, 35–48. doi:10.1007/s11682-012-9188-x
- Acarturk, C., de Graaf, R., van Straten, A., Have, M. Ten, & Cuijpers, P. (2008). Social phobia and number of social fears, and their association with comorbidity, health-related quality of life and help seeking: a population-based study. *Social Psychiatry and Psychiatric Epidemiology*, 43, 273–9. doi:10.1007/s00127-008-0309-1
- Acarturk, C., Smit, F., de Graaf, R., van Straten, A., Ten Have, M., & Cuijpers, P. (2009). Economic costs of social phobia: a population-based study. *Journal of Affective Disorders*, 115, 421–9. doi:10.1016/j.jad.2008.10.008
- Adams, H. H. H., Hibar, D. P., Chouraki, V., Stein, J. L., Nyquist, P. A., Rentería, M. E., ... Thompson, P. M. (2016). Novel genetic loci underlying human intracranial volume identified through genome-wide association. *Nature Neuroscience*, 19, 1569. doi:10.1038/nn.4398
- Adelstein, J. S., Shehzad, Z., Mennes, M., Deyoung, C. G., Zuo, X.-N., Kelly, C., ... Milham, M. P. (2011). Personality is reflected in the brain's intrinsic functional architecture. *PLoS One*, 6, e27633. doi:10.1371/journal.pone.0027633
- Aderka, I. M., Hofmann, S. G., Nickerson, A., Hermesh, H., Gilboa-Schechtman, E., & Marom, S. (2012). Functional impairment in social anxiety disorder. *Journal of Anxiety Disorders*, 26, 393–400. doi:10.1016/j.janxdis.2012.01.003
- Adluru, N., Hanlon, B. M., Lutz, A., Lainhart, J. E., Alexander, A. L., & Davidson, R. J. (2013). Penalized Likelihood Phenotyping: Unifying Voxelwise Analyses and Multi-Voxel Pattern Analyses in Neuroimaging. *Neuroinformatics*, 11, 227–247. doi:10.1007/s12021-012-9175-9
- Aghajani, M., Veer, I. M., van Tol, M.-J., Aleman, A., van Buchem, M. A., Veltman, D. J., ... van der Wee, N. J. (2014). Neuroticism and extraversion are associated with amygdala resting-state functional connectivity. *Cognitive, Affective & Behavioral Neuroscience*, 14, 836–48. doi:10.3758/s13415-013-0224-0
- Ahrens, L. M., Mühlberger, A., Pauli, P., & Wieser, M. J. (2015). Impaired visuocortical discrimination learning of socially conditioned stimuli in social anxiety. *Social Cognitive and Affective Neuroscience*, 10, 929–37. doi:10.1093/scan/nsu140
- Åhs, F., Gingnell, M., Furmark, T., & Fredrikson, M. (2017). Within-session effect of repeated stress exposure on extinction circuitry function in social anxiety disorder. *Psychiatry Research: Neuroimaging*, 261, 85–90. doi:10.1016/j.psychres.2017.01.009
- Akimova, E., Lanzenberger, R., & Kasper, S. (2009). The serotonin-1A receptor in anxiety disorders. *Biological Psychiatry*, 66, 627–35. doi:10.1016/j.biopsych.2009.03.012
- Aktar, E., Bockstaele, B. Van, Perez-Edgar, K., Wiers, R. W., & Bögels, S. M. (2018). Intergenerational Transmission of Attentional Bias and Anxiety. *Developmental Science*, 0, e12772. doi:10.1111/desc.12772
- Aktar, E., Majdandžić, M., de Vente, W., & Bögels, S. M. (2013). The interplay between expressed parental anxiety and infant behavioural inhibition predicts infant avoidance in a social referencing paradigm. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, 54, 144–56. doi:10.1111/j.1469-7610.2012.02601.x
- Alisch, R. S., Chopra, P., Fox, A. S., Chen, K., White, A. T. J., Roseboom, P. H., ... Kalin, N. H. (2014). Differentially methylated plasticity genes in the amygdala of young primates are linked to anxious

- temperament, an at risk phenotype for anxiety and depressive disorders. *The Journal of Neuroscience*, 34, 15548–56. doi:10.1523/JNEUROSCI.3338-14.2014
- Almasy, L., & Blangero, J. (1998). Multipoint Quantitative-Trait Linkage Analysis in General Pedigrees. *The American Journal of Human Genetics*, 62, 1198–1211. doi:10.1086/301844
- Almasy, L., & Blangero, J. (2010). Variance component methods for analysis of complex phenotypes. *Cold Spring Harbor Protocols*, pdb.top77. doi:10.1101/pdb.top77
- Alonso, J., Liu, Z., Evans-Lacko, S., Sadikova, E., Sampson, N., Chatterji, S., ... Thornicroft, G. (2018). Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. *Depression and Anxiety*. doi:10.1002/da.22711
- American Psychiatric Association. (2013). *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5)*.
- Amir, N., Klumpp, H., Elias, J., Bedwell, J. S., Yanasak, N., & Miller, L. S. (2005). Increased activation of the anterior cingulate cortex during processing of disgust faces in individuals with social phobia. *Biological Psychiatry*, 57, 975–81. doi:10.1016/j.biopsych.2005.01.044
- Amodio, D. M., & Frith, C. D. (2006). Meeting of minds: the medial frontal cortex and social cognition. *Nature Reviews. Neuroscience*, 7, 268–77. doi:10.1038/nrn1884
- Amunts, K., Kedo, O., Kindler, M., Pieperhoff, P., Mohlberg, H., Shah, N. J., ... Zilles, K. (2005). Cytoarchitectonic mapping of the human amygdala, hippocampal region and entorhinal cortex: intersubject variability and probability maps. *Anatomy and Embryology*, 210, 343–52. doi:10.1007/s00429-005-0025-5
- Andersson, J. L., Jenkinson, M., & Smith, S. (2007). Non-linear registration aka Spatial normalisation. Retrieved from www.fmrib.ox.ac.uk/analysis/techrep
- Antony, M. M., Purdon, C. L., Huta, V., & Swinson, R. P. (1998). Dimensions of perfectionism across the anxiety disorders. *Behaviour Research and Therapy*, 36, 1143–1154. doi:10.1016/S0005-7967(98)00083-7
- Anttila, V., Bulik-Sullivan, B., Finucane, H. K., Walters, R. K., Bras, J., Duncan, L., ... Neale, B. M. (2018). Analysis of shared heritability in common disorders of the brain. *Science*, 360. doi:10.1126/science.aap8757
- Arnold Anteraper, S., Triantafyllou, C., Sawyer, A. T., Hofmann, S. G., Gabrieli, J. D., & Whitfield-Gabrieli, S. (2014). Hyper-connectivity of Subcortical Resting State Networks in Social Anxiety Disorder. *Brain Connectivity*, 4, 81–90. doi:10.1089/brain.2013.0180
- Arsalidou, M., Duerden, E. G., & Taylor, M. J. (2012). The centre of the brain: Topographical model of motor, cognitive, affective, and somatosensory functions of the basal ganglia. *Human Brain Mapping*, 34, 3031–3054. doi:10.1002/hbm.22124
- Ashbaugh, A., Antony, M. M., Liss, A., Summerfeldt, L. J., McCabe, R. E., & Swinson, R. P. (2007). Changes in perfectionism following cognitive-behavioral treatment for social phobia. *Depression and Anxiety*, 24, 169–177. doi:10.1002/da.20219
- Ashburner, J., & Friston, K. J. (2000). Voxel-based morphometry--the methods. *NeuroImage*, 11, 805–21. doi:10.1006/nimg.2000.0582
- Ashburner, J., & Friston, K. J. (2001). Why voxel-based morphometry should be used. *NeuroImage*, 14, 1238–43. doi:10.1006/nimg.2001.0961
- Asher, M., Asnaani, A., & Aderka, I. M. (2017). Gender differences in social anxiety disorder: A review. *Clinical Psychology Review*, 56, 1–12. doi:10.1016/j.cpr.2017.05.004

- Avery, S. N., & Blackford, J. U. (2016). Slow to warm up: the role of habituation in social fear. *Social Cognitive and Affective Neuroscience*, 11, 1832–1840. doi:10.1093/scan/nsw095
- Avery, S. N., Clauss, J. A., & Blackford, J. U. (2015). The Human BNST: Functional Role in Anxiety and Addiction. *Neuropsychopharmacology*, 41, 126–141. doi:10.1038/npp.2015.185
- Avery, S. N., Clauss, J. A., Winder, D. G., Woodward, N., Heckers, S., & Blackford, J. U. (2014). BNST neuro-circuitry in humans. *NeuroImage*, 91, 311–23. doi:10.1016/j.neuroimage.2014.01.017
- Ayling, E., Aghajani, M., Fouche, J.-P., & van der Wee, N. (2012). Diffusion tensor imaging in anxiety disorders. *Current Psychiatry Reports*, 14, 197–202. doi:10.1007/s11920-012-0273-z
- Baldwin, D. S., & Stein, D. J. (2012). A joint European and South African research network in anxiety disorders. *Human Psychopharmacology*, 27, 4–5. doi:10.1002/hup.1267
- Ball, T. M., Knapp, S. E., Paulus, M. P., & Stein, M. B. (2017). Brain activation during fear extinction predicts exposure success. *Depression and Anxiety*, 34, 257–266. doi:10.1002/da.22583
- Bandelow, B., Baldwin, D., Abelli, M., Altamura, C., Dell'Osso, B., Domschke, K., ... Riederer, P. (2016). Biological markers for anxiety disorders, OCD and PTSD – a consensus statement. Part I: Neuroimaging and genetics. *The World Journal of Biological Psychiatry*, 17, 321–365. doi:10.1080/15622975.2016.1181783
- Bandelow, B., & Michaelis, S. (2015). Epidemiology of anxiety disorders in the 21st century. *Dialogues in Clinical Neuroscience*, 17, 327–35.
- Baron-Cohen, S., Wheelwright, S., Skinner, R., Martin, J., & Clubley, E. (2001). The Autism-Spectrum Quotient (AQ): Evidence from Asperger Syndrome/High-Functioning Autism, Males and Females, Scientists and Mathematicians. *Journal of Autism and Developmental Disorders*, 31, 5–17. doi:10.1023/A:1005653411471
- Barrós-Loscertales, A., Meseguer, V., Sanjuán, A., Belloch, V., Parcet, M. A., Torrubia, R., & Avila, C. (2006). Behavioral Inhibition System activity is associated with increased amygdala and hippocampal gray matter volume: A voxel-based morphometry study. *NeuroImage*, 33, 1011–5. doi:10.1016/j.neuroimage.2006.07.025
- Bas-Hoogendam, J. M. (2019). Commentary: Gray Matter Structural Alterations in Social Anxiety Disorder: A Voxel-Based Meta-Analysis. *Frontiers in Psychiatry*. doi:10.3389/fpsy.2019.00001
- Bas-Hoogendam, J. M., Andela, C. D., van der Werff, S. J. A., Pannekoek, J. N., van Steenbergen, H., Meijer, O. C., ... Pereira, A. M. (2015). Altered neural processing of emotional faces in remitted Cushing's disease. *Psychoneuroendocrinology*, 59, 134–46. doi:10.1016/j.psyneuen.2015.05.001
- Bas-Hoogendam, J. M., Blackford, J. U., Brühl, A. B., Blair, K. S., van der Wee, N. J. A., & Westenberg, P. M. (2016). Neurobiological candidate endophenotypes of social anxiety disorder. *Neuroscience & Biobehavioral Reviews*, 71, 362–378. doi:10.1016/j.neubiorev.2016.08.040
- Bas-Hoogendam, J. M., Harrewijn, A., Tissier, R. L. M., van der Molen, M. J. W., van Steenbergen, H., van Vliet, I. M., ... Westenberg, P. M. (2018). The Leiden Family Lab study on Social Anxiety Disorder: a multiplex, multigenerational family study on neurocognitive endophenotypes. *International Journal of Methods in Psychiatric Research*, 27, e1616. doi:10.1002/mp.1616
- Bas-Hoogendam, J. M., Harrewijn, A., van der Molen, M. J. W., van Steenbergen, H., van Vliet, I., Houwing-Duistermaat, J., ... Westenberg, P. M. (2014a). Preregistration: General Background and Key Question of Project, part of “Profiling Endophenotypes in Social Anxiety Disorder: a neurocognitive approach.” doi:10.17605/OSF.IO/E368H

- Bas-Hoogendam, J. M., Harrewijn, A., van der Molen, M. J. W., van Steenbergen, H., van Vliet, I., Houwing-Duistermaat, J., ... Westenberg, P. M. (2014b). Preregistration: Methods: Study Design and Sample. part of "Profiling Endophenotypes in Social Anxiety Disorder: a neurocognitive approach." doi:10.17605/OSF.IO/AQ3SV
- Bas-Hoogendam, J. M., Harrewijn, A., van der Molen, M. J. W., van Steenbergen, H., van Vliet, I. M., Houwing-Duistermaat, J. J., ... Westenberg, P. M. (2014c). Preregistration: Hypothesized Endophenotype: prefrontal cortex (MRI), part of "Profiling Endophenotypes in Social Anxiety Disorder: a neurocognitive approach." doi:10.17605/OSF.IO/Y5M8Q
- Bas-Hoogendam, J. M., Roelofs, E. F., Westenberg, P. M., & van der Wee, N. J. A. (2019). Pathogenesis of SAD. In N. Simon, E. Hollander, B. O. Rothbaum, & D. J. Stein (Eds.), *The American Psychiatric Association Textbook of Anxiety, Trauma and OCD related Disorders*. Washington DC: American Psychiatric Association, Publishing.
- Bas-Hoogendam, J. M., van Steenbergen, H., Blackford, J. U., Tissier, R. L. M., van der Wee, N. J. A., & Westenberg, P. M. (2019). Impaired neural habituation in families genetically enriched for social anxiety disorder. *Depression and Anxiety*, in press. doi:10.1002/da.22962
- Bas-Hoogendam, J. M., van Steenbergen, H., Kreuk, T., van der Wee, N. J. A., & Westenberg, P. M. (2017a). How embarrassing! The behavioral and neural correlates of processing social norm violations. *PLOS ONE*, 12, e0176326. doi:10.1371/journal.pone.0176326
- Bas-Hoogendam, J. M., van Steenbergen, H., Kreuk, T., van der Wee, N. J. A., & Westenberg, P. M. (2017b). Revised Social Norm Processing Task (SNPT-R). doi:10.17605/OSF.IO/M8R76
- Bas-Hoogendam, J. M., van Steenbergen, H., Pannenkoek, J. N., Fouche, J.-P., Lochner, C., Hattingh, C. J., ... van der Wee, N. J. A. (2017). Voxel-based morphometry multi-center mega-analysis of brain structure in social anxiety disorder. *NeuroImage: Clinical*, 16, 678–688. doi:10.1016/j.nicl.2017.08.001
- Bas-Hoogendam, J. M., van Steenbergen, H., Tissier, R. L. M., Houwing-Duistermaat, J. J., Westenberg, P. M., & van der Wee, N. J. A. (2018a). Gray matter characteristics as endophenotypes of Social Anxiety Disorder. *Database: Open Science Framework*. doi:10.17605/OSF.IO/M8Q2Z
- Bas-Hoogendam, J. M., van Steenbergen, H., Tissier, R. L. M., Houwing-Duistermaat, J. J., Westenberg, P. M., & van der Wee, N. J. A. (2018b). Subcortical brain volumes, cortical thickness and cortical surface area in families genetically enriched for social anxiety disorder - A multiplex multigenerational neuroimaging study. *EBioMedicine*. doi:10.1016/j.ebiom.2018.08.048
- Bas-Hoogendam, J. M., van Steenbergen, H., Tissier, R. L. M., van der Wee, N. J. A., & Westenberg, P. M. (2019). Altered neurobiological processing of unintentional social norm violations: a multiplex, multigenerational fMRI study on social anxiety endophenotypes. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, in press. doi:10.1016/j.bpsc.2019.03.003
- Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2017a). Relationship between ratings SNPT-R and social anxiety. *Database: Open Science Framework*. doi:10.17605/OSF.IO/J58YC
- Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2017b). Social norm processing as an endophenotype of social anxiety disorder: a family study in two generations. *European Neuropsychopharmacology*, 27, S49–S50 (abstract P.3.001). doi:10.1016/S0924-977X(17)30120-7
- Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2017c). Subcortical brain volumes as endophenotypes of social anxiety disorder-preliminary findings from the

- Leiden Family Study on Social Anxiety Disorder. *European Neuropsychopharmacology*, 27, s1021. doi:10.1016/S0924-977X(17)31789-3
- Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2017d). Subcortical brain volumes as endophenotypes of social anxiety disorder— preliminary findings from the Leiden Family Study on Social Anxiety Disorder; part of “Abstracts of the WASAD Conference 2017, 14–16 September, Würzburg, Germany.” *Journal of Neural Transmission*, 124, 1277–1328. doi:10.1007/s00702-017-1777-9
- Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2018). Not intended, still embarrassed: social anxiety is related to increased levels of embarrassment in response to unintentional social norm violations. *European Psychiatry*, 52, 15–21. doi:10.1016/j.eurpsy.2018.03.002
- Bas-Hoogendam, J. M., van Steenbergen, H., van der Wee, N. J. A., & Westenberg, P. M. (2019). Amygdala hyperreactivity to faces conditioned with a social-evaluative meaning - a multiplex, multigenerational fMRI study on social anxiety endophenotypes. *Under review*.
- Bas-Hoogendam, J. M., van Steenbergen, H., Westenberg, P. M., & van der Wee, N. J. A. (2015). Social conditioning of neutral faces: A pilot-study on brain functioning in social anxiety patients and their unaffected first-degree relatives. *European Neuropsychopharmacology*, 25, S573–S574. doi:10.1016/S0924-977X(15)30803-8
- Bassett, D. S., & Sporns, O. (2017). Network neuroscience. *Nature Neuroscience*, 20, 353–364. doi:10.1038/nn.4502
- Bassett, D. S., Xia, C. H., & Satterthwaite, T. D. (2018). Understanding the Emergence of Neuropsychiatric Disorders With Network Neuroscience. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, 3, 742–753. doi:10.1016/j.bpsc.2018.03.015
- Bastiaansen, J. A., de Vries, Y. A., & Munafo, M. R. (2015). Citation Distortions in the Literature on the Serotonin-Transporter-Linked Polymorphic Region and Amygdala Activation. *Biological Psychiatry*, 78, E35–E36. doi:10.1016/j.biopsych.2014.12.007
- Bastiaansen, J. A., Servaas, M. N., Marsman, J. B. C., Ormel, J., Nolte, I. M., Riese, H., & Aleman, A. (2014). Filling the Gap: Relationship Between the Serotonin-Transporter-Linked Polymorphic Region and Amygdala Activation. *Psychological Science*, 25, 2058–2066. doi:10.1177/0956797614548877
- Battaglia, M., Zanoni, A., Taddei, M., Giorda, R., Bertolotti, E., Lampis, V., ... Tettamanti, M. (2012). Cerebral responses to emotional expressions and the development of social anxiety disorder: a preliminary longitudinal study. *Depression and Anxiety*, 29, 54–61. doi:10.1002/da.20896
- Bauhuis, O., Jonker, K., Verdellen, C., Reynders, J., & Verbraak, M. (2013). De introductie van een Nederlandstalig instrument om DSM-IV-Tr-diagnoses bij kinderen te stellen. *Kind & Adolescent Praktijk*, 12, 20–26. doi:10.1007/s12454-013-0005-5
- Baur, V., Brühl, A. B., Herwig, U., Eberle, T., Rufer, M., Delsignore, A., ... Hänggi, J. (2013). Evidence of frontotemporal structural hypoconnectivity in social anxiety disorder: A quantitative fiber tractography study. *Human Brain Mapping*, 34, 437–46. doi:10.1002/hbm.21447
- Baur, V., Hänggi, J., & Jäncke, L. (2012). Volumetric associations between uncinate fasciculus, amygdala, and trait anxiety. *BMC Neuroscience*, 13, 1–8. doi:10.1186/1471-2202-13-4
- Baur, V., Hänggi, J., Langer, N., & Jäncke, L. (2013). Resting-state functional and structural connectivity within an insula-amygdala route specifically index state and trait anxiety. *Biological Psychiatry*, 73, 85–92. doi:10.1016/j.biopsych.2012.06.003

- Baur, V., Hänggi, J., Rufer, M., Delsignore, A., Jäncke, L., Herwig, U., & Brühl, A. B. (2011). White matter alterations in social anxiety disorder. *Journal of Psychiatric Research*, 45, 1366–72. doi:10.1016/j.jpsychires.2011.05.007
- Baxter, A. J., Vos, T., Scott, K. M., Ferrari, A. J., & Whiteford, H. A. (2014). The global burden of anxiety disorders in 2010. *Psychological Medicine*, 44, 1–12. doi:10.1017/S0033291713003243
- Beard, C., Moitra, E., Weisberg, R. B., & Keller, M. B. (2010). Characteristics and predictors of social phobia course in a longitudinal study of primary-care patients. *Depression and Anxiety*, 27, 839–845. doi:10.1002/da.20676
- Bearden, C. E., & Freimer, N. B. (2006). Endophenotypes for psychiatric disorders: ready for primetime? *Trends in Genetics : TIG*, 22, 306–13. doi:10.1016/j.tig.2006.04.004
- Bearden, C. E., Jasinska, A. J., & Freimer, N. B. (2009). Methodological issues in molecular genetic studies of mental disorders. *Annual Review of Clinical Psychology*, 5, 49–69. doi:10.1146/annurev.clinpsy.032408.153545
- Bearden, C. E., Reus, V. I., & Freimer, N. B. (2004). Why genetic investigation of psychiatric disorders is so difficult. *Current Opinion in Genetics & Development*, 14, 280–6. doi:10.1016/j.gde.2004.04.005
- Bearden, C. E., & Thompson, P. M. (2017). Emerging Global Initiatives in Neurogenetics: The Enhancing Neuroimaging Genetics through Meta-analysis (ENIGMA) Consortium. *Neuron*, 94, 232–236. doi:10.1016/j.neuron.2017.03.033
- Beaton, E. A., Schmidt, L. A., Schulkin, J., Antony, M. M., Swinson, R. P., & Hall, G. B. (2008). Different neural responses to stranger and personally familiar faces in shy and bold adults. *Behavioral Neuroscience*, 122, 704–9. doi:10.1037/0735-7044.122.3.704
- Beauchaine, T. P., & Constantino, J. N. (2017). Redefining the endophenotype concept to accommodate transdiagnostic vulnerabilities and etiological complexity. *Biomarkers in Medicine*, 11, 769–780. doi:10.2217/bmm-2017-0002
- Beauchaine, T. P., Neuhaus, E., Brenner, S. L., & Gatzke-Kopp, L. (2008). Ten good reasons to consider biological processes in prevention and intervention research. *Development and Psychopathology*, 20, 745–74. doi:10.1017/S0954579408000369
- Beauchamp, M. S. (2015). The social mysteries of the superior temporal sulcus. *Trends in Cognitive Sciences*, 19, 489–490. doi:10.1016/j.tics.2015.07.002
- Beck, A. T., Steer, R. A., & Carbin, M. G. (1988). Psychometric properties of the Beck Depression Inventory: Twenty-five years of evaluation. *Clinical Psychology Review*, 8, 77–100. doi:10.1016/0272-7358(88)90050-5
- Beck, A. T., Steer, R., & Brown, G. (1996). *Manual for the Beck Depression Inventory-II*. San Antonio, TX: Psychological Corporation.
- Beckmann, C. F., Jenkinson, M., & Smith, S. M. (2003). General multilevel linear modeling for group analysis in fMRI. *NeuroImage*, 20, 1052–63. doi:10.1016/S1053-8119(03)00435-X
- Beesdo-Baum, K., Knappe, S., Asselmann, E., Zimmermann, P., Brückl, T., Höfler, M., ... Wittchen, H.-U. (2015). The “Early Developmental Stages of Psychopathology (EDSP) study”: a 20-year review of methods and findings. *Social Psychiatry and Psychiatric Epidemiology*, 50, 851–66. doi:10.1007/s00127-015-1062-x

- Beesdo-Baum, K., Knappe, S., Fehm, L., Höfler, M., Lieb, R., Hofmann, S. G., & Wittchen, H.-U. (2012). The natural course of social anxiety disorder among adolescents and young adults. *Acta Psychiatrica Scandinavica*, 126, 411–25. doi:10.1111/j.1600-0447.2012.01886.x
- Beesdo, K., Bittner, A., Pine, D. S., Stein, M. B., Höfler, M., Lieb, R., & Wittchen, H.-U. (2007). Incidence of social anxiety disorder and the consistent risk for secondary depression in the first three decades of life. *Archives of General Psychiatry*, 64, 903–12. doi:10.1001/archpsyc.64.8.903
- Benjamini, Y., & Hochberg, Y. (1995). Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. *Journal of the Royal Statistical Society. Series B (Methodological)*, 57, 289–300. doi:10.1111/j.2517-6161.1995.tb02031.x
- Berger, U., Keshet, H., & Gilboa-Schechtman, E. (2017). Self-evaluations in social anxiety: The combined role of explicit and implicit social-rank. *Personality and Individual Differences*, 104, 368–373. doi:10.1016/j.paid.2016.08.023
- Berthoz, S., Armony, J. L., Blair, R. J. R., & Dolan, R. J. (2002). An fMRI study of intentional and unintentional (embarrassing) violations of social norms. *Brain*, 125, 1696–1708. doi:10.1093/brain/awf190
- Berthoz, S., Grèzes, J., Armony, J. L., Passingham, R. E., & Dolan, R. J. (2006). Affective response to one's own moral violations. *NeuroImage*, 31, 945–50. doi:10.1016/j.neuroimage.2005.12.039
- Bey, K., Kaufmann, C., Lennertz, L., Riesel, A., Klawohn, J., Heinzl, S., ... Wagner, M. (2018). Impaired planning in patients with obsessive-compulsive disorder and unaffected first-degree relatives: Evidence for a cognitive endophenotype. *Journal of Anxiety Disorders*, 57, 24–30. doi:10.1016/J.JANXDIS.2018.05.009
- Bicchieri, C. (2006). *The Grammar of Society: The Nature and Dynamics of Social Norms* (1st ed.). Cambridge: Cambridge University Press.
- Bienvenu, O. J., Hettema, J. M., Neale, M. C., Prescott, C. A., & Kendler, K. S. (2007). Low Extraversion and High Neuroticism as Indices of Genetic and Environmental Risk for Social Phobia, Agoraphobia, and Animal Phobia. *American Journal of Psychiatry*, 164, 1714–1721. doi:10.1176/appi.ajp.2007.06101667
- Binder, E. B. (2012). The genetic basis of mood and anxiety disorders - changing paradigms. *Biology of Mood & Anxiety Disorders*, 2, 1–3. doi:10.1186/2045-5380-2-17
- Binelli, C., Subirá, S., Batalla, A., Muñiz, A., Sugranyés, G., Crippa, J. A., ... Martín-Santos, R. (2014). Common and distinct neural correlates of facial emotion processing in social anxiety disorder and Williams syndrome: A systematic review and voxel-based meta-analysis of functional resonance imaging studies. *Neuropsychologia*, 64C, 205–217. doi:10.1016/j.neuropsychologia.2014.08.027
- Birbaumer, N., Grodd, W., Diedrich, O., Klose, U., Erb, M., Lotze, M., ... Flor, H. (1998). fMRI reveals amygdala activation to human faces in social phobics. *Neuroreport*, 9, 1223–6. doi:10.1097/00001756-199804200-00048
- Birn, R. M., Shackman, A. J., Oler, J. A., Williams, L. E., McFarlin, D. R., Rogers, G. M., ... Kalin, N. H. (2014). Evolutionarily conserved prefrontal-amygdalar dysfunction in early-life anxiety. *Molecular Psychiatry*, 19, 915–22. doi:10.1038/mp.2014.46
- Blackford, J. U. (2017). Leveraging Statistical Methods to Improve Validity and Reproducibility of Research Findings. *JAMA Psychiatry*, 74, 119–120. doi:10.1001/jamapsychiatry.2016.3730
- Blackford, J. U., Allen, A. H., Cowan, R. L., & Avery, S. N. (2013). Amygdala and hippocampus fail to habituate to faces in individuals with an inhibited temperament. *Social Cognitive and Affective Neuroscience*, 8, 143–50. doi:10.1093/scan/nsr078

- Blackford, J. U., Avery, S. N., Cowan, R. L., Shelton, R. C., & Zald, D. H. (2011). Sustained amygdala response to both novel and newly familiar faces characterizes inhibited temperament. *Social Cognitive and Affective Neuroscience*, 6, 621–9. doi:10.1093/scan/nsq073
- Blackford, J. U., Clauss, J. A., Avery, S. N., Cowan, R. L., Benningfield, M. M., & Vanderklok, R. M. (2014). Amygdala-cingulate intrinsic connectivity is associated with degree of social inhibition. *Biological Psychology*, 99, 15–25. doi:10.1016/j.biopsycho.2014.02.003
- Blackford, J. U., & Pine, D. S. (2012). Neural substrates of childhood anxiety disorders: a review of neuroimaging findings. *Child and Adolescent Psychiatric Clinics of North America*, 21, 501–25. doi:10.1016/j.chc.2012.05.002
- Blackford, J. U., Williams, L. E., & Heckers, S. (2015). Neural correlates of out-group bias predict social impairment in patients with schizophrenia. *Schizophrenia Research*, 164, 203–209. doi:10.1016/j.schres.2015.03.019
- Blair, K. S., & Blair, R. J. R. (2012). A Cognitive Neuroscience Approach to Generalized Anxiety Disorder and Social Phobia. *Emotion Review*, 4, 133–138. doi:10.1177/1754073911430251
- Blair, K. S., Geraci, M., Devido, J., McCaffrey, D., Chen, G., Vythilingam, M., ... Pine, D. S. (2008). Neural response to self- and other referential praise and criticism in generalized social phobia. *Archives of General Psychiatry*, 65, 1176–84. doi:10.1001/archpsyc.65.10.1176
- Blair, K. S., Geraci, M., Hollon, N., Otero, M., DeVido, J., Majestic, C., ... Pine, D. S. (2010). Social norm processing in adult social phobia: atypically increased ventromedial frontal cortex responsiveness to unintentional (embarrassing) transgressions. *The American Journal of Psychiatry*, 167, 1526–32. doi:10.1176/appi.ajp.2010.09121797
- Blair, K. S., Geraci, M., Korelitz, K., Otero, M., Towbin, K., Ernst, M., ... Pine, D. S. (2011). The pathology of social phobia is independent of developmental changes in face processing. *The American Journal of Psychiatry*, 168, 1202–9. doi:10.1176/appi.ajp.2011.10121740
- Blair, K. S., Geraci, M., Otero, M., Majestic, C., Odenheimer, S., Jacobs, M., ... Pine, D. S. (2011). Atypical modulation of medial prefrontal cortex to self-referential comments in generalized social phobia. *Psychiatry Research*, 193, 38–45. doi:10.1016/j.psychres.2010.12.016
- Blakemore, S.-J. (2008). The social brain in adolescence. *Nature Reviews. Neuroscience*, 9, 267–77. doi:10.1038/nrn2353
- Blakey, R., Ranlund, S., Zartaloudi, E., Cahn, W., Calafato, S., Colizzi, M., ... Bramon, E. (2018). Associations between psychosis endophenotypes across brain functional, structural, and cognitive domains. *Psychological Medicine*, 48, 1325–1340. doi:10.1017/S0033291717002860
- Blanco, C., Xu, Y., Schneier, F. R., Okuda, M., Liu, S.-M., & Heimberg, R. G. (2011). Predictors of persistence of social anxiety disorder: a national study. *Journal of Psychiatric Research*, 45, 1557–63. doi:10.1016/j.jpsychires.2011.08.004
- Blokland, G. A. M., de Zubicaray, G. I., McMahon, K. L., & Wright, M. J. (2012). Genetic and environmental influences on neuroimaging phenotypes: a meta-analytical perspective on twin imaging studies. *Twin Research and Human Genetics*, 15, 351–71. doi:10.1017/thg.2012.11
- Blöte, A. W., Miers, A. C., Heyne, D. A., Clark, D. M., & Westenberg, P. M. (2014). The Relation Between Social Anxiety and Audience Perception: Examining Clark and Wells' (1995) Model Among Adolescents. *Behavioural and Cognitive Psychotherapy*, 42, 555–567. doi:10.1017/S1352465813000271

- Boehme, S., Miltner, W. H. R., & Straube, T. (2015). Neural correlates of self-focused attention in social anxiety. *Social Cognitive and Affective Neuroscience*, 10, 856–62. doi:10.1093/scan/nsu128
- Boehme, S., Mohr, A., Becker, M. P., Miltner, W. H., & Straube, T. (2014). Area-dependent time courses of brain activation during video-induced symptom provocation in social anxiety disorder. *Biology of Mood & Anxiety Disorders*, 4, 6. doi:10.1186/2045-5380-4-6
- Boehme, S., Ritter, V., Tefikow, S., Stangier, U., Strauss, B., Miltner, W. H. R., & Straube, T. (2014). Brain activation during anticipatory anxiety in social anxiety disorder. *Social Cognitive and Affective Neuroscience*, 9, 1413–1418. doi:10.1093/scan/nst129
- Boehme, S., Ritter, V., Tefikow, S., Stangier, U., Strauss, B., Miltner, W. H. R., & Straube, T. (2015). Neural Correlates of Emotional Interference in Social Anxiety Disorder. *PLOS ONE*, 10, e0128608. doi:10.1371/journal.pone.0128608
- Bögels, S. M., & Perotti, E. C. (2011). Does Father Know Best? A Formal Model of the Paternal Influence on Childhood Social Anxiety. *Journal of Child and Family Studies*, 20, 171–181. doi:10.1007/s10826-010-9441-0
- Bohlken, M. M., Mandl, R. C. W., Brouwer, R. M., van den Heuvel, M. P., Hedman, A. M., Kahn, R. S., & Hulshoff Pol, H. E. (2014). Heritability of structural brain network topology: A DTI study of 156 twins. *Human Brain Mapping*, 35, 5295–305. doi:10.1002/hbm.22550
- Bois, C., Ronan, L., Levita, L., Whalley, H. C., Giles, S., McIntosh, A. M., ... Lawrie, S. M. (2015). Cortical Surface Area Differentiates Familial High Risk Individuals Who Go on to Develop Schizophrenia. *Biological Psychiatry*, 78, 413–20. doi:10.1016/j.biopsych.2014.12.030
- Bootsman, F., Brouwer, R. M., Kemner, S. M., Schnack, H. G., van der Schot, A. C., Vonk, R., ... van Haren, N. E. M. (2015). Contribution of genes and unique environment to cross-sectional and longitudinal measures of subcortical volumes in bipolar disorder. *European Neuropsychopharmacology*. doi:10.1016/j.euroneuro.2015.09.023
- Brennan, G., Eriksson, L., Goodin, R. E., & Southwood, N. (2013). Moral and social norms. In *Explaining Norms* (1st ed.). Oxford: Oxford University Press. doi:10.1093/acprof:oso/9780199654680.001.0001
- Brito, N. H., & Noble, K. G. (2014). Socioeconomic status and structural brain development. *Frontiers in Neuroscience*, 8. doi:10.3389/fnins.2014.00276
- Brook, C. A., & Schmidt, L. A. (2008). Social anxiety disorder: a review of environmental risk factors. *Neuropsychiatric Disease and Treatment*, 4, 123–43. doi:10.2147/ndt.s1799
- Brown, L. A., Young, K. S., Goldin, P. R., Torre, J. B., Burklund, L. J., Davies, C. D., ... Craske, M. G. (2019). Self-referential processing during observation of a speech performance task in social anxiety disorder from pre- to post-treatment: Evidence of disrupted neural activation. *Psychiatry Research: Neuroimaging*, 284, 13–20. doi:10.1016/j.psychresns.2018.12.017
- Brühl, A. B., Delsignore, A., Komossa, K., & Weidt, S. (2014). Neuroimaging in Social Anxiety Disorder—a meta-analytic review resulting in a new neurofunctional model. *Neuroscience & Biobehavioral Reviews*, 47, 260–280. doi:10.1016/j.neubiorev.2014.08.003
- Brühl, A. B., Hänggi, J., Baur, V., Rufer, M., Delsignore, A., Weidt, S., ... Herwig, U. (2014). Increased cortical thickness in a frontoparietal network in social anxiety disorder. *Human Brain Mapping*, 35, 2966–77. doi:10.1002/hbm.22378

- Brühl, A. B., Herwig, U., Delsignore, A., Jäncke, L., & Rufer, M. (2013). General emotion processing in social anxiety disorder: Neural issues of cognitive control. *Psychiatry Research: Neuroimaging*, 212, 108–115. doi:10.1016/j.psychres.2012.05.006
- Brühl, A. B., Rufer, M., Delsignore, A., Kaffenberger, T., Jäncke, L., & Herwig, U. (2011). Neural correlates of altered general emotion processing in social anxiety disorder. *Brain Research*, 1378, 72–83. doi:10.1016/j.brainres.2010.12.084
- Brühl, A. B., Scherpiet, S., Sulzer, J., Stämpfli, P., Seifritz, E., & Herwig, U. (2014). Real-time Neurofeedback Using Functional MRI Could Improve Down-Regulation of Amygdala Activity During Emotional Stimulation: A Proof-of-Concept Study. *Brain Topography*, 27, 138–148. doi:10.1007/s10548-013-0331-9
- Buckholtz, J. W., & Meyer-Lindenberg, A. (2012). Psychopathology and the Human Connectome: Toward a Transdiagnostic Model of Risk For Mental Illness. *Neuron*, 74, 990–1004. doi:10.1016/j.neuron.2012.06.002
- Budisavljevic, S., Kawadler, J. M., Dell'Acqua, F., Rijdsdijk, F. V., Kane, F., Picchioni, M., ... Catani, M. (2016). Heritability of the limbic networks. *Social Cognitive and Affective Neuroscience*, 11, 746–757. doi:10.1093/scan/nsv156
- Buhle, J. T., Silvers, J. A., Wager, T. D., Lopez, R., Onyemekwu, C., Kober, H., ... Ochsner, K. N. (2013). Cognitive Reappraisal of Emotion: A Meta-Analysis of Human Neuroimaging Studies. *Cerebral Cortex*, 24, 2981–2990. doi:10.1093/cercor/bht154
- Burstein, M., He, J.-P., Kattan, G., Albano, A. M., Avenevoli, S., & Merikangas, K. R. (2011). Social phobia and subtypes in the national comorbidity survey-adolescent supplement: prevalence, correlates, and comorbidity. *Journal of the American Academy of Child and Adolescent Psychiatry*, 50, 870–80. doi:10.1016/j.jaac.2011.06.005
- Button, K. S., Ioannidis, J. P. A., Mokrysz, C., Nosek, B. A., Flint, J., Robinson, E. S. J., & Munafò, M. R. (2013). Power failure: why small sample size undermines the reliability of neuroscience. *Nature Reviews Neuroscience*, 14, 365–376. doi:10.1038/nrn3475
- Bynion, T.-M., Blumenthal, H., Bilsky, S. A., Cloutier, R. M., & Leen-Feldner, E. W. (2017). Dimensions of parenting among mothers and fathers in relation to social anxiety among female adolescents. *Journal of Adolescence*, 60, 11–15. doi:10.1016/j.adolescence.2017.07.004
- Bzdok, D., Laird, A. R., Zilles, K., Fox, P. T., & Eickhoff, S. B. (2013). An investigation of the structural, connectional, and functional subspecialization in the human amygdala. *Human Brain Mapping*, 34, 3247–66. doi:10.1002/hbm.22138
- Campbell, D. W., Sareen, J., Paulus, M. P., Goldin, P. R., Stein, M. B., & Reiss, J. P. (2007). Time-varying amygdala response to emotional faces in generalized social phobia. *Biological Psychiatry*, 62, 455–63. doi:10.1016/j.biopsych.2006.09.017
- Campbell, D. W., Sareen, J., Stein, M. B., Kravetsky, L. B., Paulus, M. P., Hassard, S. T., & Reiss, J. P. (2009). Happy but not so approachable: the social judgments of individuals with generalized social phobia. *Depression and Anxiety*, 26, 419–24. doi:10.1002/da.20474
- Canli, T., Sivers, H., Whitfield, S. L., Gotlib, I. H., Gabrieli, J. D. E., Davis, M., ... Friesen, W. V. (2002). Amygdala response to happy faces as a function of extraversion. *Science*, 296, 2191. doi:10.1126/science.1068749

- Cannon, T. D., & Keller, M. C. (2006). Endophenotypes in the genetic analyses of mental disorders. *Annual Review of Clinical Psychology*, 2, 267–90. doi:10.1146/annurev.clinpsy.2.022305.095232
- Caouette, J. D., & Guyer, A. E. (2014). Gaining insight into adolescent vulnerability for social anxiety from developmental cognitive neuroscience. *Developmental Cognitive Neuroscience*, 8, 65–76. doi:10.1016/j.dcn.2013.10.003
- Carleton, R. N., Collimore, K. C., & Asmundson, G. J. G. (2007). Social anxiety and fear of negative evaluation: construct validity of the BFNE-II. *Journal of Anxiety Disorders*, 21, 131–41. doi:10.1016/j.janx-dis.2006.03.010
- Carleton, R. N., McCreary, D. R., Norton, P. J., & Asmundson, G. J. G. (2006). Brief fear of negative evaluation scale-revised. *Depression and Anxiety*, 23, 297–303. doi:10.1002/da.20142
- Carlson, J. M., Cha, J., Harmon-Jones, E., Mujica-Parodi, L. R., & Hajcak, G. (2014). Influence of the BDNF genotype on amygdalo-prefrontal white matter microstructure is linked to nonconscious attention bias to threat. *Cerebral Cortex*, 24, 2249–57. doi:10.1093/cercor/bht089
- Carpenter, J. K., Andrews, L. A., Witcraft, S. M., Powers, M. B., Smits, J. A. J., & Hofmann, S. G. (2018). Cognitive behavioral therapy for anxiety and related disorders: A meta-analysis of randomized placebo-controlled trials. *Depression and Anxiety*, 35, 502–514. doi:10.1002/da.22728
- Carver, C. S., & White, T. L. (1994). Behavioral inhibition, behavioral activation, and affective responses to impending reward and punishment: The BIS/BAS Scales. *Journal of Personality and Social Psychology*, 67, 319–333. doi:10.1037/0022-3514.67.2.319
- Casey, B. J., Jones, R. M., & Hare, T. A. (2008). The adolescent brain. *Annals of the New York Academy of Sciences*, 1124, 111–26. doi:10.1196/annals.1440.010
- Caspi, A., Hariri, A. R., Holmes, A., Uher, R., & Moffitt, T. E. (2010). Genetic Sensitivity to the Environment: The Case of the Serotonin Transporter Gene and Its Implications for Studying Complex Diseases and Traits. *American Journal of Psychiatry*, 167, 509–527. doi:10.1176/appi.ajp.2010.09101452
- Cassimjee, N., Fouché, J.-P., Burnett, M., Lochner, C., Warwick, J., Dupont, P., ... Carey, P. D. (2010). Changes in regional brain volumes in social anxiety disorder following 12 weeks of treatment with escitalopram. *Metabolic Brain Disease*, 25, 369–374. doi:10.1007/s11011-010-9218-6
- Cerasa, A., Quattrone, A., Piras, F., Mangone, G., Magariello, A., Fagioli, S., ... Spalletta, G. (2014). 5-HTTLPR, anxiety and gender interaction moderates right amygdala volume in healthy subjects. *Social Cognitive and Affective Neuroscience*, 9, 1537–1545. doi:10.1093/scan/nst144
- Chakroff, A., Dungan, J., Koster-Hale, J., Brown, A., Saxe, R., & Young, L. (2016). When minds matter for moral judgment: intent information is neurally encoded for harmful but not impure acts. *Social Cognitive and Affective Neuroscience*, 11, 476–484. doi:10.1093/scan/nsv131
- Chanraud, S., Zahr, N., Sullivan, E. V., & Pfefferbaum, A. (2010). MR diffusion tensor imaging: a window into white matter integrity of the working brain. *Neuropsychology Review*, 20, 209–25. doi:10.1007/s11065-010-9129-7
- Chen, C.-H., Fiecas, M., Gutiérrez, E. D., Panizzon, M. S., Eyler, L. T., Vuoksima, E., ... Kremen, W. S. (2013). Genetic topography of brain morphology. *Proceedings of the National Academy of Sciences of the United States of America*, 110, 17089–94. doi:10.1073/pnas.1308091110
- Chen, C.-H., Peng, Q., Schork, A. J., Lo, M.-T., Fan, C.-C., Wang, Y., ... Dale, A. M. (2015). Large-scale genomics unveil polygenic architecture of human cortical surface area. *Nature Communications*, 6, 7549. doi:10.1038/ncomms8549

- Cherbuin, N., Windsor, T. D., Anstey, K. J., Maller, J. J., Meslin, C., & Sachdev, P. S. (2008). Hippocampal volume is positively associated with behavioural inhibition (BIS) in a large community-based sample of mid-life adults: the PATH through life study. *Social Cognitive and Affective Neuroscience*, 3, 262–9. doi:10.1093/scan/nsn018
- Christensen, R., Van Ameringen, M., & Hall, G. (2015). Increased activity of frontal and limbic regions to emotional stimuli in children at-risk for anxiety disorders. *Psychiatry Research: Neuroimaging*, 233, 9–17. doi:10.1016/j.psychres.2015.04.004
- Cialdini, R. B., & Goldstein, N. J. (2004). Social influence: compliance and conformity. *Annual Review of Psychology*, 55, 591–621. doi:10.1146/annurev.psych.55.090902.142015
- Clark, D. M., & McManus, F. (2002). Information processing in social phobia. *Biological Psychiatry*, 51, 92–100. doi:10.1016/S0006-3223(01)01296-3
- Clarkson, M. J., Cardoso, M. J., Ridgway, G. R., Modat, M., Leung, K. K., Rohrer, J. D., ... Ourselin, S. (2011). A comparison of voxel and surface based cortical thickness estimation methods. *NeuroImage*, 57, 856–865. doi:https://doi.org/10.1016/j.neuroimage.2011.05.053
- Clauss, J. A., Avery, S. N., Benningfield, M. M., & Blackford, J. U. (2019). Social anxiety is associated with BNST response to unpredictability. *Depression and Anxiety*, 36, 666–675. doi:10.1002/da.22891
- Clauss, J. A., Avery, S. N., & Blackford, J. U. (2015). The nature of individual differences in inhibited temperament and risk for psychiatric disease: a review and meta-analysis. *Progress in Neurobiology*, 127–128, 23–45. doi:10.1016/j.pneurobio.2015.03.001
- Clauss, J. A., Avery, S. N., Vanderklok, R. M., Rogers, B. P., Cowan, R. L., Benningfield, M. M., & Blackford, J. U. (2014). Neurocircuitry underlying risk and resilience to Social Anxiety Disorder. *Depression and Anxiety*, 31, 822–33. doi:10.1002/da.22265
- Clauss, J. A., & Blackford, J. U. (2012). Behavioral inhibition and risk for developing social anxiety disorder: a meta-analytic study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 51, 1066–1075. doi:10.1016/j.jaac.2012.08.002
- Clauss, J. A., Seay, A. L., Vanderklok, R. M., Avery, S., Cao, A., Cowan, R. L., ... Blackford, J. U. (2014). Structural and functional bases of inhibited temperament. *Social Cognitive and Affective Neuroscience*, 9, 2049–2058. doi:10.1093/scan/nsu019
- Cohen Kadosh, K., & Staunton, G. (2019). A systematic review of the psychological factors that influence neurofeedback learning outcomes. *NeuroImage*, 185, 545–555. doi:10.1016/j.neuroimage.2018.10.021
- Colombo, M. (2014). Two neurocomputational building blocks of social norm compliance. *Biology & Philosophy*, 29, 71–88. doi:10.1007/s10539-013-9385-z
- Constantino, J. N., Davis, S. A., Todd, R. D., Schindler, M. K., Gross, M. M., Brophy, S. L., ... Reich, W. (2003). Validation of a Brief Quantitative Measure of Autistic Traits: Comparison of the Social Responsiveness Scale with the Autism Diagnostic Interview-Revised. *Journal of Autism and Developmental Disorders*, 33, 427–433. doi:10.1023/A:1025014929212
- Cova, F., Dupoux, E., & Jacob, P. (2012). On Doing Things Intentionally. *Mind & Language*, 27, 378–409. doi:10.1111/j.1468-0017.2012.01449.x
- Cox, B. J., Fleet, C., & Stein, M. B. (2004). Self-criticism and social phobia in the US national comorbidity survey. *Journal of Affective Disorders*, 82, 227–234. doi:10.1016/j.jad.2003.12.012
- Cox, S. L., & Chen, J. (2015). Perfectionism: A contributor to social anxiety and its cognitive processes. *Australian Journal of Psychology*, 67, 231–240. doi:10.1111/ajpy.12079

- Craske, M. G., Liao, B., Brown, L., & Vervliet, B. (2012). Role of Inhibition in Exposure Therapy. *Journal of Experimental Psychopathology*, 3, 322–345. doi:10.5127/jep.026511
- Craske, M. G., Stein, M. B., Eley, T. C., Milad, M. R., Holmes, A., Rapee, R. M., & Wittchen, H.-U. (2017). Anxiety disorders. *Nature Reviews Disease Primers*, 3, 17024. doi:10.1038/nrdp.2017.24
- Craske, M. G., Treanor, M., Conway, C. C., Zbozinek, T., & Vervliet, B. (2014). Maximizing exposure therapy: An inhibitory learning approach. *Behaviour Research and Therapy*, 58, 10–23. doi:10.1016/j.brat.2014.04.006
- Craske, M. G., & Zucker, B. G. (2001). Prevention of anxiety disorders: A model for intervention. *Applied and Preventive Psychology*, 10, 155–175. doi:10.1016/S0962-1849(01)80012-3
- Crawford, J. R., & Henry, J. D. (2004). The Positive and Negative Affect Schedule (PANAS): Construct validity, measurement properties and normative data in a large non-clinical sample. *British Journal of Clinical Psychology*, 43, 245–265. doi:10.1348/0144665031752934
- Cremers, H. R., & Roelofs, K. (2016). Social anxiety disorder: a critical overview of neurocognitive research. *Wiley Interdisciplinary Reviews. Cognitive Science*, 7, 218–232. doi:10.1002/wcs.1390
- Cremers, H. R., van Tol, M.-J., Roelofs, K., Aleman, A., Zitman, F. G., van Buchem, M. A., ... van der Wee, N. J. A. (2011). Extraversion is linked to volume of the orbitofrontal cortex and amygdala. *PloS One*, 6, e28421. doi:10.1371/journal.pone.0028421
- Cremers, H. R., Veer, I. M., Spinhoven, P., Rombouts, S. A. R. B., & Roelofs, K. (2015). Neural sensitivity to social reward and punishment anticipation in social anxiety disorder. *Frontiers in Behavioral Neuroscience*, 8. doi:10.3389/fnbeh.2014.00439
- Cremers, H. R., Veer, I. M., Spinhoven, P., Rombouts, S. A. R. B., Yarkoni, T., Wager, T. D., & Roelofs, K. (2014). Altered cortical-amygdala coupling in social anxiety disorder during the anticipation of giving a public speech. *Psychological Medicine*, 1–9. doi:10.1017/S0033291714002657
- Crone, E. A., & Dahl, R. E. (2012). Understanding adolescence as a period of social-affective engagement and goal flexibility. *Nature Reviews. Neuroscience*, 13, 636–50. doi:10.1038/nrn3313
- Crone, E. A., & Elzinga, B. M. (2015). Changing brains: how longitudinal functional magnetic resonance imaging studies can inform us about cognitive and social-affective growth trajectories. *Wiley Interdisciplinary Reviews: Cognitive Science*, 6, 53–63. doi:10.1002/wcs.1327
- Cui, Q., Vanman, E. J., Long, Z., Pang, Y., Chen, Y., Wang, Y., ... Chen, H. (2017). Social anxiety disorder exhibit impaired networks involved in self and theory of mind processing. *Social Cognitive and Affective Neuroscience*, 12, 1284–1295. doi:10.1093/scan/nsx050
- D'Avanzato, C., & Dalrymple, K. L. (2016). Recent Insight Into the Subtypes of Social Anxiety Disorder. *Current Psychiatry Reports*, 18, 50. doi:10.1007/s11920-016-0688-z
- Dale, A. M., Fischl, B., & Sereno, M. I. (1999). Cortical surface-based analysis. I. Segmentation and surface reconstruction. *NeuroImage*, 9, 179–94. doi:10.1006/nimg.1998.0395
- Damoiseaux, J. S., Rombouts, S. A. R. B., Barkhof, F., Scheltens, P., Stam, C. J., Smith, S. M., & Beckmann, C. F. (2006). Consistent resting-state networks across healthy subjects. *Proceedings of the National Academy of Sciences of the United States of America*, 103, 13848–53. doi:10.1073/pnas.0601417103
- Dams, J., König, H.-H., Bleibler, F., Hoyer, J., Wiltink, J., Beutel, M. E., ... Konnopka, A. (2017). Excess costs of social anxiety disorder in Germany. *Journal of Affective Disorders*, 213, 23–29. doi:10.1016/j.jad.2017.01.041

- Dannlowski, U., Kugel, H., Franke, F., Stuhrmann, A., Hohoff, C., Zwanzger, P., ... Domschke, K. (2011). Neuropeptide-S (NPS) receptor genotype modulates basolateral amygdala responsiveness to aversive stimuli. *Neuropsychopharmacology : Official Publication of the American College of Neuropsychopharmacology*, 36, 1879–85. doi:10.1038/npp.2011.73
- Danti, S., Ricciardi, E., Gentili, C., Gobbini, M. I., Pietrini, P., & Guazzelli, M. (2010). Is Social Phobia a “Mis-Communication” Disorder? Brain Functional Connectivity during Face Perception Differs between Patients with Social Phobia and Healthy Control Subjects. *Frontiers in Systems Neuroscience*, 4, 1–11. doi:10.3389/fnsys.2010.00152
- Davies, C. D., Young, K., Torre, J. B., Burklund, L. J., Goldin, P. R., Brown, L. A., ... Craske, M. G. (2017). Altered time course of amygdala activation during speech anticipation in social anxiety disorder. *Journal of Affective Disorders*, 209, 23–29. doi:10.1016/j.jad.2016.11.014
- Davis, F. C., Johnstone, T., Mazzulla, E. C., Oler, J. A., & Whalen, P. J. (2010). Regional response differences across the human amygdaloid complex during social conditioning. *Cerebral Cortex*, 20, 612–21. doi:10.1093/cercor/bhp126
- de Andrade, M., & Amos, C. I. (2000). Ascertainment issues in variance components models. *Genetic Epidemiology*, 19, 333–44. doi:10.1002/1098-2272(200012)19:4<333::AID-GEPI5>3.0.CO;2-%23
- de Graaf, R., ten Have, M., van Gool, C., & van Dorsselaer, S. (2012). Prevalence of mental disorders and trends from 1996 to 2009. Results from the Netherlands Mental Health Survey and Incidence Study-2. *Social Psychiatry and Psychiatric Epidemiology*, 47, 203–13. doi:10.1007/s00127-010-0334-8
- de Vries, F. E., de Wit, S. J., Cath, D. C., van der Werf, Y. D., van der Borden, V., van Rossum, T. B., ... van den Heuvel, O. A. (2013). Compensatory Fronto-Parietal Activity During Working Memory: An Endophenotype Of Obsessive-Compulsive Disorder. *Biological Psychiatry*, 76, 878–887. doi:10.1016/j.biopsych.2013.11.021
- Deen, B., Koldewyn, K., Kanwisher, N., & Saxe, R. (2015). Functional Organization of Social Perception and Cognition in the Superior Temporal Sulcus. *Cerebral Cortex*, 25, 4596–4609. doi:10.1093/cercor/bhv111
- DeLisi, L. E. (2016). A Case for Returning to Multiplex Families for Further Understanding the Heritability of Schizophrenia: A Psychiatrist's Perspective. *Molecular Neuropsychiatry*, 2, 15–19. doi:10.1159/000442820
- den Braber, A., Bohlken, M. M., Brouwer, R. M., van 't Ent, D., Kanai, R., Kahn, R. S., ... Boomsma, D. I. (2013). Heritability of subcortical brain measures: A perspective for future genome-wide association studies. *NeuroImage*, 83C, 98–102. doi:10.1016/j.neuroimage.2013.06.027
- Denny, B. T., Kober, H., Wager, T. D., & Ochsner, K. N. (2012). A meta-analysis of functional neuroimaging studies of self- and other judgments reveals a spatial gradient for mentalizing in medial prefrontal cortex. *Journal of Cognitive Neuroscience*, 24, 1742–52. doi:10.1162/jocn_a_00233
- Desikan, R. S., Ségonne, F., Fischl, B., Quinn, B. T., Dickerson, B. C., Blacker, D., ... Killiany, R. J. (2006). An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. *NeuroImage*, 31, 968–80. doi:10.1016/j.neuroimage.2006.01.021
- Dick, D. M. (2018). Mapping Risk from Genes to Behavior: The Enduring and Evolving Influence of Irving Gottesman's Endophenotype Concept. *Twin Research and Human Genetics*, 21, 306–309. doi:10.1017/thg.2018.35

- Ding, J., Chen, H., Qiu, C., Liao, W., Warwick, J. M., Duan, X., ... Gong, Q. (2011). Disrupted functional connectivity in social anxiety disorder: a resting-state fMRI study. *Magnetic Resonance Imaging*, 29, 701–11. doi:10.1016/j.mri.2011.02.013
- Dingemans, A. ., van Vliet, I. ., Couvée, J., & Westenberg, H. . (2001). Characteristics of patients with social phobia and their treatment in specialized clinics for anxiety disorders in the Netherlands. *Journal of Affective Disorders*, 65, 123–129. doi:10.1016/S0165-0327(00)00238-X
- Dodhia, S., Hosanagar, A., Fitzgerald, D. A., Labuschagne, I., Wood, A. G., Nathan, P. J., & Phan, K. L. (2014). Modulation of resting-state amygdala-frontal functional connectivity by oxytocin in generalized social anxiety disorder. *Neuropsychopharmacology*, 39, 2061–9. doi:10.1038/npp.2014.53
- Domschke, K. (2013). Anxiety disorders: genetic mechanisms. *E-Neuroforum*, 4, 71–78. doi:10.1007/s13295-013-0044-2
- Domschke, K., Baune, B. T., Havlik, L., Stuhmann, A., Suslow, T., Kugel, H., ... Dannlowski, U. (2012). Catechol-O-methyltransferase gene variation: impact on amygdala response to aversive stimuli. *NeuroImage*, 60, 2222–9. doi:10.1016/j.neuroimage.2012.02.039
- Domschke, K., & Dannlowski, U. (2010). Imaging genetics of anxiety disorders. *NeuroImage*, 53, 822–31. doi:10.1016/j.neuroimage.2009.11.042
- Dubois, J. (2016). Brain Age: A State-Of-Mind? On the Stability of Functional Connectivity across Behavioral States. *The Journal of Neuroscience*, 36, 2325–8. doi:10.1523/JNEUROSCI.4312-15.2016
- Duke, D., Krishnan, M., Faith, M., & Storch, E. A. (2006). The psychometric properties of the Brief Fear of Negative Evaluation Scale. *Journal of Anxiety Disorders*, 20, 807–17. doi:10.1016/j.janxdis.2005.11.002
- Ebner, N. C., Riediger, M., & Lindenberger, U. (2010). FACES--a database of facial expressions in young, middle-aged, and older women and men: development and validation. *Behavior Research Methods*, 42, 351–62. doi:10.3758/BRM.42.1.351
- Eisenberg, N. (2000). Emotion, regulation, and moral development. *Annual Review of Psychology*, 51, 665–97. doi:10.1146/annurev.psych.51.1.665
- Elliott, M. L., Romer, A., Knodt, A. R., & Hariri, A. R. (2018). A Connectome-wide Functional Signature of Transdiagnostic Risk for Mental Illness. *Biological Psychiatry*, 84, 452–459. doi:https://doi.org/10.1016/j.biopsych.2018.03.012
- Erwin, B. A., Heimberg, R. G., Juster, H., & Mindlin, M. (2002). Comorbid anxiety and mood disorders among persons with social anxiety disorder. *Behaviour Research and Therapy*, 40, 19–35. doi:10.1016/S0005-7967(00)00114-5
- Essex, M. J., Klein, M. H., Slattery, M. J., Goldsmith, H. H., & Kalin, N. H. (2010). Early risk factors and developmental pathways to chronic high inhibition and social anxiety disorder in adolescence. *The American Journal of Psychiatry*, 167, 40–6. doi:10.1176/appi.ajp.2009.07010051
- Etkin, A. (2012). Neurobiology of anxiety: from neural circuits to novel solutions? *Depression and Anxiety*, 29, 355–8. doi:10.1002/da.21957
- Etkin, A., Büchel, C., & Gross, J. J. (2015). The neural bases of emotion regulation. *Nature Reviews Neuroscience*, 16, 693–700. doi:10.1038/nrn4044
- Etkin, A., Egner, T., & Kalisch, R. (2011). Emotional processing in anterior cingulate and medial prefrontal cortex. *Trends in Cognitive Sciences*, 15, 85–93. doi:10.1016/j.tics.2010.11.004

- Etkin, A., Egner, T., Peraza, D. M., Kandel, E. R., & Hirsch, J. (2006). Resolving emotional conflict: a role for the rostral anterior cingulate cortex in modulating activity in the amygdala. *Neuron*, 51, 871–82. doi:10.1016/j.neuron.2006.07.029
- Etkin, A., & Wager, T. D. (2007). Functional neuroimaging of anxiety: a meta-analysis of emotional processing in PTSD, social anxiety disorder, and specific phobia. *The American Journal of Psychiatry*, 164, 1476–88. doi:10.1176/appi.ajp.2007.07030504
- Evans, K. C., Wright, C. I., Wedig, M. M., Gold, A. L., Pollack, M. H., & Rauch, S. L. (2008). A functional MRI study of amygdala responses to angry schematic faces in social anxiety disorder. *Depression and Anxiety*, 25, 496–505. doi:10.1002/da.20347
- Eyler, L. T., Prom-Wormley, E., Panizzon, M. S., Kaup, A. R., Fennema-Notestine, C., Neale, M. C., ... Kremen, W. S. (2011). Genetic and Environmental Contributions to Regional Cortical Surface Area in Humans: A Magnetic Resonance Imaging Twin Study. *Cerebral Cortex*, 21, 2313–2321. doi:10.1093/cercor/bhr013
- Faria, V., Appel, L., Åhs, F., Linnman, C., Pissioti, A., Frans, Ö., ... Furmark, T. (2012). Amygdala subregions tied to SSRI and placebo response in patients with social anxiety disorder. *Neuropsychopharmacology*, 37, 2222–32. doi:10.1038/npp.2012.72
- Fears, S. C., Schür, R., Sjouwerman, R., Service, S. K., Araya, C., Araya, X., ... Bearden, C. E. (2015). Brain structure-function associations in multi-generational families genetically enriched for bipolar disorder. *Brain*, 138, 2087–102. doi:10.1093/brain/awv106
- Fehm, L., Pelissolo, A., Furmark, T., & Wittchen, H.-U. (2005). Size and burden of social phobia in Europe. *European Neuropsychopharmacology*, 15, 453–62. doi:10.1016/j.euroneuro.2005.04.002
- Feinberg, M., Willer, R., & Keltner, D. (2012). Flustered and faithful: embarrassment as a signal of prosociality. *Journal of Personality and Social Psychology*, 102, 81–97. doi:10.1037/a0025403
- Ferri, J., Bress, J. N., Eaton, N. R., & Proudfoot, G. H. (2014). The impact of puberty and social anxiety on amygdala activation to faces in adolescence. *Developmental Neuroscience*, 36, 239–49. doi:10.1159/000363736
- Figel, B., Brinkmann, L., Buff, C., Heitmann, C. Y., Hofmann, D., Bruchmann, M., ... Straube, T. (2019). Phasic amygdala and BNST activation during the anticipation of temporally unpredictable social observation in social anxiety disorder patients. *NeuroImage: Clinical*, 22, 101735. doi:https://doi.org/10.1016/j.nicl.2019.101735
- Fineberg, N. A., Haddad, P. M., Carpenter, L., Gannon, B., Sharpe, R., Young, A. H., ... Sahakian, B. J. (2013). The size, burden and cost of disorders of the brain in the UK. *Journal of Psychopharmacology*, 27, 761–70. doi:10.1177/0269881113495118
- Finger, E. C., Marsh, A. A., Kamel, N., Mitchell, D. G. V., & Blair, J. R. (2006). Caught in the act: the impact of audience on the neural response to morally and socially inappropriate behavior. *NeuroImage*, 33, 414–21. doi:10.1016/j.neuroimage.2006.06.011
- First, M., Spitzer, R., Gibbon, M., Williams, J., & Benjamin, L. (1998). *Structured clinical interview for DSM-IV axis I disorders (SCID) version 2.0*. New York, NY: Biometrics Research Department, New York State Psychiatric Institute.
- Fischl, B., & Dale, A. M. (2000). Measuring the thickness of the human cerebral cortex from magnetic resonance images. *Proceedings of the National Academy of Sciences of the United States of America*, 97, 11050–5. doi:10.1073/pnas.200033797

- Fischl, B., Liu, A., & Dale, A. M. (2001). Automated manifold surgery: constructing geometrically accurate and topologically correct models of the human cerebral cortex. *IEEE Transactions on Medical Imaging*, 20, 70–80. doi:10.1109/42.906426
- Fischl, B., Salat, D. H., Busa, E., Albert, M., Dieterich, M., Haselgrove, C., ... Dale, A. M. (2002). Whole brain segmentation: automated labeling of neuroanatomical structures in the human brain. *Neuron*, 33, 341–55. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11832223>
- Fischl, B., Salat, D. H., van der Kouwe, A. J. W., Makris, N., Ségonne, F., Quinn, B. T., & Dale, A. M. (2004). Sequence-independent segmentation of magnetic resonance images. *NeuroImage*, 23 Suppl 1, S69–84. doi:10.1016/j.neuroimage.2004.07.016
- Fischl, B., Sereno, M. I., & Dale, A. M. (1999). Cortical surface-based analysis. II: Inflation, flattening, and a surface-based coordinate system. *NeuroImage*, 9, 195–207. doi:10.1006/nimg.1998.0396
- Fischl, B., Sereno, M. I., Tootell, R. B., & Dale, A. M. (1999). High-resolution intersubject averaging and a coordinate system for the cortical surface. *Human Brain Mapping*, 8, 272–84. doi:10.1002/(SICI)1097-0193(1999)8:4<272::AID-HBM10>3.0.CO;2-4
- Fischl, B., van der Kouwe, A., Destrieux, C., Halgren, E., Ségonne, F., Salat, D. H., ... Dale, A. M. (2004). Automatically parcellating the human cerebral cortex. *Cerebral Cortex (New York, N.Y. : 1991)*, 14, 11–22. doi:10.1093/cercor/bhg087
- Flint, J., & Munafò, M. R. (2007). The endophenotype concept in psychiatric genetics. *Psychological Medicine*, 37, 163–180. doi:10.1017/S0033291706008750
- Flint, J., Timpson, N., & Munafò, M. (2014). Assessing the utility of intermediate phenotypes for genetic mapping of psychiatric disease. *Trends in Neurosciences*, 37, 733–41. doi:10.1016/j.tins.2014.08.007
- Fonzo, G. A., Ramsawh, H. J., Flagan, T. M., Sullivan, S. G., Letamendi, A., Simmons, A. N., ... Stein, M. B. (2015). Common and disorder-specific neural responses to emotional faces in generalised anxiety, social anxiety and panic disorders. *The British Journal of Psychiatry*, 206, 206–15. doi:10.1192/bjp.bp.114.149880
- Fornito, A., & Bullmore, E. T. (2015). Connectomics: a new paradigm for understanding brain disease. *European Neuropsychopharmacology*, 25, 733–48. doi:10.1016/j.euroneuro.2014.02.011
- Fornito, A., Zalesky, A., Bassett, D. S., Meunier, D., Ellison-Wright, I., Yücel, M., ... Bullmore, E. T. (2011). Genetic influences on cost-efficient organization of human cortical functional networks. *The Journal of Neuroscience*, 31, 3261–70. doi:10.1523/JNEUROSCI.4858-10.2011
- Fornito, A., Zalesky, A., & Breakspear, M. (2015). The connectomics of brain disorders. *Nature Reviews Neuroscience*, 16, 159–172. doi:10.1038/nrn3901
- Fox, A. S., & Kalin, N. H. (2014). A Translational Neuroscience Approach to Understanding the Development of Social Anxiety Disorder and Its Pathophysiology. *The American Journal of Psychiatry*, 171, 1162–1173. doi:10.1176/appi.ajp.2014.14040449
- Fox, A. S., Oler, J. A., Shackman, A. J., Shelton, S. E., Raveendran, M., McKay, D. R., ... Kalin, N. H. (2015). Intergenerational neural mediators of early-life anxious temperament. *Proceedings of the National Academy of Sciences*, 112, 9118–9122. doi:10.1073/pnas.1508593112
- Fox, A. S., Oler, J. A., Shelton, S. E., Nanda, S. A., Davidson, R. J., Roseboom, P. H., & Kalin, N. H. (2012). Central amygdala nucleus (Ce) gene expression linked to increased trait-like Ce metabolism and anxious temperament in young primates. *Proceedings of the National Academy of Sciences of the United States of America*, 109, 18108–13. doi:10.1073/pnas.1206723109

- Fox, A. S., Oler, J. A., Tromp, D. P. M., Fudge, J. L., & Kalin, N. H. (2015). Extending the amygdala in theories of threat processing. *Trends in Neurosciences*, 38, 319–329. doi:10.1016/j.tins.2015.03.002
- Fox, A. S., Shelton, S. E., Oakes, T. R., Davidson, R. J., & Kalin, N. H. (2008). Trait-like brain activity during adolescence predicts anxious temperament in primates. *PloS One*, 3, e2570. doi:10.1371/journal.pone.0002570
- Franken, I. H. A., Muris, P., & Rassin, E. (2005). Psychometric Properties of the Dutch BIS/BAS Scales. *Journal of Psychopathology and Behavioral Assessment*, 27, 25–30. doi:10.1007/s10862-005-3262-2
- Fresco, D. M., Coles, M. E., Heimberg, R. G., Liebowitz, M. R., Hami, S., Stein, M. B., & Goetz, D. (2001). The Liebowitz Social Anxiety Scale: a comparison of the psychometric properties of self-report and clinician-administered formats. *Psychological Medicine*, 31, 1025–1035. doi:10.1017/S0033291701004056
- Frick, A. (2017). Common and Distinct Gray Matter Alterations in Social Anxiety Disorder and Major Depressive Disorder. *EBioMedicine*, 21, 53–54. doi:10.1016/j.ebiom.2017.06.021
- Frick, A., Åhs, F., Engman, J., Jonasson, M., Alaie, I., Björkstrand, J., ... Furmark, T. (2015). Serotonin Synthesis and Reuptake in Social Anxiety Disorder: A Positron Emission Tomography Study. *JAMA Psychiatry*, 72, 794–802. doi:10.1001/jamapsychiatry.2015.0125
- Frick, A., Engman, J., Alaie, I., Björkstrand, J., Faria, V., Gingnell, M., ... Furmark, T. (2014). Enlargement of visual processing regions in social anxiety disorder is related to symptom severity. *Neuroscience Letters*, 583, 114–119. doi:10.1016/j.neulet.2014.09.033
- Frick, A., Gingnell, M., Marquand, A. F., Howner, K., Fischer, H., Kristiansson, M., ... Furmark, T. (2014). Classifying social anxiety disorder using multivoxel pattern analyses of brain function and structure. *Behavioural Brain Research*, 259, 330–5. doi:10.1016/j.bbr.2013.11.003
- Frick, A., Howner, K., Fischer, H., Eskildsen, S. F., Kristiansson, M., & Furmark, T. (2013). Cortical thickness alterations in social anxiety disorder. *Neuroscience Letters*, 536, 52–55. doi:10.1016/j.neulet.2012.12.060
- Frick, A., Howner, K., Fischer, H., Kristiansson, M., & Furmark, T. (2013). Altered fusiform connectivity during processing of fearful faces in social anxiety disorder. *Translational Psychiatry*, 3, e312. doi:10.1038/tp.2013.85
- Frith, C. D., & Frith, U. (2007). Social Cognition in Humans. *Current Biology*, 17, R724–R732. doi:https://doi.org/10.1016/j.cub.2007.05.068
- Fuentes, P., Barrós-Loscertales, A., Bustamante, J. C., Rosell, P., Costumero, V., & Ávila, C. (2012). Individual differences in the Behavioral Inhibition System are associated with orbitofrontal cortex and precuneus gray matter volume. *Cognitive, Affective, & Behavioral Neuroscience*, 12, 491–498. doi:10.3758/s13415-012-0099-5
- Furmark, T. (2002). Social phobia: overview of community surveys. *Acta Psychiatrica Scandinavica*, 105, 84–93. doi:10.1034/j.1600-0447.2002.1r103.x
- Furmark, T., Appel, L., Henningsson, S., Åhs, F., Faria, V., Linnman, C., ... Fredrikson, M. (2008). A link between serotonin-related gene polymorphisms, amygdala activity, and placebo-induced relief from social anxiety. *The Journal of Neuroscience*, 28, 13066–74. doi:10.1523/JNEUROSCI.2534-08.2008
- Furmark, T., Henningsson, S., Appel, L., Åhs, F., Linnman, C., Pissiota, A., ... Fredrikson, M. (2009). Genotype over-diagnosis in amygdala responsiveness: affective processing in social anxiety disorder. *Journal of Psychiatry & Neuroscience*, 34, 30–40.

- Furmark, T., Marteinsdottir, I., Frick, A., Heurling, K., Tillfors, M., Appel, L., ... Fredrikson, M. (2016). Serotonin synthesis rate and the tryptophan hydroxylase-2: G-703T polymorphism in social anxiety disorder. *Journal of Psychopharmacology*, 30, 1028–1035. doi:10.1177/0269881116648317
- Furmark, T., Tillfors, M., Garpenstrand, H., Marteinsdottir, I., Långström, B., Orelund, L., & Fredrikson, M. (2004). Serotonin transporter polymorphism related to amygdala excitability and symptom severity in patients with social phobia. *Neuroscience Letters*, 362, 189–92. doi:10.1016/j.neulet.2004.02.070
- Furmark, T., Tillfors, M., Marteinsdottir, I., Fischer, H., Pissioti, A., Långström, B., & Fredrikson, M. (2002). Common Changes in Cerebral Blood Flow in Patients With Social Phobia Treated With Citalopram or Cognitive-Behavioral Therapy. *Archives of General Psychiatry*, 59, 425. doi:10.1001/archpsyc.59.5.425
- Fydrich, T., Renneberg, B., Schmitz, B., & Wittchen, H. U. (1997). SKID II. Strukturiertes Klinisches Interview für DSM-IV, Achse II: Persönlichkeitsstörungen. Interviewheft. Eine deutschsprachige, erw. Bearb. d. amerikanischen Originalversion d. SKID-II.
- Fyer, A. J., Costa, R., Haghighi, F., Logue, M. W., Knowles, J. A., Weissman, M. M., ... Hamilton, S. P. (2012). Linkage analysis of alternative anxiety phenotypes in multiply affected panic disorder families. *Psychiatric Genetics*, 22, 123–9. doi:10.1097/YPG.0b013e328353956a
- Gallagher, H. L., & Frith, C. D. (2003). Functional imaging of 'theory of mind.' *Trends in Cognitive Sciences*, 7, 77–83. doi:10.1016/S1364-6613(02)00025-6
- Galván, A. (2010). Neural plasticity of development and learning. *Human Brain Mapping*, 31, 879–90. doi:10.1002/hbm.21029
- Ganis, G., Thompson, W. L., & Kosslyn, S. M. (2004). Brain areas underlying visual mental imagery and visual perception: an fMRI study. *Cognitive Brain Research*, 20, 226–241. doi:https://doi.org/10.1016/j.cogbrainres.2004.02.012
- Ganjgahi, H., Winkler, A. M., Glahn, D. C., Blangero, J., Kochunov, P., & Nichols, T. E. (2015). Fast and powerful heritability inference for family-based neuroimaging studies. *NeuroImage*, 115, 256–268. doi:10.1016/j.neuroimage.2015.03.005
- Gao, Q., Xu, Q., Duan, X., Liao, W., Ding, J., Zhang, Z., ... Chen, H. (2013). Extraversion and neuroticism relate to topological properties of resting-state brain networks. *Frontiers in Human Neuroscience*, 7, 257. doi:10.3389/fnhum.2013.00257
- Garner, M., Möhler, H., Stein, D. J., Mueggler, T., & Baldwin, D. S. (2009). Research in anxiety disorders: from the bench to the bedside. *European Neuropsychopharmacology*, 19, 381–90. doi:10.1016/j.euroneuro.2009.01.011
- Gavric, D., Moscovitch, D. A., Rowa, K., & McCabe, R. E. (2017). Post-event processing in social anxiety disorder: Examining the mediating roles of positive metacognitive beliefs and perceptions of performance. *Behaviour Research and Therapy*, 91, 1–12. doi:10.1016/j.brat.2017.01.002
- Ge, T., Reuter, M., Winkler, A. M., Holmes, A. J., Lee, P. H., Tirrell, L. S., ... Sabuncu, M. R. (2016). Multidimensional heritability analysis of neuroanatomical shape. *Nature Communications*, 7, 13291. doi:10.1038/ncomms13291
- Geerligs, L., Rubinov, M., Cam-Can, & Henson, R. N. (2015). State and Trait Components of Functional Connectivity: Individual Differences Vary with Mental State. *The Journal of Neuroscience*, 35, 13949–61. doi:10.1523/JNEUROSCI.1324-15.2015

- Geiger, M. J., Domschke, K., Ipser, J., Hattingh, C., Baldwin, D. S., Lochner, C., & Stein, D. J. (2016). Altered executive control network resting-state connectivity in social anxiety disorder. *The World Journal of Biological Psychiatry*, 17, 47–57. doi:10.3109/15622975.2015.1083613
- Gelernter, J., Page, G. P., Stein, M. B., & Woods, S. W. (2004). Genome-wide linkage scan for loci predisposing to social phobia: evidence for a chromosome 16 risk locus. *The American Journal of Psychiatry*, 161, 59–66. doi:10.1176/appi.ajp.161.1.59
- Gennatas, E. D., Avants, B. B., Wolf, D. H., Satterthwaite, T. D., Ruparel, K., Ciric, R., ... Gur, R. C. (2017). Age-Related Effects and Sex Differences in Gray Matter Density, Volume, Mass, and Cortical Thickness from Childhood to Young Adulthood. *Journal of Neuroscience*, 37, 5065–5073. doi:10.1523/JNEUROSCI.3550-16.2017
- Gentili, C., Cristea, I. A., Angstadt, M., Klumpp, H., Tozzi, L., Phan, K. L., & Pietrini, P. (2016). Beyond emotions: A meta-analysis of neural response within face processing system in social anxiety. *Experimental Biology and Medicine*, 241, 225–237. doi:10.1177/1535370215603514
- Gentili, C., Gobbin, M. I., Ricciardi, E., Vanello, N., Pietrini, P., Haxby, J. V., & Guazzelli, M. (2008). Differential modulation of neural activity throughout the distributed neural system for face perception in patients with Social Phobia and healthy subjects. *Brain Research Bulletin*, 77, 286–292. doi:10.1016/j.brainresbull.2008.08.003
- Gentili, C., Ricciardi, E., Gobbin, M. I., Santarelli, M. F., Haxby, J. V., Pietrini, P., & Guazzelli, M. (2009). Beyond amygdala: Default Mode Network activity differs between patients with social phobia and healthy controls. *Brain Research Bulletin*, 79, 409–13. doi:10.1016/j.brainresbull.2009.02.002
- Gentili, C., Vanello, N., Cristea, I., David, D., Ricciardi, E., & Pietrini, P. (2015). Proneness to social anxiety modulates neural complexity in the absence of exposure: A resting state fMRI study using Hurst exponent. *Psychiatry Research*, 232, 135–144. doi:10.1016/j.psychres.2015.03.005
- Geschwind, D. H., & Rakic, P. (2013). Cortical Evolution: Judge the Brain by Its Cover. *Neuron*, 80, 633–647. doi:10.1016/j.neuron.2013.10.045
- Ghashghaei, H. T., Hilgetag, C. C., & Barbas, H. (2007). Sequence of information processing for emotions based on the anatomic dialogue between prefrontal cortex and amygdala. *NeuroImage*, 34, 905–23. doi:10.1016/j.neuroimage.2006.09.046
- Gilboa-Schechtman, E., Keshet, H., Livne, T., Berger, U., Zabag, R., Hermesh, H., & Marom, S. (2017). Explicit and implicit self-evaluations in social anxiety disorder. *Journal of Abnormal Psychology*, 126, 285–290. doi:10.1037/abn0000261
- Gilmore, J. H., Knickmeyer, R. C., & Gao, W. (2018). Imaging structural and functional brain development in early childhood. *Nature Reviews Neuroscience*, 19, 123–137. doi:10.1038/nrn.2018.1
- Giménez, M., Pujol, J., Ortiz, H., Soriano-Mas, C., López-Solà, M., Farré, M., ... Martín-Santos, R. (2012). Altered brain functional connectivity in relation to perception of scrutiny in social anxiety disorder. *Psychiatry Research*, 202, 214–23. doi:10.1016/j.psychres.2011.10.008
- Ginsburg, G. S., Drake, K. L., Tein, J.-Y., Teetsel, R., & Riddle, M. A. (2015). Preventing Onset of Anxiety Disorders in Offspring of Anxious Parents: A Randomized Controlled Trial of a Family-Based Intervention. *American Journal of Psychiatry*, 172, 1207–1214. doi:10.1176/appi.ajp.2015.14091178
- Glahn, D. C., Knowles, E. E. M., McKay, D. R., Sprooten, E., Raventós, H., Blangero, J., ... Almasy, L. (2014). Arguments for the sake of endophenotypes: examining common misconceptions about the use of en-

- dophenotypes in psychiatric genetics. *American Journal of Medical Genetics. Part B, Neuropsychiatric Genetics*, 165B, 122–30. doi:10.1002/ajmg.b.32221
- Glahn, D. C., Nimgaonkar, V. L., Raventos, H., Contreras, J., McIntosh, A. M., Thomson, P. A., ... Blangero, J. (2018). Rediscovering the value of families for psychiatric genetics research. *Molecular Psychiatry*, 1. doi:10.1038/s41380-018-0073-x
- Glahn, D. C., Thompson, P. M., & Blangero, J. (2007). Neuroimaging endophenotypes: strategies for finding genes influencing brain structure and function. *Human Brain Mapping*, 28, 488–501. doi:10.1002/hbm.20401
- Glahn, D. C., Williams, J. T., McKay, D. R., Knowles, E. E., Sprooten, E., Mathias, S. R., ... Blangero, J. (2014). Discovering Schizophrenia Endophenotypes in Randomly Ascertained Pedigrees. *Biological Psychiatry*, 77, 75–83. doi:10.1016/j.biopsych.2014.06.027
- Glahn, D. C., Winkler, A. M., Kochunov, P., Almasy, L., Duggirala, R., Carless, M. A., ... Blangero, J. (2010). Genetic control over the resting brain. *Proceedings of the National Academy of Sciences of the United States of America*, 107, 1223–8. doi:10.1073/pnas.0909969107
- Glazier, B. L., & Alden, L. E. (2017). Social Anxiety and Biased Recall of Positive Information: It's Not the Content, It's the Valence. *Behavior Therapy*, 48, 533–543. doi:10.1016/j.beth.2016.08.001
- Goghari, V. M., MacDonald, A. W., & Sponheim, S. R. (2014). Relationship between prefrontal gray matter volumes and working memory performance in schizophrenia: A family study. *Schizophrenia Research*, 153, 113–121. doi:https://doi.org/10.1016/j.schres.2014.01.032
- Gold, A. L., Brotman, M. A., Adleman, N. E., Lever, S. N., Steuber, E. R., Fromm, S. J., ... Leibenluft, E. (2016). Comparing Brain Morphometry Across Multiple Childhood Psychiatric Disorders. *Journal of the American Academy of Child & Adolescent Psychiatry*, 55, 1027–1037. doi:10.1016/j.jaac.2016.08.008
- Gold, A. L., Steuber, E. R., White, L. K., Pacheco, J., Sachs, J. F., Pagliaccio, D., ... Pine, D. S. (2017). Cortical Thickness and Subcortical Gray Matter Volume in Pediatric Anxiety Disorders. *Neuropsychopharmacology*, 1–11. doi:10.1038/npp.2017.83
- Goldin, P. R., Manber-Ball, T., Werner, K., Heimberg, R. G., & Gross, J. J. (2009). Neural mechanisms of cognitive reappraisal of negative self-beliefs in social anxiety disorder. *Biological Psychiatry*, 66, 1091–9. doi:10.1016/j.biopsych.2009.07.014
- Goldin, P. R., Manber, T., Hakimi, S., Canli, T., & Gross, J. J. (2009). Neural bases of social anxiety disorder: emotional reactivity and cognitive regulation during social and physical threat. *Archives of General Psychiatry*, 66, 170–80. doi:10.1001/archgenpsychiatry.2008.525
- Goldstein, B. L., & Klein, D. N. (2014). A review of selected candidate endophenotypes for depression. *Clinical Psychology Review*, 34, 417–27. doi:10.1016/j.cpr.2014.06.003
- Gong, Q., Scarpazza, C., Dai, J., He, M., Xu, X., Shi, Y., ... Mechelli, A. (2019). A transdiagnostic neuro-anatomical signature of psychiatric illness. *Neuropsychopharmacology*, 44, 869–875. doi:10.1038/s41386-018-0175-9
- Good, C. D., Johnsrude, I. S., Ashburner, J., Henson, R. N., Friston, K. J., & Frackowiak, R. S. (2001). A voxel-based morphometric study of ageing in 465 normal adult human brains. *NeuroImage*, 14, 21–36. doi:10.1006/nimg.2001.0786
- Goodkind, M., Eickhoff, S. B., Oathes, D. J., Jiang, Y., Chang, A., Jones-Hagata, L. B., ... Etkin, A. (2015). Identification of a Common Neurobiological Substrate for Mental Illness. *JAMA Psychiatry*, 72, 305–315. doi:10.1001/jamapsychiatry.2014.2206

- Gorgolewski, K. J., Varoquaux, G., Rivera, G., Schwarz, Y., Ghosh, S. S., Maumet, C., ... Margulies, D. S. (2015). NeuroVault.org: a web-based repository for collecting and sharing unthresholded statistical maps of the human brain. *Frontiers in Neuroinformatics*, 9, 8. doi:10.3389/fninf.2015.00008
- Gorka, A. X., Torrisi, S., Shackman, A. J., Grillon, C., & Ernst, M. (2018). Intrinsic functional connectivity of the central nucleus of the amygdala and bed nucleus of the stria terminalis. *NeuroImage*, 168, 392–402. doi:10.1016/j.neuroimage.2017.03.007
- Gorka, S. M., Fitzgerald, D. A., Labuschagne, I., Hosanagar, A., Wood, A. G., Nathan, P. J., & Phan, K. L. (2015). Oxytocin Modulation of Amygdala Functional Connectivity to Fearful Faces in Generalized Social Anxiety Disorder. *Neuropsychopharmacology*, 40, 278–286. doi:10.1038/npp.2014.168
- Gottesman, I. I., & Gould, T. D. (2003). The endophenotype concept in psychiatry: etymology and strategic intentions. *The American Journal of Psychiatry*, 160, 636–45. doi:10.1176/appi.ajp.160.4.636
- Gottschalk, M. G., & Domschke, K. (2016). Novel developments in genetic and epigenetic mechanisms of anxiety. *Current Opinion in Psychiatry*, 29(1), 32–38. doi:10.1097/YCO.0000000000000219
- Gould, T. D., & Gottesman, I. I. (2006). Psychiatric endophenotypes and the development of valid animal models. *Genes, Brain, and Behavior*, 5, 113–9. doi:10.1111/j.1601-183X.2005.00186.x
- Griffanti, L., Salimi-Khorshidi, G., Beckmann, C. F., Auerbach, E. J., Douaud, G., Sexton, C. E., ... Smith, S. M. (2014). ICA-based artefact removal and accelerated fMRI acquisition for improved resting state network imaging. *NeuroImage*, 95, 232–247. doi:10.1016/J.NEUROIMAGE.2014.03.034
- Groenewold, N., Bas-Hoogendam, J. M., Amod, A. R., van Velzen, L., Aghajani, M., Filippi, C., ... van der Wee, N. J. A. (2018). F27. Subcortical Volumes in Social Anxiety Disorder: Preliminary Results From Enigma-Anxiety. *Biological Psychiatry*, 83, S247–S248. doi:10.1016/j.biopsych.2018.02.640
- Günther, V., Ihme, K., Kersting, A., Hoffmann, K.-T., Lobsien, D., & Suslow, T. (2018). Volumetric Associations Between Amygdala, Nucleus Accumbens, and Socially Anxious Tendencies in Healthy Women. *Neuroscience*, 374, 25–32. doi:10.1016/j.neuroscience.2018.01.034
- Gur, R. C., Braff, D. L., Calkins, M. E., Dobie, D. J., Freedman, R., Green, M. F., ... Gur, R. E. (2015). Neurocognitive performance in family-based and case-control studies of schizophrenia. *Schizophrenia Research*, 163, 17–23. doi:10.1016/j.schres.2014.10.049
- Gur, R. E., Nimgaonkar, V. L., Almasy, L., Calkins, M. E., Ragland, J. D., Pogue-Geile, M. F., ... Gur, R. C. (2007). Neurocognitive Endophenotypes in a Multiplex Multigenerational Family Study of Schizophrenia. *American Journal of Psychiatry*, 164, 813–819. doi:10.1176/ajp.2007.164.5.813
- Gustavsson, A., Svensson, M., Jacobi, F., Allgulander, C., Alonso, J., Beghi, E., ... Olesen, J. (2011). Cost of disorders of the brain in Europe 2010. *European Neuropsychopharmacology*, 21, 718–779. doi:10.1016/j.euroneuro.2011.08.008
- Guyer, A. E., Lau, J. Y. F., McClure-Tone, E. B., Parrish, J., Shiffrin, N. D., Reynolds, R. C., ... Nelson, E. E. (2008). Amygdala and ventrolateral prefrontal cortex function during anticipated peer evaluation in pediatric social anxiety. *Archives of General Psychiatry*, 65, 1303–12. doi:10.1001/archpsyc.65.11.1303
- Hahn, A., Stein, P., Windischberger, C., Weissenbacher, A., Spindelegger, C., Moser, E., ... Lanzenberger, R. (2011). Reduced resting-state functional connectivity between amygdala and orbitofrontal cortex in social anxiety disorder. *NeuroImage*, 56, 881–9. doi:10.1016/j.neuroimage.2011.02.064
- Hahn, A., Wadsak, W., Windischberger, C., Baldinger, P., Höflich, A. S., Losak, J., ... Lanzenberger, R. (2012). Differential modulation of the default mode network via serotonin-1A receptors. *Proceed-*

- ings of the National Academy of Sciences of the United States of America, 109, 2619–24. doi:10.1073/pnas.1117104109
- Haidt, J. (2003). The moral emotions. In H. H. Goldsmith, K. R. Scherer, & R. J. Davidson (Eds.), *Handbook of Affective Sciences* (pp. 852–870). Oxford: Oxford University Press.
- Haller, S. P. W., Cohen Kadosh, K., Scerif, G., & Lau, J. Y. F. (2015). Social anxiety disorder in adolescence: How developmental cognitive neuroscience findings may shape understanding and interventions for psychopathology. *Developmental Cognitive Neuroscience*, 13, 11–20. doi:10.1016/j.dcn.2015.02.002
- Haller, S. P. W., Mills, K. L., Hartwright, C. E., David, A. S., & Cohen Kadosh, K. (2018). When change is the only constant: The promise of longitudinal neuroimaging in understanding social anxiety disorder. *Developmental Cognitive Neuroscience*, 33, 73–82. doi:https://doi.org/10.1016/j.dcn.2018.05.005
- Hallett, M. (2000). Transcranial magnetic stimulation and the human brain. *Nature*, 406, 147–150. doi:10.1038/35018000
- Han, X., Jovicich, J., Salat, D., van der Kouwe, A., Quinn, B., Czanner, S., ... Fischl, B. (2006). Reliability of MRI-derived measurements of human cerebral cortical thickness: the effects of field strength, scanner upgrade and manufacturer. *NeuroImage*, 32, 180–94. doi:10.1016/j.neuroimage.2006.02.051
- Hardee, J. E., Benson, B. E., Bar-Haim, Y., Mogg, K., Bradley, B. P., Chen, G., ... Pérez-Edgar, K. (2013). Patterns of neural connectivity during an attention bias task moderate associations between early childhood temperament and internalizing symptoms in young adulthood. *Biological Psychiatry*, 74, 273–9. doi:10.1016/j.biopsych.2013.01.036
- Hariri, A. R., Mattay, V. S., Tessitore, A., Kolachana, B., Fera, F., Goldman, D., ... Weinberger, D. R. (2002). Serotonin transporter genetic variation and the response of the human amygdala. *Science*, 297, 400–3. doi:10.1126/science.1071829
- Hariri, A. R., & Whalen, P. J. (2011). The amygdala: inside and out. *F1000 Biology Reports*, 3, 2. doi:10.3410/B3-2
- Harrewijn, A. (2017). *Shy parent, shy child? Delineating psychophysiological endophenotypes of social anxiety disorder*. Leiden University.
- Harrewijn, A., Schmidt, L. A., Westenberg, P. M., Tang, A., & van der Molen, M. J. W. (2017). Electrocortical measures of information processing biases in social anxiety disorder: A review. *Biological Psychology*, 129, 324–348. doi:10.1016/J.BIOPSYCHO.2017.09.013
- Harrewijn, A., van der Molen, M. J. W., van Vliet, I. M., Houwing-Duistermaat, J. J., & Westenberg, P. M. (2017). Delta-beta correlation as a candidate endophenotype of social anxiety: A two-generation family study. *Journal of Affective Disorders*, 227, 398–405. doi:10.1016/J.JAD.2017.11.019
- Harrewijn, A., van der Molen, M. J. W., van Vliet, I. M., Tissier, R. L., & Westenberg, P. M. (2018). Behavioral and EEG responses to social evaluation: A two-generation family study on social anxiety. *NeuroImage: Clinical*, 17, 549–562. doi:10.1016/j.nicl.2017.11.010
- Harrewijn, A., Van der Molen, M. J. W., & Westenberg, P. M. (2016). Putative EEG measures of social anxiety: Comparing frontal alpha asymmetry and delta-beta cross-frequency correlation. *Cognitive, Affective, & Behavioral Neuroscience*, 16, 1086–1098. doi:10.3758/s13415-016-0455-y
- Hasler, G., & Northoff, G. (2011). Discovering imaging endophenotypes for major depression. *Molecular Psychiatry*, 16, 604–619. doi:10.1038/mp.2011.23

- Hattingh, C. J., Ipser, J., Tromp, S. A., Syal, S., Lochner, C., Brooks, S. J., & Stein, D. J. (2013). Functional magnetic resonance imaging during emotion recognition in social anxiety disorder: an activation likelihood meta-analysis. *Frontiers in Human Neuroscience*, 6, 347. doi:10.3389/fnhum.2012.00347
- He, Y., Xu, T., Zhang, W., & Zuo, X.-N. (2015). Lifespan anxiety is reflected in human amygdala cortical connectivity. *Human Brain Mapping*, 37, 1178–93. doi:10.1002/hbm.23094
- Heeren, A., Dricot, L., Billieux, J., Philippot, P., Grynberg, D., de Timary, P., & Maurage, P. (2017). Correlates of Social Exclusion in Social Anxiety Disorder: An fMRI study. *Scientific Reports*, 7, 260. doi:10.1038/s41598-017-00310-9
- Heimberg, R. G., Hofmann, S. G., Liebowitz, M. R., Schneier, F. R., Smits, J. A. J., Stein, M. B., ... Craske, M. G. (2014). SOCIAL ANXIETY DISORDER IN DSM-5. *Depression and Anxiety*, 31, 472–479. doi:10.1002/da.22231
- Heimberg, R. G., Horner, K. J., Juster, H. R., Safren, S. A., Brown, E. J., Schneier, F. R., & Liebowitz, M. R. (1999). Psychometric properties of the Liebowitz Social Anxiety Scale. *Psychological Medicine*, 29, 199–212. doi:10.1017/S0033291798007879
- Heimer, L., & Van Hoesen, G. W. (2006). The limbic lobe and its output channels: implications for emotional functions and adaptive behavior. *Neuroscience and Biobehavioral Reviews*, 30, 126–47. doi:10.1016/j.neubiorev.2005.06.006
- Heitmann, C. Y., Feldker, K., Neumeister, P., Zepp, B. M., Peterburs, J., Zwitserlood, P., & Straube, T. (2016). Abnormal brain activation and connectivity to standardized disorder-related visual scenes in social anxiety disorder. *Human Brain Mapping*, 37, 1559–72. doi:10.1002/hbm.23120
- Heitmann, C. Y., Peterburs, J., Mothes-Lasch, M., Hallfarth, M. C., Böhme, S., Miltner, W. H. R., & Straube, T. (2014). Neural correlates of anticipation and processing of performance feedback in social anxiety. *Human Brain Mapping*, 35, 6023–31. doi:10.1002/hbm.22602
- Henderson, H. A., Pine, D. S., & Fox, N. A. (2015). Behavioral inhibition and developmental risk: a dual-processing perspective. *Neuropsychopharmacology: Official Publication of the American College of Neuropsychopharmacology*, 40, 207–24. doi:10.1038/npp.2014.189
- Hendriks, S. M., Spijker, J., Licht, C. M. M., Beekman, A. T. F., Hardeveld, F., de Graaf, R., ... Penninx, B. W. J. H. (2014). Disability in Anxiety Disorders. *Journal of Affective Disorders*, 166, 227–33. doi:10.1016/j.jad.2014.05.006
- Hendriks, S. M., Spijker, J., Licht, C. M. M., Hardeveld, F., de Graaf, R., Batelaan, N. M., ... Beekman, A. T. F. (2015). Long-term work disability and absenteeism in anxiety and depressive disorders. *Journal of Affective Disorders*, 178, 121–130. doi:10.1016/j.jad.2015.03.004
- Herwig, U., Lutz, J., Scherpiet, S., Scheerer, H., Kohlberg, J., Opialla, S., ... Brühl, A. B. (2019). Training emotion regulation through real-time fMRI neurofeedback of amygdala activity. *NeuroImage*, 184, 687–696. doi:10.1016/j.neuroimage.2018.09.068
- Hettema, J. M., Neale, M. C., & Kendler, K. S. (2001). A Review and Meta-Analysis of the Genetic Epidemiology of Anxiety Disorders. *American Journal of Psychiatry*, 158, 1568–1578. doi:10.1176/appi.ajp.158.10.1568
- Hibar, D. P., Stein, J. L., Renteria, M. E., Arias-Vasquez, A., Desrivieres, S., Jahanshad, N., ... Medland, S. E. (2015). Common genetic variants influence human subcortical brain structures. *Nature*, 520, 224–229. doi:10.1038/nature14101

- Hinton, K. E., Lahey, B. B., Villalta-Gil, V., Meyer, F. A. C., Burgess, L. L., Chodes, L. K., ... Zald, D. H. (2019). White matter microstructure correlates of general and specific second-order factors of psychopathology. *NeuroImage: Clinical*, 22, 101705. doi:10.1016/j.nicl.2019.101705
- Hirsch, C. R., & Clark, D. M. (2004). Information-processing bias in social phobia. *Clinical Psychology Review*, 24, 799–825. doi:10.1016/j.cpr.2004.07.005
- Hirshfeld-Becker, D. R. (2010). Familial and temperamental risk factors for social anxiety disorder. *New Directions for Child and Adolescent Development*, 2010, 51–65. doi:10.1002/cd.262
- Hirshfeld-Becker, D. R., & Biederman, J. (2002). Rationale and Principles for Early Intervention with Young Children at Risk for Anxiety Disorders. *Clinical Child and Family Psychology Review*, 5, 161–172. doi:10.1023/A:1019687531040
- Hirshfeld-Becker, D. R., Micco, J. A., Simoes, N. A., & Henin, A. (2008). High risk studies and developmental antecedents of anxiety disorders. *American Journal of Medical Genetics. Part C, Seminars in Medical Genetics*, 148C, 99–117. doi:10.1002/ajmg.c.30170
- Hofmann, S. G. (2007). Cognitive Factors that Maintain Social Anxiety Disorder: a Comprehensive Model and its Treatment Implications. *Cognitive Behaviour Therapy*, 36, 193–209. doi:10.1080/16506070701421313
- Hogstrom, L. J., Westlye, L. T., Walhovd, K. B., & Fjell, A. M. (2013). The Structure of the Cerebral Cortex Across Adult Life: Age-Related Patterns of Surface Area, Thickness, and Gyrfication. *Cerebral Cortex*, 23, 2521–2530. doi:10.1093/cercor/bhs231
- Honea, R. A., Meyer-Lindenberg, A., Hobbs, K. B., Pezawas, L., Mattay, V. S., Egan, M. F., ... Callicott, J. H. (2008). Is gray matter volume an intermediate phenotype for schizophrenia? A voxel-based morphometry study of patients with schizophrenia and their healthy siblings. *Biological Psychiatry*, 63, 465–74. doi:10.1016/j.biopsych.2007.05.027
- Hoogendam, J. M., Ramakers, G. M. J., & Di Lazzaro, V. (2010). Physiology of repetitive transcranial magnetic stimulation of the human brain. *Brain Stimulation*, 3, 95–118. doi:10.1016/j.brs.2009.10.005
- Hooker, C. I., Verosky, S. C., Miyakawa, A., Knight, R. T., & D'Esposito, M. (2008). The influence of personality on neural mechanisms of observational fear and reward learning. *Neuropsychologia*, 46, 2709–2724. doi:10.1016/j.neuropsychologia.2008.05.005
- Horien, C., Shen, X., Scheinost, D., & Constable, R. T. (2019). The individual functional connectome is unique and stable over months to years. *NeuroImage*, 189, 676–687. doi:https://doi.org/10.1016/j.neuroimage.2019.02.002
- Howells, F. M., Hattingh, C. J., Syal, S., Breet, E., Stein, D. J., & Lochner, C. (2015). (1)H-magnetic resonance spectroscopy in social anxiety disorder. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 58, 97–104. doi:10.1016/j.pnpbp.2014.12.008
- Hrybouski, S., Aghamohammadi-Sereshki, A., Madan, C. R., Shafer, A. T., Baron, C. A., Seres, P., ... Malykhin, N. V. (2016). Amygdala subnuclei response and connectivity during emotional processing. *NeuroImage*. doi:10.1016/j.neuroimage.2016.02.056
- Hyett, M. P., & McEvoy, P. M. (2018). Social anxiety disorder: looking back and moving forward. *Psychological Medicine*, 1–8. doi:10.1017/S0033291717003816
- Iacono, W. G. (2018). Endophenotypes in psychiatric disease: prospects and challenges. *Genome Medicine*, 10, 1–3. doi:10.1186/s13073-018-0526-5
- Im, K., Lee, J.-M., Lyttelton, O., Kim, S. H., Evans, A. C., & Kim, S. I. (2008). Brain Size and Cortical Structure in the Adult Human Brain. *Cerebral Cortex*, 18, 2181–2191. doi:10.1093/cercor/bhm244

- Ingles, C. J., La Greca, A. M., Marzo, J. C., Garcia-Lopez, L. J., & Garcia-Fernandez, J. M. (2010). Social Anxiety Scale for Adolescents: factorial invariance and latent mean differences across gender and age in Spanish adolescents. *Journal of Anxiety Disorders*, 24, 847–55. doi:10.1016/j.janxdis.2010.06.007
- Insel, T. R. (2014). The NIMH Research Domain Criteria (RDoC) Project: precision medicine for psychiatry. *The American Journal of Psychiatry*, 171, 395–7. doi:10.1176/appi.ajp.2014.14020138
- Ioannidis, J. P. A. (2011). Excess Significance Bias in the Literature on Brain Volume Abnormalities. *Archives of General Psychiatry*, 68, 773. doi:10.1001/archgenpsychiatry.2011.28
- Irle, E., Barke, A., Lange, C., & Ruhleder, M. (2014). Parietal abnormalities are related to avoidance in social anxiety disorder: a study using voxel-based morphometry and manual volumetry. *Psychiatry Research*, 224, 175–83. doi:10.1016/j.psychres.2014.08.013
- Irle, E., Ruhleder, M., Lange, C., Seidler-Brandler, U., Salzer, S., Dechent, P., ... Leichsenring, F. (2010). Reduced amygdalar and hippocampal size in adults with generalized social phobia. *Journal of Psychiatry & Neuroscience*, 35, 126–31. doi:10.1503/jpn.090041
- Isomura, K., Boman, M., Rück, C., Serlachius, E., Larsson, H., Lichtenstein, P., & Mataix-Cols, D. (2015). Population-based, multi-generational family clustering study of social anxiety disorder and avoidant personality disorder. *Psychological Medicine*, 45, 1581–9. doi:10.1017/S0033291714002116
- Iza, M., Olsson, M., Vermes, D., Hoffer, M., Wang, S., & Blanco, C. (2013). Probability and predictors of first treatment contact for anxiety disorders in the United States: analysis of data from the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). *The Journal of Clinical Psychiatry*, 74, 1093–1100. doi:10.4088/jcp.13m08361
- Jacobi, F., Wittchen, H.-U., Höltling, C., Höfler, M., Pfister, H., Müller, N., & Lieb, R. (2004). Prevalence, co-morbidity and correlates of mental disorders in the general population: results from the German Health Interview and Examination Survey (GHS). *Psychological Medicine*, 34, 597–611. doi:10.1017/S0033291703001399
- Janak, P. H., & Tye, K. M. (2015). From circuits to behaviour in the amygdala. *Nature*, 517, 284–292. doi:10.1038/nature14188
- Jankowski, K. F., & Takahashi, H. (2014). Cognitive neuroscience of social emotions and implications for psychopathology: examining embarrassment, guilt, envy, and schadenfreude. *Psychiatry and Clinical Neurosciences*, 68, 319–36. doi:10.1111/pcn.12182
- Jarcho, J. M., Fox, N. A., Pine, D. S., Etkin, A., Leibenluft, E., Shechner, T., & Ernst, M. (2013). The neural correlates of emotion-based cognitive control in adults with early childhood behavioral inhibition. *Biological Psychology*, 92, 306–14. doi:10.1016/j.biopsycho.2012.09.008
- Jarcho, J. M., Fox, N. A., Pine, D. S., Leibenluft, E., Shechner, T., Degnan, K. A., ... Ernst, M. (2014). Enduring influence of early temperament on neural mechanisms mediating attention-emotion conflict in adults. *Depression and Anxiety*, 31, 53–62. doi:10.1002/da.22140
- Jazaieri, H., Morrison, A. S., Goldin, P. R., & Gross, J. J. (2014). The role of emotion and emotion regulation in social anxiety disorder. *Current Psychiatry Reports*, 17, 1–9. doi:10.1007/s11920-014-0531-3
- Jenkins, A. C., & Mitchell, J. P. (2011). Medial prefrontal cortex subserves diverse forms of self-reflection. *Social Neuroscience*, 6, 211–218. doi:10.1080/17470919.2010.507948
- Jenkins, L. M., Barba, A., Campbell, M., Lamar, M., Shankman, S. A., Leow, A. D., ... Langenecker, S. A. (2016). Shared white matter alterations across emotional disorders: A voxel-based meta-analysis of fractional anisotropy. *NeuroImage: Clinical*, 12, 1022–1034. doi:10.1016/j.nicl.2016.09.001

- Jenkinson, M., Bannister, P., Brady, M., & Smith, S. (2002). Improved Optimization for the Robust and Accurate Linear Registration and Motion Correction of Brain Images. *NeuroImage*, 17, 825–841. doi:10.1006/nimg.2002.1132
- Jenkinson, M., Beckmann, C. F., Behrens, T. E. J., Woolrich, M. W., & Smith, S. M. (2012). FSL. *NeuroImage*, 62, 782–90. doi:10.1016/j.neuroimage.2011.09.015
- Jenkinson, M., & Smith, S. (2001). A global optimisation method for robust affine registration of brain images. *Medical Image Analysis*, 5, 143–156. doi:10.1016/S1361-8415(01)00036-6
- Jennings, P. L., Mitchell, M. S., & Hannah, S. T. (2015). The moral self: A review and integration of the literature. *Journal of Organizational Behavior*, 36, S104–S168. doi:10.1002/job.1919
- Joshi, A. A., Lepore, N., Joshi, S. H., Lee, A. D., Barysheva, M., Stein, J. L., ... Thompson, P. M. (2011). The contribution of genes to cortical thickness and volume. *NeuroReport*, 22, 101–105. doi:10.1097/WNR.0b013e3283424c84
- Kauppi, K., Nilsson, L.-G., Persson, J., & Nyberg, L. (2014). Additive genetic effect of APOE and BDNF on hippocampus activity. *NeuroImage*, 89, 306–313. doi:10.1016/j.neuroimage.2013.11.049
- Kempton, M. J., Haldane, M., Jogia, J., Christodoulou, T., Powell, J., Collier, D., ... Frangou, S. (2009). The effects of gender and COMT Val158Met polymorphism on fearful facial affect recognition: a fMRI study. *The International Journal of Neuropsychopharmacology*, 12, 371–81. doi:10.1017/S1461145708009395
- Kendler, K. S., Gardner, C. O., & Lichtenstein, P. (2008). A developmental twin study of symptoms of anxiety and depression: evidence for genetic innovation and attenuation. *Psychological Medicine*, 38, 1567–75. doi:10.1017/S003329170800384X
- Kennis, M., Rademaker, A. R., & Geuze, E. (2013). Neural correlates of personality: an integrative review. *Neuroscience and Biobehavioral Reviews*, 37, 73–95. doi:10.1016/j.neubiorev.2012.10.012
- Kerestes, R., Chase, H. W., Phillips, M. L., Ladouceur, C. D., & Eickhoff, S. B. (2017). Multimodal evaluation of the amygdala's functional connectivity. *NeuroImage*, 148, 219–229. doi:10.1016/j.neuroimage.2016.12.023
- Kessler, R. C., Chiu, W. T., Demler, O., Merikangas, K. R., & Walters, E. E. (2005). Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62, 617–27. doi:10.1001/archpsyc.62.6.617
- Kessler, R. C., Petukhova, M., Sampson, N. A., Zaslavsky, A. M., & Wittchen, H.-U. (2012). Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. *International Journal of Methods in Psychiatric Research*, 21, 169–84. doi:10.1002/mp.1359
- Kessler, R. C., & Üstün, T. B. (2004). The World Mental Health (WMH) Survey Initiative Version of the World Health Organization (WHO) Composite International Diagnostic Interview (CIDI). *International Journal of Methods in Psychiatric Research*, 13, 93–121. doi:10.1002/mp.168
- Kim, M. J., Loucks, R. A., Palmer, A. L., Brown, A. C., Solomon, K. M., Marchante, A. N., & Whalen, P. J. (2011). The structural and functional connectivity of the amygdala: from normal emotion to pathological anxiety. *Behavioural Brain Research*, 223, 403–10. doi:10.1016/j.bbr.2011.04.025
- Kim, M. J., Shin, J., Taylor, J. M., Mattek, A. M., Chavez, S. J., & Whalen, P. J. (2017). Intolerance of Uncertainty Predicts Increased Striatal Volume. *Emotion (Washington, D.C.)*, 17, 895–899. doi:10.1037/emo0000331

- Kim, M. J., & Whalen, P. J. (2009). The structural integrity of an amygdala-prefrontal pathway predicts trait anxiety. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, 29, 11614–8. doi:10.1523/JNEUROSCI.2335-09.2009
- Kim, S.-Y., Shin, J. E., Lee, Y. I., Kim, H., Jo, H. J., & Choi, S.-H. (2018). Neural evidence for persistent attentional bias to threats in patients with social anxiety disorder. *Social Cognitive and Affective Neuroscience*, 13, 1327–1336. doi:10.1093/scan/nsy101
- Kleinmans, N. M., Johnson, L. C., Richards, T., Mahurin, R., Greenson, J., Dawson, G., & Aylward, E. (2009). Reduced neural habituation in the amygdala and social impairments in autism spectrum disorders. *The American Journal of Psychiatry*, 166, 467–75. doi:10.1176/appi.ajp.2008.07101681
- Klucken, T., Schweckendiek, J., Blecker, C., Walter, B., Kuepper, Y., Hennig, J., & Stark, R. (2015). The association between the 5-HTTLPR and neural correlates of fear conditioning and connectivity. *Social Cognitive and Affective Neuroscience*, 10, 700–7. doi:10.1093/scan/nsu108
- Klumpp, H., Angstadt, M., Nathan, P. J., & Phan, K. L. (2010). Amygdala reactivity to faces at varying intensities of threat in generalized social phobia: an event-related functional MRI study. *Psychiatry Research*, 183, 167–9. doi:10.1016/j.psychres.2010.05.001
- Klumpp, H., Angstadt, M., & Phan, K. L. (2012). Insula reactivity and connectivity to anterior cingulate cortex when processing threat in generalized social anxiety disorder. *Biological Psychology*, 89, 273–6. doi:10.1016/j.biopsycho.2011.10.010
- Klumpp, H., Fitzgerald, D. A., & Phan, K. L. (2013). Neural predictors and mechanisms of cognitive behavioral therapy on threat processing in social anxiety disorder. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 45, 83–91. doi:10.1016/j.pnpbp.2013.05.004
- Klumpp, H., Fitzgerald, D. A., Piejko, K., Roberts, J., Kennedy, A. E., & Phan, K. L. (2015). Prefrontal control and predictors of cognitive behavioral therapy response in social anxiety disorder. *Social Cognitive and Affective Neuroscience*, 11, 630–40. doi:10.1093/scan/nsv146
- Klumpp, H., Fitzgerald, D. A., Piejko, K., Roberts, J., Kennedy, A. E., & Phan, K. L. (2016). Prefrontal control and predictors of cognitive behavioral therapy response in social anxiety disorder. *Social Cognitive and Affective Neuroscience*, 11, 630–640. doi:10.1093/scan/nsv146
- Klumpp, H., & Fitzgerald, J. M. (2018). Neuroimaging Predictors and Mechanisms of Treatment Response in Social Anxiety Disorder: an Overview of the Amygdala. *Current Psychiatry Reports*, 20, 89. doi:10.1007/s11920-018-0948-1
- Knappe, S., Beesdo-Baum, K., Fehm, L., Lieb, R., & Wittchen, H.-U. (2012). Characterizing the association between parenting and adolescent social phobia. *Journal of Anxiety Disorders*, 26, 608–16. doi:10.1016/j.janxdis.2012.02.014
- Knappe, S., Beesdo-Baum, K., & Wittchen, H.-U. (2010). Familial risk factors in social anxiety disorder: calling for a family-oriented approach for targeted prevention and early intervention. *European Child & Adolescent Psychiatry*, 19, 857–71. doi:10.1007/s00787-010-0138-0
- Knappe, S., Beesdo, K., Fehm, L., Lieb, R., & Wittchen, H.-U. (2009). Associations of familial risk factors with social fears and social phobia: evidence for the continuum hypothesis in social anxiety disorder? *Journal of Neural Transmission*, 116, 639–48. doi:10.1007/s00702-008-0118-4
- Knobe, J. (2003). Intentional action and side effects in ordinary language. *Analysis*, 63, 190–194. doi:10.1111/1467-8284.00419

- Knutson, K. M., Krueger, F., Koenigs, M., Hawley, A., Escobedo, J. R., Vasudeva, V., ... Grafman, J. (2010). Behavioral norms for condensed moral vignettes. *Social Cognitive and Affective Neuroscience*, 5, 378–84. doi:10.1093/scan/nsq005
- Koban, L., Schneider, R., Ashar, Y. K., Andrews-Hanna, J. R., Landy, L., Moscovitch, D. A., ... Arch, J. J. (2017). Social Anxiety is Characterized by Biased Learning About Performance and the Self. *Emotion*. doi:10.1037/emo0000296
- Kochunov, P., Jahanshad, N., Sprooten, E., Nichols, T. E., Mandl, R. C., Almasy, L., ... Glahn, D. C. (2014). Multi-site study of additive genetic effects on fractional anisotropy of cerebral white matter: Comparing meta and mega analytical approaches for data pooling. *NeuroImage*, 95, 136–150. doi:10.1016/j.neuroimage.2014.03.033
- Kotov, R., Gamez, W., Schmidt, F., & Watson, D. (2010). Linking “big” personality traits to anxiety, depressive, and substance use disorders: a meta-analysis. *Psychological Bulletin*, 136, 768–821. doi:10.1037/a0020327
- Kovacs, M. (1983). The Childrens’ Depression Inventory: A self-rated depression scale for school-aged youngsters. *Pittsburgh: University of Pittsburgh School of Medicine*.
- Kovacs, M. (1985). The Children’s Depression Inventory (CDI). *Psychopharmacol. Bull.*, 21, 995–998.
- Kraus, J., Frick, A., Fischer, H., Howner, K., Fredrikson, M., & Furmark, T. (2018). Amygdala reactivity and connectivity during social and non-social aversive stimulation in social anxiety disorder. *Psychiatry Research: Neuroimaging*, 280, 56–61. doi:https://doi.org/10.1016/j.psychresns.2018.08.012
- Kreifelts, B., Brück, C., Ethofer, T., Ritter, J., Weigel, L., Erb, M., & Wildgruber, D. (2017). Prefrontal mediation of emotion regulation in social anxiety disorder during laughter perception. *Neuropsychologia*, 96, 175–183. doi:10.1016/j.neuropsychologia.2017.01.016
- Kreifelts, B., Brück, C., Ritter, J., Ethofer, T., Domin, M., Lotze, M., ... Wildgruber, D. (2014). They are laughing at me: cerebral mediation of cognitive biases in social anxiety. *PloS One*, 9, e99815. doi:10.1371/journal.pone.0099815
- Kreifelts, B., Eckstein, K. N., Ethofer, T., Wiegand, A., Wächter, S., Brück, C., ... Wildgruber, D. (2019). Tuned to voices and faces: Cerebral responses linked to social anxiety. *NeuroImage*, 197, 450–456. doi:10.1016/j.neuroimage.2019.05.018
- Krettenauer, T., Colasante, T., Buchmann, M., & Malti, T. (2014). The Development of Moral Emotions and Decision-Making From Adolescence to Early Adulthood: A 6-Year Longitudinal Study. *Journal of Youth and Adolescence*, 43, 583–596. doi:10.1007/s10964-013-9994-5
- Kuperberg, G. R., Broome, M. R., McGuire, P. K., David, A. S., Eddy, M., Ozawa, F., ... Fischl, B. (2003). Regionally localized thinning of the cerebral cortex in schizophrenia. *Archives of General Psychiatry*, 60, 878–88. doi:10.1001/archpsyc.60.9.878
- La Greca, A. M., & Lopez, N. (1998). Social Anxiety Among Adolescents: Linkages with Peer Relations and Friendships. *Journal of Abnormal Child Psychology*, 26, 83–94. doi:10.1023/A:1022684520514
- Labuschagne, I., Phan, K. L., Wood, A., Angstadt, M., Chua, P., Heinrichs, M., ... Nathan, P. J. (2010). Oxytocin attenuates amygdala reactivity to fear in generalized social anxiety disorder. *Neuropsychopharmacology*, 35, 2403–13. doi:10.1038/npp.2010.123
- Labuschagne, I., Phan, K. L., Wood, A., Angstadt, M., Chua, P., Heinrichs, M., ... Nathan, P. J. (2011). Medial frontal hyperactivity to sad faces in generalized social anxiety disorder and modulation by oxytocin. *The International Journal of Neuropsychopharmacology*, 15, 1–14. doi:10.1017/S1461145711001489

- Lago, T., Davis, A., Grillon, C., & Ernst, M. (2017). Striatum on the anxiety map: Small detours into adolescence. *Brain Research*, 1654, 177–184. doi:10.1016/j.brainres.2016.06.006
- Lahat, A., Helwig, C. C., & Zelazo, P. D. (2012). Age-related changes in cognitive processing of moral and social conventional violations. *Cognitive Development*, 27, 181–194. doi:10.1016/j.cogdev.2012.02.002
- Lanzenberger, R. R., Mitterhauser, M., Spindelegger, C., Wadsak, W., Klein, N., Mien, L.-K., ... Tauscher, J. (2007). Reduced serotonin-1A receptor binding in social anxiety disorder. *Biological Psychiatry*, 61, 1081–9. doi:10.1016/j.biopsych.2006.05.022
- Lavin, C., Melis, C., Mikulan, E., Gelormini, C., Huepe, D., & Ibañez, A. (2013). The anterior cingulate cortex: an integrative hub for human socially-driven interactions. *Frontiers in Neuroscience*, 7, 64. doi:10.3389/fnins.2013.00064
- Lawrence, P. J., Murayama, K., & Creswell, C. (2019). Systematic Review and Meta-Analysis: Anxiety and Depressive Disorders in Offspring of Parents With Anxiety Disorders. *Journal of the American Academy of Child & Adolescent Psychiatry*, 58, 46–60. doi:https://doi.org/10.1016/j.jaac.2018.07.898
- Leary, M. R. (1983). A Brief Version of the Fear of Negative Evaluation Scale. *Personality and Social Psychology Bulletin*, 9, 371–375. doi:10.1177/0146167283093007
- LeDoux, J. (2007). The amygdala. *Current Biology : CB*, 17, R868–74. doi:10.1016/j.cub.2007.08.005
- Lei, X., Zhao, Z., & Chen, H. (2013). Extraversion is encoded by scale-free dynamics of default mode network. *NeuroImage*, 74, 52–57. doi:10.1016/j.neuroimage.2013.02.020
- Leichsenring, F., & Leweke, F. (2017). Social Anxiety Disorder. *New England Journal of Medicine*, 376, 2255–2264. doi:10.1056/NEJMcip1614701
- Leigh, E., & Clark, D. M. (2018). Understanding Social Anxiety Disorder in Adolescents and Improving Treatment Outcomes: Applying the Cognitive Model of Clark and Wells (1995). *Clinical Child and Family Psychology Review*. doi:10.1007/s10567-018-0258-5
- Lenzenweger, M. F. (2013a). Endophenotype, intermediate phenotype, biomarker: definitions, concept comparisons, clarifications. *Depression and Anxiety*, 30, 185–9. doi:10.1002/da.22042
- Lenzenweger, M. F. (2013b). Thinking clearly about the endophenotype-intermediate phenotype-biomarker distinctions in developmental psychopathology research. *Development and Psychopathology*, 25, 1347–57. doi:10.1017/S0954579413000655
- Lerch, J. P., van der Kouwe, A. J. W., Raznahan, A., Paus, T., Johansen-Berg, H., Miller, K. L., ... Sotiropoulos, S. N. (2017). Studying neuroanatomy using MRI. *Nature Neuroscience*, 20, 314–326. doi:10.1038/nn.4501
- Lesch, K.-P., & Waider, J. (2012). Serotonin in the modulation of neural plasticity and networks: implications for neurodevelopmental disorders. *Neuron*, 76, 175–91. doi:10.1016/j.neuron.2012.09.013
- Levita, L., Bois, C., Healey, A., Smyllie, E., Papakonstantinou, E., Hartley, T., & Lever, C. (2014). The Behavioural Inhibition System, anxiety and hippocampal volume in a non-clinical population. *Biology of Mood & Anxiety Disorders*, 4, 4. doi:10.1186/2045-5380-4-4
- Lewis, G. J., Panizzon, M. S., Eyler, L., Fennema-Notestine, C., Chen, C.-H., Neale, M. C., ... Franz, C. E. (2014). Heritable influences on amygdala and orbitofrontal cortex contribute to genetic variation in core dimensions of personality. *NeuroImage*, 103C, 309–315. doi:10.1016/j.neuroimage.2014.09.043
- Liao, W., Chen, H., Feng, Y., Mantini, D., Gentili, C., Pan, Z., ... Zhang, W. (2010). Selective aberrant functional connectivity of resting state networks in social anxiety disorder. *NeuroImage*, 52, 1549–58. doi:10.1016/j.neuroimage.2010.05.010

- Liao, W., Qiu, C., Gentili, C., Walter, M., Pan, Z., Ding, J., ... Chen, H. (2010). Altered effective connectivity network of the amygdala in social anxiety disorder: a resting-state fMRI study. *PloS One*, 5, e15238. doi:10.1371/journal.pone.0015238
- Liao, W., Xu, Q., Mantini, D., Ding, J., Machado-de-Sousa, J. P., Hallak, J. E. C., ... Chen, H. (2011). Altered gray matter morphometry and resting-state functional and structural connectivity in social anxiety disorder. *Brain Research*, 1388, 167–77. doi:10.1016/j.brainres.2011.03.018
- Lieb, R., Wittchen, H.-U., Höfler, M., Fuetsch, M., Stein, M. B., & Merikangas, K. R. (2000). Parental Psychopathology, Parenting Styles, and the Risk of Social Phobia in Offspring. *Archives of General Psychiatry*, 57, 859. doi:10.1001/archpsyc.57.9.859
- Lisciandra, C., Postma-Nilsenová, M., & Colombo, M. (2013). Conformability. A Study on Group Conditioning of Normative Judgment. *Review of Philosophy and Psychology*, 4, 751–764. doi:10.1007/s13164-013-0161-4
- Lissek, S., Levenson, J., Biggs, A. L., Johnson, L. L., Ameli, R., Pine, D. S., & Grillon, C. (2008). Elevated fear conditioning to socially relevant unconditioned stimuli in social anxiety disorder. *The American Journal of Psychiatry*, 165, 124–32. doi:10.1176/appi.ajp.2007.06091513
- Liu, B., Song, M., Li, J., Liu, Y., Li, K., Yu, C., & Jiang, T. (2010). Prefrontal-related functional connectivities within the default network are modulated by COMT val158met in healthy young adults. *The Journal of Neuroscience*, 30, 64–9. doi:10.1523/JNEUROSCI.3941-09.2010
- Liu, F., Guo, W., Fouche, J.-P., Wang, Y., Wang, W., Ding, J., ... Chen, H. (2015). Multivariate classification of social anxiety disorder using whole brain functional connectivity. *Brain Structure & Function*, 220, 101–115. doi:10.1007/s00429-013-0641-4
- Lonsdorf, T. B., Golkar, A., Lindstöm, K. M., Fransson, P., Schalling, M., Ohman, A., & Ingvar, M. (2011). 5-HTTLPR and COMTval158met genotype gate amygdala reactivity and habituation. *Biological Psychology*, 87, 106–12. doi:10.1016/j.biopsycho.2011.02.014
- Lorberbaum, J. P., Kose, S., Johnson, M. R., Arana, G. W., Sullivan, L. K., Hamner, M. B., ... George, M. S. (2004). Neural correlates of speech anticipatory anxiety in generalized social phobia. *Neuroreport*, 15, 2701–5.
- Loscalzo, Y., Giannini, M., & Miers, A. C. (2017). Social anxiety and interpretation bias: examining clinical and subclinical components in adolescents. *Child and Adolescent Mental Health*. doi:10.1111/camh.12221
- Ma, Y., Li, B., Wang, C., Shi, Z., Sun, Y., Sheng, F., ... Han, S. (2014). 5-HTTLPR polymorphism modulates neural mechanisms of negative self-reflection. *Cerebral Cortex*, 24, 2421–9. doi:10.1093/cercor/bht099
- Machado-de-Sousa, J. P., Osório, F. de L., Jackowski, A. P., Bressan, R. A., Chagas, M. H. N., Torro-Alves, N., ... Hallak, J. E. C. (2014). Increased amygdalar and hippocampal volumes in young adults with social anxiety. *PloS One*, 9, e88523. doi:10.1371/journal.pone.0088523
- Mack, S., Jacobi, F., Beesdo-Baum, K., Gerschler, A., Strehle, J., Höfler, M., ... Wittchen, H.-U. (2015). Functional disability and quality of life decrements in mental disorders: Results from the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). *European Psychiatry: The Journal of the Association of European Psychiatrists*, 30, 793–800. doi:10.1016/j.eurpsy.2015.06.003

- Mackey, S., & Petrides, M. (2010). Quantitative demonstration of comparable architectonic areas within the ventromedial and lateral orbital frontal cortex in the human and the macaque monkey brains. *European Journal of Neuroscience*, 32, 1940–1950. doi:10.1111/j.1460-9568.2010.07465.x
- MacNamara, A., DiGangi, J., & Phan, K. L. (2016). Aberrant spontaneous and task-dependent functional connections in the anxious brain. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, 1, 278–287. doi:10.1016/j.bpsc.2015.12.004
- Malle, B. F., & Knobe, J. (1997). The Folk Concept of Intentionality. *Journal of Experimental Social Psychology*, 33, 101–121. doi:10.1006/jesp.1996.1314
- Mancini, C., Van Ameringen, M., Szatmari, P., Fugere, C., & Boyle, M. (1996). A High-Risk Pilot Study of the Children of Adults with Social Phobia. *Journal of the American Academy of Child & Adolescent Psychiatry*, 35, 1511–1517. doi:10.1097/00004583-199611000-00020
- Manning, J., Reynolds, G., Saygin, Z. M., Hofmann, S. G., Pollack, M., Gabrieli, J. D. E., & Whitfield-Gabrieli, S. (2015). Altered resting-state functional connectivity of the frontal-striatal reward system in social anxiety disorder. *PloS One*, 10, e0125286. doi:10.1371/journal.pone.0125286
- Månsson, K. N. T., Carlbring, P., Frick, A., Engman, J., Olsson, C.-J., Bodlund, O., ... Andersson, G. (2013). Altered neural correlates of affective processing after internet-delivered cognitive behavior therapy for social anxiety disorder. *Psychiatry Research*, 214, 229–37. doi:10.1016/j.psychres.2013.08.012
- Månsson, K. N. T., Frick, A., Boraxbekk, C.-J., Marquand, A. F., Williams, S. C. R., Carlbring, P., ... Furmark, T. (2015). Predicting long-term outcome of Internet-delivered cognitive behavior therapy for social anxiety disorder using fMRI and support vector machine learning. *Translational Psychiatry*, 5, e530. doi:10.1038/tp.2015.22
- Månsson, K. N. T., Salami, A., Frick, A., Carlbring, P., Andersson, G., Furmark, T., & Boraxbekk, C.-J. (2016). Neuroplasticity in response to cognitive behavior therapy for social anxiety disorder. *Translational Psychiatry*, 6, e727. doi:10.1038/tp.2015.218
- Marchand, W. R. (2010). Cortico-basal ganglia circuitry: a review of key research and implications for functional connectivity studies of mood and anxiety disorders. *Brain Structure & Function*, 215, 73–96. doi:10.1007/s00429-010-0280-y
- Marín, O. (2016). Developmental timing and critical windows for the treatment of psychiatric disorders. *Nature Medicine*, 22, 1229–1238. doi:10.1038/nm.4225
- Markett, S., Weber, B., Voigt, G., Montag, C., Felten, A., Elger, C., & Reuter, M. (2013). Intrinsic connectivity networks and personality: the temperament dimension harm avoidance moderates functional connectivity in the resting brain. *Neuroscience*, 240, 98–105. doi:10.1016/j.neuroscience.2013.02.056
- Mattay, V. S., & Goldberg, T. E. (2004). Imaging genetic influences in human brain function. *Current Opinion in Neurobiology*, 14, 239–247. doi:https://doi.org/10.1016/j.conb.2004.03.014
- McCarthy, N. S., Badcock, J. C., Clark, M. L., Knowles, E. E. M., Cadby, G., Melton, P. E., ... Jablensky, A. (2018). Assessment of Cognition and Personality as Potential Endophenotypes in the Western Australian Family Study of Schizophrenia. *Schizophrenia Bulletin*, 44, 908–921. doi:10.1093/schbul/sbx141
- McDiarmid, T. A., Bernardos, A. C., & Rankin, C. H. (2017). Habituation is altered in neuropsychiatric disorders—A comprehensive review with recommendations for experimental design and analysis. *Neuroscience & Biobehavioral Reviews*, 80, 286–305. doi:10.1016/j.neubiorev.2017.05.028

- McGregor, N. W., Dimatelis, J. J., Van Zyl, P. J., Hemmings, S. M. J., Kinnear, C., Russell, V. A., ... Lochner, C. (2018). A translational approach to the genetics of anxiety disorders. *Behavioural Brain Research*, 341, 91–97. doi:10.1016/j.bbr.2017.12.030
- McKnight, P. E., Monfort, S. S., Kashdan, T. B., Blalock, D. V., & Calton, J. M. (2016). Anxiety symptoms and functional impairment: A systematic review of the correlation between the two measures. *Clinical Psychology Review*, 45, 115–130. doi:10.1016/j.cpr.2015.10.005
- Mclatchie, N., Giner-Sorolla, R., & Derbyshire, S. W. G. (2016). “Imagined guilt” vs “recollected guilt”: implications for fMRI. *Social Cognitive and Affective Neuroscience*, 11, 703–711. doi:10.1093/scan/nsw001
- Meier, S. M., & Deckert, J. (2019). Genetics of Anxiety Disorders. *Current Psychiatry Reports*, 21, 16. doi:10.1007/s11920-019-1002-7
- Meier, S. M., Petersen, L., Mattheisen, M., Mors, O., Mortensen, P. B., & Laursen, T. M. (2015). Secondary depression in severe anxiety disorders: a population-based cohort study in Denmark. *The Lancet Psychiatry*, 2, 515–23. doi:10.1016/S2215-0366(15)00092-9
- Meng, Y., Lui, S., Qiu, C., Qiu, L., Lama, S., Huang, X., ... Zhang, W. (2013). Neuroanatomical deficits in drug-naïve adult patients with generalized social anxiety disorder: a voxel-based morphometry study. *Psychiatry Research*, 214, 9–15. doi:10.1016/j.psychres.2013.06.002
- Mennin, D. S., Fresco, D. M., Heimberg, R. G., Schneier, F. R., Davies, S. O., & Liebowitz, M. R. (2002). Screening for social anxiety disorder in the clinical setting: using the Liebowitz Social Anxiety Scale. *Journal of Anxiety Disorders*, 16, 661–673. doi:10.1016/S0887-6185(02)00134-2
- Menon, V. (2011). Large-scale brain networks and psychopathology: a unifying triple network model. *Trends in Cognitive Sciences*, 15, 483–506. doi:10.1016/j.tics.2011.08.003
- Menzies, L., Achard, S., Chamberlain, S. R., Fineberg, N., Chen, C.-H., del Campo, N., ... Bullmore, E. (2007). Neurocognitive endophenotypes of obsessive-compulsive disorder. *Brain*, 130, 3223–36. doi:10.1093/brain/awm205
- Merikangas, K. R., He, J.-P., Burstein, M., Swanson, S. A., Avenevoli, S., Cui, L., ... Swendsen, J. (2010). Lifetime prevalence of mental disorders in U.S. adolescents: results from the National Comorbidity Survey Replication--Adolescent Supplement (NCS-A). *Journal of the American Academy of Child and Adolescent Psychiatry*, 49, 980–9. doi:10.1016/j.jaac.2010.05.017
- Merikangas, K. R., Lieb, R., Wittchen, H.-U., & Avenevoli, S. (2003). Family and high-risk studies of social anxiety disorder. *Acta Psychiatrica Scandinavica. Supplementum*, 28–37. doi:10.1034/j.1600-0447.108.s417.5.x
- Mesman, E. (2015). *At risk for bipolar disorder - bipolar offspring followed from adolescence into adulthood*. Rijksuniversiteit Groningen.
- Meyer-Lindenberg, A. (2010). Behavioural neuroscience: Genes and the anxious brain. *Nature*, 466, 827–8. doi:10.1038/466827a
- Meyer-Lindenberg, A., & Weinberger, D. R. (2006). Intermediate phenotypes and genetic mechanisms of psychiatric disorders. *Nature Reviews. Neuroscience*, 7, 818–27. doi:10.1038/nrn1993
- Michl, P., Meindl, T., Meister, F., Born, C., Engel, R. R., Reiser, M., & Hennig-Fast, K. (2014). Neurobiological underpinnings of shame and guilt: a pilot fMRI study. *Social Cognitive and Affective Neuroscience*, 9, 150–7. doi:10.1093/scan/nss114

- Middeldorp, C. M., Birley, A. J., Cath, D. C., Gillespie, N. A., Willemsen, G., Statham, D. J., ... Boomsma, D. I. (2005). Familial clustering of major depression and anxiety disorders in Australian and Dutch twins and siblings. *Twin Research and Human Genetics*, 8, 609–15. doi:10.1375/183242705774860123
- Miers, A. C., Blöte, A. W., Bögels, S. M., & Westenberg, P. M. (2008). Interpretation bias and social anxiety in adolescents. *Journal of Anxiety Disorders*, 22, 1462–71. doi:10.1016/j.janxdis.2008.02.010
- Miers, A. C., Blöte, A. W., de Rooij, M., Bokhorst, C. L., & Westenberg, P. M. (2013). Trajectories of social anxiety during adolescence and relations with cognition, social competence, and temperament. *Journal of Abnormal Child Psychology*, 41, 97–110. doi:10.1007/s10802-012-9651-6
- Miers, A. C., Blöte, A. W., Heyne, D. A., & Westenberg, P. M. (2014). Developmental pathways of social avoidance across adolescence: The role of social anxiety and negative cognition. *Journal of Anxiety Disorders*, 28, 787–794. doi:10.1016/j.janxdis.2014.09.008
- Miers, A. C., Blöte, A. W., & Westenberg, P. M. (2010). Peer perceptions of social skills in socially anxious and nonanxious adolescents. *Journal of Abnormal Child Psychology*, 38, 33–41. doi:10.1007/s10802-009-9345-x
- Milham, M. P., Nugenta, A. C., Drevets, W. C., Dickstein, D. S., Leibenluft, E., Ernst, M., ... Pine, D. S. (2005). Selective reduction in amygdala volume in pediatric anxiety disorders: A voxel-based morphometry investigation. *Biological Psychiatry*, 57, 961–966. doi:10.1016/J.BIOPSYCH.2005.01.038
- Miller, G. A., & Rockstroh, B. (2013). Endophenotypes in psychopathology research: where do we stand? *Annual Review of Clinical Psychology*, 9, 177–213. doi:10.1146/annurev-clinpsy-050212-185540
- Miller, R. S. (2007). Is Embarrassment a Blessing or a Curse? In J. L. Tracy, R. W. Robins, & J. P. Tangney (Eds.), *The Self-conscious emotions* (1st ed., pp. 245–262). New York: The Guilford Press.
- Miller, R. S. (2014). Embarrassment and Social Anxiety Disorder: Fraternal Twins or Distant Cousins? In S. G. Hofmann & P. M. DiBartolo (Eds.), *Social Anxiety: Clinical, Developmental, and Social Perspectives* (3rd ed., pp. 117–140). San Diego: Academic Press Inc Elsevier Science.
- Mills, K. L., Lalonde, F., Clasen, L. S., Giedd, J. N., & Blakemore, S.-J. (2012). Developmental changes in the structure of the social brain in late childhood and adolescence. *Social Cognitive and Affective Neuroscience*, 9, 123–131. doi:10.1093/scan/nss113
- Mincic, A. M. (2015). Neuroanatomical correlates of negative emotionality-related traits: A systematic review and meta-analysis. *Neuropsychologia*, 77, 97–118. doi:10.1016/j.neuropsychologia.2015.08.007
- Minkova, L., Sladky, R., Kranz, G. S., Woletz, M., Geissberger, N., Kraus, C., ... Windischberger, C. (2017). Task-dependent modulation of amygdala connectivity in social anxiety disorder. *Psychiatry Research: Neuroimaging*, 262, 39–46. doi:10.1016/j.pscychresns.2016.12.016
- Miskovic, V., & Schmidt, L. A. (2012). Social fearfulness in the human brain. *Neuroscience and Biobehavioral Reviews*, 36, 459–78. doi:10.1016/j.neubiorev.2011.08.002
- Miskowiak, K. W., Larsen, J. E., Harmer, C. J., Siebner, H. R., Kessing, L. V., Macoveanu, J., & Vinberg, M. (2018). Is negative self-referent bias an endophenotype for depression? An fMRI study of emotional self-referent words in twins at high vs. low risk of depression. *Journal of Affective Disorders*, 226, 267–273. doi:10.1016/j.jad.2017.10.013
- Moitra, E., Beard, C., Weisberg, R. B., & Keller, M. B. (2011). Occupational impairment and Social Anxiety Disorder in a sample of primary care patients. *Journal of Affective Disorders*, 130, 209–212. doi:10.1016/j.jad.2010.09.024

- Moll, J., de Oliveira-Souza, R., Bramati, I. E., & Grafman, J. (2002). Functional Networks in Emotional Moral and Nonmoral Social Judgments. *NeuroImage*, 16, 696–703. doi:10.1006/nimg.2002.1118
- Moll, J., de Oliveira-Souza, R., Eslinger, P. J., Bramati, I. E., Mourao-Miranda, J., Andreiuolo, P. A., & Pessoa, L. (2002). The Neural Correlates of Moral Sensitivity: A Functional Magnetic Resonance Imaging Investigation of Basic and Moral Emotions. *The Journal of Neuroscience*, 22, 2730–2736. doi:10.1523/JNEUROSCI.22-07-02730.2002
- Moll, J., & Schulkin, J. (2009). Social attachment and aversion in human moral cognition. *Neuroscience and Biobehavioral Reviews*, 33, 456–65. doi:10.1016/j.neubiorev.2008.12.001
- Montag, C., Reuter, M., Jurkiewicz, M., Markett, S., & Panksepp, J. (2013). Imaging the structure of the human anxious brain: a review of findings from neuroscientific personality psychology. *Reviews in the Neurosciences*, 24, 167–90. doi:10.1515/revneuro-2012-0085
- Morey, R. A., McCarthy, G., Selgrade, E. S., Seth, S., Nasser, J. D., & LaBar, K. S. (2012). Neural systems for guilt from actions affecting self versus others. *NeuroImage*, 60, 683–692. doi:10.1016/j.neuroimage.2011.12.069
- Morgan, J. K., Shaw, D. S., & Forbes, E. E. (2015). Fearfulness moderates the link between childhood social withdrawal and adolescent reward response. *Social Cognitive and Affective Neuroscience*, 10, 761–8. doi:10.1093/scan/nsu113
- Morgan, S. E., White, S. R., Bullmore, E. T., & Vértes, P. E. (2018). A Network Neuroscience Approach to Typical and Atypical Brain Development. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, 3, 754–766. doi:10.1016/j.bpsc.2018.03.003
- Morrison, A. S., & Heimberg, R. G. (2013). Social anxiety and social anxiety disorder. *Annual Review of Clinical Psychology*, 9, 249–74. doi:10.1146/annurev-clinpsy-050212-185631
- Moscovitch, D. A. (2009). What Is the Core Fear in Social Phobia? A New Model to Facilitate Individualized Case Conceptualization and Treatment. *Cognitive and Behavioral Practice*, 16, 123–134. doi:10.1016/j.cbpra.2008.04.002
- Moscovitch, D. A., Rodebaugh, T. L., & Hesch, B. D. (2012). How awkward! Social anxiety and the perceived consequences of social blunders. *Behaviour Research and Therapy*, 50, 142–9. doi:10.1016/j.brat.2011.11.002
- Moscovitch, D. A., Rowa, K., Paulitzki, J. R., Ierullo, M. D., Chiang, B., Antony, M. M., & McCabe, R. E. (2013). Self-portrayal concerns and their relation to safety behaviors and negative affect in social anxiety disorder. *Behaviour Research and Therapy*, 51, 476–86. doi:10.1016/j.brat.2013.05.002
- Moscovitch, D. A., Waechter, S., Bielak, T., Rowa, K., & McCabe, R. E. (2015). Out of the shadows and into the spotlight: Social blunders fuel fear of self-exposure in social anxiety disorder. *Journal of Anxiety Disorders*, 34, 24–32. doi:10.1016/j.janxdis.2015.06.004
- Mueller, S. C., Aouidad, A., Gorodetsky, E., Goldman, D., Pine, D. S., & Ernst, M. (2013). Gray Matter Volume in Adolescent Anxiety: An Impact of the Brain-Derived Neurotrophic Factor Val66Met Polymorphism? *Journal of the American Academy of Child & Adolescent Psychiatry*, 52, 184–195. doi:10.1016/j.jaac.2012.11.016
- Müller-Pinzler, L., Gazzola, V., Keysers, C., Sommer, J., Jansen, A., Frässle, S., ... Krach, S. (2015). Neural pathways of embarrassment and their modulation by social anxiety. *NeuroImage*, 119, 252–261. doi:10.1016/j.neuroimage.2015.06.036

- Munafò, M. R., Brown, S. M., & Hariri, A. R. (2008). Serotonin transporter (5-HTTLPR) genotype and amygdala activation: a meta-analysis. *Biological Psychiatry*, 63, 852–7. doi:10.1016/j.biopsych.2007.08.016
- Munafò, M. R., & Flint, J. (2014a). Common or Rare Variants for Complex Traits? *Biological Psychiatry*, 75, 752–753. doi:10.1016/j.biopsych.2014.03.010
- Munafò, M. R., & Flint, J. (2014b). The genetic architecture of psychophysiological phenotypes. *Psychophysiology*, 51, 1331–2. doi:10.1111/psyp.12355
- Muris, P., Meesters, C., de Kanter, E., & Timmerman, P. E. (2005). Behavioural inhibition and behavioural activation system scales for children: relationships with Eysenck's personality traits and psychopathological symptoms. *Personality and Individual Differences*, 38, 831–841. doi:10.1016/j.paid.2004.06.007
- Murphy, S. E., Norbury, R., Godlewska, B. R., Cowen, P. J., Mannie, Z. M., Harmer, C. J., & Munafò, M. R. (2013). The effect of the serotonin transporter polymorphism (5-HTTLPR) on amygdala function: a meta-analysis. *Molecular Psychiatry*, 18, 512–20. doi:10.1038/mp.2012.19
- Mutlu, A. K., Schneider, M., Debbané, M., Badoud, D., Eliez, S., & Schaer, M. (2013). Sex differences in thickness, and folding developments throughout the cortex. *NeuroImage*, 82, 200–207. doi:10.1016/j.neuroimage.2013.05.076
- Naragon-Gainey, K., & Watson, D. (2011). Clarifying the dispositional basis of social anxiety: A hierarchical perspective. *Personality and Individual Differences*, 50, 926–934. doi:10.1016/j.paid.2010.07.012
- Natsuaki, M. N., Leve, L. D., Neiderhiser, J. M., Shaw, D. S., Scaramella, L. V., Ge, X., & Reiss, D. (2013). Intergenerational transmission of risk for social inhibition: the interplay between parental responsiveness and genetic influences. *Development and Psychopathology*, 25, 261–74. doi:10.1017/S0954579412001010
- Neal, J. A., & Edelmann, R. J. (2003). The etiology of social phobia: Toward a developmental profile. *Clinical Psychology Review*, 23, 761–786. doi:10.1016/S0272-7358(03)00076-X
- Nejad, A. B., Fossati, P., & Lemogne, C. (2013). Self-Referential Processing, Rumination, and Cortical Midline Structures in Major Depression. *Frontiers in Human Neuroscience*, 7, 666. doi:10.3389/fnhum.2013.00666
- Nelson, E. E., Jarcho, J. M., & Guyer, A. E. (2015). Social re-orientation and brain development: an expanded and updated view. *Developmental Cognitive Neuroscience*, 17, 118–127. doi:10.1016/j.dcn.2015.12.008
- Newby, J., Pitura, V. A., Penney, A. M., Klein, R. G., Flett, G. L., & Hewitt, P. L. (2017). Neuroticism and perfectionism as predictors of social anxiety. *Personality and Individual Differences*, 106, 263–267. doi:10.1016/j.paid.2016.10.057
- Nikolova, Y. S., & Hariri, A. R. (2015). Can we observe epigenetic effects on human brain function? *Trends in Cognitive Sciences*, 19, 366–373. doi:10.1016/j.tics.2015.05.003
- Nikolova, Y. S., Koenen, K. C., Galea, S., Wang, C.-M., Seney, M. L., Sibille, E., ... Hariri, A. R. (2014). Beyond genotype: serotonin transporter epigenetic modification predicts human brain function. *Nature Neuroscience*, 17, 1153–1155. doi:10.1038/nn.3778
- Nitsche, M. A., Cohen, L. G., Wassermann, E. M., Priori, A., Lang, N., Antal, A., ... Pascual-Leone, A. (2008). Transcranial direct current stimulation: State of the art 2008. *Brain Stimulation*, 1, 206–223. doi:10.1016/j.brs.2008.06.004
- Nivard, M. G., Dolan, C. V., Kendler, K. S., Kan, K.-J., Willemsen, G., van Beijsterveldt, C. E. M., ... Boomsma, D. I. (2015). Stability in symptoms of anxiety and depression as a function of genotype and envi-

- ronment: a longitudinal twin study from ages 3 to 63 years. *Psychological Medicine*, 45, 1039–1049. doi:10.1017/S003329171400213X
- Noble, K. G., Houston, S. M., Brito, N. H., Bartsch, H., Kan, E., Kuperman, J. M., ... Sowell, E. R. (2015). Family income, parental education and brain structure in children and adolescents. *Nature Neuroscience*, 18, 773–780. doi:10.0.4.14/nn.3983
- Northoff, G., Heinzel, A., de Greck, M., Bermpohl, F., Dobrowolny, H., & Panksepp, J. (2006). Self-referential processing in our brain—A meta-analysis of imaging studies on the self. *NeuroImage*, 31, 440–457. doi:10.1016/j.neuroimage.2005.12.002
- Norton, A. R., & Abbott, M. J. (2017). The Role of Environmental Factors in the Aetiology of Social Anxiety Disorder: A Review of the Theoretical and Empirical Literature. *Behaviour Change*, 1–22. doi:10.1017/bec.2017.7
- O'Callaghan, C., Bertoux, M., Irish, M., Shine, J. M., Wong, S., Spiliopoulos, L., ... Hornberger, M. (2016). Fair play: social norm compliance failures in behavioural variant frontotemporal dementia. *Brain*, 139.
- Ohayon, M. M., & Schatzberg, A. F. (2010). Social phobia and depression: prevalence and comorbidity. *Journal of Psychosomatic Research*, 68, 235–43. doi:10.1016/j.jpsychores.2009.07.018
- Ohi, K., Otowa, T., Shimada, M., Sasaki, T., & Tanii, H. (2019). Shared genetic etiology between anxiety disorders and psychiatric and related intermediate phenotypes. *Psychological Medicine*, 1–13. doi:DOI: 10.1017/S003329171900059X
- Oldfield, R. (1971). The assessment and analysis of handedness: The Edinburgh inventory. *Neuropsychologia*, 9, 97–113. doi:10.1016/0028-3932(71)90067-4
- Oler, J. A., Fox, A. S., Shelton, S. E., Rogers, J., Dyer, T. D., Davidson, R. J., ... Kalin, N. H. (2010). Amygdalar and hippocampal substrates of anxious temperament differ in their heritability. *Nature*, 466, 864–8. doi:10.1038/nature09282
- Ollendick, T. H., & Benoit, K. E. (2012). A parent-child interactional model of social anxiety disorder in youth. *Clinical Child and Family Psychology Review*, 15, 81–91. doi:10.1007/s10567-011-0108-1
- Olsson, A., & Phelps, E. A. (2007). Social learning of fear. *Nature Neuroscience*, 10, 1095–102. doi:10.1038/nn1968
- Ormel, J., Raven, D., van Oort, F., Hartman, C. A., Reijneveld, S. A., Veenstra, R., ... Oldehinkel, A. J. (2014). Mental health in Dutch adolescents: a TRAILS report on prevalence, severity, age of onset, continuity and co-morbidity of DSM disorders. *Psychological Medicine*, 1–16. doi:10.1017/S0033291714001469
- Otowa, T., Hek, K., Lee, M., Byrne, E. M., Mirza, S. S., Nivard, M. G., ... Hetttema, J. M. (2016). Meta-analysis of genome-wide association studies of anxiety disorders. *Molecular Psychiatry*, 21, 1–9. doi:10.1038/mp.2015.197
- Pacheco, J., Beevers, C. G., Benavides, C., McGeary, J., Stice, E., & Schnyer, D. M. (2009). Frontal-limbic white matter pathway associations with the serotonin transporter gene promoter region (5-HTTLPR) polymorphism. *The Journal of Neuroscience*, 29, 6229–33. doi:10.1523/JNEUROSCI.0896-09.2009
- Pahl, K. M., Barrett, P. M., & Gullo, M. J. (2012). Examining potential risk factors for anxiety in early childhood. *Journal of Anxiety Disorders*, 26, 311–20. doi:10.1016/j.janxdis.2011.12.013
- Panizzon, M. S., Fennema-Notestine, C., Eyler, L. T., Jernigan, T. L., Prom-Wormley, E., Neale, M., ... Kremen, W. S. (2009). Distinct Genetic Influences on Cortical Surface Area and Cortical Thickness. *Cerebral Cortex*, 19, 2728–2735. doi:doi.org/10.1093/cercor/bhp026

- Pannekoek, J. N., van der Werff, S. J. A., van Tol, M. J., Veltman, D. J., Aleman, A., Zitman, F. G., ... van der Wee, N. J. A. (2015). Investigating Distinct and Common Abnormalities of Resting-State Functional Connectivity in Depression, Anxiety, and their Comorbid States. *European Neuropsychopharmacology*, 25, 1933–1942. doi:10.1016/j.euroneuro.2015.08.002
- Pannekoek, J. N., Veer, I. M., van Tol, M.-J., van der Werff, S. J. A., Demenescu, L. R., Aleman, A., ... van der Wee, N. J. A. (2013). Resting-state functional connectivity abnormalities in limbic and salience networks in social anxiety disorder without comorbidity. *European Neuropsychopharmacology*, 23, 186–95. doi:10.1016/j.euroneuro.2012.04.018
- Patel, S., Patel, R., Park, M. T. M., Masellis, M., Knight, J., & Chakravarty, M. M. (2018). Heritability estimates of cortical anatomy: The influence and reliability of different estimation strategies. *NeuroImage*, 178, 78–91. doi:https://doi.org/10.1016/j.neuroimage.2018.05.014
- Paton, J. J., Belova, M. A., Morrison, S. E., & Salzman, C. D. (2006). The primate amygdala represents the positive and negative value of visual stimuli during learning. *Nature*, 439, 865–70. doi:10.1038/nature04490
- Paulus, F. M., Müller-Pinzler, L., Jansen, A., Gazzola, V., & Krach, S. (2015). Mentalizing and the Role of the Posterior Superior Temporal Sulcus in Sharing Others' Embarrassment. *Cerebral Cortex*, 25, 2065–75. doi:10.1093/cercor/bhu011
- Paus, T., Keshavan, M., & Giedd, J. N. (2008). Why do many psychiatric disorders emerge during adolescence? *Nature Reviews. Neuroscience*, 9, 947–57. doi:10.1038/nrn2513
- Peeters, F., Ponds, R., & Vermeer, M. (1996). Affectiviteit en zelfbeoordeling van depressie en angst. *Tijdschrift Voor Psychiatrie*, 38, 240–250.
- Pejic, T., Hermann, A., Vaitl, D., & Stark, R. (2013). Social anxiety modulates amygdala activation during social conditioning. *Social Cognitive and Affective Neuroscience*, 8, 267–76. doi:10.1093/scan/nsr095
- Pelphrey, K. A., Morris, J. P., & McCarthy, G. (2004). Grasping the Intentions of Others: The Perceived Intentionality of an Action Influences Activity in the Superior Temporal Sulcus during Social Perception. *Journal of Cognitive Neuroscience*, 16, 1706–1716. doi:10.1162/0898929042947900
- Penninx, B. W. J. H., Beekman, A. T. F., Smit, J. H., Zitman, F. G., Nolen, W. A., Spinhoven, P., ... Van Dyck, R. (2008). The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. *International Journal of Methods in Psychiatric Research*, 17, 121–140. doi:10.1002/mp.256
- Peper, J. S., Brouwer, R. M., Boomsma, D. I., Kahn, R. S., & Hulshoff Pol, H. E. (2007). Genetic influences on human brain structure: a review of brain imaging studies in twins. *Human Brain Mapping*, 28, 464–73. doi:10.1002/hbm.20398
- Pereira, F., Mitchell, T., & Botvinick, M. (2009). Machine learning classifiers and fMRI: A tutorial overview. *NeuroImage*, 45, S199–S209. doi:10.1016/j.neuroimage.2008.11.007
- Pérez-Edgar, K., Roberson-Nay, R., Hardin, M. G., Poeth, K., Guyer, A. E., Nelson, E. E., ... Ernst, M. (2007). Attention alters neural responses to evocative faces in behaviorally inhibited adolescents. *NeuroImage*, 35, 1538–46. doi:10.1016/j.neuroimage.2007.02.006
- Perez-Rodriguez, M. M., New, A. S., Goldstein, K. E., Rosell, D., Yuan, Q., Zhou, Z., ... Hazlett, E. A. (2017). Brain-derived neurotrophic factor Val66Met genotype modulates amygdala habituation. *Psychiatry Research: Neuroimaging*, 263, 85–92. doi:10.1016/j.pscychresns.2017.03.008
- Peris, T. S., & Galván, A. (2013). Contextual modulation of medial prefrontal cortex to neutral faces in anxious adolescents. *Biology of Mood & Anxiety Disorders*, 3, 18. doi:10.1186/2045-5380-3-18

- Peterburs, J., Sandrock, C., Miltner, W. H. R., & Straube, T. (2016). Look who's judging-Feedback source modulates brain activation to performance feedback in social anxiety. *NeuroImage*. doi:10.1016/j.neuroimage.2016.03.036
- Pfeifer, J. H., Masten, C. L., Borofsky, L. A., Dapretto, M., Fuligni, A. J., & Lieberman, M. D. (2008). Neural Correlates of Direct and Reflected Self-Appraisals in Adolescents and Adults: When Social Perspective-Taking Informs Self-Perception. *Child Development*, 80, 1016–1038. doi:10.1111/j.1467-8624.2009.01314.x
- Phan, K. L., Coccaro, E. F., Angstadt, M., Kreger, K. J., Mayberg, H. S., Liberzon, I., & Stein, M. B. (2013). Corticolimbic brain reactivity to social signals of threat before and after sertraline treatment in generalized social phobia. *Biological Psychiatry*, 73, 329–36. doi:10.1016/j.biopsych.2012.10.003
- Phan, K. L., Fitzgerald, D. A., Nathan, P. J., Moore, G. J., Uhde, T. W., & Tancer, M. E. (2005). Neural substrates for voluntary suppression of negative affect: A functional magnetic resonance imaging study. *Biological Psychiatry*, 57, 210–219. doi:https://doi.org/10.1016/j.biopsych.2004.10.030
- Phan, K. L., Orlichenko, A., Boyd, E., Angstadt, M., Coccaro, E. F., Liberzon, I., & Arfanakis, K. (2009). Preliminary Evidence of White Matter Abnormality in the Uncinate Fasciculus in Generalized Social Anxiety Disorder. *Biological Psychiatry*, 66, 691–694. doi:10.1016/j.biopsych.2009.02.028
- Piccirillo, M. L., Dryman, M. T., & Heimberg, R. G. (2016). Safety Behaviors in Adults With Social Anxiety: Review and Future Directions. *Behavior Therapy*, 47, 675–687. doi:10.1016/J.BETH.2015.11.005
- Picó-Pérez, M., Radua, J., Steward, T., Menchón, J. M., & Soriano-Mas, C. (2017). Emotion regulation in mood and anxiety disorders: A meta-analysis of fMRI cognitive reappraisal studies. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 79, 96–104. doi:https://doi.org/10.1016/j.pnpbp.2017.06.001
- Piel, J. H., Lett, T. A., Wackerhagen, C., Plichta, M. M., Mohnke, S., Grimm, O., ... Erk, S. (2018). The effect of 5-HTTLPR and a serotonergic multi-marker score on amygdala, prefrontal and anterior cingulate cortex reactivity and habituation in a large, healthy fMRI cohort. *European Neuropsychopharmacology*, 28, 415–427. doi:10.1016/j.euroneuro.2017.12.014
- Piray, P., Ly, V., Roelofs, K., Cools, R., & Toni, I. (2018). Emotionally aversive cues suppress neural systems underlying optimal learning in socially anxious individuals. *The Journal of Neuroscience*, 1318–1394. doi:10.1523/JNEUROSCI.1394-18.2018
- Pitcher, D., Japee, S., Rauth, L., & Ungerleider, L. G. (2017). The Superior Temporal Sulcus Is Causally Connected to the Amygdala: A Combined TBS-fMRI Study. *The Journal of Neuroscience*, 37, 1156 LP – 1161. doi:10.1523/JNEUROSCI.0114-16.2016
- Pittig, A., Treanor, M., LeBeau, R. T., & Craske, M. G. (2018). The role of associative fear and avoidance learning in anxiety disorders: Gaps and directions for future research. *Neuroscience & Biobehavioral Reviews*, 88, 117–140. doi:https://doi.org/10.1016/j.neubiorev.2018.03.015
- Plichta, M. M., Grimm, O., Morgen, K., Mier, D., Sauer, C., Haddad, L., ... Meyer-Lindenberg, A. (2014). Amygdala habituation: a reliable fMRI phenotype. *NeuroImage*, 103, 383–90. doi:10.1016/j.neuroimage.2014.09.059
- Poldrack, R. A. (2007). Region of interest analysis for fMRI. *Social Cognitive and Affective Neuroscience*, 2, 67–70. doi:10.1093/scan/nsm006
- Poon, C.-S., & Young, D. L. (2006). Nonassociative learning as gated neural integrator and differentiator in stimulus-response pathways. *Behavioral and Brain Functions*, 2, 29. doi:10.1186/1744-9081-2-29

- Potijik, M. R., Drost, L. M., Havinga, P. J., Hartman, C. A., & Schoevers, R. A. (2019). "...and How Are the Kids?" Psychoeducation for Adult Patients With Depressive and/or Anxiety Disorders: A Pilot Study. *Frontiers in Psychiatry*. Retrieved from <https://www.frontiersin.org/article/10.3389/fpsy.2019.00004>
- Potts, N. L., Davidson, J. R., Krishnan, K. R., & Doraiswamy, P. M. (1994). Magnetic resonance imaging in social phobia. *Psychiatry Research*, 52, 35–42.
- Prasad, K. M., Goradia, D., Eack, S., Rajagopalan, M., Nutche, J., Magge, T., ... Keshavan, M. S. (2010). Cortical surface characteristics among offspring of schizophrenia subjects. *Schizophrenia Research*, 116, 143–51. doi:10.1016/j.schres.2009.11.003
- Prater, K. E., Hosanagar, A., Klumpp, H., Angstadt, M., & Phan, K. L. (2013). Aberrant amygdala-frontal cortex connectivity during perception of fearful faces and at rest in generalized social anxiety disorder. *Depression and Anxiety*, 30, 234–41. doi:10.1002/da.22014
- Pruim, R. H. R., Mennes, M., Buitelaar, J. K., & Beckmann, C. F. (2015). Evaluation of ICA-AROMA and alternative strategies for motion artifact removal in resting state fMRI. *NeuroImage*, 112, 278–287. doi:10.1016/J.NEUROIMAGE.2015.02.063
- Pruim, R. H. R., Mennes, M., van Rooij, D., Llera, A., Buitelaar, J. K., & Beckmann, C. F. (2015). ICA-AROMA: A robust ICA-based strategy for removing motion artifacts from fMRI data. *NeuroImage*, 112, 267–277. doi:10.1016/J.NEUROIMAGE.2015.02.064
- Puglia, M. H., Lillard, T. S., Morris, J. P., & Connelly, J. J. (2015). Epigenetic modification of the oxytocin receptor gene influences the perception of anger and fear in the human brain. *Proceedings of the National Academy of Sciences*, 201422096. doi:10.1073/pnas.1422096112
- Puls, I., & Gallinat, J. (2008). The concept of endophenotypes in psychiatric diseases meeting the expectations? *Pharmacopsychiatry*, 41 Suppl 1, S37–43. doi:10.1055/s-2008-1081462
- Quirk, G. J., Garcia, R., & González-Lima, F. (2006). Prefrontal mechanisms in extinction of conditioned fear. *Biological Psychiatry*, 60, 337–43. doi:10.1016/j.biopsych.2006.03.010
- R Core Team. (2016). R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from <https://www.r-project.org>
- Rakic, P. (1988). Specification of cerebral cortical areas. *Science*, 241, 170 LP – 176. doi:10.1126/science.3291116
- Ramaswami, M. (2014). Network Plasticity in Adaptive Filtering and Behavioral Habituation. *Neuron*, 82, 1216–1229. doi:10.1016/j.neuron.2014.04.035
- Rankin, C. H., Abrams, T., Barry, R. J., Bhatnagar, S., Clayton, D. F., Colombo, J., ... Thompson, R. F. (2009). Habituation revisited: an updated and revised description of the behavioral characteristics of habituation. *Neurobiology of Learning and Memory*, 92, 135–8. doi:10.1016/j.nlm.2008.09.012
- Rao, H., Gillihan, S. J., Wang, J., Korkczykowski, M., Sankoorikal, G. M. V., Kaercher, K. A., ... Farah, M. J. (2007). Genetic variation in serotonin transporter alters resting brain function in healthy individuals. *Biological Psychiatry*, 62, 600–6. doi:10.1016/j.biopsych.2006.11.028
- Rapee, R. M. (2014). Preschool environment and temperament as predictors of social and nonsocial anxiety disorders in middle adolescence. *Journal of the American Academy of Child and Adolescent Psychiatry*, 53, 320–8. doi:10.1016/j.jaac.2013.11.014
- Rapee, R. M., & Spence, S. H. (2004). The etiology of social phobia: empirical evidence and an initial model. *Clinical Psychology Review*, 24, 737–67. doi:10.1016/j.cpr.2004.06.004

- Reddan, M. C., Lindquist, M. A., & Wager, T. D. (2017). Effect Size Estimation in Neuroimaging. *JAMA Psychiatry*, 74, 207–208. doi:10.1001/jamapsychiatry.2016.3356
- Reichenberger, J., & Blechert, J. (2018). Malaise with praise: A narrative review of 10 years of research on the concept of Fear of Positive Evaluation in social anxiety. *Depression and Anxiety*. doi:10.1002/da.22808
- Reichenberger, J., Wiggert, N., Wilhelm, F. H., Liedlgruber, M., Voderholzer, U., Hillert, A., ... Blechert, J. (2019). Fear of negative and positive evaluation and reactivity to social-evaluative videos in social anxiety disorder. *Behaviour Research and Therapy*, 116, 140–148. doi:10.1016/j.brat.2019.03.009
- Rentería, M. E., Hansell, N. K., Strike, L. T., McMahon, K. L., de Zubicaray, G. I., Hickie, I. B., ... Wright, M. J. (2014). Genetic architecture of subcortical brain regions: common and region-specific genetic contributions. *Genes, Brain, and Behavior*, 13, 821–30. doi:10.1111/gbb.12177
- Reuter, M., Schmansky, N. J., Rosas, H. D., & Fischl, B. (2012). Within-subject template estimation for unbiased longitudinal image analysis. *NeuroImage*, 61, 1402–18. doi:10.1016/j.neuroimage.2012.02.084
- Richiardi, J., Altmann, A., Milazzo, A.-C., Chang, C., Chakravarty, M. M., Banaschewski, T., ... Greicius, M. D. (2015). BRAIN NETWORKS. Correlated gene expression supports synchronous activity in brain networks. *Science*, 348, 1241–4. doi:10.1126/science.1255905
- Roalf, D. R., Vandekar, S. N., Almasry, L., Ruparel, K., Satterthwaite, T. D., Elliott, M. A., ... Gur, R. E. (2015). Heritability of subcortical and limbic brain volume and shape in multiplex-multigenerational families with schizophrenia. *Biological Psychiatry*, 77, 137–146. doi:10.1016/j.biopsych.2014.05.009
- Robins, L. N., Wing, J., Wittchen, H.-U., Helzer, J. E., Babor, T. F., Burke, J., ... Towle, L. H. (1988). The Composite International Diagnostic Interview. *Archives of General Psychiatry*, 45, 1069. doi:10.1001/archpsyc.1988.01800360017003
- Robins, R. W., & Schriber, R. A. (2009). The Self-Conscious Emotions: How are they Experienced, Expressed, and Assessed? *Social and Personality Psychology Compass*, 3, 887–898. doi:10.1111/j.1751-9004.2009.00217.x
- Robinson, O. J., Charney, D. R., Overstreet, C., Vytal, K., & Grillon, C. (2012). The adaptive threat bias in anxiety: amygdala-dorsomedial prefrontal cortex coupling and aversive amplification. *NeuroImage*, 60, 523–9. doi:10.1016/j.neuroimage.2011.11.096
- Robinson, O. J., Krimsky, M., Lieberman, L., Allen, P., Vytal, K., & Grillon, C. (2014). Towards a mechanistic understanding of pathological anxiety: the dorsal medial prefrontal-amygdala “aversive amplification” circuit in unmedicated generalized and social anxiety disorders. *The Lancet. Psychiatry*, 1, 294–302. doi:10.1016/S2215-0366(14)70305-0
- Robinson, S., Windischberger, C., Rauscher, A., & Moser, E. (2004). Optimized 3 T EPI of the amygdalae. *NeuroImage*, 22, 203–210. doi:10.1016/j.neuroimage.2003.12.048
- Roelofs, J., van Breukelen, G., de Graaf, L. E., Beck, A. T., Arntz, A., & Huibers, M. J. H. (2013). Norms for the Beck Depression Inventory (BDI-II) in a Large Dutch Community Sample. *Journal of Psychopathology and Behavioral Assessment*, 35, 93–98. doi:10.1007/s10862-012-9309-2
- Roeyers, H., Thys, M., Druart, C., De Schryver, M., & Schittekatte, M. (2011). *Screeningslijst voor autismespectrumstoornissen (SRS) handleiding*. Amsterdam: Hogrefe uitgevers bv.
- Rohr, C. S., Dreyer, F. R., Aderka, I. M., Margulies, D. S., Frisch, S., Villringer, A., & Okon-Singer, H. (2015). Individual differences in common factors of emotional traits and executive functions predict functional connectivity of the amygdala. *NeuroImage*, 120, 154–163. doi:10.1016/j.neuroimage.2015.06.049

- Rosas, H. D., Liu, A. K., Hersch, S., Glessner, M., Ferrante, R. J., Salat, D. H., ... Fischl, B. (2002). Regional and progressive thinning of the cortical ribbon in Huntington's disease. *Neurology*, 58, 695–701. doi:10.1212/WNL.58.5.695
- Roseboom, P. H., Nanda, S. A., Fox, A. S., Oler, J. A., Shackman, A. J., Shelton, S. E., ... Kalin, N. H. (2014). Neuropeptide Y receptor gene expression in the primate amygdala predicts anxious temperament and brain metabolism. *Biological Psychiatry*, 76, 850–7. doi:10.1016/j.biopsych.2013.11.012
- Roshchupkin, G. V., Gutman, B. A., Vernooij, M. W., Jahanshad, N., Martin, N. G., Hofman, A., ... Hochberg, Y. (2016). Heritability of the shape of subcortical brain structures in the general population. *Nature Communications*, 7, 13738. doi:10.1038/ncomms13738
- Roy, A. K., Benson, B. E., Degnan, K. A., Perez-Edgar, K., Pine, D. S., Fox, N. A., & Ernst, M. (2014). Alterations in amygdala functional connectivity reflect early temperament. *Biological Psychology*, 103, 248–54. doi:10.1016/j.biopsycho.2014.09.007
- Roy, A. K., Shehzad, Z., Margulies, D. S., Kelly, A. M. C., Uddin, L. Q., Gotimer, K., ... Milham, M. P. (2009). Functional connectivity of the human amygdala using resting state fMRI. *NeuroImage*, 45, 614–626. doi:10.1016/j.neuroimage.2008.11.030
- Ruff, C. C., Ugazio, G., & Fehr, E. (2013). Changing Social Norm Compliance with Noninvasive Brain Stimulation. *Science*, 342, 482–484.
- Rupp, C., Doebler, P., Ehring, T., & Vossbeck-Elsebusch, A. N. (2017). Emotional Processing Theory Put to Test: A Meta-Analysis on the Association Between Process and Outcome Measures in Exposure Therapy. *Clinical Psychology & Psychotherapy*, 24, 697–711. doi:10.1002/cpp.2039
- Ruscio, A. M., Brown, T. A., Chiu, W. T., Sareen, J., Stein, M. B., & Kessler, R. C. (2008). Social fears and social phobia in the USA: results from the National Comorbidity Survey Replication. *Psychological Medicine*, 38, 15–28. doi:10.1017/S0033291707001699
- Russell, G., & Topham, P. (2012). The impact of social anxiety on student learning and well-being in higher education. *Journal of Mental Health*, 21, 375–385. doi:10.3109/09638237.2012.694505
- Rytwinski, N. K., Fresco, D. M., Heimberg, R. G., Coles, M. E., Liebowitz, M. R., Cissell, S., ... Hofmann, S. G. (2009). Screening for social anxiety disorder with the self-report version of the Liebowitz Social Anxiety Scale. *Depression and Anxiety*, 26, 34–38. doi:10.1002/da.20503
- Safran Foer, J. (2005). *Extremely Loud and Incredibly Close*. Boston: Houghton Mifflin.
- Salat, D. H., Buckner, R. L., Snyder, A. Z., Greve, D. N., Desikan, R. S. R., Busa, E., ... Fischl, B. (2004). Thinning of the Cerebral Cortex in Aging. *Cerebral Cortex*, 14, 721–730. doi:10.1093/cercor/bhh032
- Salimi-Khorshidi, G., Douaud, G., Beckmann, C. F., Glasser, M. F., Griffanti, L., & Smith, S. M. (2014). Automatic denoising of functional MRI data: Combining independent component analysis and hierarchical fusion of classifiers. *NeuroImage*, 90, 449–468. doi:10.1016/J.NEUROIMAGE.2013.11.046
- Sallis, H., Davey Smith, G., & Munafo, M. R. (2018). Genetics of biologically based psychological differences. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 373. doi:10.1098/rstb.2017.0162
- Salloum, A., Johnco, C., Lewin, A. B., McBride, N. M., & Storch, E. A. (2016). Barriers to access and participation in community mental health treatment for anxious children. *Journal of Affective Disorders*, 196, 54–61. doi:10.1016/j.jad.2016.02.026
- Sanfey, A. G., Stallen, M., & Chang, L. J. (2014). Norms and expectations in social decision-making. *Trends in Cognitive Sciences*, 18, 172–4. doi:10.1016/j.tics.2014.01.011

- Sanislow, C. A., Pine, D. S., Quinn, K. J., Kozak, M. J., Garvey, M. A., Heinssen, R. K., ... Cuthbert, B. N. (2010). Developing constructs for psychopathology research: Research domain criteria. *Journal of Abnormal Psychology, 119*, 631–639. doi:10.1037/a0020909
- Sareen, J., Campbell, D. W., Leslie, W. D., Malisza, K. L., Stein, M. B., Paulus, M. P., ... Reiss, J. P. (2007). Striatal function in generalized social phobia: a functional magnetic resonance imaging study. *Biological Psychiatry, 61*, 396–404. doi:10.1016/j.biopsych.2006.05.043
- Satizabal, C. L., Adams, H. H. H., Hibar, D. P., White, C. C., Stein, J. L., Scholz, M., ... Ikram, M. A. (2017). Genetic Architecture of Subcortical Brain Structures in Over 40,000 Individuals Worldwide. *BioRxiv*. Retrieved from <http://www.biorxiv.org/content/early/2017/08/28/173831>
- Savalia, N. K., Agres, P. F., Chan, M. Y., Feczko, E. J., Kennedy, K. M., & Wig, G. S. (2016). Motion-related artifacts in structural brain images revealed with independent estimates of in-scanner head motion. *Human Brain Mapping, 38*, 472–492. doi:10.1002/hbm.23397
- Saxe, R., Xiao, D.-K., Kovacs, G., Perrett, D. I., & Kanwisher, N. (2004). A region of right posterior superior temporal sulcus responds to observed intentional actions. *Neuropsychologia, 42*, 1435–1446. doi:<https://doi.org/10.1016/j.neuropsychologia.2004.04.015>
- Scaini, S., Belotti, R., & Ogliari, A. (2014). Genetic and environmental contributions to social anxiety across different ages: a meta-analytic approach to twin data. *Journal of Anxiety Disorders, 28*, 650–6. doi:10.1016/j.janxdis.2014.07.002
- Schaich Borg, J., Hynes, C., Van Horn, J., Grafton, S., & Sinnott-Armstrong, W. (2006). Consequences, Action, and Intention as Factors in Moral Judgments: An fMRI Investigation. *Journal of Cognitive Neuroscience, 18*, 803–817. doi:10.1162/jocn.2006.18.5.803
- Schiele, M. A., & Domschke, K. (2017). Epigenetics at the crossroads between genes, environment and resilience in anxiety disorders. *Genes, Brain and Behavior*. doi:10.1111/gbb.12423
- Schirmer, A., Meck, W. H., & Penney, T. B. (2016). The Socio-Temporal Brain: Connecting People in Time. *Trends in Cognitive Sciences, 20*, 760–772. doi:10.1016/j.tics.2016.08.002
- Schneider, F., Weiss, U., Kessler, C., Müller-Gärtner, H.-W., Posse, S., Salloum, J. B., ... Birbaumer, N. (1999). Subcortical correlates of differential classical conditioning of aversive emotional reactions in social phobia. *Biological Psychiatry, 45*, 863–871. doi:10.1016/S0006-3223(98)00269-8
- Schneier, F. R., Liebowitz, M. R., Abi-Dargham, A., Zea-Ponce, Y., Lin, S. H., & Laruelle, M. (2000). Low dopamine D2 receptor binding potential in social phobia. *American Journal of Psychiatry, 157*, 457–459. doi:10.1176/appi.ajp.157.3.457
- Scholten, W. D., Batelaan, N. M., Penninx, B. W. J. H., Balkom, A. J. L. M. van, Smit, J. H., Schoevers, R. A., & Oppen, P. van. (2016). Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. *Journal of Affective Disorders, 195*, 185–90. doi:10.1016/j.jad.2016.02.025
- Scholtens, L. H., & van den Heuvel, M. P. (2018). Multimodal Connectomics in Psychiatry: Bridging Scales From Micro to Macro. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 3*, 767–776. doi:10.1016/j.bpsc.2018.03.017
- Schreiber, F., & Steil, R. (2013). Haunting self-images? The role of negative self-images in adolescent social anxiety disorder. *Journal of Behavior Therapy and Experimental Psychiatry, 44*, 158–64. doi:10.1016/j.jbtep.2012.10.003

- Schwartz, C. E., Kunwar, P. S., Greve, D. N., Kagan, J., Snidman, N. C., & Bloch, R. B. (2012). A phenotype of early infancy predicts reactivity of the amygdala in male adults. *Molecular Psychiatry*, 17, 1042–50. doi:10.1038/mp.2011.96
- Schwartz, C. E., Kunwar, P. S., Greve, D. N., Moran, L. R., Viner, J. C., Covino, J. M., ... Wallace, S. R. (2010). Structural differences in adult orbital and ventromedial prefrontal cortex predicted by infant temperament at 4 months of age. *Archives of General Psychiatry*, 67, 78–84. doi:10.1001/archgenpsychiatry.2009.171
- Schwartz, C. E., Wright, C. I., Shin, L. M., Kagan, J., & Rauch, S. L. (2003). Inhibited and uninhibited infants “grown up”: adult amygdalar response to novelty. *Science*, 300, 1952–3. doi:10.1126/science.1083703
- Schwartz, C. E., Wright, C. I., Shin, L. M., Kagan, J., Whalen, P. J., McMullin, K. G., & Rauch, S. L. (2003). Differential amygdalar response to novel versus newly familiar neutral faces: a functional MRI probe developed for studying inhibited temperament. *Biological Psychiatry*, 53, 854–862. doi:10.1016/S0006-3223(02)01906-6
- Sha, Z., Wager, T. D., Mechelli, A., & He, Y. (2019). Common Dysfunction of Large-Scale Neurocognitive Networks Across Psychiatric Disorders. *Biological Psychiatry*, 85, 379–388. doi:10.1016/j.biopsych.2018.11.011
- Shackman, A. J., Fox, A. S., Oler, J. A., Shelton, S. E., Davidson, R. J., & Kalin, N. H. (2013). Neural mechanisms underlying heterogeneity in the presentation of anxious temperament. *Proceedings of the National Academy of Sciences of the United States of America*, 110, 6145–50. doi:10.1073/pnas.1214364110
- Shackman, A. J., Stockbridge, M., Tillman, R., Kaplan, C., Tromp, D., Fox, A., & Gamer, M. (2016). The neurobiology of dispositional negativity and attentional biases to threat: Implications for understanding anxiety disorders in adults and youth. *Journal of Experimental Psychopathology*, 7, 311–342. doi:http://dx.doi.org/10.5127/jep.054015
- Shah, S. G., Klumpp, H., Angstadt, M., Nathan, P., & Phan, K. L. (2009). Amygdala and insula response to emotional images in patients with generalized social anxiety disorder. *Journal of Psychiatry & Neuroscience*, 34, 296–302.
- Shan, Z. Y., Vinkhuyzen, A. A. E., Thompson, P. M., McMahon, K. L., Blokland, G. A. M., de Zubicaray, G. I., ... Reutens, D. C. (2016). Genes influence the amplitude and timing of brain hemodynamic responses. *NeuroImage*, 124, 663–671. doi:10.1016/j.neuroimage.2015.09.016
- Shang, J., Fu, Y., Ren, Z., Zhang, T., Du, M., Gong, Q., ... Zhang, W. (2014). The common traits of the ACC and PFC in anxiety disorders in the DSM-5: meta-analysis of voxel-based morphometry studies. *PloS One*, 9, e93432. doi:10.1371/journal.pone.0093432
- Sharma, S., Powers, A., Bradley, B., & Ressler, K. J. (2016). Gene × Environment Determinants of Stress- and Anxiety-Related Disorders. *Annual Review of Psychology*, 67, 239–261. doi:10.1146/annurev-psych-122414-033408
- Sheehan, D. V., Lecrubier, Y., Harnett Sheehan, K., Janavs, J., Weiller, E., Keskiner, A., ... Dunbar, G. (1997). The validity of the Mini International Neuropsychiatric Interview (MINI) according to the SCID-P and its reliability. *European Psychiatry*, 12, 232–241. doi:10.1016/S0924-9338(97)83297-X
- Sheehan, D. V., Lecrubier, Y., Sheehan, K. H., Amorim, P., Janavs, J., Weiller, E., ... Dunbar, G. C. (1998). The Mini-International Neuropsychiatric Interview (M.I.N.I.): the development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *The Journal of Clinical Psychiatry*, 59 Suppl 2, 22–33.

- Sheehan, D. V., Sheehan, K. H., Shytle, R. D., Janavs, J., Bannon, Y., Rogers, J. E., ... Wilkinson, B. (2010). Reliability and Validity of the Mini International Neuropsychiatric Interview for Children and Adolescents (MINI-KID). *The Journal of Clinical Psychiatry*, 71, 313–326. doi:10.4088/JCP.09m05305whi
- Shen, K.-K., Rose, S., Fripp, J., McMahon, K. L., de Zubicaray, G. I., Martin, N. G., ... Salvado, O. (2014). Investigating brain connectivity heritability in a twin study using diffusion imaging data. *NeuroImage*, 100C, 628–641. doi:10.1016/j.neuroimage.2014.06.041
- Shi, Z., Ma, Y., Wu, B., Wu, X., Wang, Y., & Han, S. (2015). Neural correlates of reflection on actual versus ideal self-discrepancy. *NeuroImage*, 124, 573–580. doi:10.1016/j.neuroimage.2015.08.077
- Shimada-Sugimoto, M., Otowa, T., & Hettema, J. M. (2015). Genetics of anxiety disorders: Genetic epidemiological and molecular studies in humans. *Psychiatry and Clinical Neurosciences*, 69, 388–401. doi:10.1111/pcn.12291
- Shin, L. M., & Liberzon, I. (2010). The neurocircuitry of fear, stress, and anxiety disorders. *Neuropsychopharmacology: Official Publication of the American College of Neuropsychopharmacology*, 35, 169–91. doi:10.1038/npp.2009.83
- Shin, L. M., Wright, C. I., Cannistraro, P. A., Wedig, M. M., McMullin, K., Martis, B., ... Rauch, S. L. (2005). A functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder. *Archives of General Psychiatry*, 62, 273–81. doi:10.1001/archpsyc.62.3.273
- Shohamy, D. (2011). Learning and motivation in the human striatum. *Current Opinion in Neurobiology*, 21, 408–14. doi:10.1016/j.conb.2011.05.009
- Simon, D., Kaufmann, C., Müsch, K., Kischkel, E., & Kathmann, N. (2010). Fronto-striato-limbic hyperactivation in obsessive-compulsive disorder during individually tailored symptom provocation. *Psychophysiology*, 47, 728–738. doi:10.1111/j.1469-8986.2010.00980.x
- Sinclair, B., Hansell, N. K., Blokland, G. A. M., Martin, N. G., Thompson, P. M., Breakspear, M., ... McMahon, K. L. (2015). Heritability of the Network Architecture of Intrinsic Brain Functional Connectivity. *NeuroImage*, 121, 243–252. doi:10.1016/j.neuroimage.2015.07.048
- Sitaram, R., Ros, T., Stoeckel, L., Haller, S., Scharnowski, F., Lewis-Peacock, J., ... Sulzer, J. (2016). Closed-loop brain training: the science of neurofeedback. *Nature Reviews Neuroscience*, 18, 86. Retrieved from <https://doi.org/10.1038/nrn.2016.164>
- Sladky, R., Höflich, A., Atanelov, J., Kraus, C., Baldinger, P., Moser, E., ... Windischberger, C. (2012). Increased neural habituation in the amygdala and orbitofrontal cortex in social anxiety disorder revealed by FMRI. *PloS One*, 7, e50050. doi:10.1371/journal.pone.0050050
- Sladky, R., Höflich, A., Küblböck, M., Kraus, C., Baldinger, P., Moser, E., ... Windischberger, C. (2015). Disrupted effective connectivity between the amygdala and orbitofrontal cortex in social anxiety disorder during emotion discrimination revealed by dynamic causal modeling for FMRI. *Cerebral Cortex*, 25, 895–903. doi:10.1093/cercor/bht279
- Smith, S. M. (2002). Fast robust automated brain extraction. *Human Brain Mapping*, 17, 143–55. doi:10.1002/hbm.10062
- Smith, S. M., Jenkinson, M., Woolrich, M. W., Beckmann, C. F., Behrens, T. E. J., Johansen-Berg, H., ... Matthews, P. M. (2004). Advances in functional and structural MR image analysis and implementation as FSL. *NeuroImage*, 23 Suppl 1, S208–19. doi:10.1016/j.neuroimage.2004.07.051

- Smith, S. M., & Nichols, T. E. (2009). Threshold-free cluster enhancement: addressing problems of smoothing, threshold dependence and localisation in cluster inference. *NeuroImage*, 44, 83–98. doi:10.1016/j.neuroimage.2008.03.061
- Smoller, J. W. (2015). The Genetics of Stress-Related Disorders: PTSD, Depression and Anxiety Disorders. *Neuropsychopharmacology: Official Publication of the American College of Neuropsychopharmacology*, 41, 297–319. doi:10.1038/npp.2015.266
- Smoller, J. W., Block, S. R., & Young, M. M. (2009). Genetics of anxiety disorders: the complex road from DSM to DNA. *Depression and Anxiety*, 26, 965–75. doi:10.1002/da.20623
- Smoller, J. W., Paulus, M. P., Fagerness, J. A., Purcell, S., Yamaki, L. H., Hirshfeld-Becker, D., ... Stein, M. B. (2008). Influence of RGS2 on anxiety-related temperament, personality, and brain function. *Archives of General Psychiatry*, 65, 298–308. doi:10.1001/archgenpsychiatry.2007.48
- Spence, S. H., & Rapee, R. M. (2016). The etiology of social anxiety disorder: An evidence-based model. *Behaviour Research and Therapy*, 86, 50–67. doi:10.1016/j.brat.2016.06.007
- Spielberger, C. D., Gorsuch, R. L., & Lushene, R. E. (1970). *STAI manual for the State-Trait Anxiety Inventory*. Palo Alto, CA: Consulting Psychologists Press.
- Spielberger, C. D., & Vagg, P. R. (1984). Psychometric Properties of the STAI: A Reply to Ramanaiah, Franzen, and Schill. *Journal of Personality Assessment*, 48, 95–97. doi:10.1207/s15327752jpa4801_16
- Spitzer, M., Fischbacher, U., Herrnberger, B., Grön, G., & Fehr, E. (2007). The Neural Signature of Social Norm Compliance. *Neuron*, 56, 185–196. doi:10.1016/j.neuron.2007.09.011
- Spurr, J. M., & Stopa, L. (2002). Self-focused attention in social phobia and social anxiety. *Clinical Psychology Review*, 22, 947–975. doi:10.1016/S0272-7358(02)00107-1
- Stathis, P., Panourias, I. G., & Themistocleous, M. S. Sakas, D. E. (2007). Connections of the basal ganglia with the limbic system: implications for neuromodulation therapies of anxiety and affective disorders. In S. B. A. Sakas D.E. (Ed.), *Acta Neurochir Suppl* (Vol. 97, pp. 575–586). doi:10.1007/978-3-211-33081-4_67
- Steiger, V. R., Brühl, A. B., Weidt, S., Delsignore, A., Rufer, M., Jäncke, L., ... Hänggi, J. (2017). Pattern of structural brain changes in social anxiety disorder after cognitive behavioral group therapy: a longitudinal multimodal MRI study. *Molecular Psychiatry*, 22, 1164–1171. doi:10.1038/mp.2016.217
- Stein, D. J. (2015). Social anxiety disorder and the psychobiology of self-consciousness. *Frontiers in Human Neuroscience*, 9, 489. doi:10.3389/fnhum.2015.00489
- Stein, D. J., Lim, C. C. W., Roest, A. M., de Jonge, P., Aguilar-Gaxiola, S., Al-Hamzawi, A., ... Scott, K. M. (2017). The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. *BMC Medicine*, 15, 143. doi:10.1186/s12916-017-0889-2
- Stein, D. J., Ruscio, A. M., Lee, S., Petukhova, M., Alonso, J., Andrade, L. H. S. G., ... Kessler, R. C. (2010). Subtyping social anxiety disorder in developed and developing countries. *Depression and Anxiety*, 27, 390–403. doi:10.1002/da.20639
- Stein, J. L., Medland, S. E., Vasquez, A. A., Hibar, D. P., Senstad, R. E., Winkler, A. M., ... Consortium, E. N. I. G. through M.-A. (2012). Identification of common variants associated with human hippocampal and intracranial volumes. *Nature Genetics*, 44, 552–61. doi:10.1038/ng.2250
- Stein, M. B., & Kean, Y. M. (2000). Disability and Quality of Life in Social Phobia: Epidemiologic Findings. *American Journal of Psychiatry*, 157, 1606–1613. doi:10.1176/appi.ajp.157.10.1606

- Stein, M. B., Chartier, M. J., Hazen, A. L., Kozak, M. V., Tancer, M. E., Lander, S., ... Walker, J. R. (1998). A Direct-Interview Family Study of Generalized Social Phobia. *American Journal of Psychiatry*, 155, 90–97. doi:10.1176/ajp.155.1.90
- Stein, M. B., Chartier, M. J., Kozak, M. V., King, N., & Kennedy, J. L. (1998). Genetic linkage to the serotonin transporter protein and 5HT2A receptor genes excluded in generalized social phobia. *Psychiatry Research*, 81, 283–291. doi:10.1016/S0165-1781(98)00117-6
- Stein, M. B., Chartier, M. J., Lizak, M. V., & Jang, K. L. (2001). Familial aggregation of anxiety-related quantitative traits in generalized social phobia: clues to understanding “disorder” heritability? *American Journal of Medical Genetics*, 105, 79–83. doi:10.1002/1096-8628(20010108)105:1<79::AID-AJMG1067>3.0.CO;2-F
- Stein, M. B., Chen, C.-Y., Jain, S., Jensen, K. P., He, F., Heeringa, S. G., ... Gelernter, J. (2017). Genetic risk variants for social anxiety. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, 174, 120–131. doi:10.1002/ajmg.b.32520
- Stein, M. B., Goldin, P. R., Sareen, J., Zorrilla, L. T. E., & Brown, G. G. (2002). Increased Amygdala Activation to Angry and Contemptuous Faces in Generalized Social Phobia. *Archives of General Psychiatry*, 59, 1027–1034. doi:10.1001/archpsyc.59.11.1027
- Stein, M. B., Jang, K. L., & Livesley, W. J. (2002). Heritability of social anxiety-related concerns and personality characteristics: a twin study. *The Journal of Nervous and Mental Disease*, 190, 219–24.
- Stein, M. B., Simmons, A. N., Feinstein, J. S., & Paulus, M. P. (2007). Increased amygdala and insula activation during emotion processing in anxiety-prone subjects. *The American Journal of Psychiatry*, 164, 318–27. doi:10.1176/appi.ajp.164.2.318
- Stein, M. B., & Stein, D. J. (2008). Social anxiety disorder. *Lancet*, 371, 1115–25. doi:10.1016/S0140-6736(08)60488-2
- Steinert, C., Hofmann, M., Leichenring, F., & Kruse, J. (2013). What do we know today about the prospective long-term course of social anxiety disorder? A systematic literature review. *Journal of Anxiety Disorders*, 27, 692–702. doi:10.1016/j.janxdis.2013.08.002
- Storch, E. A., Masia-Warner, C., Dent, H. C., Roberti, J. W., & Fisher, P. H. (2004). Psychometric evaluation of the Social Anxiety Scale for Adolescents and the Social Phobia and Anxiety Inventory for Children: construct validity and normative data. *Journal of Anxiety Disorders*, 18, 665–79. doi:10.1016/j.janxdis.2003.09.002
- Straube, T., Kolassa, I.-T., Glauer, M., Mentzel, H.-J., & Miltner, W. H. R. (2004). Effect of task conditions on brain responses to threatening faces in social phobics: an event-related functional magnetic resonance imaging study. *Biological Psychiatry*, 56, 921–30. doi:10.1016/j.biopsych.2004.09.024
- Straube, T., Mentzel, H.-J., & Miltner, W. H. R. (2005). Common and distinct brain activation to threat and safety signals in social phobia. *Neuropsychobiology*, 52, 163–8. doi:10.1159/000087987
- Strawn, J. R., Hamm, L., Fitzgerald, D. A., Fitzgerald, K. D., Monk, C. S., & Phan, K. L. (2015). Neurostructural abnormalities in pediatric anxiety disorders. *Journal of Anxiety Disorders*, 32, 81–8. doi:10.1016/j.janxdis.2015.03.004
- Strike, L. T., Hansell, N. K., Couvy-Duchesne, B., Thompson, P. M., de Zubicaray, G. I., McMahon, K. L., & Wright, M. J. (2018). Genetic Complexity of Cortical Structure: Differences in Genetic and Environmental Factors Influencing Cortical Surface Area and Thickness. *Cerebral Cortex*. doi:10.1093/cercor/bhy002

- Stuhldreher, N., Leibing, E., Leichsenring, F., Beutel, M. E., Herpertz, S., Hoyer, J., ... Koenig, H.-H. (2014). The costs of social anxiety disorder: The role of symptom severity and comorbidities. *Journal of Affective Disorders*, 165, 87–94. doi:10.1016/j.jad.2014.04.039
- Suffren, S., Chauret, M., Nassim, M., Lepore, F., & Maheu, F. S. (2019). On a continuum to anxiety disorders: Adolescents at parental risk for anxiety show smaller rostral anterior cingulate cortex and insula thickness. *Journal of Affective Disorders*, 248, 34–41. doi:10.1016/j.jad.2019.01.028
- Sutcliffe, G., Harneit, A., Tost, H., & Meyer-Lindenberg, A. (2016). Neuroimaging intermediate phenotypes of executive control dysfunction in schizophrenia. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*. doi:10.1016/j.bpsc.2016.03.002
- Swagerman, S., Brouwer, R., Geus, E. de, Pol, H. H., & Boomsma, D. (2014). Development and heritability of subcortical brain volumes at age 9 and 12. *Genes, Brain, and Behavior*. doi:10.1111/gbb.12182
- Syal, S., Hattingh, C. J., Fouché, J.-P., Spottiswoode, B., Carey, P. D., Lochner, C., & Stein, D. J. (2012). Grey matter abnormalities in social anxiety disorder: a pilot study. *Metabolic Brain Disease*, 27, 299–309. doi:10.1007/s11011-012-9299-5
- Sylvester, C. M. (2018). Brain Games to Reduce Anxiety in High-Risk Children. *Journal of the American Academy of Child & Adolescent Psychiatry*, 57, 80–81. doi:https://doi.org/10.1016/j.jaac.2017.12.001
- Sylvester, C. M., Barch, D. M., Harms, M. P., Belden, A. C., Oakberg, T. J., Gold, A. L., ... Pine, D. S. (2015). Early Childhood Behavioral Inhibition Predicts Cortical Thickness in Adulthood. *Journal of the American Academy of Child & Adolescent Psychiatry*. doi:10.1016/j.jaac.2015.11.007
- Sylvester, C. M., Corbetta, M., Raichle, M. E., Rodebaugh, T. L., Schlaggar, B. L., Sheline, Y. I., ... Lenze, E. J. (2012). Functional network dysfunction in anxiety and anxiety disorders. *Trends in Neurosciences*, 35, 527–535. doi:doi.org/10.1016/j.tins.2012.04.012
- Sylvester, C. M., Smyser, C. D., Smyser, T., Kenley, J., Ackerman, J. J., Shimony, J. S., ... Rogers, C. E. (2018). Cortical Functional Connectivity Evident After Birth and Behavioral Inhibition at Age 2. *American Journal of Psychiatry*, 175, 180–187. doi:10.1176/appi.ajp.2017.17010018
- Taber-Thomas, B. C., Morales, S., Hillary, F. G., & Pérez-Edgar, K. E. (2016). Altered topography of intrinsic functional connectivity in childhood risk for social anxiety. *Depression and Anxiety*, [Epub ahead of print]. doi:10.1002/da.22508
- Takahashi, H., Yahata, N., Koeda, M., Matsuda, T., Asai, K., & Okubo, Y. (2004). Brain activation associated with evaluative processes of guilt and embarrassment: an fMRI study. *NeuroImage*, 23, 967–74. doi:10.1016/j.neuroimage.2004.07.054
- Talati, A., Pantazatos, S. P., Hirsch, J., & Schneier, F. (2015). A pilot study of gray matter volume changes associated with paroxetine treatment and response in social anxiety disorder. *Psychiatry Research*, 231, 279–85. doi:10.1016/j.psychres.2015.01.008
- Talati, A., Pantazatos, S. P., Schneier, F. R., Weissman, M. M., & Hirsch, J. (2013). Gray matter abnormalities in social anxiety disorder: primary, replication, and specificity studies. *Biological Psychiatry*, 73, 75–84. doi:10.1016/j.biopsych.2012.05.022
- Talati, A., Weissman, M. M., & Hamilton, S. P. (2013). Using the high-risk family design to identify biomarkers for major depression. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 368, 20120129–20120129. doi:10.1098/rstb.2012.0129
- Tamnes, C. K., Herting, M. M., Goddings, A.-L., Meuwese, R., Blakemore, S.-J., Dahl, R. E., ... Mills, K. L. (2017). Development of the Cerebral Cortex across Adolescence: A Multisample Study of Inter-

- Related Longitudinal Changes in Cortical Volume, Surface Area, and Thickness. *The Journal of Neuroscience*, 37, 3402–3412. doi:10.1523/JNEUROSCI.3302-16.2017
- Tangney, J., Stuewig, J., & Mashek, D. (2006). Moral emotions and moral behavior. *Annual Reviews*, 58, 345–72. doi:10.1146/annurev.psych.56.091103.070145
- Taylor, S. (2012). Endophenotypes of obsessive–compulsive disorder: Current status and future directions. *Journal of Obsessive-Compulsive and Related Disorders*, 1, 258–262. doi:10.1016/j.jocrd.2012.06.004
- Teale Sapach, M. J. N., Carleton, R. N., Mulvogue, M. K., Weeks, J. W., & Heimberg, R. G. (2014). Cognitive Constructs and Social Anxiety Disorder: Beyond Fearing Negative Evaluation. *Cognitive Behaviour Therapy*, 1–11. doi:10.1080/16506073.2014.961539
- Thomason, M. E., & Thompson, P. M. (2011). Diffusion imaging, white matter, and psychopathology. *Annual Review of Clinical Psychology*, 7, 63–85. doi:10.1146/annurev-clinpsy-032210-104507
- Thompson, P. M., Cannon, T. D., Narr, K. L., van Erp, T., Poutanen, V. P., Huttunen, M., ... Toga, A. W. (2001). Genetic influences on brain structure. *Nature Neuroscience*, 4, 1253–8. doi:10.1038/nn758
- Thompson, P. M., Ge, T., Glahn, D. C., Jahanshad, N., & Nichols, T. E. (2013). Genetics of the connectome. *NeuroImage*, 80, 475–88. doi:10.1016/j.neuroimage.2013.05.013
- Thompson, P. M., Stein, J. L., Medland, S. E., Hibar, D. P., Vasquez, A. A., Renteria, M. E., ... Drevets, W. (2014). The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. *Brain Imaging and Behavior*, 8, 153–82. doi:10.1007/s11682-013-9269-5
- Tiihonen, J., Kuikka, J., Bergström, K., Lepola, U., Koponen, H., & Leinonen, E. (1997). Dopamine reuptake site densities in patients with social phobia. *The American Journal of Psychiatry*, 154, 239–42. doi:10.1176/ajp.154.2.239
- Tillfors, M., Furmark, T., Marteinsdottir, I., Fischer, H., Pissioti, A., Långström, B., & Fredrikson, M. (2001). Cerebral Blood Flow in Subjects With Social Phobia During Stressful Speaking Tasks: A PET Study. *American Journal of Psychiatry*, 158, 1220–1226. doi:10.1176/appi.ajp.158.8.1220
- Tillfors, M., Furmark, T., Marteinsdottir, I., & Fredrikson, M. (2002). Cerebral blood flow during anticipation of public speaking in social phobia: a PET study. *Biological Psychiatry*, 52, 1113–1119. doi:10.1016/S0006-3223(02)01396-3
- Timbremont, B., & Braet, C. (2002). *Children's Depression Inventory: Nederlandstalige versie [Children's Depression Inventory: Dutch Version]*. Lisse: Swets & Zeitlinger.
- Tinoco-González, D., Fullana, M. A., Torrents-Rodas, D., Bonillo, A., Vervliet, B., Pailhez, G., ... Torrubia, R. (2015). Conditioned Subjective Responses to Socially Relevant Stimuli in Social Anxiety Disorder and Subclinical Social Anxiety. *Clinical Psychology & Psychotherapy*, 22, 221–231. doi:10.1002/cpp.1883
- Tissier, R., Tsonaka, R., Mooijaart, S. P., Slagboom, E., & Houwing-Duistermaat, J. J. (2017). Secondary phenotype analysis in ascertained family designs: application to the Leiden longevity study. *Statistics in Medicine*, 36, 2288–2301. doi:10.1002/sim.7281
- Torvik, F. A., Welander-Vatn, A., Ystrom, E., Knudsen, G. P., Czajkowski, N., Kendler, K. S., & Reichborn-Kjennerud, T. (2016). Longitudinal Associations Between Social Anxiety Disorder and Avoidant Personality Disorder: A Twin Study. *JOURNAL OF ABNORMAL PSYCHOLOGY*, 125, 114–124. doi:10.1037/abn0000124

- Tromp, D. P. M., Grupe, D. W., Oathes, D. J., McFarlin, D. R., Hernandez, P. J., Kral, T. R. A., ... Nitschke, J. B. (2012). Reduced structural connectivity of a major frontolimbic pathway in generalized anxiety disorder. *Archives of General Psychiatry*, 69, 925–34. doi:10.1001/archgenpsychiatry.2011.2178
- Tromp, D. P. M., Williams, L. E., Fox, A. S., Oler, J. A., Rogers, Gregory R., Pine, D. S., & Kalin, N. H. (2015). White Matter Alterations in Pre-Adolescent Children with Anxiety Disorders. In *Biological Psychiatry, 70th Annual Scientific Convention and Meeting* (pp. S142–S286).
- Tükel, R., Aydın, K., Yüksel, Ç., Ertekin, E., Koyuncu, A., & Taş, C. (2015). Gray matter abnormalities in patients with social anxiety disorder: A voxel-based morphometry study. *Psychiatry Research*, 234, 106–12. doi:10.1016/j.psychres.2015.09.003
- Tunbridge, E. M., Farrell, S. M., Harrison, P. J., & Mackay, C. E. (2013). Catechol-O-methyltransferase (COMT) influences the connectivity of the prefrontal cortex at rest. *NeuroImage*, 68, 49–54. doi:10.1016/j.neuroimage.2012.11.059
- Turk, C. L., Heimberg, R. G., Orsillo, S. M., Holt, C. S., Gitow, A., Street, L. L., ... Liebowitz, M. R. (1998). An Investigation of Gender Differences in Social Phobia. *Journal of Anxiety Disorders*, 12, 209–223. doi:10.1016/S0887-6185(98)00010-3
- Tzourio-Mazoyer, N., Landeau, B., Papathanassiou, D., Crivello, F., Etard, O., Delcroix, N., ... Joliot, M. (2002). Automated anatomical labeling of activations in SPM using a macroscopic anatomical parcellation of the MNI MRI single-subject brain. *NeuroImage*, 15, 273–89. doi:10.1006/nimg.2001.0978
- Ursu, S. (2017). Planning Ahead: The Future of Searching for Endophenotypes of Obsessive-Compulsive Disorder in the Era of Research Domain Criteria. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, 2, 638–639. doi:10.1016/J.BPSC.2017.09.011
- Vaghi, M. M., Hampshire, A., Fineberg, N. A., Kaser, M., Brühl, A. B., Sahakian, B. J., ... Robbins, T. W. (2017). Hypoactivation and Dysconnectivity of a Frontostriatal Circuit During Goal-Directed Planning as an Endophenotype for Obsessive-Compulsive Disorder. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, 2, 655–663. doi:10.1016/J.BPSC.2017.05.005
- van den Berg, L. J. M., Tollenaar, M. S., Compier-de Block, L. H. C. G., Bakermans-Kranenburg, M. J., & Elzinga, B. M. (2019). An intergenerational family study on the impact of experienced and perpetrated child maltreatment on neural face processing. *Psychoneuroendocrinology*, 103, 266–275. doi:10.1016/j.psychneuen.2019.01.030
- van den Berg, L. J. M., Tollenaar, M. S., Pittner, K., Compier-de Block, L. H. C. G., Buisman, R. S. M., van IJzendoorn, M. H., & Elzinga, B. M. (2018). Pass it on? The neural responses to rejection in the context of a family study on maltreatment. *Social Cognitive and Affective Neuroscience*, 13, 616–627. doi:10.1093/scan/nsy035
- Van der Does, A. (2002). *Handleiding bij de Nederlandse versie van Beck Depression Inventory—second edition (BDI—II—NL)[Manual for the Dutch version of the Beck Depression Inventory—second edition (BDI—II—NL)]*. Amsterdam: Harcourt.
- Van der Molen, M. J. W., Poppelaars, E. S., Van Hartingsveldt, C. T. A., Harrewijn, A., Gunther Moor, B., & Westenberg, P. M. (2014). Fear of negative evaluation modulates electrocortical and behavioral responses when anticipating social evaluative feedback. *Frontiers in Human Neuroscience*, 7, 936. doi:10.3389/fnhum.2013.00936
- van der Wee, N. J., van Veen, J. F., Stevens, H., van Vliet, I. M., van Rijk, P. P., & Westenberg, H. G. (2008). Increased serotonin and dopamine transporter binding in psychotropic medication-naïve patients

- with generalized social anxiety disorder shown by 123I-beta-(4-iodophenyl)-tropane SPECT. *Journal of Nuclear Medicine*, 49, 757–63. doi:10.2967/jnumed.107.045518
- van Kleef, G. A., Wanders, F., Stamkou, E., & Homan, A. C. (2015). The social dynamics of breaking the rules: antecedents and consequences of norm-violating behavior. *Current Opinion in Psychology*, 6, 25–31. doi:10.1016/j.copsyc.2015.03.013
- van Tol, M.-J., van der Wee, N. J. A., van den Heuvel, O. A., Nielen, M. M. A., Demenescu, L. R., Aleman, A., ... Veltman, D. J. (2010). Regional brain volume in depression and anxiety disorders. *Archives of General Psychiatry*, 67, 1002–11. doi:10.1001/archgenpsychiatry.2010.121
- van Vliet, I. M., & de Beurs, E. (2007). [The MINI-International Neuropsychiatric Interview. A brief structured diagnostic psychiatric interview for DSM-IV en ICD-10 psychiatric disorders]. *Tijdschrift Voor Psychiatrie*, 49, 393–7.
- Vandeleur, C. L., Fassassi, S., Castela, E., Glaus, J., Strippoli, M.-P. F., Lasserre, A. M., ... Preisig, M. (2017). Prevalence and correlates of DSM-5 major depressive and related disorders in the community. *Psychiatry Research*, 250, 50–58. doi:10.1016/j.psychres.2017.01.060
- Vaquero, J. J., & Kinahan, P. (2015). Positron Emission Tomography: Current Challenges and Opportunities for Technological Advances in Clinical and Preclinical Imaging Systems. *Annual Review of Biomedical Engineering*, 17, 385–414. doi:10.1146/annurev-bioeng-071114-040723
- Veit, R., Flor, H., Erb, M., Hermann, C., Lotze, M., Grodd, W., & Birbaumer, N. (2002). Brain circuits involved in emotional learning in antisocial behavior and social phobia in humans. *Neuroscience Letters*, 328, 233–236. doi:10.1016/S0304-3940(02)00519-0
- Vicario, C. M., Salehinejad, M. A., Felmingham, K., Martino, G., & Nitsche, M. A. (2019). A systematic review on the therapeutic effectiveness of non-invasive brain stimulation for the treatment of anxiety disorders. *Neuroscience & Biobehavioral Reviews*, 96, 219–231. doi:10.1016/j.neubiorev.2018.12.012
- Von Der Heide, R. J., Skipper, L. M., Klobusicky, E., & Olson, I. R. (2013). Dissecting the uncinate fasciculus: disorders, controversies and a hypothesis. *Brain*, 136, 1692–707. doi:10.1093/brain/awt094
- Vos, T., Allen, C., Arora, M., Barber, R. M., Bhutta, Z. A., Brown, A., ... Wand, J. (2016). Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *The Lancet*, 388, 1545–1602. doi:10.1016/S0140-6736(16)31678-6
- Wang, X., Cheng, B., Luo, Q., Qiu, L., & Wang, S. (2018). Gray Matter Structural Alterations in Social Anxiety Disorder: A Voxel-Based Meta-Analysis. *Frontiers in Psychiatry*. doi:10.1093/scan/nsy035
- Watson, D., Clark, L. A., & Tellegen, A. (1988). Development and validation of brief measures of positive and negative affect: The PANAS scales. *Journal of Personality and Social Psychology*, 54, 1063–1070. doi:10.1037//0022-3514.54.6.1063
- Wechsler, D. (1991). *Manual for the Wechsler Intelligence Scale for Children - Third Edition (WISC-III)*. San Antonio, TX: The Psychological Corporation.
- Wechsler, D., Coalson, D., & Raiford, S. (2008). *WAIS-IV technical and interpretive manual*. San Antonio, TX: Pearson.
- Wedig, M. M., Rauch, S. L., Albert, M. S., & Wright, C. I. (2005). Differential amygdala habituation to neutral faces in young and elderly adults. *Neuroscience Letters*, 385, 114–9. doi:10.1016/j.neulet.2005.05.039

- Weisberg, R. B., Beard, C., Moitra, E., Dyck, I., & Keller, M. B. (2014). ADEQUACY OF TREATMENT RECEIVED BY PRIMARY CARE PATIENTS WITH ANXIETY DISORDERS. *Depression and Anxiety*, 31, 443–450. doi:10.1002/da.22209
- Weissman, M. M., Brown, A. S., & Talati, A. (2011). Translational epidemiology in psychiatry: Linking population to clinical and basic sciences. *Archives of General Psychiatry*, 68, 600–608. Retrieved from <http://dx.doi.org/10.1001/archgenpsychiatry.2011.47>
- Wells, J. C., Tien, A. Y., Garrison, R., & Eaton, W. W. (1994). Risk factors for the incidence of social phobia as determined by the Diagnostic Interview Schedule in a population-based study. *Acta Psychiatrica Scandinavica*, 90, 84–90. doi:10.1111/j.1600-0447.1994.tb01560.x
- Wen, W., Thalamuthu, A., Mather, K. A., Zhu, W., Jiang, J., de Micheaux, P. L., ... Boker, S. (2016). Distinct Genetic Influences on Cortical and Subcortical Brain Structures. *Scientific Reports*, 6, 32760. doi:10.1038/srep32760
- Wenzel, A., Graff-Dolezal, J., Macho, M., & Brendle, J. R. (2005). Communication and social skills in socially anxious and nonanxious individuals in the context of romantic relationships. *Behaviour Research and Therapy*, 43, 505–19. doi:10.1016/j.brat.2004.03.010
- Westenberg, P. M., Gullone, E., Bokhorst, C. L., Heyne, D. A., & King, N. J. (2007). Social evaluation fear in childhood and adolescence: Normative developmental course and continuity of individual differences. *British Journal of Developmental Psychology*, 25, 471–483. doi:10.1348/026151006X173099
- Westlye, L. T., Bjørnebekk, A., Grydeland, H., Fjell, A. M., & Walhovd, K. B. (2011). Linking an anxiety-related personality trait to brain white matter microstructure: diffusion tensor imaging and harm avoidance. *Archives of General Psychiatry*, 68, 369–77. doi:10.1001/archgenpsychiatry.2011.24
- Whalen, P. J. (2007). The uncertainty of it all. *Trends in Cognitive Sciences*, 11, 499–500. doi:10.1016/j.tics.2007.08.016
- Whelan, C. D., Hibar, D. P., van Velzen, L. S., Zannas, A. S., Carrillo-Roa, T., McMahon, K., ... Thompson, P. M. (2015). Heritability and reliability of automatically segmented human hippocampal formation subregions. *NeuroImage*, 128, 125–137. doi:10.1016/j.neuroimage.2015.12.039
- Whitfield-Gabrieli, S., & Ford, J. M. (2012). Default mode network activity and connectivity in psychopathology. *Annual Review of Clinical Psychology*, 8, 49–76. doi:10.1146/annurev-clinpsy-032511-143049
- Wierenga, L. M., Langen, M., Oranje, B., & Durston, S. (2014). Unique developmental trajectories of cortical thickness and surface area. *NeuroImage*, 87, 120–6. doi:10.1016/j.neuroimage.2013.11.010
- Wierenga, L. M., van den Heuvel, M. P., van Dijk, S., Rijks, Y., de Reus, M. A., & Durston, S. (2016). The development of brain network architecture. *Human Brain Mapping*, 37, 717–729. doi:10.1002/hbm.23062
- Wiggins, J. L., Swartz, J. R., Martin, D. M., Lord, C., & Monk, C. S. (2014). Serotonin transporter genotype impacts amygdala habituation in youth with autism spectrum disorders. *Social Cognitive and Affective Neuroscience*, 9, 832–8. doi:10.1093/scan/nst039
- Williams, J. T., & Blangero, J. (1999). Power of variance component linkage analysis to detect quantitative trait loci. *Annals of Human Genetics*, 63, 545–63. doi:10.1017/S0003480099007848
- Williams, L. E., Blackford, J. U., Luksik, A., Gauthier, I., & Heckers, S. (2013). Reduced habituation in patients with schizophrenia. *Schizophrenia Research*, 151, 124–132. doi:10.1016/j.schres.2013.10.017
- Williams, L. E., Oler, J. A., Fox, A. S., McFarlin, D. R., Rogers, G. M., Jesson, M. A. L., ... Kalin, N. H. (2015). Fear of the unknown: uncertain anticipation reveals amygdala alterations in childhood anxiety disorders. *Neuropsychopharmacology*, 40, 1428–35. doi:10.1038/npp.2014.328

- Winkler, A. M., Greve, D. N., Bjuland, K. J., Nichols, T. E., Sabuncu, M. R., Håberg, A. K., ... Rimol, L. M. (2018). Joint Analysis of Cortical Area and Thickness as a Replacement for the Analysis of the Volume of the Cerebral Cortex. *Cerebral Cortex*, 28, 738–749. doi:10.1093/cercor/bhx308
- Winkler, A. M., Kochunov, P., Blangero, J., Almasy, L., Zilles, K., Fox, P. T., ... Glahn, D. C. (2010). Cortical thickness or grey matter volume? The importance of selecting the phenotype for imaging genetics studies. *NeuroImage*, 53, 1135–1146. doi:10.1016/j.neuroimage.2009.12.028
- Wittchen, H.-U. (1997). Strukturiertes klinisches Interview für DSM-IV: SKID. Achse I: Psychische Störungen: Interviewheft und Beurteilungsheft; eine deutschsprachige, erweiterte Bearbeitung der amerikanischen Originalversion des SCID-I. Hogrefe, Verlag für Psychologie.
- Wittchen, H.-U., & Fehm, L. (2003). Epidemiology and natural course of social fears and social phobia. *Acta Psychiatrica Scandinavica*, 108, 4–18. doi:10.1034/j.1600-0447.108.s417.1.x
- Wittchen, H.-U., Fuetsch, M., Sonntag, H., Müller, N., & Liebowitz, M. (2000). Disability and quality of life in pure and comorbid social phobia. Findings from a controlled study. *European Psychiatry*, 15, 46–58. doi:10.1016/S0924-9338(00)00211-X
- Wittchen, H.-U., Jacobi, F., Rehm, J., Gustavsson, A., Svensson, M., Jönsson, B., ... Steinhausen, H.-C. (2011). The size and burden of mental disorders and other disorders of the brain in Europe 2010. *European Neuropsychopharmacology*, 21, 655–79. doi:10.1016/j.euroneuro.2011.07.018
- Wolfensberger, S. P. A., Veltman, D. J., Hoogendijk, W. J. G., Boomsma, D. I., & de Geus, E. J. C. (2008). Amygdala responses to emotional faces in twins discordant or concordant for the risk for anxiety and depression. *NeuroImage*, 41, 544–52. doi:10.1016/j.neuroimage.2008.01.053
- Wong, Q. J. J., & Rapee, R. M. (2016). The aetiology and maintenance of social anxiety disorder: A synthesis of complimentary theoretical models and formulation of a new integrated model. *Journal of Affective Disorders*, 203, 84–100. doi:10.1016/j.jad.2016.05.069
- Woody, M. L., Yang, J. O., Cummings, L., Gilchrist, D., Graur, S., Siegle, G. J., & Price, R. B. (2019). Protracted amygdalar response predicts efficacy of a computer-based intervention targeting attentional patterns in transdiagnostic clinical anxiety. *Translational Psychiatry*, 9, 121. doi:10.1038/s41398-019-0458-x
- Woolrich, M. W. (2008). Robust group analysis using outlier inference. *NeuroImage*, 41, 286–301. doi:10.1016/j.neuroimage.2008.02.042
- Woolrich, M. W., Behrens, T. E. J., Beckmann, C. F., Jenkinson, M., & Smith, S. M. (2004). Multilevel linear modelling for FMRI group analysis using Bayesian inference. *NeuroImage*, 21, 1732–1747. doi:10.1016/j.neuroimage.2003.12.023
- Woolrich, M. W., Ripley, B. D., Brady, M., & Smith, S. M. (2001). Temporal autocorrelation in univariate linear modeling of FMRI data. *NeuroImage*, 14, 1370–86. doi:10.1006/nimg.2001.0931
- Worsley, K. J. (2001). Statistical analysis of activation images. In P. Jezzard, P. M. Matthews, & S. M. Smith (Eds.), *Functional MRI: An Introduction to Methods* (pp. 1–23). Oxford University Press. doi:10.1093/acprof:oso/9780192630711.003.0014
- Wray, N., & Visscher, P. (2008). Estimating trait heritability. *Nature Education*, 1, 29.
- Wright, C. I., Williams, D., Feczko, E., Barrett, L. F., Dickerson, B. C., Schwartz, C. E., & Wedig, M. M. (2006). Neuroanatomical correlates of extraversion and neuroticism. *Cerebral Cortex (New York, N.Y. : 1991)*, 16, 1809–19. doi:10.1093/cercor/bhj118

- Xu, J., Van Dam, N. T., Feng, C., Luo, Y., Ai, H., Gu, R., & Xu, P. (2019). Anxious brain networks: A coordinate-based activation likelihood estimation meta-analysis of resting-state functional connectivity studies in anxiety. *Neuroscience & Biobehavioral Reviews*, 96, 21–30. doi:10.1016/j.neubiorev.2018.11.005
- Yalin, N., Saricicek, A., Hidiroglu, C., Zugman, A., Direk, N., Ada, E., ... Ozerdem, A. (2019). Cortical thickness and surface area as an endophenotype in bipolar disorder type I patients and their first-degree relatives. *NeuroImage: Clinical*, 101695. doi:10.1016/j.nicl.2019.101695
- Yamasue, H., Abe, O., Suga, M., Yamada, H., Inoue, H., Tochigi, M., ... Kasai, K. (2008). Gender-common and -specific neuroanatomical basis of human anxiety-related personality traits. *Cerebral Cortex (New York, N.Y. : 1991)*, 18, 46–52. doi:10.1093/cercor/bhm030
- Yang, X., Liu, J., Meng, Y., Xia, M., Cui, Z., Wu, X., ... He, Y. (2019). Network analysis reveals disrupted functional brain circuitry in drug-naive social anxiety disorder. *NeuroImage*, 190, 213–223. doi:10.1016/j.neuroimage.2017.12.011
- Yoon, K. L., Fitzgerald, D. A., Angstadt, M., McCarron, R. A., & Phan, K. L. (2007). Amygdala reactivity to emotional faces at high and low intensity in generalized social phobia: a 4-Tesla functional MRI study. *Psychiatry Research*, 154, 93–8. doi:10.1016/j.psychresns.2006.05.004
- You, D., Maeda, Y., & Bebeau, M. J. (2011). Gender Differences in Moral Sensitivity: A Meta-Analysis. *Ethics & Behavior*, 21, 263–282.
- Young, K. S., Burkland, L. J., Torre, J. B., Saxbe, D., Lieberman, M. D., & Craske, M. G. (2017). Treatment for social anxiety disorder alters functional connectivity in emotion regulation neural circuitry. *Psychiatry Research: Neuroimaging*, 261, 44–51. doi:10.1016/j.psychresns.2017.01.005
- Yuan, C., Zhu, H., Ren, Z., Yuan, M., Gao, M., Zhang, Y., ... Zhang, W. (2018). Precuneus-related regional and network functional deficits in social anxiety disorder: A resting-state functional MRI study. *Comprehensive Psychiatry*, 82, 22–29. doi:https://doi.org/10.1016/j.comppsy.2017.12.002
- Yun, J.-Y., Kim, J.-C., Ku, J., Shin, J.-E., Kim, J.-J., & Choi, S.-H. (2017). The left middle temporal gyrus in the middle of an impaired social-affective communication network in social anxiety disorder. *Journal of Affective Disorders*, 214, 53–59. doi:10.1016/j.jad.2017.01.043
- Zahn, R., Moll, J., Paiva, M., Garrido, G., Krueger, F., Huey, E. D., & Grafman, J. (2009). The neural basis of human social values: evidence from functional MRI. *Cerebral Cortex*, 19, 276–83. doi:10.1093/cercor/bhn080
- Zald, D. H. (2003). The human amygdala and the emotional evaluation of sensory stimuli. *Brain Research. Brain Research Reviews*, 41, 88–123. doi:10.1016/S0165-0173(02)00248-5
- Zatorre, R. J., Fields, R. D., & Johansen-Berg, H. (2012). Plasticity in gray and white: neuroimaging changes in brain structure during learning. *Nature Neuroscience*, 15, 528–536. doi:10.1038/nn.3045
- Zhang, Y., Brady, M., & Smith, S. (2001). Segmentation of brain MR images through a hidden Markov random field model and the expectation-maximization algorithm. *IEEE Transactions on Medical Imaging*, 20, 45–57. doi:10.1109/42.906424
- Zhang, Yuan, Yu, H., Yin, Y., & Zhou, X. (2016). Intention Modulates the Effect of Punishment Threat in Norm Enforcement via the Lateral Orbitofrontal Cortex. *The Journal of Neuroscience*, 36, 9217–26. doi:10.1523/JNEUROSCI.0595-16.2016
- Zhao, Y., Chen, L., Zhang, W., Xiao, Y., Shah, C., Zhu, H., ... Lui, S. (2017). Gray Matter Abnormalities in Non-comorbid Medication-naive Patients with Major Depressive Disorder or Social Anxiety Disorder. *EBioMedicine*. doi:10.1016/j.ebiom.2017.06.013

- Ziegler, C., Dannlowski, U., Bräuer, D., Stevens, S., Laeger, I., Wittmann, H., ... Domschke, K. (2015). Oxytocin receptor gene methylation: converging multilevel evidence for a role in social anxiety. *Neuropsychopharmacology : Official Publication of the American College of Neuropsychopharmacology*, 40, 1528–38. doi:10.1038/npp.2015.2
- Ziv, M., Goldin, P. R., Jazaieri, H., Hahn, K. S., & Gross, J. J. (2013). Is there less to social anxiety than meets the eye? Behavioral and neural responses to three socio-emotional tasks. *Biology of Mood & Anxiety Disorders*, 3, 5. doi:10.1186/2045-5380-3-5

CONTRIBUTING AUTHORS

Prof. Gerhard Andersson, PhD.

Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden; Department of Behavioural Sciences and Learning, Psychology, Linköping University, Linköping, Sweden.

Prof. Jennifer U. Blackford, PhD.

Department of Psychiatry and Behavioral Sciences, Vanderbilt University Medical Center, Nashville, TN, United States of America; Research Service, Research and Development, Department of Veterans Affairs Medical Center, Nashville, TN, United States of America.

Karina S. Blair, PhD.

National Institute of Mental Health, National Institutes of Health, Department of Health and Human Services, Bethesda, MD, United States of America; *Present: Center for Neurobehavioral Research, Boys Town National Research Hospital, Boys Town, NE, United States of America.*

Prof. Carl-Johan Boraxbekk, PhD.

Umeå Centre for Functional Brain Imaging (UFBI), Umeå University, Umeå, Sweden; Danish Research Centre for Magnetic Resonance (DRCMR), Centre for Functional and Diagnostic Imaging and Research, Copenhagen University Hospital Hvidovre, Denmark.

Annette B. Brühl, PhD.

Behavioural and Clinical Neuroscience Institute, Department of Psychiatry, University of Cambridge, Cambridge, United Kingdom; Department of Psychiatry, Psychotherapy, and Psychosomatics, Psychiatric Hospital, University of Zurich, Zurich, Switzerland.

Prof. Per Carlbring, PhD.

Department of Psychology, Stockholm University, Stockholm, Sweden.

Henk R. Cremers, PhD.

Department of Clinical Psychology, University of Amsterdam, Amsterdam, The Netherlands.

Jonas Engman, MSc.

Department of Psychology, Uppsala University, Uppsala, Sweden.

Jean-Paul Fouche, PhD.

Department of Psychiatry and Mental Health, University of Cape Town, Observatory, Cape Town, South Africa.

Prof. Mats Fredrikson, PhD.

Department of Psychology, Uppsala University, Uppsala, Sweden; Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

Andreas Frick, PhD.

Department of Psychology, Uppsala University, Uppsala, Sweden; Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

Prof. Tomas Furmark, PhD.

Department of Psychology, Uppsala University, Uppsala, Sweden.

Anita Harrewijn, PhD.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands. *Present: Department of Human Development and Quantitative Methodology, University of Maryland, College Park, United States of America; Emotion and Development Branch, National Institutes of Mental Health, Bethesda, United States of America.*

Coenraad J. Hattingh, PhD.

Department of Psychiatry and Mental Health, University of Cape Town, Observatory, Cape Town, South Africa.

Prof. Jeanine J. Houwing-Duistermaat, PhD.

Department of Statistics, University of Leeds, Leeds, United Kingdom.

Heide Klumpp, PhD.

Departments of Psychiatry and Psychology, University of Illinois at Chicago, Chicago, IL, United States of America.

Tanja Kreuk, MSc.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands.

Prof. Christine Lochner, PhD.

SU/UCT MRC Unit on Anxiety & Stress Disorders, South Africa; Department of Psychiatry, Stellenbosch University, Tygerberg, South Africa.

Kristoffer N.T. Månsson, PhD.

Department of Psychology, Stockholm University, Stockholm, Sweden; Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

Melle J.W. van der Molen, PhD.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands.

J. Nienke Pannekoek, PhD.

Neuropsychopharmacology Unit, Centre for Psychiatry, Division of Brain Sciences, Imperial College London, United Kingdom; *Present: MRC Unit on Risk & Resilience in Mental Disorders, Stellenbosch University, Stellenbosch, South Africa.*

Jutta Peterburs, PhD.

Institute of Medical Psychology and Systems Neuroscience, University of Münster, Münster, Germany; *Present: Department of Biological Psychology, Institute for Experimental Psychology, Heinrich-Heine- University, Düsseldorf, Germany.*

Prof. K. Luan Phan, PhD.

Departments of Psychiatry, Psychology and Anatomy and Cell Biology, and the Graduate Program in Neuroscience, University of Illinois at Chicago, Chicago, IL, United States of America.

Catrien G. Reichart, PhD.

Curium, Leiden University Medical Center, Leiden, The Netherlands.

Prof. Karin Roelofs, PhD.

Behavioural Science Institute, Radboud University, Nijmegen, The Netherlands; Donders Institute for Brain, Cognition and Behaviour, Radboud University, Nijmegen, The Netherlands.

Prof. P. Eline Slagboom, PhD.

Section of Molecular Epidemiology, Department of Medical Statistics and Bioinformatics, Leiden University Medical Center, Leiden, The Netherlands.

Prof. Thomas Straube, PhD.

Institute of Medical Psychology and Systems Neuroscience, University of Münster, Münster, Germany.

Renaud L.M. Tissier, PhD.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; *Present: Department of Epidemiology and Biostatistics, Vrije Universiteit Medical Center, Amsterdam, The Netherlands.*

Marie-José van Tol, PhD.

Department of Neuroscience, University Medical Center Groningen, University of Groningen, Groningen, The Netherlands.

Prof. Dick J. Veltman, PhD.

Department of Psychiatry, Neuroscience Campus Amsterdam, VU University Medical Center, Amsterdam, The Netherlands.

Irene M. Van Vliet, PhD.

Department of Psychiatry, Leiden University Medical Center, Leiden, The Netherlands.

Henk van Steenbergen, PhD.

Cognitive Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands.

Prof. Dan J. Stein, PhD.

Department of Psychiatry and Mental Health, University of Cape Town, Observatory, Cape Town, South Africa.

Prof. Nic J.A. van der Wee, PhD.

Department of Psychiatry, Leiden University Medical Center, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands.

Prof. P. Michiel Westenberg, PhD.

Developmental and Educational Psychology, Institute of Psychology, Leiden University, Leiden, The Netherlands; Leiden Institute for Brain and Cognition, Leiden University, Leiden, The Netherlands.

FUNDING SOURCES

All chapters

Janna Marie Bas-Hoogendam was funded by Leiden University Research Profile ‘Health, Prevention and the Human Life Cycle’ and the Institute of Psychology of Leiden University.

Chapter 4

Henk van Steenbergen was supported by a grant from the Netherlands Organization for Scientific Research (NWO) to Bernhard Hommel. Henk van Steenbergen, J. Nienke Pannekoek and Jean-Paul Fouche were partially supported by the EU 7th Frame Work Marie Curie Actions International Staff Exchange Scheme grant ‘European and South African Research Network in Anxiety Disorders’ (EUSARNAD). Jean-Paul Fouche is funded by the South African Medical Research Council National Health Scholarship. Münster (Jena) collaborators were partially supported by the Collaborative Research Center “Fear, Anxiety, and Anxiety disorders” in Münster, funded by the German Research Society (SFB/TRR-58, project C07 awarded to Thomas Straube) and by the Research Group “Person Perception” in Jena, funded by the German Research Society (grant number STR 987/6-1 to Thomas Straube). The infrastructure for the Netherlands Study of Depression and Anxiety (NESDA) was funded through the Geestkracht programme of the Netherlands Organization for Health Research and Development (ZonMw, grant number 10-000-1002) and is supported by participating universities and mental health care organizations (VU University Medical Center, GGZ inGeest, Arkin, Leiden University Medical Center, GGZ Rivierduinen, University Medical Center Groningen, Lentis, GGZ Friesland, GGZ Drenthe, IQ Healthcare, Netherlands Institute for Health Services Research (NIVEL) and Netherlands Institute of Mental Health and Addiction (Trimbos Institute)). Studies in Umea and Uppsala were supported by the Swedish Research Council and the Swedish Research Council for Health, Working Life and Welfare.

ACKNOWLEDGMENTS

Chapters 2, 3, 5, 8-10

We are grateful to the Royal Dutch Academy of Sciences (KNAW) which enabled the organization of the Social Anxiety Conference, consisting of a two-day KNAW Academy Colloquium and a Master Class day (6 - 8 June 2011, Leiden, the Netherlands), and we thank the Lorentz Center (Leiden, the Netherlands) for their financial and practical support in organizing the workshop 'Endophenotypes of Social Anxiety Disorder: Can we detect them and are they useful in clinical practice?', which took place 14 - 18 December 2015 (<https://www.lorentzcenter.nl/lc/web/2015/754/info.php3?wsid=754>).

Chapter 4

We thank Tanja Kreuk (research intern, Leiden University) for her contribution to the visual inspection of the data, and the Anxiety Disorders Research Network of the European College of Psychopharmacology for its scientific and administrative support.

Chapters 5, 8 -10

We thank Anita Harrewijn, Melle J.W. van der Molen and Irene M. van Vliet for their contribution to the design and execution of the LFLSAD and their role in the recruitment of the families. Furthermore, we are grateful to several master students (Marjolein Barendse, Tanja Kreuk, Saskia van Leuwerden, Farah Mesbahi, Eefje Poppelaars) and the support team of the Leiden Institute for Brain and Cognition (LIBC) who assisted in acquiring the MRI data.

Chapter 6

We thank Karina S. Blair (Boys Town National Research Hospital, Boys Town, NE, USA) and Melle J.W. van der Molen (Leiden University, Leiden, The Netherlands) for their assistance in developing the stories included in the SNPT-R, and Anne C. Miers (Leiden University, Leiden, The Netherlands) for her help in back translating the Dutch stories into English.

Chapter 7

We gratefully thank Tanja Kreuk who was involved in designing the study and data acquisition as part of her research master thesis project.

Chapter 10

We thank Renaud L. M. Tissier and Jeanine J. Houwing-Duistermaat for their statistical support and providing the analyses scripts.

CURRICULUM VITAE

Janna Marie Bas-Hoogendam was born on November 21, 1985 in Gouda, The Netherlands. In 2003, she graduated from Gymnasium Camphusianum in Gorinchem (cum laude / with honours) and started studying Medicine at the Erasmus Medical Center, Rotterdam. After finishing the Bachelor's phase (cum laude / with honours, 2004), she continued with the Master's phase of this study. During several research internships at the department of Psychiatry of the Erasmus Medical Center, she got acquainted with brain research and became more and more enthusiastic about the possibilities of neuroimaging, especially in relation to psychopathology. She wrote a review on the effect of antipsychotics on the blood-oxygen-level-dependent (BOLD) signal (published in revised form in *Current Pharmaceutical Design*) and decided to focus on brain research after her graduation. She was admitted to the prestige research master Neuroscience and Cognition at Utrecht University (2007). As part of this master, she completed an internship involving the combination of functional Magnetic Resonance Imaging (fMRI) and repetitive Transcranial Magnetic Stimulation (rTMS) at the Psychiatry department of the University Medical Center (UMC) Utrecht, and an internship concerning a magneto-encephalogram experiment in patients with Parkinson's disease and obsessive-compulsive disorder at the VU Medical Center in Amsterdam. In addition, she wrote a master's thesis on the physiological basis of the effects of rTMS on the brain, with a focus on synaptic plasticity (published as a review in *Brain Stimulation*).

She obtained her master's degree (cum laude / with honours) in 2009 and started working as a research assistant at the Psychiatry department of the UMC Utrecht on the BRain Imaging, Development & Genetics (BRIDGE) project. In this project, she investigated the structural and functional brain development of children (10 - 16 years of age) who were genetically at high risk for the development of schizophrenia and bipolar disorder. In 2012, she moved to the United Kingdom to work as a Marie Curie Early Stage Researcher at the Cognitive Neuroimaging Laboratory of the University of Birmingham within the Adaptive Brain Computations research program, a training network funded by the European Union.

In 2013, Janna Marie Bas-Hoogendam started her PhD project at the unit Developmental and Educational Psychology of the Institute of Psychology (Leiden University) and the department of Psychiatry of the Leiden University Medical Center (LUMC). This PhD project, embedded within the Leiden Family Lab study on Social Anxiety Disorder (LFLSAD) and supervised by prof. dr. P. Michiel Westenberg, prof. dr. Nic. J. A. van der Wee and dr. Henk van Steenbergen, aimed to determine endophenotypes of social anxiety disorder using structural and functional MRI. The results of this study are included in this thesis.

In addition to the data collection and analysis of the LFLSAD project, she was involved in the Netherlands Study of Depression and Anxiety (NESDA) and worked on a study on the neurobiological effects of cortisol on the brain, a collaboration between the departments of Psychiatry and Endocrinology (LUMC). Furthermore, Janna Marie was part-time

employed as a Junior staff-member at the Netherlands Organization for Scientific Research (NWO), the Hague (2015), and she was actively involved in teaching: she supervised Bachelor's and Master's theses, was coordinator and working group leader of Clinical Child and Adolescent Psychology and a mentor of first year's students of the International Bachelor in Psychology. She obtained her University Teaching Qualification in 2017.

Furthermore, Janna Marie Bas-Hoogendam is a coordinator of the ENIGMA-ANXIETY working group (since 2016) and associate faculty member of F1000prime (since 2017). Currently, Janna Marie is appointed as a researcher at the unit Developmental and Educational Psychology of the Institute of Psychology (Leiden University) and the department of Psychiatry (LUMC).

Janna Marie is married to Matthijs Bas and they have two sons: David (2016) and Manuel (2018).

CURRICULUM VITAE (NEDERLANDS)

Janna Marie Bas-Hoogendam is geboren op 21 November 1985 in Gouda. In 2003 behaalde ze haar diploma aan het Gymnasium Camphusianum in Gorinchem (*cum laude*) en in datzelfde jaar startte ze met de opleiding Geneeskunde aan het Erasmus Medisch Centrum, Rotterdam. Na het afronden van de propedeutische fase (*cum laude*, 2004), zette ze haar studie voort met de doctoraal fase van de opleiding. Tijdens meerdere onderzoeksstages bij de afdeling Psychiatrie van het Erasmus MC maakte ze kennis met hersenonderzoek, en werd daarbij steeds enthousiaster over de mogelijkheden van beeldvormende technieken om inzicht te krijgen in de neurobiologische basis van psychopathologie. Ze schreef een overzichtsartikel over het effect van antipsychotica op hersenactiviteit (in herziene vorm gepubliceerd in het wetenschappelijke tijdschrift *Current Pharmaceutical Design*) en besloot om zich na het afronden van haar doctoraal te richten op het doen van wetenschappelijk onderzoek naar het brein. Ze werd geselecteerd voor de prestigieuze researchmaster Neuroscience and Cognition aan de Universiteit Utrecht (2007). Tijdens deze master rondde Janna Marie twee stages af. In de eerste stage, die plaatsvond op de afdeling Psychiatrie van het Universitair Medisch Centrum (UMC) Utrecht werkte ze mee aan een project waarin functionele Magnetische Resonantie Imaging (fMRI) gecombineerd werd met repetitieve Transcraniële Magnetische Stimulatie (rTMS); tijdens de tweede stage hield ze zich bezig met een magneto-encefalografie in patiënten met de ziekte van Parkinson en patiënten met een obsessieve-compulsieve dwangstoornis (VU Medisch Centrum, Amsterdam). Daarnaast schreef ze haar master scriptie over de fysiologische basis van de effecten van rTMS op het brein, waarbij ze zich met name richtte op synaptische plasticiteit. Deze scriptie werd in 2010 in het blad *Brain Stimulation* gepubliceerd.

Na het behalen van haar masterdiploma (*cum laude*) in 2009 werkte Janna Marie een aantal jaar als onderzoeksassistent op de afdeling psychiatrie van het UMC Utrecht aan het *BRain Imaging, Development & Genetics* (BRIDGE) onderzoek. In dit project onderzocht ze de structurele en functionele ontwikkeling van de hersenen in kinderen (10 - 16 jaar oud) die een hoog genetisch risico hadden voor het ontwikkelen van schizofrenie of een bipolaire stoornis. In 2012 verhuisde ze naar het Verenigd Koninkrijk om daar als een *Marie Curie Early Stage Researcher* te werken bij het *Cognitive Neuroimaging Laboratory* van de Universiteit van Birmingham, in het kader van het *Adaptive Brain Computations* onderzoeksprogramma (financieel mogelijk gemaakt door de Europese Unie).

In 2013 begon Janna Marie Bas-Hoogendam met haar promotieonderzoek bij de afdeling Ontwikkelings- en onderwijspsychologie (Instituut Psychologie, Universiteit Leiden) en de afdeling Psychiatrie (Leiden Universitair Medisch Centrum, LUMC), onder begeleiding van prof. dr. P. Michiel Westenberg, prof. dr. Nic. J. A. van der Wee en dr. Henk van Steenbergen. Het project was onderdeel van de Leidse Familiestudie naar Sociale Angststoornis (LFLSAD) en was erop gericht om endofenotypes van sociale angststoornis vast te stellen

met behulp van structurele en functionele MRI. De resultaten van het onderzoek zijn in dit proefschrift beschreven.

Naast het verzamelen en analyseren van de onderzoeksgegevens van de LFLSAD was Janna Marie betrokken bij de Nederlandse Studie naar Depressie en Angst (NESDA), en werkte ze aan een onderzoek naar de neurobiologische effecten van cortisol op het brein, een samenwerking tussen de afdelingen Psychiatrie en Endocrinologie van het LUMC. Verder werkte ze parttime als Junior Beleidsmedewerker bij de Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO; Den Haag; 2015) en vervulde ze diverse onderwijstaken. Ze begeleidde studenten bij het schrijven van hun bachelor- en masterscripties, was coördinator en werkgroepdocent van het vak *Clinical Child and Adolescent Psychology* en mentor van eerstejaarsstudenten van de *International Bachelor in Psychology*. Ze behaalde haar Basiskwalificatie Onderwijs in 2017.

Verder is Janna Marie sinds 2016 coördinator van de ENIGMA-ANXIETY werkgroep en *associate faculty member* van de website F1000prime (sinds 2017). Momenteel is Janna Marie werkzaam als onderzoeker bij de afdeling Ontwikkelings- en onderwijspsychologie (Instituut Psychologie, Universiteit Leiden) en de afdeling Psychiatrie (LUMC).

Janna Marie is getrouwd met Matthijs Bas en samen hebben ze twee zoons: David (2016) en Manuel (2018).

LIST OF PUBLICATIONS

Papers in peer-reviewed journals

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Jennifer U. Blackford, Renaud L.M. Tissier, Nic. J.A. van der Wee, P. Michiel Westenberg (2019b). Impaired neural habituation to neutral faces in families genetically enriched for Social Anxiety Disorder. *Depression & Anxiety* (available online, in press).

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Renaud L.M. Tissier, Nic. J.A. van der Wee, P. Michiel Westenberg (2019a). Altered neurobiological processing of unintentional social norm violations: a multiplex, multigenerational fMRI study on social anxiety endophenotypes. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging* (available online, in press).

Janna Marie Bas-Hoogendam (2019). Commentary: Gray Matter Structural Alterations in Social Anxiety Disorder: a Voxel-Based Meta-Analysis. *Front. Psychiatry* 10:1.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Renaud L.M. Tissier, Jeanine J. Houwing-Duistermaat, P. Michiel Westenberg, Nic J.A. van der Wee (2018b). Subcortical brain volumes, cortical thickness and cortical surface area in families genetically enriched for social anxiety disorder – a multiplex multigenerational neuroimaging study. *EBioMedicine*, 36, 410-428

Janna Marie Bas-Hoogendam, Anita Harrewijn, Renaud L.M. Tissier, Melle J.W. van der Molen, Henk van Steenbergen, Irene M. Van Vliet, Catrien G. Reichart, Jeanine J. Houwing-Duistermaat, P. Eline Slagboom, Nic J.A. van der Wee, P. Michiel Westenberg (2018a). The Leiden Family Lab study on Social Anxiety Disorder: a multiplex, multigenerational family study on neurocognitive endophenotypes. *International Journal of Methods in Psychiatric Research*: e1616.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2018c). Not intended, still embarrassed: social anxiety modulates the experience of unintentional social norm violations. *European Psychiatry*, 52, 15-21.

Janna Marie Bas-Hoogendam*, Henk van Steenbergen* , J. Nienke Pannekoek, Jean-Paul Fouche, Christine Lochner, Coenraad J. Hattingh, Karin Roelofs, Tomas Furmark, Kristoffer N.T. Månsson, Andreas Frick, Jonas Engman, Carl-Johan Boraxbekk, Per Carlbring, Gerhard Andersson, Mats Fredrikson , Thomas Straube, Jutta Peterburs, Heide Klumpp, K. Luan Phan, Henk R. Cremers, Dick J. Veltman, Marie-José van Tol, Dan J. Stein, Nic

J.A. van der Wee (2017a). Voxel-Based Morphometry Multi-Center Mega-Analysis of Brain Structure in Social Anxiety Disorder. *NeuroImage: Clinical*, 16, 678-688. (*: shared first authorship)

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Tanja Kreuk, Nic J.A. van der Wee, P. Michiel Westenberg (2017b). How embarrassing! The behavioral and neural correlates of processing social norm violations. *PLOS ONE*, 12 (4), e0176326.

Janna Marie Bas-Hoogendam, Jennifer U. Blackford, Annette B. Brühl, Karina S. Blair, Nic J.A. van der Wee, P. Michiel Westenberg (2016). Neurobiological Candidate Endophenotypes of Social Anxiety Disorder. *Neuroscience and Biobehavioral Reviews*, 71, 362-378.

Janna Marie Bas-Hoogendam*, Cornelia D. Andela*, Steven J.A. van der Werff, J. Nienke Pannekoek, Henk van Steenbergen, Onno C. Meijer, Mark A. van Buchem, Serge A.R.B. Rombouts, Roos C. van der Mast, Nienke R. Biermasz, Nic J.A. van der Wee, Alberto M. Pereira (2015). Altered neural processing of emotional faces in remitted Cushing's disease. *Psychoneuroendocrinology* 59, 134–146. (*: shared first authorship)

Matthijs Vink, Bram B. Zandbelt, Thomas Gladwin, Manon Hillegers, **Janna Marie Hoogendam**, Wery P.M. van den Wildenberg, Stefan Du Plessis, René S Kahn (2014). Frontostriatal activity and connectivity increase during proactive inhibition across adolescence and early adulthood. *Human Brain Mapping* 35 (9), 4415-4427.

Matthijs Vink, Jolanda M. Derks, **Janna Marie Hoogendam**, Manon Hillegers, René S. Kahn (2014). Functional differences in emotion processing during adolescence and early adulthood. *NeuroImage* 91, pp 70-76.

Janna Marie Hoogendam, René S. Kahn, Manon H.J. Hillegers, Mariët van Buuren, Matthijs Vink (2013). Different developmental trajectories for anticipation and receipt of reward during adolescence. *Developmental Cognitive Neuroscience* 6, 113-124.

Bram B. Zandbelt, Mirjam Bloemendaal, **Janna Marie Hoogendam**, René S. Kahn, Matthijs Vink (2013). Transcranial magnetic stimulation and functional MRI reveal cortical and subcortical interactions during stop-signal response inhibition. *Journal of Cognitive Neuroscience*, 25 (2), 157-174.

N.M.J. van Veelen, M. Vink, N.F. Ramsey, M. van Buuren, **J.M. Hoogendam**, R.S. Kahn (2011). Prefrontal lobe dysfunction predicts treatment response in medication-naïve first-episode schizophrenia. *Schizophrenia Research* 129 (2-3), 156-162.

N.M.J. van Veelen, M. Vink, N.F. Ramsey, I.E.C. Sommer, M. van Buuren, **J.M. Hoogendam**, R.S. Kahn (2011). Reduced language lateralization in first-episode medication-naïve schizophrenia. *Schizophrenia Research* 127 (1-3), 195-201.

C.H. Röder, **J.M. Hoogendam**, F.M. van der Veen (2010). FMRI, antipsychotics and schizophrenia. Influence of different antipsychotics on BOLD-signal. *Current Pharmaceutical Design* 16 (18), 2012-2025.

J.M. Hoogendam, G.M.J. Ramakers, V. Di Lazzaro (2010). Physiology of repetitive transcranial magnetic stimulation of the human brain. *Brain Stimulation* 3 (2), 95-118.

Papers under review

Paul Thompson, Neda Jahanshad, Christopher R. K. Ching, Lauren E. Salminen, Sophia I. Thomopoulos, Joanna Bright, Bernhard T. Baune, ..., **Janna Marie Bas-Hoogendam**, ..., Nic J. A. van der Wee, Ysbrand D. van der Werf, Theo G. M. van Erp, PhD, Neeltje E. M. van Haren, Daan van Rooij, Laura S. van Velzen, Ilya M. Veer, Dick J. Veltman, Julio E. Villalon-Reina, Henrik Walter, Christopher D. Whelan, Elisabeth A. Wilde, Mojtaba Zarei, and Vladimir Zelman, for the ENIGMA Consortium (2019). *ENIGMA and Global Neuroscience: A Decade of Large-Scale Studies of the Brain in Health and Disease across 43 Countries. PsyArXiv. July 4.*

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic. J.A. van der Wee, P. Michiel Westenberg (under review). Amygdala hyperreactivity to faces conditioned with a social-evaluative meaning – a multiplex, multigenerational fMRI study on social anxiety endophenotypes.

Laura S. van Velzen, Marie-José van Tol, Martijn P. van den Heuvel, **Janna Marie Bas-Hoogendam**, Nic J. A. van der Wee, Dick J. Veltman, Brenda W. J. H. Penninx, Lianne Schmaal (in revision). Multimodal graph theoretical brain networks and the 9-year cumulative disease load of depression and anxiety.

Book chapters

Janna Marie Bas-Hoogendam, Eline F. Roelofs, P. Michiel Westenberg, Nic J. A. van der Wee. Pathogenesis of SAD; chapter in ‘The American Psychiatric Association Textbook of Anxiety, Trauma and OCD related Disorders’, edited by Naomi Simon, Eric Hollander, Barbara O. Rothbaum, and Dan J. Stein (2019, in press).

Dick J. Veltman, **Janna Marie Bas-Hoogendam**, Nic J. A. van der Wee en Odile A. van den Heuvel. Het angstige brein: beeldvormend onderzoek; hoofdstuk in ‘Handboek angst- en

dwangstoornissen', onder redactie van Ton van Balkom, Désirée Oosterbaan, Saka Visser en Irene van Vliet. Uitgeverij de Tijdstroom (2018).

Conference abstracts (*selection*)

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2019). Neuroimaging results from the Leiden Family Lab study on Social Anxiety Disorder: a multiplex, multigenerational endophenotype study. *Journal of Neural Transmission* (in press).

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2019). Social conditioning of neutral faces in families genetically enriched for social anxiety disorder. *European Neuropsychopharmacology* (in press). **WINNER TRAVEL AWARD 32nd ECNP Congress (2019), and selected for 'Poster Jam Session: Anxiety and stress related disorders' dedicated to four high-scoring posters.**

Laura van Velzen, Marie-José van Tol, Martijn van den Heuvel, **Janna Marie Bas-Hoogendam**, Nic van der Wee, Dick Veltman, Brenda Penninx, Lianne Schmaal (2019). Multimodal Graph Theoretical Brain Networks and the 9-Year Cumulative Disease Load of Depression and Anxiety. *Biological Psychiatry* 85 (10), S264.

Nynke A. Groenewold, **Janna Marie Bas-Hoogendam**, Alyssa R. Amod, Laura van Velzen, Moji Aghajani, Courtney A. Filippi, Andrea L. Gold, Christopher R.K. Ching, Karin Roelofs, Tomas Furmark, Kristoffer N.T. Månsson, Thomas Straube, Jutta Peterburs, Heide Klumpp, K. Luan Phan, Christine Lochner, Alexander Doruyter, Jesus Pujol, Narcis Cardoner, Laura Blanco-Hinojo, Katja Beesdo-Baum, Kevin Hilbert, Benjamin Kreifelts, Michael Erb, Qi-yong Gong, Su Lui, Jair C. Soares, Mon-Ju Wu, P. Michiel Westenberg, Dominik Grotegerd, Elisabeth J. Leehr, Udo Dannlowski, Peter Zwanzger, Dick J. Veltman, Daniel S. Pine, Neda Jahanshad, Paul M. Thompson, Dan J. Stein, and Nic J.A. van der Wee, on behalf of the ENIGMA-Anxiety Working Group (2018). Subcortical volumes in Social Anxiety Disorder: Preliminary Results from ENIGMA-Anxiety. *Biological Psychiatry* 83 (9), S247-S248.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2017); Subcortical brain volumes as endophenotypes of social anxiety disorder – preliminary findings from the Leiden Family Study on Social Anxiety Disorder. *Journal of Neural Transmission* 124 (10), 1300. **WINNER TRAVEL AWARD WASAD Congress (2017).**


Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2017); Subcortical brain volumes as endophenotypes of social anxiety disorder

– preliminary findings from the Leiden Family Study on Social Anxiety Disorder. *European Neuropsychopharmacology* 27 (4), s1021.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, J. Nienke Pannekoek, Jean-Paul Fouche, Christine Lochner, Coenraad J. Hattingh, Henk R. Cremers, Tomas Furmark, Kristoffer N.T. Månsson, Andreas Frick, Jonas Engman, Carl-Johan Boraxbekk, Per Carlbring, Gerhard Andersson, Mats Fredrikson, Thomas Straube, Jutta Peterburs, Heide Klumpp, K. Luan Phan, Karin Roelofs, Dan J. Stein, Nic J.A. van der Wee (2017). Sample size matters: A voxel-based morphometry multi-center mega-analysis of gray matter volume in Social Anxiety Disorder. *Biological Psychiatry* 81 (10), S7-S8.

Janna Marie Bas-Hoogendam, Henk van Steenbergen, Nic J.A. van der Wee, P. Michiel Westenberg (2017). Social norm processing as an endophenotype of social anxiety disorder - a family study in two generations. *European Neuropsychopharmacology* 27, S49-S50. **WINNER TRAVEL AWARD ECNP Workshop on Neuropsychopharmacology for Junior Scientists in Europe (2017).**

Janna Marie Bas-Hoogendam, Henk van Steenbergen, P. Michiel Westenberg, Nic J.A. van der Wee (2015). Social conditioning of neutral faces: A pilot-study on brain functioning in social anxiety patients and their unaffected first-degree relatives. *European Neuropsychopharmacology* 25, S573-S574. **WINNER TRAVEL AWARD 28th ECNP Congress (2015).**



Patients with social anxiety disorder (SAD) are 'extremely shy': they are afraid of a negative evaluation and avoid social situations as much as possible, with negative influences on their lives. SAD runs in families: being 'genetically close' to a patient with SAD substantially increases the risk to develop the disorder.

The studies summarized in this thesis aim to broaden our knowledge of this genetic vulnerability to SAD. Using MRI scans from the unique Leiden Family Lab study on Social Anxiety Disorder, we demonstrate that alterations in the structure and function of the brain are genetically linked to the disorder. These results offer novel insights in the neurobiological pathways leading to SAD.