



Universiteit
Leiden
The Netherlands

Subclinical Hyperthyroidism and the Risk of Coronary Heart Disease and Mortality

Collet, T.H.; Gussekloo, J.; Bauer, D.C.; Elzen, W.P.J. den; Cappola, A.R.; Balmer, P.; ... ;
Thyroid Studies Collaboration

Citation

Collet, T. H., Gussekloo, J., Bauer, D. C., Elzen, W. P. J. den, Cappola, A. R., Balmer, P., ...
Rodondi, N. (2012). Subclinical Hyperthyroidism and the Risk of Coronary Heart Disease and
Mortality. *Archives Of Internal Medicine -New Series-*, 172(10), 799-809. Retrieved from
<https://hdl.handle.net/1887/116929>

Version: Not Applicable (or Unknown)
License: [Leiden University Non-exclusive license](#)
Downloaded from: <https://hdl.handle.net/1887/116929>

Note: To cite this publication please use the final published version (if applicable).

[Display Settings:](#) Abstract

[Send to:](#)


Arch Intern Med. 2012 May 28;172(10):799-809. doi: 10.1001/archinternmed.2012.402.

Subclinical hyperthyroidism and the risk of coronary heart disease and mortality.

Collet TH, Gussekloo J, Bauer DC, den Elzen WP, Cappola AR, Balmer P, Iervasi G, Åsvold BO, Sgarbi JA, Völzke H, Gencer B, Maciel RM, Molinaro S, Bremner A, Luben RN, Maisonneuve P, Cornuz J, Newman AB, Khaw KT, Westendorp RG, Franklyn JA, Vittinghoff E, Walsh JP, Rodondi N; Thyroid Studies Collaboration.

Department of Ambulatory Care and Community Medicine, University of Lausanne, Lausanne, Switzerland.

Abstract

BACKGROUND: Data from prospective cohort studies regarding the association between subclinical hyperthyroidism and cardiovascular outcomes are conflicting. We aimed to assess the risks of total and coronary heart disease (CHD) mortality, CHD events, and atrial fibrillation (AF) associated with endogenous subclinical hyperthyroidism among all available large prospective cohorts.

METHODS: Individual data on 52 674 participants were pooled from 10 cohorts. Coronary heart disease events were analyzed in 22 437 participants from 6 cohorts with available data, and incident AF was analyzed in 8711 participants from 5 cohorts. Euthyroidism was defined as thyrotropin level between 0.45 and 4.49 mIU/L and endogenous subclinical hyperthyroidism as thyrotropin level lower than 0.45 mIU/L with normal free thyroxine levels, after excluding those receiving thyroid-altering medications.

RESULTS: Of 52 674 participants, 2188 (4.2%) had subclinical hyperthyroidism. During follow-up, 8527 participants died (including 1896 from CHD), 3653 of 22 437 had CHD events, and 785 of 8711 developed AF. In age- and sex-adjusted analyses, subclinical hyperthyroidism was associated with increased total mortality (hazard ratio [HR], 1.24, 95% CI, 1.06-1.46), CHD mortality (HR, 1.29; 95% CI, 1.02-1.62), CHD events (HR, 1.21; 95% CI, 0.99-1.46), and AF (HR, 1.68; 95% CI, 1.16-2.43). Risks did not differ significantly by age, sex, or preexisting cardiovascular disease and were similar after further adjustment for cardiovascular risk factors, with attributable risk of 14.5% for total mortality to 41.5% for AF in those with subclinical hyperthyroidism. Risks for CHD mortality and AF (but not other outcomes) were higher for thyrotropin level lower than 0.10 mIU/L compared with thyrotropin level between 0.10 and 0.44 mIU/L (for both, P value for trend, .03).

CONCLUSION: Endogenous subclinical hyperthyroidism is associated with increased risks of total, CHD mortality, and incident AF, with highest risks of CHD mortality and AF when thyrotropin level is lower than 0.10 mIU/L.

Comment in

What is the clinical importance of subclinical hyperthyroidism? [*Arch Intern Med.* 2012]

PMID: 22529182 [PubMed - indexed for MEDLINE]

[+](#) **Publication Types, MeSH Terms, Substances, Grant Support**

[+](#) **LinkOut - more resources**

Save items

 Add to Favorites

Related citations in PubMed

Subclinical hypothyroidism and the risk of coronar [JAMA. 2010]

Meta-analysis: subclinical thyroid d [Ann Intern Med. 2008]

Subclinical thyroid dysfunction and the risk o [Circulation. 2012]

[Review](#) Update on subclinical hyper [Am Fam Physician. 2011]

[Review](#) Hyperthyroidism and cardiovascular m [Thyroid. 2002]

[See reviews...](#)

[See all...](#)

Cited by 5 PubMed Central articles

New-onset atrial fibrillation is a predictor of su [PLoS One. 2013]

TSH Measurement and Its Implication [J Thyroid Res. 2012]

Incremental Healthcare Expenditur [J Thyroid Res. 2012]

[See all...](#)

Related information


Related Citations


Substance (MeSH Keyword)


Cited in PMC


Recent activity


[Turn Off](#) [Clear](#)

-  [Subclinical hyperthyroidism and the risk of coron: PubMed](#)

-  [Prophylactic treatment of migraine by GPs: a PMC](#)

-  [Prophylactic treatment of migraine by GPs: a PubMed](#)

-  [Plasma hepcidin levels and anemia in old age. TI PubMed](#)

-  [High blood pressure, physical and cognitive PubMed](#)

[See more...](#)

You are here: [NCBI](#) > [Literature](#) > [PubMed](#)

[Write to the Help Desk](#)

GETTING STARTED

- [NCBI Education](#)
- [NCBI Help Manual](#)
- [NCBI Handbook](#)
- [Training & Tutorials](#)

RESOURCES

- [Chemicals & Bioassays](#)
- [Data & Software](#)
- [DNA & RNA](#)
- [Domains & Structures](#)
- [Genes & Expression](#)
- [Genetics & Medicine](#)
- [Genomes & Maps](#)
- [Homology](#)
- [Literature](#)
- [Proteins](#)
- [Sequence Analysis](#)
- [Taxonomy](#)
- [Training & Tutorials](#)
- [Variation](#)

POPULAR

- [PubMed](#)
- [Nucleotide](#)
- [BLAST](#)
- [PubMed Central](#)
- [Gene](#)
- [Bookshelf](#)
- [Protein](#)
- [OMIM](#)
- [Genome](#)
- [SNP](#)
- [Structure](#)

FEATURED

- [Genetic Testing Registry](#)
- [PubMed Health](#)
- [GenBank](#)
- [Reference Sequences](#)
- [Map Viewer](#)
- [Human Genome](#)
- [Mouse Genome](#)
- [Influenza Virus](#)
- [Primer-BLAST](#)
- [Sequence Read Archive](#)

NCBI INFORMATION

- [About NCBI](#)
- [Research at NCBI](#)
- [NCBI Newsletter](#)
- [NCBI FTP Site](#)
- [NCBI on Facebook](#)
- [NCBI on Twitter](#)
- [NCBI on YouTube](#)

[Copyright](#) | [Disclaimer](#) | [Privacy](#) | [Browsers](#) | [Accessibility](#) | [Contact](#)

National Center for Biotechnology Information, U.S. National Library of Medicine
8600 Rockville Pike, Bethesda MD, 20894 USA

