

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/138855> holds various files of this Leiden University dissertation.

**Author:** Janssen, L.G.M.

**Title:** Cardiometabolic disease in South Asians: Risk factors and therapeutic strategies

**Issue date:** 2021-01-13



# **Cardiometabolic disease in South Asians**

Risk factors and therapeutic strategies

Laura Janssen

**Cardiometabolic disease in South Asians:  
Risk factors and therapeutic strategies**

© 2020, Laura G.M. Janssen

ISBN 978-94-6361-496-2

Layout and print by Optima Grafische Communicatie ([www.ogc.nl](http://www.ogc.nl))

# **Cardiometabolic disease in South Asians**

Risk factors and therapeutic strategies

## **Proefschrift**

Ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker,  
volgens besluit van het College voor Promoties  
te verdedigen op **woensdag 13 januari 2021**  
**klokke 16:15 uur**

door

**Laura Gerarda Maria Janssen**

Geboren te Brunssum  
in 1991

<b>Promotor</b>	Prof. dr. P.C.N. Rensen
<b>Copromotor</b>	Dr. M.R. Boon
<b>Leden promotiecommissie</b>	Prof. dr. H. Pijl
	Prof. dr. L.F. de Geus-Oei
	Prof. dr. E.F.C. van Rossum (EMC, Rotterdam)
	Dr. B.J.H. van den Born (AUMC, Amsterdam)

The work described in this thesis was performed at the department of Medicine, division of Endocrinology, and at the Eindhoven Laboratory for Experimental Vascular Medicine, both Leiden University Medical Center, Leiden, the Netherlands.

Financial support by Sanofi for the publication of this thesis is gratefully acknowledged.

# TABLE OF CONTENTS

<b>Chapter 1</b>	General introduction and outline	7
<b>Chapter 2</b>	Short term cooling increases plasma ANGPTL3 and ANGPTL8 in young healthy lean men but not in middle-aged men with overweight and prediabetes	33
<b>Chapter 3</b>	Higher plasma sclerostin and lower Wnt signaling gene expression in white adipose tissue of prediabetic South Asian compared with white Caucasian men	57
<b>Chapter 4</b>	LDL aggregation susceptibility is higher in healthy South Asian men compared with white Caucasian men	77
<b>Chapter 5</b>	The effect of mirabegron on energy expenditure and brown adipose tissue in healthy lean South Asian and European men	99
<b>Chapter 6</b>	Twelve weeks of exenatide treatment increases [ <sup>18</sup> F]fluorodeoxyglucose uptake by brown adipose tissue without affecting oxidative resting energy expenditure in nondiabetic males	139
<b>Chapter 7</b>	General discussion and future perspectives	173
<b>Chapter 8</b>	Summary	212
	Nederlandse samenvatting	216
	List of publications	221
	Curriculum vitae	223
	Dankwoord	224