



Universiteit  
Leiden  
The Netherlands

## **Glucocorticoid pulsatility : implications for brain functioning**

Sarabdjitsingh, R.A.

### **Citation**

Sarabdjitsingh, R. A. (2010, July 1). *Glucocorticoid pulsatility : implications for brain functioning*. Retrieved from <https://hdl.handle.net/1887/15751>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/15751>

**Note:** To cite this publication please use the final published version (if applicable).

# **Glucocorticoid pulsatility**

**Implications for brain functioning**

**Ratna Angela Sarabdjitsingh**

Angela Sarabdjitsingh

Glucocorticoid pulsatility: implications for brain functioning

Thesis, Leiden University

July 1, 2010

ISBN: 978-90-8891-164-4

Graphic styling: Mara Ontwerp & Styling

Print: Boxpress BV, [proefschriftmaken.nl](http://proefschriftmaken.nl)

© 2010 Angela Sarabdjitsingh

No part of this thesis may be reproduced or transmitted in any form or by any means, without written permission of the author.

# **Glucocorticoid pulsatility**

## **Implications for brain functioning**

### **Proefschrift**

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus Prof. Mr. P.F. van der Heijden,  
volgens besluit van het College voor Promoties  
te verdedigen op donderdag 1 juli 2010  
klokke 16.15 uur

door

**Ratna Angela Sarabdjitsingh**

geboren te Den Haag in 1981

## Promotiecommissie

<b>Promotores:</b>	Prof. Dr. E.R. de Kloet Prof. Dr. S.L. Lightman (University of Bristol, UK)
<b>Co-promotor:</b>	Dr. O.C. Meijer
<b>Overige leden:</b>	Prof. Dr. M. Joëls (Universiteit Utrecht) Prof. Dr. J. van Gerven Dr. A.M. Pereira Prof. Dr. H. Pijl Prof. Dr. J. Meijer Dr. L. de Lange Prof. Dr. M. Danhof

The studies described in this thesis were performed at the division of Medical Pharmacology of the Leiden / Amsterdam Center for Drug Research and Leiden University Medical Center, Leiden University, Leiden, the Netherlands. This research was financially supported by Mozaïek grant 017.002.021 of The Netherlands Organisation for Scientific Research (NWO), the Royal Academy of Arts and Sciences (KNAW) and NWO-IRTG DN95-420. This project is part of a collaboration between the University of Leiden and the University of Bristol. Parts of the studies described in chapter 5 and 6 have been performed at the department of Medicine, Henry Wellcome Laboratories for Integrative Neuroscience & Endocrinology, University of Bristol, Bristol, United Kingdom.

Printing of this dissertation was kindly supported by:

- NWO International Research and Training Group (IRTG; NWO-DN 95-420)
- Leiden / Amsterdam Center for Drug Research
- J.E. Jurriaanse Stichting
- Noldus Information Technology BV
- Harlan Laboratories BV
- Stichting tot Bevordering van de Electronenmicroscopie in Nederland (SEN)

Misschien moet je jezelf eerst tegenkomen  
voordat je het kunt zijn

Loesje



## Table of contents

	List of abbreviations	8
	Preface	9
<b>Chapter 1</b>	General introduction	11
<b>Chapter 2</b>	Specificity of glucocorticoid receptor primary antibodies for analysis of receptor localisation patterns in cultured cells and rat hippocampus	31
<b>Chapter 3</b>	Subregion-specific differences in translocation patterns of mineralocorticoid and glucocorticoid receptors in rat hippocampus	51
<b>Chapter 4</b>	Disrupted corticosterone pulsatile patterns attenuate responsiveness to glucocorticoid signalling in rat brain	71
<b>Chapter 5</b>	Recovery from disrupted ultradian glucocorticoid rhythmicity reveals a dissociation between hormonal and behavioural stress responsiveness	93
<b>Chapter 6</b>	Stress responsiveness varies over the ultradian glucocorticoid cycle in a brain-region specific manner	115
<b>Chapter 7</b>	General discussion	137
<b>Chapter 8</b>	Summary	152
	Samenvatting	155
	References	159
	Curriculum Vitae	185
	Publications & presentations	186
	Acknowledgements	189



## List of abbreviations

ABS	automated blood sampling
ACTH	adrenocorticotrophic hormone
ADX	adrenalectomy
ANS	autonomous nervous system
AVP	arginine vasopressin
ChIP	chromatin immunoprecipitation
CNS	central nervous system
CORT	corticosterone
CRH	corticotrophin releasing hormone
Dex	dexamethasone
DG	dentate gyrus
GH	growth hormone
GnRH	gonadotrophin-releasing hormone
GR	glucocorticoid receptor
GRE	glucocorticoid response element
HPA axis	hypothalamic-pituitary-adrenal axis
IHC	immunohistochemistry
i.p.	intraperitoneal
IR	immunoreactivity
ISH	in situ hybridisation
MR	mineralocorticoid receptor
PVN	paraventricular nucleus
WO	washout

## **Preface**

Everything has rhythm, hormones are no exception. Rapid oscillations in steroid levels are a ubiquitous phenomenon in hormonal systems and are not restricted to glucocorticoids. For instance, highly fluctuating levels of gonadotrophin-releasing hormone, growth hormone and insulin have been described previously. Furthermore, frequency encoding via circulating hormones as intracellular signals is a well accepted method of communication within mammalian systems. Accordingly, these ultradian hormone patterns are tightly controlled and are consequently required for appropriate action of receptors and target tissue sensitivity. However, dysregulation of the secretory pattern of single hormones in disease states and subsequently the underlying signalling mechanism, is well defined in most cases.

Pronounced ultradian and circadian rhythms in the hormones of the hypothalamic-pituitary-adrenal (HPA) axis (i.e. glucocorticoids), one of the body's major neuroendocrine axes, were already demonstrated several decades ago. Until now, the clinical relevance of the pulsatile nature of glucocorticoids was poorly understood or sometimes even regarded as not important. Its evolutionary conservation across many species however implies biological significance. Indeed, glucocorticoids have been proven to be crucial for a plethora of bodily functions, for example emotion, cognition and the central mechanism underlying the adaptation to stress. Furthermore, disturbances in the characteristic temporal pattern of glucocorticoid exposure have often been described in stress-related pathology. However, the significance of glucocorticoids secretory patterns for physiology, stress responsiveness and nuclear receptor signalling is still largely unexplored. As such, this thesis will discuss glucocorticoid pulsatile patterns and the implications for HPA axis activity and brain functioning.

