# Topological phases and phase transitions in magnets and ice

Keesman, R.

Cover Page

Universiteit Leiden

The handle http://hdl.handle.net/1887/49403 holds various files of this Leiden University dissertation.

**Author**: Keesman, R.
**Title**: Topological phases and phase transitions in magnets and ice
**Issue Date**: 2017-06-07

# References

[1] R. Keesman, A. O. Leonov, P. van Dieten, S. Buhrandt, G. T. Barkema, L. Fritz, and R. A. Duine, *Degeneracies and fluctuations of Néel skyrmions in confined geometries,* Phys. Rev. B **92**, 134405 (2015), arXiv:1506.00271 [cond-mat.mes-hall].

[2] R. Keesman, M. Raaijmakers, A. E. Baerends, G. T. Barkema, and R. A. Duine, *Skyrmions in square-lattice antiferromagnets,* Phys. Rev. B **94**, 054402 (2016), arXiv:1603.03688 [cond-mat.mes-hall].

[3] R. Keesman, J. Lamers, R. A. Duine, and G. T. Barkema, *Finite-size scaling at infinite-order phase transitions,* J. Stat. Mech., 093201 (2016), arXiv:1605.08876 [cond-mat.stat-mech].

[4] R. Keesman and J. Lamers, *Numerical study of the F model with domain-wall boundaries,* Phys. Rev. E **95**, 052117 (2017), arXiv:1702.05474 [cond-mat.stat-mech].

[5] R. Keesman, G. T. Barkema, and D. Panja, *Dynamical eigenmodes of star and tadpole polymers,* J. Stat. Mech., P02021 (2013), arXiv:1210.0774 [cond-mat.soft].

[6] R. Keesman, G. T. Barkema, and D. Panja, *Dynamical eigenmodes of a polymerized membrane,* J. Stat. Mech., P04009 (2013), arXiv:1212.1024 [cond-mat.soft].

[7] Nobelprize.org, *The 2016 Nobel Prize in Physics - Press Release,* (2016).

[8] A. D. McNaught and A. Wilkinson, *Compendium of Chemical Terminology* (Wiley, 1997).

[9] P. Zinn-Justin, *Quantum Field Theory and Critical Phenomena* (Oxford University Press, Oxford, 1989).

[10] V. L. Berezinskiĭ, *Destruction of Long-range Order in One-dimensional and Two-dimensional Systems having a Continuous Symmetry Group I. Classical Systems,* Soviet Journal of Experimental and Theoretical Physics **32**, 493 (1971).

[11] V. L. Berezinskiĭ, *Destruction of Long-range Order in One-dimensional and Two-dimensional Systems Possessing a Continuous Symmetry Group. II. Quantum Systems,* Soviet Journal of Experimental and Theoretical Physics **34**, 610 (1972).

[12] J. M. Kosterlitz and D. J. Thouless, *Ordering, metastability and phase transitions in two-dimensional systems,* Journal of Physics C: Solid State Physics **6**, 1181 (1973).

[13] M. E. J. Newman and G. T. Barkema, *Monte Carlo Methods in Statistical Physics* (Clarendon Press, Oxford, 1999).

[14] E. Marinari and G. Parisi, *Simulated Tempering: A New Monte Carlo Scheme,* Europhys. Lett. **19**, 6 (1992), arXiv:hep-lat/9205018.

[15] J. W. Gibbs, *Elementary Principles in Statistical Mechanics* (Charles Scribner's Sons, New York, 1902).

[16] A Papoulis, *Probability, Random Variables and Stochastic Processes, 2nd ed.* (McGraw-Hill, New York, 1984).

[17] R. Y. Rubinstein and D. P. Kroese, *Simulation and the Monte Carlo Method (Vol. 707)* (John Wiley & Sons, Hoboken, New Jersey, 2011).

[18] M. Michel, S. C. Kapfer, and W. Krauth, *Generalized event-chain Monte Carlo: Constructing rejection-free global-balance algorithms from infinitesimal steps,* The Journal of Chemical Physics **140**, 054116 (2014), 10.1063/1.4863991, arXiv:1309.7748 [cond-mat.stat-mech].

[19] N. Metropolis, A. W. Rosenbluth, M. N. Rosenbluth, A. H. Teller, and E. Teller, *Equation of State Calculations by Fast Computing Machines,* The Journal of Chemical Physics **21**, 1087 (1953).

[20] H. G. Katzgraber and S. Trebst and D. A. Huse and M. Troyer, *Feedback-optimized parallel tempering Monte Carlo,* J. Stat. Mech., P03018 (2006), arXiv:cond-mat/0602085.

[21] A. E. Ferdinand and M. E. Fisher, *Bounded and Inhomogeneous Ising Models. I. Specific-Heat Anomaly of a Finite Lattice,* Phys. Rev. **185**, 832 (1969).

[22] J. P. Valleau and D. N. Card, *Monte Carlo Estimation of the Free Energy by Multistage Sampling,* The Journal of Chemical Physics **57**, 5457 (1972).

[23] A. M. Ferrenberg and R. H. Swendsen, *Optimized Monte Carlo data analysis,* Phys. Rev. Lett. **63**, 1195 (1989).

[24] T. W. B. Kibble, *Topology of cosmic domains and strings,* Journal of Physics A: Mathematical and General **9**, 1387 (1976).

[25] W. H. Zurek, *Cosmological experiments in superfluid helium?* Nature **317**, 505 (1985).

[26] K. Binder, *Finite size scaling analysis of ising model block distribution functions,* Zeitschrift für Physik B Condensed Matter **43**, 119 (1981).

[27] Nobelprize.org, *Pierre Curie - Biographical,* (2016).

[28] I. Dzyaloshinskii, *A thermodynamic theory of "weak" ferromagnetism of antiferromagnetics,* Journal of Physics and Chemistry of Solids **4**, 241 (1958).

[29] T. Moriya, *Anisotropic Superexchange Interaction and Weak Ferromagnetism,* Phys. Rev. **120**, 91 (1960).

[30] J. D. Bernal and R. H. Fowler, *A Theory of Water and Ionic Solution, with Particular Reference to Hydrogen and Hydroxyl Ions,* The Journal of Chemical Physics **1**, 515 (1933).

[31] L. Pauling, *The structure and entropy of ice and of other crystals with some randomness of atomic arrangement,* Journal of the American Chemical Society **57**, 2680 (1935).

[32] G. Algara-Siller, O. Lehtinen, F. C. Wang, R. R. Nair, U. Kaiser, H. A. Wu, A. K. Geim, and I. V. Grigorieva, *Square ice in graphene nanocapillaries,* Nature **519**, 443 (2015), arXiv:1412.7498 [cond-mat.mes-hall].

[33] E. H. Lieb, *Residual Entropy of Square Ice,* Phys. Rev. **162**, 162 (1967).

[34] T.H.R. Skyrme, *A unified field theory of mesons and baryons*, Nuclear Physics **31**, 556 (1962).

[35] S. L. Sondhi, A. Karlhede, S. A. Kivelson, and E. H. Rezayi, *Skyrmions and the crossover from the integer to fractional quantum Hall effect at small Zeeman energies*, Phys. Rev. B **47**, 16419 (1993).

[36] U. A. Khawaja and H. Stoof, *Skyrmions in a ferromagnetic Bose–Einstein condensate*, Nature **411**, 918 (2001).

[37] L. S. Leslie, A. Hansen, K. C. Wright, B. M. Deutsch, and N. P. Bigelow, *Creation and Detection of Skyrmions in a Bose-Einstein Condensate*, Phys. Rev. Lett. **103**, 250401 (2009), arXiv:0910.4918 [cond-mat.quant-gas].

[38] A. N. Bogdanov, U. K. Rößler, and A. A. Shestakov, *Skyrmions in nematic liquid crystals*, Phys. Rev. E **67**, 016602 (2003).

[39] P. J. Ackerman, R. P. Trivedi, B. Senyuk, J. van de Lagemaat, and I. I. Smalyukh, *Two-dimensional skyrmions and other solitonic structures in confinement-frustrated chiral nematics*, Phys. Rev. E **90**, 012505 (2014), arXiv:1612.09015 [cond-mat.soft].

[40] A. O. Leonov, I. E. Dragunov, U. K. Rößler, and A. N. Bogdanov, *Theory of skyrmion states in liquid crystals*, Phys. Rev. E **90**, 042502 (2014), arXiv:1407.7409 [cond-mat.mes-hall].

[41] A. Bogdanov and A. Hubert, *Thermodynamically stable magnetic vortex states in magnetic crystals*, Journal of Magnetism and Magnetic Materials **138**, 255 (1994).

[42] S. Mühlbauer, B. Binz, F. Jonietz, C. Pfleiderer, A. Rosch, A. Neubauer, R. Georgii, and P. Böni, *Skyrmion Lattice in a Chiral Magnet*, Science **323**, 915 (2009), arXiv:0902.1968 [cond-mat.str-el].

[43] C. Pappas, E. Lelièvre-Berna, P. Falus, P. M. Bentley, E. Moskvin, S. Grigoriev, P. Fouquet, and B. Farago, *Chiral Paramagnetic Skyrmion-like Phase in MnSi*, Phys. Rev. Lett. **102**, 197202 (2009), arXiv:0902.3603 [cond-mat.other].

[44] X. Z. Yu, Y. Onose, N. Kanazawa, J. H. Park, J. H. Han, Y. Matsui, N. Nagaosa, and Y. Tokura, *Real-space observation of a two-dimensional skyrmion crystal,* Nature **465**, 901 (2010).

[45] F. Jonietz, S. Mühlbauer, C. Pfleiderer, A. Neubauer, W. Münzer, A. Bauer, T. Adams, R. Georgii, P. Böni, R. A. Duine, K. Everschor, M. Garst, and A. Rosch, *Spin Transfer Torques in MnSi at Ultralow Current Densities,* Science **330**, 1648 (2010), arXiv:1012.3496 [cond-mat.str-el].

[46] A. Fert, V. Cros, and J. Sampaio, *Skyrmions on the track,* Nature Nanotechnology **8**, 152 (2013).

[47] N. Romming, C. Hanneken, M. Menzel, J. E. Bickel, B. Wolter, K. von Bergmann, A. Kubetzka, and R. Wiesendanger, *Writing and Deleting Single Magnetic Skyrmions,* Science **341**, 636 (2013).

[48] S. Emori, U. Bauer, S.-M. Ahn, E. Martinez, and G. S. D. Beach, *Current-driven dynamics of chiral ferromagnetic domain walls,* Nature Materials **12**, 611 (2013), arXiv:1302.2257 [cond-mat.mtrl-sci].

[49] K.-S. Ryu, L. Thomas, S.-H. Yang, and S. Parkin, *Chiral spin torque at magnetic domain walls,* Nanotechnology **8**, 527 (2013).

[50] K.-S. Ryu, S.-H. Yang, L. Thomas, and S. Parkin, *Chiral spin torque arising from proximity-induced magnetization,* Nature Communications **5**, 3910 (2014).

[51] J. H. Franken, M. Herps, H. J. M. Swagten, and B. Koopmans, *Tunable chiral spin texture in magnetic domain-walls,* Scientific Reports **4**, 5248 (2014), arXiv:1404.2945 [cond-mat.mes-hall].

[52] S.-G. Je, D.-H. Kim, S.-C. Yoo, B.-C. Min, K.-J. Lee, and S.-B. Choe, *Asymmetric magnetic domain-wall motion by the Dzyaloshinskii-Moriya interaction,* Phys. Rev. B **88**, 214401 (2013), arXiv:1307.0984 [cond-mat.mtrl-sci].

[53] A. Hrabec, N. A. Porter, A. Wells, M. J. Benitez, G. Burnell, S. McVitie, D. McGrouther, T. A. Moore, and C. H. Marrows, *Measuring and tailoring the Dzyaloshinskii-Moriya interaction in perpendicularly magnetized thin films,* Phys. Rev. B **90**, 020402 (2014), arXiv:1402.5410 [cond-mat.mtrl-sci].

[54] G. Chen, T. Ma, A. T. N'Diaye, H. Kwon, C. Won, Y. Wu, and A. K. Schmid, *Tailoring the chirality of magnetic domain walls by interface engineering,* Nature Communications **4**, 2671 (2013).

[55] S. Heinze, K. von Bergmann, M. Menzel, J. Brede, A. Kubetzka, R. Wiesendanger, G. Bihlmayer, and S. Blügel, *Spontaneous atomic-scale magnetic skyrmion lattice in two dimensions,* Nature Physics **7**, 713 (2011).

[56] I. Kézsmárki, S. Bordács, P. Milde, E. Neuber, L. M. Eng, J. S. White, H. M. Ronnow, C. D. Dewhurst, M. Mochizuki, K. Yanai, H. Nakamura, D. Ehlers, V. Tsurkan, and A. Loidl, *Néèl-type skyrmion lattice with confined orientation in the polar magnetic semiconductor $GaV_4S_8$,* Nat Mater **14**, 1116 (2015), arXiv:1502.08049 [cond-mat.mtrl-sci].

[57] S. Banerjee, J. Rowland, O. Erten, and M. Randeria, *Enhanced Stability of Skyrmions in Two-Dimensional Chiral Magnets with Rashba Spin-Orbit Coupling,* Phys. Rev. X **4**, 031045 (2014).

[58] S. Buhrandt and L. Fritz, *Skyrmion lattice phase in three-dimensional chiral magnets from Monte Carlo simulations,* Phys. Rev. B **88**, 195137 (2013), arXiv:1304.6580 [cond-mat.str-el].

[59] S. D. Yi, S. Onoda, N. Nagaosa, and J. H. Han, *Skyrmions and anomalous Hall effect in a Dzyaloshinskii-Moriya spiral magnet,* Phys. Rev. B **80**, 054416 (2009), arXiv:0903.3272 [cond-mat.str-el].

[60] M. N. Wilson, A. B. Butenko, A. N. Bogdanov, and T. L. Monchesky, *Chiral skyrmions in cubic helimagnet films: The role of uniaxial anisotropy,* Phys. Rev. B **89**, 094411 (2014), arXiv:1311.1191 [cond-mat.mes-hall].

[61] S. X. Huang and C. L. Chien, *Extended Skyrmion Phase in Epitaxial* FeGe(111) *Thin Films,* Phys. Rev. Lett. **108**, 267201 (2012).

[62] M. N. Wilson, E. A. Karhu, A. S. Quigley, U. K. Rößler, A. B. Butenko, A. N. Bogdanov, M. D. Robertson, and T. L. Monchesky, *Extended elliptic skyrmion gratings in epitaxial MnSi thin films,* Phys. Rev. B **86**, 144420 (2012).

[63] M. N. Wilson, E. A. Karhu, D. P. Lake, A. S. Quigley, S. Meynell, A. N. Bogdanov, H. Fritzsche, U. K. Rößler, and T. L. Monchesky, *Discrete helicoidal states in chiral magnetic thin films*, Phys. Rev. B **88**, 214420 (2013), arXiv:1305.5196 [cond-mat.mes-hall].

[64] H. Du, D. Liang, C. Jin, L. Kong, M. J. Stolt, W. Ning, J. Yang, Y. Xing, J. Wang, R. Che, J. Zang, S. Jin, Y. Zhang, and M. Tian, *Electrical probing of field-driven cascading quantized transitions of skyrmion cluster states in MnSi nanowires*, Nat Commun **6**, 7637 (2015), arXiv:1504.04918 [cond-mat.mes-hall].

[65] H. Du, R. Che, L. Kong, X. Zhao, C. Jin, C. Wang, J. Yang, W. Ning, R. Li, C. Jin, X. Chen, J. Zang, Y. Zhang, and M. Tian, *Edge-mediated skyrmion chain and its collective dynamics in a confined geometry*, Nat Commun **6**, 8504 (2015), arXiv:1505.04932 [cond-mat.mes-hall].

[66] N. Romming, A. Kubetzka, C. Hanneken, K. von Bergmann, and R. Wiesendanger, *Field-Dependent Size and Shape of Single Magnetic Skyrmions*, Phys. Rev. Lett. **114**, 177203 (2015), arXiv:1504.01573 [cond-mat.mes-hall].

[67] M. Beg, R. Carey, W. Wang, D. Cortés-Ortuño, M. Vousden, M.-A. Bisotti, M. Albert, D. Chernyshenko, O. Hovorka, R. L. Stamps, and H. Fangohr, *Ground state search, hysteretic behaviour, and reversal mechanism of skyrmionic textures in confined helimagnetic nanostructures*, Scientific Reports **5**, 17137 (2015), arXiv:1312.7665 [cond-mat.mtrl-sci].

[68] R. E. Troncoso and Á. S. Núñez, *Thermally assisted current-driven skyrmion motion*, Phys. Rev. B **89**, 224403 (2014), arXiv:1402.1501 [cond-mat.mes-hall].

[69] S. Rohart and A. Thiaville, *Skyrmion confinement in ultrathin film nanostructures in the presence of Dzyaloshinskii-Moriya interaction*, Phys. Rev. B **88**, 184422 (2013), arXiv:1310.0666 [cond-mat.mes-hall].

[70] A. O. Leonov, (2011).

[71] S. A. Meynell, M. N. Wilson, H. Fritzsche, A. N. Bogdanov, and T. L. Monchesky, *Surface twist instabilities and skyrmion*

*states in chiral ferromagnets,* Phys. Rev. B **90**, 014406 (2014), arXiv:1405.5275 [cond-mat.mes-hall].

[72] A. Roldán-Molina, M. J. Santander, Á. S. Núñez, and J. Fernández-Rossier, *Quantum theory of spin waves in finite chiral spin chains,* Phys. Rev. B **89**, 054403 (2014), arXiv:1311.2695 [cond-mat.mes-hall].

[73] A. Roldán-Molina, M. J. Santander, Á. S. Núñez, and J. Fernández-Rossier, *Quantum fluctuations stabilize skyrmion textures,* Phys. Rev. B **92**, 245436 (2015), arXiv:1502.01950 [cond-mat.mes-hall].

[74] N. Kanazawa, M. Kubota, A. Tsukazaki, Y. Kozuka, K. S. Takahashi, M. Kawasaki, M. Ichikawa, F. Kagawa, and Y. Tokura, *Discretized topological Hall effect emerging from skyrmions in constricted geometry,* Phys. Rev. B **91**, 041122 (2015), arXiv:1501.03290 [cond-mat.str-el].

[75] M. Lee, W. Kang, Y. Onose, Y. Tokura, and N. P. Ong, *Unusual Hall Effect Anomaly in MnSi under Pressure,* Phys. Rev. Lett. **102**, 186601 (2009), arXiv:0811.3146 [cond-mat.str-el].

[76] A. Neubauer, C. Pfleiderer, B. Binz, A. Rosch, R. Ritz, P. G. Niklowitz, and P. Böni, *Topological Hall Effect in the A Phase of MnSi,* Phys. Rev. Lett. **102**, 186602 (2009), arXiv:0902.1933 [cond-mat.str-el].

[77] M. E. Knoester, J. Sinova, and R. A. Duine, *Phenomenology of current-skyrmion interactions in thin films with perpendicular magnetic anisotropy,* Phys. Rev. B **89**, 064425 (2014), arXiv:1310.2850 [cond-mat.mes-hall].

[78] C. Moreau-Luchaire, C. Moutafis, N. Reyren, J. Sampaio, F. Vaz, C. A., N. Van Horne, K. Bouzehouane, K. Garcia, C. Deranlot, P. Warnicke, P. Wohlhüter, J.-M. George, M. Weigand, J. Raabe, V. Cros, and A. Fert, *Additive interfacial chiral interaction in multilayers for stabilization of small individual skyrmions at room temperature,* Nat Nano **11**, 444 (2016), arXiv:1607.02958 [cond-mat.mtrl-sci].

[79] J. Iwasaki, M. Mochizuki, and N. Nagaosa, *Current-induced skyrmion dynamics in constricted geometries,* Nat Nano **8**, 742 (2013), arXiv:1310.1655 [cond-mat.mes-hall].

[80] J. Iwasaki, M. Mochizuki, and N. Nagaosa, *Universal current-velocity relation of skyrmion motion in chiral magnets*, Nat Commun **4**, 1463 (2013), arXiv:1207.3224 [COND-MAT.STR-EL].

[81] I. Raičević, Dragana Popović, C. Panagopoulos, L. Benfatto, M. B. Silva Neto, E. S. Choi, and T. Sasagawa, *Skyrmions in a Doped Antiferromagnet*, Phys. Rev. Lett. **106**, 227206 (2011), arXiv:1006.1891 [COND-MAT.STR-EL].

[82] T. Ollikainen, E. Ruokokoski, and M. Möttönen, *Creation and dynamics of two-dimensional skyrmions in antiferromagnetic spin-1 Bose-Einstein condensates*, Phys. Rev. A **89**, 033629 (2014), arXiv:1310.0269 [COND-MAT.QUANT-GAS].

[83] T. Okubo, S. Chung, and H. Kawamura, *Multiple-q States and the Skyrmion Lattice of the Triangular-Lattice Heisenberg Antiferromagnet under Magnetic Fields*, Phys. Rev. Lett. **108**, 017206 (2012), arXiv:1109.6161 [COND-MAT.STAT-MECH].

[84] H. D. Rosales, D. C. Cabra, and P. Pujol, *Three-sublattice skyrmion crystal in the antiferromagnetic triangular lattice*, Phys. Rev. B **92**, 214439 (2015), arXiv:1507.05109 [COND-MAT.STR-EL].

[85] Z. Liu and H. Ian, *Numerical studies on antiferromagnetic skyrmions in nanodisks by means of a new quantum simulation approach*, Chemical Physics Letters **649**, 135 (2016), arXiv:1601.05170 [COND-MAT.MES-HALL].

[86] A. N. Bogdanov, U. K. Rößler, M. Wolf, and K.-H. Müller, *Magnetic structures and reorientation transitions in noncentrosymmetric uniaxial antiferromagnets*, Phys. Rev. B **66**, 214410 (2002), arXiv:COND-MAT/0206291.

[87] A. Bogdanov and A. Shestakov, *Vortex states in antiferromagnetic crystals*, Physics of the Solid State **40**, 1350 (1998).

[88] J. Barker and O. A. Tretiakov, *Static and Dynamical Properties of Antiferromagnetic Skyrmions in the Presence of Applied Current and Temperature*, Phys. Rev. Lett. **116**, 147203 (2016), arXiv:1505.06156 [COND-MAT.MES-HALL].

[89] X. Zhang, Y. Zhou, and M. Ezawa, *Antiferromagnetic Skyrmion: Stability, Creation and Manipulation,* Scientific Reports **6**, 24795 (2016), arXiv:1504.01198 [cond-mat.mes-hall].

[90] H. Velkov, O. Gomonay, M. Beens, G. Schwiete, A. Brataas, J. Sinova, and R. A. Duine, *Phenomenology of current-induced skyrmion motion in antiferromagnets,* New J. Phys. **18**, 075016 (2016), arXiv:1604.05712 [cond-mat.mes-hall].

[91] E. M. Lifshitz and Pitaevskii L. P., *Statistical Physics, Part 2, Course of Theoretical Physics Vol. 9* (Pergamon, Oxford, 1980).

[92] P. Minnhagen, *The two-dimensional coulomb gas, vortex unbinding, and superfluid-superconducting films,* Rev. Mod. Phys **59**, 1001 (1987).

[93] R. J. Baxter, *Exactly Solved Models in Statistical Mechanics* (Dover Publications, New York, 2007).

[94] M. N. Barber, *Phase transitions and critical phenomena,* (Academic Press, 1983) Chap. Finite-size scaling, p. 146.

[95] Y.-D. Hsieh, Y.-J. Kao, and A. W. Sandvik, *Finite-size scaling method for the Berezinskiĭ–Kosterlitz–Thouless transition,* J. Stat. Mech., P09001 (2013), arXiv:1302.2900 [cond-mat.stat-mech].

[96] C. J. Hamer and M. N. Barber, *Finite-size scaling in Hamiltonian field theory,* J. Phys. A: Math. Gen. **13**, L169 (1980).

[97] C. J. Hamer and M. N. Barber, *Finite-lattice methods in quantum Hamiltonian field theory: II. O(2) and O(3) Heisenberg models,* J. Phys. A: Math. Gen. **14**, 259 (1981).

[98] R. Kenna, *The XY model and the Berezinskiĭ–Kosterlitz–Thouless phase transition,* Ann. MCFA **IV**, phy4 (2005), arXiv:cond-mat/0512356.

[99] R. H. Swendsen, *Monte Carlo studies of the interface roughening transition,* Phys. Rev. B **15**, 5421 (1977).

[100] H. Hu, Y. Deng, and H. W. J. Blöte, *Berezinskiĭ-Kosterlitz-Thouless-like percolation transitions in the two-dimensional XY model,* Phys. Rev. E **83**, 011124 (2011), arXiv:1010.3075 [cond-mat.stat-mech].

[101] H. W. J. Blöte and M. P. Nightingale, *Antiferromagnetic triangular Ising model: Critical behavior of the ground state,* Phys. Rev. B **47**, 15046 (1993).

[102] G. Mazzeo, G. Jug, A. C. Levi, and E. Tosatti, *Sublattice order parameter in the BCSOS model: a finite-size Monte Carlo study,* J. Phys. A: Math. Gen. **25**, L967 (1992).

[103] M. Weigel and W. Janke, *The square-lattice F model revisited: a loop-cluster update scaling study,* J.Phys. A **38**, 7067 (2005), ARXIV:COND-MAT/0501222.

[104] E. H. Lieb, *Exact solution of the F-model of an antiferroelectric,* Phys. Rev. Lett. **18**, 1046 (1967).

[105] H. van Beijeren, *Exactly solvable model for the roughening transition of a crystal surface,* Phys. Rev. Lett. **38**, 993 (1977).

[106] Bernard Nienhuis, *Critical behavior of two-dimensional spin models and charge asymmetry in the Coulomb gas,* J. Stat. Phys. **34**, 731 (1984).

[107] R. Savit, *Duality in field theory and statistical systems,* Rev. Mod. Phys **52**, 453 (1980).

[108] R. J. Baxter, *Spontaneous staggered polarization of the F-model,* J. Stat. Phys. **9**, 145 (1973).

[109] R. J. Baxter, *Spontaneous staggered polarization of the F-model,* J. Phys. C: Solid State Phys. **6**, L94 (1973).

[110] F. Rys, *Über ein zweidimensionales klassisches Konfigurationsmodell,* Helv. Phys. Acta **36**, 537 (1963).

[111] V. Korepin and P. Zinn-Justin, *Thermodynamic limit of the six-vertex model with domain wall boundary conditions,* J. Phys. A: Math. Gen. **33**, 7053 (2000), ARXIV:COND-MAT/0004250.

[112] P. Zinn-Justin, *The Influence of Boundary Conditions in the Six-Vertex Model,* (2002), ARXIV:COND-MAT/0205192.

[113] D. Allison and N. Reshetikhin, *Numerical study of the 6-vertex model with domain wall boundary conditions,* Ann. Inst. Fourier (Grenoble) **55**, 1847 (2005), arXiv:cond-mat/0502314.

[114] T. S. Tavares, G. A. P. Ribeiro, and V. E. Korepin, *The entropy of the six-vertex model with variety of different boundary conditions,* J. Stat. Mech., P06016 (2015), arXiv:1501.02818 [cond-mat.stat-mech].

[115] T. S. Tavares, G. A. P. Ribeiro, and V. E. Korepin, *Influence of boundary conditions on bulk properties of six-vertex model,* J. Phys. A: Math. Theor. **48**, 454004 (2015), arXiv:1509.06324 [cond-mat.stat-mech].

[116] H. J. Brascamp, H. Kunz, and F. Y. Wu, *Some rigorous results for the vertex model in statistical mechanics,* J. Math. Phys. **14**, 1927 (1973).

[117] J. Lamers, *A pedagogical introduction to quantum integrability, with a view towards theoretical high-energy physics,* PoS **Modave2014**, 001 (2014), arXiv:1501.06805 [math-ph].

[118] S. K. Jain, V. Juričić, and G. T. Barkema, *Boundaries determine the formation energies of lattice defects in two-dimensional buckled materials,* Phys. Rev. B **94**, 020102 (2016), arXiv:1607.03638 [cond-mat.mtrl-sci].

[119] V. E. Korepin, *Calculation of norms of bethe wave functions,* Commun. Math. Phys. **86**, 391 (1982).

[120] W. H. Mills, D. P. Robbins, and H. Rumsey, *Alternating sign matrices and descending plane partitions,* J. Combin. Theory Ser. A **34**, 340 (1983).

[121] G. Kuperberg, *Another proof of the alternating sign matrix conjecture,* Inter. Math. Res. Notes **1996**, 139 (1996), arXiv:math/9712207 [math.CO].

[122] D. Bressoud, *Proofs and Confirmations: The Story of the Alternating Sign Matrix Conjecture* (Cambridge University Press, Cambridge, 1999).

[123] N. Allegra, J. Dubail, J.-M. Stéphan, and J. Viti, *Inhomogeneous field theory inside the arctic circle,* J. Stat. Mech.: Theor. Exp., 053108 (2016), ARXIV:1512.02872 [COND-MAT.STAT-MECH].

[124] I. Kostov, *Three-point function of semiclassical states at weak coupling,* J. Phys. A: Math. Theor. **45**, 494018 (2012), ARXIV:1205.4412 [HEP-TH].

[125] Y. Jiang, S. Komatsu, I. Kostov, and D. Serban, *Clustering and the three-point function,* J.Phys. A: Math. Theor. **49**, 454003 (2016), ARXIV:1604.03575 [HEP-TH].

[126] A. G. Izergin, *Partition function of the six-vertex model in finite volume,* Sov. Phys. Dokl. **32**, 878 (1987).

[127] A. G. Izergin, D. A. Coker, and V. E. Korepin, *Determinant formula for the six-vertex model,* J. Phys. A: Math. Gen. **25**, 4315 (1992).

[128] P. Zinn-Justin, *Six-vertex model with domain wall boundary conditions and one-matrix model,* Phys. Rev. E **62**, 3411 (2000), ARXIV:MATH-PH/0005008.

[129] P. Bleher and V. Fokin, *Exact solution of the six-vertex model with domain wall boundary conditions. disordered phase,* Commun. Math. Phys. **268**, 223 (2006), ARXIV:MATH-PH/0510033.

[130] P. Bleher and K. Liechty, *Exact solution of the six-vertex model with domain wall boundary conditions. antiferroelectric phase,* Commun. Math. Phys. **286**, 777 (2009), ARXIV:0904.3088 [MATH-PH].

[131] P. Bleher and T. Bothner, *Exact solution of the six-vertex model with domain wall boundary conditions. critical line between disordered and antiferroelectric phases,* Random Matrices: Theory Appl. **01**, 1250012 (2012), ARXIV:1208.6276 [MATH-PH].

[132] P. Bleher and K. Liechty, *Random Matrices and the Six-Vertex Model* (AMS, Providence, RI, 2013).

[133] O. F. Syljuåsen and M. B. Zvonarev, *Directed-loop monte carlo simulations of vertex models,* Phys. Rev. E **70**, 016118 (2004), ARXIV:COND-MAT/0401491.

[134] L. F. Cugliandolo, G. Gonnella, and A. Pelizzola, *Six-vertex model with domain wall boundary conditions in the Bethe-Peierls approximation,* J. Stat. Mech.: Theor. Exp., 06008 (2015), ARXIV:1501.00883 [COND-MAT.STAT-MECH].

[135] I. Lyberg, V. Korepin, and J. Viti, *The density profile of the six vertex model with domain wall boundary conditions,* (2016), ARXIV:1612.06758 [COND-MAT.STAT-MECH].

[136] W. Jockusch, J. Propp, and P. Shor, *Random domino tilings and the arctic circle theorem,* (1998), ARXIV:MATH/9801068.

[137] K. Johansson, *The arctic circle boundary and the airy process,* Ann. Prob. 33, 1 (2005), ARXIV:MATH/0306216.

[138] P. L. Ferrari and H. Spohn, *Domino tilings and the six-vertex model at its free fermion point,* J. Phys. A: Math. Gen. 39, 10297 (2006), ARXIV:COND-MAT/0605406.

[139] F. Colomo and A. G. Pronko, *The limit shape of large alternating sign matrices,* SIAM J. Discrete Math. 24, 1558 (2010), ARXIV:0803.2697 [MATH-PH].

[140] F. Colomo and A. G. Pronko, *The arctic curve of the domain-wall six-vertex model,* J. Stat. Phys. 138, 662 (2010), ARXIV:0907.1264 [MATH-PH].

[141] F. Colomo, A. G. Pronko, and P. Zinn-Justin, *The arctic curve of the domain-wall six-vertex model in its anti-ferroelectric regime,* J. Stat. Mech.: Theor. Exp., L03002 (2010), ARXIV:1001.2189 [MATH-PH].

[142] F. Colomo and A. G. Pronko, *Thermodynamics of the Six-Vertex Model in an L-Shaped Domain,* Commun. Math. Phys. 339, 699 (2015), ARXIV:1501.03135 [MATH-PH].

[143] C. Nisoli, R. Moessner, and P. Schiffer, *Colloquium: Artificial spin ice: Designing and imaging magnetic frustration,* Rev. Mod. Phys. 85, 1473 (2013), ARXIV:1306.0825 [COND-MAT.MES-HALL].

[144] E. H. Lieb and F. Y. Wu, *Phase Transitions and Critical Phenomena,* (Academic Press, London, 1972) Chap. Two-dimensional Ferroelectric Models.

[145] E. H. Lieb, *Exact solution of the two-dimensional slater* KDP *model of a ferroelectric,* Phys. Rev. Lett. **19**, 108 (1967).

[146] P. Bleher and K. Liechty, *Exact solution of the six-vertex model with domain wall boundary conditions. critical line between ferroelectric and disordered phases,* J. Stat. Phys. **134**, 463 (2009), ARXIV:0802.0690 [MATH-PH].

[147] K. Eloranta, *Diamond ice,* J. Stat. Phys. **96**, 1091 (1999).

[148] G. Kuperberg, *Symmetry classes of alternating-sign matrices under one roof,* Ann. of Math. **156**, 835 (2002), ARXIV:MATH/0008184.

[149] J. M. Maillet and J. Sanchez de Santos, *Drinfel'd twists and algebraic Bethe ansatz,* in *L. D. Faddeev's Seminar on Mathematical Physics*, Translations Series 2, Vol. 201, edited by M. Semenov-Tian-Shansky (AMS, Providence, RI, 2000) ARXIV:Q-ALG/9612012.

[150] J. G. Propp and D. B. Wilson, *Exact sampling with coupled markov chains and applications to statistical mechanics,* Random Struct. Algor. **9**, 223 (1996).

[151] J. Propp and D. Wilson, *Coupling from the past: a user's guide,* in *Microsurveys in Discrete Probability*, Discrete Math. Theoret. Comput. Sci., Vol. 41, edited by D. Aldous and J. Propp (AMS, Providence, RI, 1998) pp. 181–192.

[152] J.-S. Wang, R. H. Swendsen, and R. Kotecký, *Three-state antiferromagnetic potts models: A monte carlo study,* Phys. Rev. B **42**, 2465 (1990).

[153] G. T. Barkema and M. E. J. Newman, *Monte carlo simulation of ice models,* Phys. Rev. E **57**, 1155 (1998), ARXIV:COND-MAT/9706190.

[154] A. Edelman and M. La Croix, *The Singular Values of the GUE (Less is More),* Random Matrices: Theory Appl. **04**, 1550021 (2015), ARXIV:1410.7065 [MATH.PR].