



Universiteit
Leiden
The Netherlands

The assembly history of the milky way nuclear star cluster

Krause-Feldmeier, A.

Citation

Krause-Feldmeier, A. (2016, September 13). *The assembly history of the milky way nuclear star cluster*. Retrieved from <https://hdl.handle.net/1887/42923>

Version: Not Applicable (or Unknown)

License:

Downloaded from: <https://hdl.handle.net/1887/42923>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/42923> holds various files of this Leiden University dissertation

Author: Krause-Feldmeier, A.

Title: The assembly history of the milky way nuclear star cluster

Issue Date: 2016-09-13

The Assembly History of the Milky Way Nuclear Star Cluster

Anja Krause née Feldmeier

The Assembly History of the Milky Way Nuclear Star Cluster

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof.mr. C. J. J. M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op dinsdag 13 september 2016
klokke 15.00 uur

door

Anja Krause née Feldmeier

geboren te Landau a. d. Isar, Duitsland
in 1985

Promotiecommissie

Promotor:	Prof. dr. P. T. de Zeeuw	
Co-promotores:	Dr. N. Neumayer	(MPIA Heidelberg)
	Dr. G. van de Ven	(MPIA Heidelberg)
Overige leden:	Prof. dr. H. J. A. Röttgering	
	Prof. dr. A. Helmi	(Rijksuniversiteit Groningen)
	Prof. dr. P. van der Werf	
	Prof. dr. K. H. Kuijken	
	Dr. R. M. McDermid	(Macquarie University, Sydney)

Cover design by C. Krause (Word Cloud using <http://www.wordle.net/>)

The research was funded by the European Southern Observatory (ESO) and carried out at the ESO headquarters in Garching, Germany.

Contents

1	Introduction	1
1.1	Nuclear star clusters	2
1.1.1	Properties	3
1.1.2	Formation	4
1.2	The Milky Way nuclear star cluster	5
1.3	Supermassive black holes	6
1.4	Stellar populations	6
1.5	Dynamical models	7
1.6	This thesis	8
1.7	Conclusions and outlook	9
2	Large scale kinematics and dynamical modelling	13
2.1	Introduction	14
2.2	Observations	16
2.3	Data reduction and analysis	17
2.3.1	Data reduction	17
2.3.2	Deriving stellar kinematics	20
2.3.3	Line strength measurements	26
2.4	Stellar kinematics and population results	26
2.4.1	Kinematic structure and substructure of the nuclear star cluster	26
2.4.2	Specific angular momentum λ_R	30
2.4.3	Radial profiles	31
2.4.4	Distribution of young stars	37
2.5	Dynamical modelling	38
2.5.1	Surface brightness profile	38
2.5.2	Axisymmetric Jeans models	40
2.5.3	Mass profile	42
2.6	Discussion	43
2.6.1	Clues to the formation of the Milky Way nuclear star cluster	43
2.6.2	Underestimation of the black hole mass	44
2.6.3	Mass profile of the cluster	45
2.6.4	Anisotropy	47
2.6.5	Extreme velocities for individual stars	47
2.7	Conclusions	47
2.8	Appendix: Persistence removal	49
2.9	Appendix: H ₂ gas emission kinematics	51

3	Triaxial orbit-based modelling	53
3.1	Introduction	54
3.2	Description of the data	55
3.2.1	Kinematic data	55
3.2.2	Imaging data and surface brightness distribution	57
3.3	Dynamical models of the Milky Way nuclear star cluster	58
3.3.1	Schwarzschild's method	58
3.3.2	Constraining the input parameters	61
3.3.3	Modelling results	61
3.4	Discussion	66
3.4.1	Difference of the resulting black hole mass	66
3.4.2	Triaxial cluster shape	70
3.4.3	Caveats and considerations	71
3.5	Summary and outlook	72
4	KMOS view of the Galactic centre I. Young stars are centrally concentrated	75
4.1	Introduction	76
4.2	Observations and data reduction	77
4.2.1	Spectroscopic observations	77
4.2.2	Data reduction	79
4.3	Data analysis	80
4.3.1	Photometry	80
4.3.2	Completeness	81
4.3.3	Spectral identification of late- and early-type stars	84
4.3.4	Deriving stellar kinematics	84
4.4	Results	85
4.4.1	O/B type stars	86
4.4.2	Emission line sources	91
4.4.3	Featureless spectra	97
4.4.4	Spatial distribution of early-type stars	99
4.4.5	Kinematics of early-type stars	102
4.4.6	O/B star orbits	103
4.5	Discussion	106
4.5.1	Detection of 19 new O/B stars	106
4.5.2	O/B star mass estimates	106
4.5.3	Total mass of young stars	107
4.5.4	Disc membership	108
4.5.5	Origin of the early-type stars	108
4.5.6	Early-type stars beyond the central 0.5 pc	110
4.6	Summary	110
4.7	Appendix: Spectral classification of emission-line stars	111
4.8	Appendix: O/B star tables	113

5	KMOS view of the Galactic centre II. Metallicity distribution of late-type stars	121
5.1	Introduction	122
5.2	Data set	123
5.2.1	Observations and data reduction	123
5.2.2	Spectral resolution	124
5.2.3	Data selection	124
5.2.4	Spectral indices	125
5.3	Full spectral fitting	127
5.3.1	Fitting method and assumptions	127
5.3.2	Error estimation	128
5.4	Results	132
5.4.1	Effective temperatures	134
5.4.2	Metallicities	134
5.4.3	Surface gravities	135
5.4.4	Radial velocities	135
5.4.5	Long-period variable stars	136
5.4.6	Spatial distribution and kinematics of metal-poor stars	137
5.4.7	Influence of radial velocity shift	138
5.4.8	Influence of spectral resolution	139
5.5	Discussion	141
5.5.1	Detection of stars with low metallicity $[M/H] \lesssim -0.5$ dex	141
5.5.2	Note of caution on the measurement of high metallicities	142
5.5.3	Metallicity distribution	143
5.5.4	Contamination from foreground or background sources	143
5.5.5	Luminosity classes and implications for stellar ages	144
5.5.6	Clues to the formation of the Milky Way nuclear star cluster	145
5.6	Conclusions	146
5.7	Appendix: The $T_{\text{eff}} - EW_{\text{CO}}$ relation for giants	147
	Bibliography	149
	Bibliography	149
	Samenvatting	157
	Summary	167
	Publications	175
	Curriculum Vitae	177
	Acknowledgements	179

