

## **In vitro and In vivo models for studying endothelial cell development and hereditary hemorrhagic telangiectasia** Gkatzis, K.

Citation

Gkatzis, K. (2016, September 22). *In vitro and In vivo models for studying endothelial cell development and hereditary hemorrhagic telangiectasia*. Retrieved from https://hdl.handle.net/1887/43155

Version: Not Applicable (or Unknown)

License:

Se:

Downloaded from: <u>https://hdl.handle.net/1887/43155</u>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



## Universiteit Leiden



The handle <u>http://hdl.handle.net/1887/43155</u> holds various files of this Leiden University dissertation.

Author: Gkatzis, K Title: In vitro and In vivo models for studying endothelial cell development and hereditary hemorrhagic telangiectasia Issue Date: 2016-09-22

## Stellingen

behorende bij het proefschrift

## In vitro and in vivo models for studying endothelial cell development and hereditary hemorrhagic telangiectasia

- 1. New gene targeting knock-in fusion strategies are necessary to allow the generation of functional fusion protein mirroring normal protein distribution and non-invasive identification of novel transcriptomic network. *(this thesis, chapter 2 & chapter 3)*
- 2. The effect of TGF $\beta$  and BMP9 in endothelial cells is highly dependent on the cellular context *(this thesis, chapter 5)*
- 3. The post-arterial capillary network plays a critical role in the formation of direct AV connections in HHT2 mutants *(this thesis, chapter 6)*
- 4. The HHA model (<u>H</u>eterozygosity <u>H</u>emodynamic pro-<u>A</u>ngiogenic trigger) is necessary for the development of AVMs in HHT (*this thesis, chapter 6*)
- 5. The average number of people who read a PhD thesis all the way through is 1.6. and that includes the author *(Nature. 2016 Jul 6;535(7610):7)*
- 6. In the near future molecular diagnostic next generation sequencing (NGS) panel assays will help elucidate additional genetic aberrations-both primary causative genes and modifiers of phenotype- in HHT patients that have remained elusive for years (*McDonald J et al., Front Genet. 2015 Jan 26; 6:1*)
- 7. Organs-on-chips are particularly well-suited to the study of biological phenomena that depend on tissue microarchitecture and perfusion, and that involve relatively acute pathophysiological processes (*Bhatia & Ingber, Nat Biotechnol. 2014 Aug; 32(8):760-72*)
- 8. A number of studies have supported the idea that hemodynamic forces have the capacity to program or redirect the specification of blood vessel type during development (Swift & Weinstein, Circ Res. 2009 Mar 13;104(5):576-88)
- 9. When everything seems black, we have to raise our faith. So, wake us up with a change
- "To escape destiny is impossible"- (*Pindar*, 522-443bc); "Πεπρωμένο, φυγείν αδύνατον"-(Πίνδαρος, 522-443 πx)
- 11. Thank you, ladies and gentlemen, for your magnificent indifference (*Dizzy Gillespie*, 1917-1993)
- 12. ...If you can fill the unforgiving minute, With sixty seconds' worth of distance run, Yours is the Earth and everything that's in it... *(-IF- Rudyard Kipling, 1865-1936)*

Konstantinos Gkatzis 22 September 2016