

# Analecta Praehistorica Leidensia 40 / Between foraging and farming : an extended broad spectrum of papers presented to Leendert Louwe Kooijmans

Fokkens, Harry; Coles, Bryony; Gijn, Annelou van; Kleijne, Jos; Ponjee, Hedwig; Slappendel, Corijanne et al.; Fokkens, Harry; Coles, Bryony; Gijn, Annelou van; Kleijne, Jos; Ponjee, Hedwig; Slappendel, Corijanne

#### Citation

Fokkens, H. ; C. , B. ; G. , A. van; K. , J. ; P. , H. ; S. , C. et al. (2008). Analecta Praehistorica Leidensia 40 / Between foraging and farming : an extended broad spectrum of papers presented to Leendert Louwe Kooijmans. Retrieved from https://hdl.handle.net/1887/32994

Version: Not Applicable (or Unknown) License: Downloaded from: https://hdl.handle.net/1887/32994

Note: To cite this publication please use the final published version (if applicable).

# ANALECTA PRAEHISTORICA LEIDENSIA

This article appeared in:

## PUBLICATION OF THE FACULTY OF ARCHAEOLOGY LEIDEN UNIVERSITY

### BETWEEN FORAGING AND FARMING

AN EXTENDED BROAD SPECTRUM OF PAPERS PRESENTED TO LEENDERT LOUWE KOOIJMANS

EDITED BY HARRY FOKKENS, BRYONY J. COLES, ANNELOU L. VAN GIJN, JOS P. KLEIJNE, HEDWIG H. PONJEE AND CORIJANNE G. SLAPPENDEL



LEIDEN UNIVERSITY 2008

Series editors: Corrie Bakels / Hans Kamermans

Copy editors of this volume: Harry Fokkkens, Bryony Coles, Annelou van Gijn, Jos Kleijne, Hedwig Ponjee and Corijanne Slappendel

Editors of illustrations: Harry Fokkkens, Medy Oberendorff and Karsten Wentink

Copyright 2008 by the Faculty of Archaeology, Leiden

ISSN 0169-7447 ISBN 978-90-73368-23-1

Subscriptions to the series *Analecta Praehistorica Leidensia* and single volumes can be ordered exclusively at:

Faculty of Archaeology P.O. Box 9515 NL-2300 RA Leiden The Netherlands

## An eagle-eyed perspective. *Haliaeetus albicilla* in the Mesolithic and Neolithic of the Lower Rhine Area.

Luc Amkreutz Raymond Corbey

#### 15.1 INTRODUCTION

Next to his successful career in archaeology, one of Leendert Louwe Kooijmans' various less conspicuous qualities is that of being a talented amateur-ornithologist. On numerous occasions he has outmatched others in specifying what flew by, or sang unseen. His interest in birds, however, is not confined to the present. One of his archaeological pet-tricks is to ask his audience to guess what species of bird ranks second in presence-absence counts on Mesolithic and Neolithic sites in the Lower Rhine Area after the wild duck (Anas platyrhynchos). The answer, the white-tailed eagle, has almost always puzzled his audience and often sparked discussions on an aspect of hunter-gatherer or early farmer life in the Lower Rhine Area of which we know little: the symbolic connotations of objects and animals. Such exchanges have never failed to be inspirational, and were sparked off by an animal with inspirational qualities. The white-tailed eagle has almost always taken center-stage wherever it occurs.

The consistent presence of bones and claws of white-tailed eagles at many Mesolithic and Neolithic sites in the Lower Rhine Area may offer a window not so much onto this raptor's importance to diet as onto less tangible aspects of past life. We would like to take this opportunity to investigate the existing archaeological evidence and try to elucidate some of this bird's symbolic meaning for past communities with the help of ethnographic and archaeological sources.

### 15.2 AN ORNITHOLOGICAL PROFILE OF HALIAEETUS ALBICILLA

The white-tailed eagle is an impressive bird of prey, its fingered wings spanning *circa* 225 cm. Its massive in-flight profile led the Dutch to lend it the rather befitting popular name of 'flying door' (*vliegende deur*) (fig. 15.1). Young birds are of an overall brown colour, tail included. Adult animals have a dark brown coat of feathers with slightly lighter ochrous colours around the neck and head. The short and wedge-shaped tail of adult animals is white, the large beak bright yellow, and the talons are uncovered. The white-tailed eagle can also be recognized by its loud, high-pitched call, a sound akin to *kjicklickleak-tjegjegow*, or, when agitated, *kra* or *krau*. The bird is indigenous to Europe as well as large parts of Asia, both as a migratory and local



Figure 15.1 Young white-tailed eagle in flight. Photo and courtesy René and Marianne Wanders.

species. Couples only start nesting at the age of 5 or 6, once a year between March and July. Nests are built on rocky cliffs or in trees with a flat crown and usually contain two white eggs. The same nests may be used for up to several years in succession.

The hunting territories of the white-tailed eagle are usually close to water and include rocky coasts, coastal plains, river mouths, marshes and estuaries, as well as more inland riverine settings. Prey is captured by diving and clawing and comprises larger fish, both living and dead, waterfowl, marine birds, rodents and other small mammals. Dead animals are scavenged on land (Elphick/Woodward 2003; Cramp 1977, cited in Oversteegen *et al.* 2001, 255; Rohm 1970; Van Wijngaarden-Bakker *et al.* 2001, 220) (fig. 15.2).

In the Netherlands the white-tailed eagle is very rare nowadays and mostly encountered when migratory from December to February. This is why the species is used by archaeologists as a seasonal indicator for occupation, as demonstrated at the Late Mesolithic Hardinxveld sites (Oversteegen *et al.* 2001, 256; Van Wijngaarden-Bakker *et al.* 2001, 223). This winter presence does not exclude the possibility that in the past the white-tailed eagle may also have nested in the Lower Rhine Area (Van Wijngaarden-Bakker *et al.* 2001, 221). In 2006 and 2007 a pair of whitetailed eagles nested in the region of the Oostvaardersplassen



Figure 15.2 White-tailed eagle on top of prey (young red deer). Photo and courtesy Martijn de Jonge, Amsterdam.

(Flevoland). A webcam placed next to the nest by Staatsbosbeheer, the Dutch national forestry service, registered how in March 2007 several eggs were laid in the nest and how one female bird survived and left the nest in July. Therefore it should be realized this bird can only be used with caution as a seasonal indicator species.

#### 15.3 MESOLITHIC AND NEOLITHIC EAGLES IN THE LOWER RHINE AREA

As was remarked already, remains of white-tailed eagle are found in many faunal assemblages dating to the Mesolithic and Neolithic in the Lower Rhine Area (table 15.1 and fig. 15.3). Its contribution to the avian faunal assemblage is mostly limited. In a few cases it surpasses 5%, but this is mainly due to overall low numbers of bird bones encountered. Sometimes, however, bones of the species are found in higher numbers and form a considerable contribution to the overall assemblage, most notably at Vlaardingen, Hardinxveld-Giessendam Polderweg phase 1, and Hüde I in Germany. At such sites these eagles seem to have been targeted more specifically.

Were these birds primarily hunted for subsistence or for other reasons? Many authors argue at least partially in favour of the latter, often referring to their impressive appearance (e.g. Laarman 2001; Van Wijngaarden-Bakker et al. 2001; Zeiler 2006). Albarella (1997, 348) adds that the meat of cranes and large birds of prey is not very tasty and quotes a seventeenth century English writer, who dismisses it as "tough, gross, sinewy and engendering a melancholic blood." Clark (1952, 38), on the contrary, remarks that the flesh of eagles was regarded as a delicacy by both the Ukranians and the natives of Kamchatka during the eighteenth century. He deems it unlikely, however, that Mesolithic man caught whitetailed eagles with the primary aim of eating them, given the availability of birds more prone to capture. Both Albarella (1997, 348) and Reichstein (1974, 124) point out that the meat of young eagles and cranes was regarded a delicacy, and there are historic records of its use in wedding feasts in England (Stewart 2001, 142) At the site of Hüde I several bones of young sea eagles have been found (Boessneck 1978, 164).

Unfortunately there is little archaeological evidence that may shed light on the use of white-tailed eagle in the

AN EAGLE-EYED P	ERSPECTIVE
-----------------	------------

site	period	Ν	% total bird	% total id.	MNI	reference
Mesolithic						
Hardinxveld-Polderweg phase 0	LM	1	8,3	14,3	1	Van Wijngaarden-Bakker et al. 2001
Hardinxveld-Polderweg phase 1	LM	30	2,7	5,7		Van Wijngaarden-Bakker et al. 2001
Hardinxveld-Polderweg phase 1/2	LM	1	0,5	1,4	1	Van Wijngaarden-Bakker et al. 2001
Hardinxveld-Polderweg phase 2	LM	1	1,7	2,7	1	Van Wijngaarden-Bakker et al. 2001
Hardinxveld-De Bruin phase 1	LM	_	_	_	_	Oversteegen et al. 2001
Hardinxveld-De Bruin phase 2	LM	9	1,6	2,3	_	Oversteegen et al. 2001
Hardinxveld-De Bruin phase 3	LM	2	0,6	1,6	-	Oversteegen et al. 2001
Neolithic						
Hoge Vaart-A27	SWB	8	_	2,9	_	Laarman 2001
Brandwijk-Het Kerkhof	SWB	1?	3,45	4,3	-	Lauwerier et al. 2005; Robeerst 1995
Bergschenhoek	SWB	3?	_	6,8	_	Clason/Brinkhuizen 1993
Swifterbant-S3	SWB	6	0,2	_	_	Zeiler 1997
Hüde I	SWB	62	22,5	23,7	9	Boessneck 1978
Ypenburg	Haz-3	23	0,2	1,5	_	De Vries 2004
Rijksweg A4	Haz-3	1	2	5	1	(Laarman in:) De Vries 2004
Schipluiden-phase 1 handpicked	Haz-3	2	_	5	_	Van Gijn 2006; Zeiler 2006
Schipluiden-phase 1-2a handpicked	Haz-3	4	_	2	_	Van Gijn 2006; Zeiler 2006
Schipluiden-phase 2a handpicked	Haz-3	14	_	1	_	Van Gijn 2006; Zeiler 2006
Schipluiden-phase 2b handpicked	Haz-3	5	_	< 0.5	_	Van Gijn 2006; Zeiler 2006
Schipluiden-phase 3 handpicked	Haz-3	2	_	< 0.5	_	Van Gijn 2006; Zeiler 2006
Hazendonk	VL	1	0,1	_	1	Zeiler 1997
Hekelingen III-M1	VL	2	3,1	6,4	_	Lauwerier et al. 2005; Prummel 1987
Vlaardingen	VL	23	_	17,8	8	Lauwerier et al. 2005; Clason 1967
Zandwerven	VL	1	_	7,1	1	Clason 1967
Hellevoetsluis	VL	1	_	_	1	Van Hoof in prep.
Bouwlust	TRB	+	_	_	_	Lauwerier et al. 2005
Emmeloord-J97	SWB-LN	1	12,5	25	1	Bulten/Van der Heijden/Hamburg 2002
Mienakker	LN/SGC	+	_	_	_	Lauwerier et al. 2005
Molenkolk 1	LN/SGC	+	_	_	_	Lauwerier et al. 2005
Keinsmerbrug	LN/SGC	+	_	_	_	Lauwerier et al. 2005
Aartswoud	LN/SGC	1	< 0.01	_	1	Van Wijngaarden-Bakker 1997
Kolhorn-Noord	LN/SGC	6	c. 0.9	_	_	Zeiler 1997/Lauwerier et al. 2005
Kolhorn-Zuid	LN/SGC	2	c. 0.2	_	_	Zeiler 1997/Lauwerier et al. 2005
total/mean		207	1,95	4,43		

Table 15.1 Numbers of bones and percentages of overall and identified species of birds for white-tailed eagle on Mesolithic and Neolithic sites in the Lower Rhine Area. - = absent; + = present; ? = Aquila sp., Haliaeetus sp., or Accipitridae sp.



Figure 15.3 Map of the Netherlands around 4200 cal BC depicting sites with bones of white-tailed eagle, except for the German site of Hüde-1. 17 Aartswoud

- 1 Hardinxveld
- 2 Hazendonk
- 3 Brandwijk
- 4 Bergschenhoek
- 5 Swifterbant-S3
- 6 Hoge Vaart-A-27
- 7 Hekelingen-3
- 8 Vlaardingen

- 9 Schipluiden
- 10 Wateringen-4
- 11 Ypenburg
- 12 Rijswijk-A4
- 13 Leidschendam
- 14 Voorschoten
- 15 Keinsmerbrug
- 16 Kolhorn

- 18 Zandwerven
- 19 Slootdorp
- 20 Mienakker
- 21 Molenkolk
- 22 Emmeloord.

Mesolithic and Neolithic communities under study here. If organic remains are preserved these may not represent the initial composition, due to differential taphonomic processes at the sites. Elements such as feathers are usually not preserved, while complete wings or claws are often no longer in association. Furthermore, species-specific spatial information, indicating how and where bones of sea eagles were found, and which thereby might shed light on functional (waste) or symbolic deposition practices, is generally absent.

#### 15.3.1 Frequency analysis

Some information on use may be gleaned from the frequencies of certain skeletal elements. Drawing on Ericson (1987), Van Wijngaarden-Bakker *et al.* (2001, 222) argue that for birds a specific ratio between wing and leg elements may point to consumption. While natural complexes would be characterized by a more or less equal ratio, consumption waste would be indicated by a predominance of wing over leg elements, with the exception of flightless birds. Predominating quantities of wing bones are here regarded as waste from consumption (Livingston 1989; Zeiler 2006).

Others (*e.g.* Reichstein 1974; De Vries 2004) argue that a predominance of wing elements may point to the use of feathers or even complete wings. It should be noted that Reichstein founded his opinion on an analysis of nine sites spanning some three millennia, from the Late Neolithic to early historic times. Evidently the reasons for the predominance of wing bones need not have been the same in all cases. In addition to this, bone frequencies are contingent

upon robustness of bones, differing per species, as is stressed by Livingston (1989, 545-546). The picture is further complicated by butchering and waste disposal practices, taphonomic regimes, and the overall area excavated, as well as socio-cultural attitudes towards specific species, cuisine and food preparation.

The analysis of bone frequencies is thus fraught with methodological problems. Nevertheless it may shed some light on past behaviour towards specific species of birds. Of the sites with remains of white-tailed eagle presented above, several have yielded information regarding bone frequencies (table 15.2).

The ratio between leg and wing elements can be seen to differ strongly per site. This contradicts Reichstein's (1974, 124-126) argument that procurement was specifically targeted at obtaining wings. On the other hand the alternative of regular consumption is equally questionable. Reichstein (1974, 126) argues that in a natural assemblage the ratio between wing and leg elements should be 93:70, or 4:3. If we take into account the arguments presented by Van Wijngaarden-Bakker *et al.* (2001) and Ericson (1987), there should be an overrepresentation of wing elements. This is the case at just five sites, while the overall counts closely approximate the natural population.

Furthermore, the ratio varies strongly. While there is a slight overrepresentation of wing elements at Ypenburg, this is far more extreme at Vlaardingen and especially at Polderweg phase 1, possibly implying that wings or feathers may have been important after all. Conversely, at six sites, leg elements dominated over wing elements, most convincingly at

	legs					wings									other	leg/wing ratio
site	fe	tit	tmt	lbl	other	hu	ra	ul	mc	cmc	cor	sc	lbw	other		
Hdx-Polderweg phase 0											1					-/1
Hdx-Polderweg phase 1	1	1				1	8	7		4	1	1		1	5	2/23
Hoge Vaart-A27			2					1							5	2/1
Brandwijk			1													1/-
Hüde I	3	11	12		1	4	4	11		3	2	2			9	27/26
Hazendonk					1											1/-
Schipluiden				4	13								8		2	17/8
Ypenburg		1			8	4	3	6			1					9/14
Rijswijk A4	1															1/-
Vlaardingen	1	2				8	5	3	2		1				1	3/19
Zandwerven								1								-/1
total	6	15	15	4	23	17	20	29	2	7	6	3	8	1	22	63/93

Table 15.2 Wing and leg elements per site and the ratio between leg and wing elements. Abbreviations: fe: femur; tit: tibiotarsus; tmt: tarsometatarsus; lbl: long bone leg; hu: humerus; ra: radius; ul: ulna; mc: metacarpus; cmc: carpometacarpus; cor: coracoid; sc: scapula; lbw: long bone wing. For references see table 1. Schipluiden and Hüde I. Remarkably, Schipluiden yielded a similar pattern for the common crane (Grus grus), diverging from for example the assemblage of crane at Ypenburg, where, again, wing elements dominate (De Vries 2004; Zeiler 2006, 440). The site of Hüde I indicates that this pattern is not unique, as its ratio cannot be aligned with consumption or preferential selection. It is possible that at these sites the talons or claws of the white-tailed eagle were sought-after elements. This may be evidenced by the predominance of phalanges at Schipluiden (Zeiler 2006, 428), or the burnt talon of Haliaeetus at the Hazendonk (Zeiler 1997), and is further substantiated by cutmarks on a claw-joint of whitetailed eagle from the Mesolithic site of Hallebygaarde and four eagle claws in a south-Swedish grave dating to the transition from the Late Neolithic to the Early Bronze Age (Clark 1952, 39).

Although the numbers of bones at some sites are very limited, some preliminary conclusions can be drawn. First of all, while wings and feathers may have been important this does not seem to be an exclusive pattern. Secondly, the overall ratio between wing and leg elements does not represent an evident dominance of wing elements in light of the natural ratio. The ratio per site fluctuates strongly, while at some sites leg elements clearly dominate. This confirms neither the natural situation nor a consistent consumption spectrum. Therefore, despite the limited number of sites and bones and taking into account the problems mentioned above, the bone ratio presents secondary evidence indicating that the white-tailed eagle was indeed not merely hunted for subsistence, but at least partially if not significantly for other reasons. The fluctuation in ratio may relate to site or periodspecific preferences. Unfortunately, further archaeological evidence for the nature of this use is limited.

#### 15.3.2 Artefacts

Several sites have yielded artefacts made of bones of whitetailed eagle (table 15.3).

Clearly long wing bones were most often used to make awls or needles, although in two cases legbones were used. Van Wijngaarden-Bakker (1997) analysed the birdbone artefacts from several Neolithic assemblages in the western Netherlands. She concludes that bones of larger bird species - mainly swan, crane and white-tailed eagle - were specifically targeted for the production of artefacts. While it may seem self-evident that these species were used because of their longer bones, at Aartswoud and Swifterbant the remains of these species were conspicuously lacking from the food remains (Van Wijngaarden-Bakker 1997, 342-343). This seems to be related to the importance of duck hunting for subsistence. At other sites, such as the Hazendonk, Hekelingen III, Bergschenhoek and Vlaardingen, these larger species of bird did occur within the consumption assemblage. Here, hunting was more strongly targeted at species such as swan and goose.

Nevertheless at several sites there thus seems to be some evidence for a more specific use of a number of the larger species of bird for the production of artefacts. At Bergschenhoek this was further evidenced by the find of a partial skeleton of Bewick's swan (Cygnus Bewicki), lacking head, wings and legs, *i.e.* specifically bones used for artefact production (Clason/Brinkhuizen 1993). The awls were usually made by removal of at least one of the epiphyses and in some cases a splitting of the long bones. One of the ends was subsequently rounded or worked to a point (Louwe Kooijmans et al. 2001b, 356). The subsequent polishing may have been done by means of hide or leather (Van Gijn 2006). Some of the awls are perforated at the opposite end. Usewear analysis of the often rounded points indicates a working of soft materials, rather than a tool for repairing nets (Louwe Kooijmans et al. 2001b, 356). Van Wijngaarden-Bakker (1997) suggests that they may have been used to pierce bird skins.

Next to more domestic functions awls may have been used for tattooing, as is suggested by ethnographic evidence

site	findnumber	phase	element	artefact	surface
Hdx-Polderweg	24,069	1	hu	_	polished, scratched
Hdx-Polderweg	14,299	1	ra	awl	polished, scratched
Hdx-Polderweg	20,246	1	ul	awl	polished
Hdx-De Bruin	9,110	2	tbt	pendant?	perforated, polished
Hdx-De Bruin	7,002	2	ul	awl	polished
Hdx-De Bruin	8,037	2	ul	awl/needle	
Hdx-De Bruin	5,147	2	ul	tool	polished around point
Schipluiden?	8091		lb	beads	cutmarks
Aartswoud	E34:XLI:17.29		tmt	awl	polished, scratched

Table 15.3 Artefacts of bones of white-tailed eagle on Mesolithic and Neolithic sites in the Lower Rhine Area. For references see table 1.

(*ibid.* 1997, 343). The beautifully decorated awl made from a longbone of a mute swan (*Cygnus olor*) found at Hardinxveld-Giessendam De Bruin (Louwe Kooijmans *et al.* 2001b, fig. 10.15, 355), may indicate that these tools were more than just everyday domestic objects. The same may go for for the pendant found at De Bruin and the beads documented at Schipluiden, although the latter are not indubitably derived from *Haliaeetus albicilla*. Van Wijngaarden-Bakker (1997, 343) further mentions hollow tubes of bird bone. While none of these could be specified as *Haliaeetus* they may have been used for such activities as the sucking, sniffing, blowing of powdered substances, or blow painting.

Besides bone ratios and artefacts there is no direct archaeological evidence for the use of body parts of whitetailed eagle. It is very probable, and indeed widely assumed, however, that its feathers, especially the elegant pinions and tail feathers, were used for the manufacture of arrows as well as for decorative or symbolic purposes, not least on the basis of ethnographic evidence (e.g. Clark 1952; Van Wijngaarden-Bakker 1997 Zeiler 2006: Dove et al. 2005: see below). No feathers have been found in the Lower Rhine Area. However, the site of Hüde I yielded a peculiar case of trauma, periostitis ossificans, found in the area of the quill knobs of an ulna of a female white-tailed eagle. According to Boessneck (1978, 165) this could have developed due to the pulling of feathers. Boessneck also argues that for multiple 'harvests' the bird would have had to be held in captivity. This again brings Kazakh (Central Asia) hunting with tame eagles to mind, but alas, here we end up in pure speculation.

#### 15.3.3 Other species

It is evident that, besides white-tailed eagle, other rare bird species were also actively pursued by Mesolithic and Neolithic hunter-gatherers. While this does not provide any additional information on their actual use, it is a further case in point that beside 'staple species' rarer species were also actively targeted. It concerns quite a few species of birds of prey (Boessneck 1987; Lauwerier et al. 2005; Oversteegen et al. 2001; Prummel 1987; De Vries 2004; Van Wijngaarden-Bakker et al. 2001), such as the sparrow hawk (Accipiter nisus), the common buzzard (Buteo buteo), the eagle owl (Bubo bubo), the long-eared owl (Asio otus), the osprey (Pandion haliaeetus), the goshawk (Accipiter gentiles), the falcon (Falco peregrinus) and the marsh harrier (Circus aeroginosus), whose wing bones were found at Schipluiden (Zeiler 2006). Other more or less rare species which hypothetically may have been hunted for other purposes besides, or rather than, subsistence include the common crane (Grus grus) (De Vries 2004, 33-34), the grey heron (Ardea cinerea), the ruff (Philomachus pugnax), the great spotted woodpecker (Dendrocopos major), the blackthroated diver (Gavia arctica), the greater flamingo (Phoenicopterus ruber) and the longtailed duck (*Clangula hyemalis*) (*e.g.* Van Wijngaarden-Bakker *et al.* 2001; Lauwerier *et al.* 2005; Zeiler 2006). It should be mentioned that such species may represent background fauna, especially when occuring in low numbers.

#### 15.3.4 Preliminary conclusions

While the evidence provided here is not exhaustive some preliminary conclusions may be drawn. The white-tailed eagle indeed seems to provide a consistent, though limited, contribution to the avian faunal spectrum at Mesolithic and Neolithic sites. While it is not unlikely that the species was hunted for meat, the bone ratios of wing and leg elements indicate strikingly varied assemblage composition, most of which represent neither a natural nor a subsistence pattern. In some cases, the composition provides secondary evidence for specific targeting of wing or leg elements.

It should be stated once more that the value of this conclusion is dependent on often small assemblages, and site-specific preservational circumstances and excavation methods, as discussed already. Further evidence of nonsubsistence use of Haliaeetus albicilla is provided by bone artefacts. Awls point both to use in various domestic tasks as well as perhaps more sporadic symbolic uses, while pendants or beads may have had a specific symbolic function. The presence of other rare species may point to non-subsistence motives for hunting certain species of bird too. Unfortunately, archaeological evidence enabling further clarification of such motives is largely lacking for the Lower Rhine Area. This is why, in the second part of this paper, we will draw on other archaeological and various ethnographic sources that may further elucidate the specific meaning Haliaeetus albicilla may have had for the communities under consideration here.

#### 15.4 The archaeology of eagles beyond the Netherlands

At the Italian Middle Bronze Age site of La Starza in Campania, bones of crane and vulture suggest that these species were mainly hunted for their feathers, since other wildfowl, which must have been present in region in much larger numbers, are largely absent (Albarella 1997, 347). Similarly to eagles, both cranes and vultures are known for their huge feathers which may have had symbolic, ceremonial or aesthetic value. Another example of the importance of birds is provided by Bronze Age hollow ceramic bird statues from the Lausitz culture. Although the species are often not identifiable it is evident that waterbirds are most often the subject of this type of imagery (Quietzsch-Lappe 2007).

This image is further substantiated by burial finds from Middle Neolithic Ajvide in Sweden and Mesolithic and Neolithic Zvejnieki in Latvia. At these sites birds played an important role in mortuary practice (Mannermaa 2008). Beads and pendants were fashioned from the wing bones of waterbirds and decorated the body or burial dress. Figurines were also found. Apart from these species the jay (Garrulus glandarius) may have been used regularly and might even have been a totem animal. Water birds seem to have played an important role possibly indicative of their symbolic status of travelers between both worlds (water and air). Ethnographically the ability to fly and dive is central to the tripartite universe of sky, earth and underworld of circumboreal belief systems and certain species of birds were even regarded as shaman's helpers (Mannermaa 2008). At the well-known Mesolithic burial site of Oleniy ostrov, the osprey (Pandion haliaeetus) is most often found in burials (ibid.). At the Estonian Early Neolithic site of Tamula golden eagle and capercaillies were more important. The site also yielded a bird figurine that was found in the grave of a child. Wing bones of cranes were placed at both hands (Kriiska et al. 2007, cited in Mannermaa 2008).

Specific evidence for white-tailed eagle is very abundant from various Neolithic monuments in Britain. Bones of large birds were discovered in the early 19th century already, for example in the King Barrow longmound, the Knook pavement and the Old Ditch Long barrow in Wiltshire. More recent excavations and better means of identification suggest that these bones, sometimes identified as heron in the past, probably belonged to crane or white-tailed eagle (Field 2006, 5). The southern ditch at Coneybury Henge near Stonehenge contained the deposition of part of a whitetailed eagle (*ibid.*) and the Orcadian chambered tombs of Midhowe and Knowe of Ramsay yielded eagle bones too. Furthermore a sea eagle was placed spread-eagled in the closure deposits of the Links of Noltland settlement, also in the Orkneys (Jones/Richards 2003).

Most suggestive of the importance of white-tailed eagle however is the well-known Neolithic tomb of Isbister, also known as 'Tomb of the Eagles'. In this tomb the remains of at least fourteen white-tailed sea eagles sat among the remains of both humans and animals (Hedges 1984; Jones 1998). Some remains of white-tailed eagle were found in the foundation deposit of the Isbister tomb as well as other tombs. While initially interpreted as midden material, it now appears that specific parts of animals were selected for these foundation deposits. In the case of the eagles, this mainly concerns skulls, wings and claws. Quite a number of sea eagles were placed fully articulated in the central chamber (Jones 1998, 311-312).

Instead of regarding these deposits as sacrificial offerings, funerary feasting or totemic practices secondary to the main function of the tomb, Jones (1998, 309) ascribes a more primary function to them, related to the location of the tomb. Remarkably, sea eagles are almost exclusively deposited in chambered tombs located in high coastal and cliffside locations. This indicates that animals may be linked to places according to topographic and symbolic principles. Within a specific conceptual map, birds may represent 'sky' and can be associated with flight and the metaphysical status of the soul. Furthermore, the difficulty in obtaining species such as the white-tailed eagle may act as a statement on the power relations involved in their procurement (Jones 1998, 315). This Late Neolithic example thus draws out further connections between sea eagles, the dead, high places and the spiritual, whilst simultaneously stressing the importance of place and the difficulties and skill involved in their capture.

In addition to the aforementioned Late-Neolithic examples, the importance of eagles and other birds of prey is evidenced from older archaeological sites. One remarkable example is the recovery of ancient feather fragments, mainly used in fletching arrows or darts, from melting ice patches high up in the mountains of southern Yukon, Interior Alaska. While these feathers, including those of bald or golden eagles, date to c. 2500 cal BC, other artefacts go back as far as c. 6500 cal BC (Dove et al. 2005). The specific use of non-food birds such as falcons and eagles for these artefacts indicates not only functional, but also symbolic or decorative use, and specific evidence for notched and worked specimens does so too. In recent times, Salish and Tlingit huntergatherers of the Pacific North-west Coast singled out specific species such as eagles for their supernatural and ceremonial significance. Eagle feathers were specifically used on arrows intended for big game, while feathers of hawk or raven were used for smaller game and waterfowl (O'Brien 1997, cited in Dove et al. 2005). It is likely that by doing so the hunter in this way endowed the arrow with some of the death-dealing qualities of the bird. Fletchings thus appear not to have been purely utilitarian, and recent symbolic practices may have been rooted in the ancient past (Dove et al. 2005, 42).

A final example takes us back even further, to the Late Palaeolithic Magdalenian occupation of southern France. The avifauna of the Grotte de Bourouilla in the Pyrénées Atlantiques included the bones of over 53 Snowy owls (Nyctea scandiaca). In contrast with bones of other species many of these bones showed signs of skinning and other modification. The scraping, cutting and scorch marks were not aimed at obtaining the meatier parts of the birds but seemed to focus on the procurement of skins, feathers, tubular bone shafts and claws, as was also evidenced by assemblages from other caves (Eastham 1998, 103). There seems to have been a preference for female birds at Bourrouilla, which may be related to differences in plumage (ibid. 99). The culling of these animals therefore seems to have been mainly for non-subsistence purposes. As with eagles, this may have involved a combination of functional and symbolical roles, richly documented in ethnography and comprising for instance feather decoration, the fabrication of various containers, flutes, beads, tubes and needles, as well as the use of skin, claws, wings and beaks (cf. *infra*; Clark 1952; Dove *et al.* 2005).

#### 15.5 AN ETHNO-ORNITHOLOGICAL NOTE

Ethno-ornithology, like ethnozoology and ethnobotany, is a branch of ethnoscience, the study of indigenous systems of classification. It may seem slightly preposterous to use this concept in connection with archaeological material because archaeologists do not have the same richness of data at their disposal as field ethnographers do. Gregory Forth, for example, studied in minute detail over a period of some fifteen years how the Nage people of Flores (Indonesia) classify birds and give them a chosen place in their cosmovision and social practice (Forth 2004; cf. Boomert 2001 on Amazonia). Yet, as we show below, ethno-ornithological analogies do provide useful circumstantial evidence, and can be quite helpful in elucidating the uses of the Dutch sea eagle remains.

When one delves into the available literature on eagle iconography and symbolism it becomes immediately apparent that various eagle species have played major roles in many cultural contexts throughout history. Let us first consider the European tradition, in which eagles loom large symbolically. In the Odyssey and the Iliad, both dating to c. 800 cal BC and describing events taking place some 500 years earlier, the eagle is interpreted as the messenger and envoy of upper God Zeus. It is associated with thunder and lightning (referring to its capacity for speedy dives) and the sun (related to its ability for flying at high altitudes, sharp sight and capacity for staring directly into the sun). The eagle also figures at least twenty times in the Bible and later on resurfaces several times in the Christian tradition, associated with God himself. It fulfilled a comparable role in the lore, religion and myths of the Babylonians, Assyrians, Hittites and Phoenicians between 2400 and 500 cal BC. The eagle, the king of birds, was the bird of kings, gods and rulers (Lemaire 2007, 81 ff.).

Eagle imagery was also adopted by Roman legions and emperors, and appears in Vergil's epic *Aeneis* as well as in the *Physiologus*, a second-century didactic and moralizing text on animals and nature. Vikings, medieval aristocrats, Russian tsars, Prussian emperors, and German National Socialists adopted the eagle. It occurs in Medieval bestiaries, Dantes' *Divina Commedia* and Nietzsches' *Also sprach Zarathrustra* (cf. Kularov/Markovets 2004) and is still used – not least printed on money – by present-day states such as Poland, Mexico, Austria and the United States (*e.g.*, Śmiełowski 2000). Britain's Barclays Bank was urged to drop its distinctive eagle logo by employees from a Dutch bank it was trying to take over in 2007. For these employees it evoked too strongly the eagle symbol used by the Nazi occupants of the Netherlands during the Second World War.

While eagle symbolism has clearly figured prominently in the Old World from the classical era onwards this need not necessarily be informative on the meaning of eagles in the much earlier, small-scale communities of hunter-gatherers and, subsequently, farmers of the Lower Rhine Area. Therefore a brief look at ethnographic data regarding recent small-scale, non-state societies is in order.

The prominence of eagles in (north-) American-Indian cosmovisions is attested to by the number of references to this bird in the – electronically available – *Annual Reports of the Bureau of American Ethnology* between 1881 and 1933: the eagle occurs 3970 times in 54 articles. The hawk, by comparison, occurs 968 times in 51 articles, the crow 1097 times in 46 documents, and the owl 854 times in 50 articles. Symbolic dealings with eagle claws, beaks, feathers and images are frequent all over the Americas, from the far north to the far south.

Possibly the most famous of these dealings is eagletrapping by human males hidden in pits among the Hidatsa and other Plains Indian peoples along the Missouri. "If only one or two eagles were caught, they might be released after the tail feathers had been plucked. If a larger number were caught, some of them would be killed for the wings to make fans and plume arrows", Gilbert L. Wilson, an ethnographer and Presbyterian minister who live several years among the Hidatsa, wrote in 1928. "Three eagle tails yielded enough feathers to make one good war-bonnet, or maicu-mapuka (eagle-hat)" (Wilson 1928, 213). As it happens a much less well-known and less ritually formalized but striking parallel was buzzard trapping for prestige by adolescent males of St.-Geertruid, the Netherlands (Limburg), in the midtwentieth century. They hid in concrete animal rearing troughs underneath wooden shelves upon which a dead rabbit was positioned. Maybe Leendert came across similar activities in Arnhem, where he grew up. In recent decades, the eagle has acquired pan-Amerindian significance as a symbol of brotherhood among the autochthonous peoples of the North-American continent. On the other side of the Bering Strait, eagles are equally important. Among Siberian peoples like the Yakut, Tungus, and Buryat, for example, the eagle is associated with spring, fertility and shamanism.

The widespread and emphatically positive symbolic role of eagles almost certainly has to do with perceived attributes which make the eagle a "natural symbol" in the sense of Mary Douglas (1970), or not so much "good to eat" as "good to think with" (Lévi-Strauss 1962). The first phrase points to the phenomenon that people tend to select suitable, obvious entities from their environment with which to express meanings. The second expression more specifically stresses the articulation of one's personal, family or group identity as different from that of other individuals or groups in terms of the different animals or plants with which one claims kinship or which one flaunts as emblems. In pre-state societies such articulations of identity in terms of favoured species usually carry strong animistic connotations, with the animal as ancestor and kin, while in more complex state societies they function as totems, symbols and emblems in a usually looser, but comparable sense. Of course, this valuable analytic viewpoint somewhat reductionistically singles out just one aspect of a rich, moral and reciprocal relationship with other spiritual beings in nature.

In a case study on pigeon and friar bird among the Nage of central Flores, Gregory Forth stresses the formative role of empirical properties - morphological, behavioural, vocal - in the attribution of symbolic value to species, quite frequently in contrasting pairs, such as eagle-snake in the casuistry under consideration here. This may well explain the remarkable similarities in animal symbolism the world over (Forth 2007). Eagles soar high, display agile flight, have sharp vision and strong claws, hunt and kill skillfully, and impress by their visual splendour and sheer size. It is clearly these attributes which have promoted them to their prominent symbolic roles which, in our view, provide strong circumstantial evidence that the Dutch eagle data fit within the pattern displayed by so many cultures. In the Rhine delta, Haliaeetus albicilla's territoriality, monogamous pairs and huge nests also may have provoked cultural meanings, the specifics of which are forever lost. More often than not in non-sedentary and prestate sedentary societies, specific significant animals are connected to places in the - perceived, mythical, storied landscape, and this may well have been the case in the Dutch Mesolithic and Neolithic, in which case the identity of spirits/ birds, humans and places must have been interconnected.

In view of ethnographic evidence it is probable that not only aerodynamical properties but also metonymical associations of feathers used for fletching arrows were important. "Their efficiency was not merely mechanical," J.G.D. Clark plausibly suggests in Prehistoric Europe (1965, 39), "it was also magical. The archer wished to direct the aim and increase the force of his arrow by appropriating something of the eagle's power and keenness of vision". Real and perceived attributes of eagles may well have been exploited by hunters in the Lower Rhine Area by their carrying claws and beaks as amulets. The Unangan of the Aleuts, for example, used to wear elegant, polychromous chagudax, wooden hats, decorated with bird-of-prey motives to make themselves appear as birds of prey and adopt their speed, agility and keenness of sight (Black 1991). Among the Swazi of southeast Africa, a society with a strong male rank order, only the ingwenyama ("king") is entitled to wearing eagle feathers. The eagle is spoken of locally as "king of birds" and one of the local species is used in medicines to sanctify the king (Kuper 1973).

#### 15.6 DISCUSSION

The foregoing consideration of archaeological, historical and ethnographical sources has highlighted the near-universal importance of that mighty predatory bird, the eagle. While this is highly suggestive as to the symbolic prominence of white-tailed eagle in the Late Mesolithic and incipient farming communities of the Lower Rhine Area, the specifics of that role are hard to come by. Recovering past ideological motivations empirically is rather problematic. In this respect the frequency analysis presented above only reveals part of the story. Analogies do not really offer 'a way out' of this impasse because of their lack of qualitative scrutiny. Nevertheless analogical reasoning remains germane to all archaeological interpretation, as a heuristic framework for linking mute artefacts and remnants of the past to the dynamics of past communities (e.g. Van Gijn/Zvelebil 1997; Hawkes 1954). In the absence of an ideal ethnographic parallel for these Mesolithic and Early Neolithic communities analogies are drawn from peoples such as the Alaskan Nunamiut, the Ojibwa of the Great Lakes, the Northwest Coast communities and the New Guinea Papuan peoples. There are, however, numerous geographical, economical and cultural arguments that limit the relevance of these comparisons (e.g. Louwe Kooijmans 2001a, 67). This is why we believe it is necessary to arrive at a more integrated analogical model, seeking out structural resemblances that, although their implementation and cultural expression remain highly specific, connect these communities.

One element that clearly stands out in the prehistoric communities studied here and in many ethnographic case studies such as the aforementioned is the importance of hunting. For the Lower Rhine Area it has been widely documented that despite the increasing availability of domesticates and cultigens during the process of neolithisation, wild resources such as game mammals, fish and fowl continued to form a staple element in subsistence (e.g. Louwe Kooijmans 1993; Raemaekers 1999). Hunting, including its social and ideological repercussions, therefore was a rather conservative central element in such societies. While other motivations should not be ruled out, it would seem to make sense to interpret the presence and importance of Haliaeetus albicilla at these sites from the perspective of hunting and the hunter. From this perspective, the specific qualities of the white-tailed eagle that set it apart from other birds and underline its specific treatment are of paramount importance. It is these aspects that hunters may have admired, revered or identified with.

Shooting such an animal would have greatly added to the status of the hunter and so to speak placed him and his skill on par with that of the eagle. The ethnographic and – limited – archaeological evidence for the decorative and symbolic use and display of feathers, claws, beaks, bones, skins and wings



Figure 15.4 Example of a wooden early 19th-century Unangan hunting hat (National museum of Finland). The bone ornaments on both sides are shaped after the head of a bird and represent wings. Wearing a hat like this would enable a hunter to adopt the speed, agility and keen eye of a bird. The decorations furthermore warded off evil spirits and magical powers and enabled the hunter to lure out prey (Black 1991). Photograph by L. Amkreutz.

also points in this direction. Such trophies flaunt the hunter's status and capabilities and augment his reputation. It may have been the specific qualities of the white-tailed eagle that were much sought after by the Mesolithic and Early Neolithic inhabitants of the Lower Rhine Area. Its keen eye, superior speed, stealth and agility were acquired by proxy and subsequently objectified in the use of specific eagle elements. In this way the hunter may have assumed control over these qualities metonymically, as suggested by the ethnography of the *chagudax* wooden hats and the eagle fletchings.

While these ethnographically inspired interpretations necessarily remain suggestive, they do seem to tie in with the prominent position of eagles in communities of huntergatherers and early farmers in the Lower Rhine Area. Identification with the qualities of eagles was possible in various, non mutually exclusive ways, and need not necessarily have precluded consumption of eagles. What does stand out is that they specifically draw on an analogy between the hunter and its quarry. In this light it is perhaps understandable that the presence of eagles and wildfowl in general seems to diminish dramatically in the course of the Late Neolithic and Early Bronze Age in the Lower Rhine Area, in synch with the diminishing importance of other game animals in favour of domesticates (Louwe Kooijmans 1993, 82). At the end of the Late Neolithic hunting was no longer a central element in everyday food procurement and community life and had probably lost a great deal of its symbolic value. In any case the white-tailed eagle no longer figures as prominently among the faunal assemblages of this later age.

#### 15.7 Cauda

In this paper we have tried to somewhat constrain speculations on the possible symbolic roles of Haliaeetus albicilla in communities of hunter-gatherers and incipient farmers in the Lower Rhine Area, by combining archaeological data and ethnographic parallels. We have procured, and zoomed in on, our prey, the eagle remains, and subsequently had to soar high to come to an ethnographically informed understanding. This offers a suitable analogy with Leendert Louwe Kooijmans' work over the past decades in unraveling some of the mysteries surrounding neolithisation in the Lower Rhine Area. While excavating several pivotal sites in minute detail he never failed to soar a bit higher every now and then. It is this delicate balance between the target on the ground and his eagle-eyed perspective which is most characteristic of his contribution to the understanding of our prehistory.

#### Acknowledgement

The authors wish to thank Eva Paulsen, Frans Roebroeks and Alistair Bright for their feedback.

#### References

Albarella, U. 1997. Crane and vulture at an Italian Bronze Age site, *International journal of Osteoarchaeology* 7, 346-349.

Annual Reports of the Bureau of American Ethnology between 1881 and 1933 by The Bureau of American Ethnography (Smithsonian institute), *Euriskodata digital version* 2007.

Bezzel, E. 1998, Vogels kijken. Basisgids voor het waarnemen van vogels, Baarn.

Black, L. 1991. Glory remembered: wooden headgear of Alaska Sea hunters, Alaska State Museums.

Blish, H.H. 1934. The Ceremony of the Sacred Bow of the Oglala Dakota, *American Anthropologist, New Series* 36, 180-187.

Boessneck, J. 1978. Die Vogelknochen aus der Moorsiedlung Hüde I am Dümmer, Kreis Grafschaft Diepholz, *Neue Ausgrabungen und Forschungen in Niedersachsen* 12, 155-169.

Boomert, A. 2001. Raptorial birds as icons of shamanism in the prehistoric Caribbean and Amazonia, *Proceedings of the Nineteenth International Congress for Caribbean Archaeology, Aruba,* II, Aruba (Publication of the Museo Arqueologico Aruba 9), 21-157. Bulten, E.E.B./F.J.G. van der Heijden/T.D. Hamburg 2002. *Emmeloord, Prehistorische visweren en fuiken*, Bunnik (ADC Rapport 140).

Clark, J.G.D. 1952. Prehistoric Europe: The Economic Basis, London.

Clason, A.T. 1967. Animal and man in Holland's past, PhD thesis Groningen.

Clason, A.T./D.C. Brinkhuizen 1993. Bergschenhoek, In: A.T. Clason/S. Payne/H.P. Uerpmann (eds), *Skeletons in her cupboard, Festschrift for Juliet Clutton-Brock*, Oxford, 61-73.

Douglas, M. 1970. *Natural symbols: explorations in cosmology*, New York.

Dove, C.J./G. Hare/M. Heacker 2005. Identification of Ancient Feather Fragments Found in Melting Alpine Ice Patches in Southern Yukon, *ARCTIC* 58.1, 38-43.

Eastham, A. 1998. Magdalenians and Snowy Owls: bones recovered at the Grotte de Bourrouilla, Arancou (Pyrénées Atlantiques), *Paleo* 10, 95-108.

Elphick, J./J. Woodward 2003. Vogels, Houten (Capitool Veldgidsen).

Ericson, P.G.P. 1987. Interpretations of archaeological bird remains: A taphonomic approach, *Journal of Archaeological Science* 14, 65-75.

Field, D. 2006. William Cunnington and his Butcher. In: D. Serjeantson/D. Field (eds), *Animals in the Neolithic of Britain and Europe*, Oxford, 10-23.

Forth, G. 2004. *Nage birds: classification and symbolism among an Eastern Indonesian people*, London.

Gijn, A.L. van 2006. Ornaments of jet, amber and bone. In: L.P. Louwe Kooijmans/ P.F.B. Jongste (eds), *Schipluiden. A Neolithic settlement on the Dutch North Sea Coast c. 3500 cal. BC*, Leiden (Analecta Praehistorica Leidensia 37/38), 195-206.

Gijn, A. van /M. Zvelebil 1997. Stone age, ideology and scaling the ladder of inference. In: A. van Gijn/M. Zvelebil (eds), *Ideology and social structure of stone age communities*, Leiden (Analecta Praehistorica Leidensia 29), 3-12.

Hawkes, C. 1954. Archaeological theory and method: some suggestions from the old world, *American Anthropologist* 56, 155-168.

Hedges, J.W. 1984. Tomb of the eagles: a window on Stone Age tribal Britain, London.

#### 178

Hoof, L. van in prep. *Hellevoetsluis-Ossenhoek: een stabiele, agrarische nederzetting van de Vlaardingen-cultuur op Voorne-Putten* (Archol-rapport).

Jones, A. 1998. Where eagles dare: landscape, animals and Neolithic Orkney, *Journal of Material Culture* 3, 301-324.

Jones, A./C. Richards 2003. Animals into ancestors: domestication, food and identity in Late Neolithic Orkney. In: M. Parker-Pearson (ed.) *Food, Culture and Identity in the Neolithic and Early Bronze Age*, Oxford, 45-51.

Kularov, V.I./M.Y. Markovets 2004. Birds as companions of Germanic Gods and Heroes, *Acta Archaeologica* 75, 179-188.

Kuper, H. 1973. Costume and cosmology: the animal symbolism of the Ncwala, *Man* 8, 613-630.

Laarman, F.J. 2001. Deel 16. Archeozoologie: aard en betekenis van de dierlijke resten. In: J.W.H. Hogestijn/ J.H.M. Peeters (eds), De *mesolithische en vroeg-neolithische vindplaats Hoge Vaart-A27*, Amersfoort (Rapportage Archeologische Monumentenzorg 79), 1-77.

Lauwerier, R.C.G.M./T. van Kolfschoten/L.H. van Wijngaarden-Bakker 2005. De archeozoologie van de steentijd. In: J. Deeben/E. Drenth/M.-F. van Oorsouw/ L. Verhart (eds), *De steentijd van Nederland*, Meppel (Archeologie 11/12), 39-66.

Lemaire, T. 2007. *Op vleugels van de ziel. Vogels in voorstelling en verbeelding*, Amsterdam.

Lévi-Strauss, C. 1962 Le totémisme aujourd'hui, Paris.

Livingston, S.D. 1989. The taphonomic interpretation of avian skeletal part frequencies, *Journal of Archaeological Science* 16, 537-547.

Louwe Kooijmans, L.P. 1993a. Wetland exploitation and upland relations of prehistoric communities in the Netherlands. In: J. Gardiner (ed.), *Flatlands and Wetlands. Current Themes in East Anglian Archaeology*, 71-116.

Louwe Kooijmans, L.P. 2001a. Archaeological approaches to the long-term history of the landscape. In: B. Benzing/ B. Herrmann (eds), *Exploitation and Overexploitation in Societies Past and Present. IUAES-Intercongres 2001*, (IUAES-Series Vol 1), 63-80.

Louwe Kooijmans, L.P./A. van Gijn/J.H.S. Oversteegen/ M. Bruineberg 2001b. Artefacten van been, gewei en tand. In: L.P. Louwe Kooijmans (ed.), *Hardinxveld-Giessendam De Bruin. Een kampplaats uit het Laat-Mesolithicum en het begin van de Swifterbant-cultuur (5500-4450 v. Chr.)*, Amersfoort (Rapportage Archeologische Monumentenzorg 88), 327-369. Mannermaa, K. in press. Birds and burials at Ajvide (Gotland, Sweden) and Zvejnieki (Latvia), *Journal of Anthropological Archaeology*.

Oversteegen, J.H.S./L.H. van Wijngaarden-Bakker/ C.H. Maliepaard/Th. van Kolfschoten, 2001. Zoogdieren, vogels en reptielen. In: L.P. Louwe Kooijmans (ed.). *Hardinxveld-Giessendam De Bruin. Een kampplaats uit het Laat-Mesolithicum en het begin van de Swifterbant-cultuur* (5500-4450 v. Chr.), Amersfoort (Rapportage Archeologische Monumentenzorg 88), 209-298.

Prummel, W. 1987. The faunal remains from the Neolithic site of Hekelingen III, *Helinium* 27, 190-258.

Quietzsch-Lappe, U. 2005. Das Grab eines schnurkeramischen "Handwerkers" von Großseitschen, Ot. von Göda, Lkr. Bautzen, Arbeits- und Forschungsberichte Sächsische Bodendenkmalpflege 47, 321-327.

Raemaekers, D.C.M. 1999. The articulation of a new Neolithic, The meaning of the Swifterbant culture for the process of neolithization in the western part of the North European Plain, PhD thesis Leiden (Archaeological Studies Leiden University 3).

Reichstein, H. 1974. Ergebnisse und Probleme von Untersuchungen an Wildtieren aus Haithabu (Ausgrabung 1963-1964), *Berichte uber die Ausgrabungen in Haithabu* 7, 102-144.

Robeerst, A. 1995. *De Neolithische fauna van de Donk het Kerkhof bij Brandwijk, Alblasserwaard*, (Internal report Faculty of Archeology, Leiden University), Leiden.

Rohm, G. 1970. Europese vogels, Baarn.

Śmiełowski 2000. Endangered Eagles as a national symbol. *Rok wydania*, 36.

Stewart, J. 2001 Wetland birds in the archaeological and recent palaeontological record of Britain and Europe. In: B. Coles/A. Olivier (eds). *The Heritage Management of Wetlands in Europe*, (EAC Occasional Paper no. 1, WARP Occasional Paper 16), 141-148.

Vries, L.S. de 2004. Luilekkerland aan de kust, Amersfoort (Rapportage Archeologische Monumentenzorg 106).

Wijngaarden-Bakker, L.H. van 1997. The selection of bird bones for artefact production at Dutch neolithic sites, *International journal of Osteoarchaeology* 7, 339-345.

Wilson, G. 1928. Hidatsa Eagle Trapping, *Anthropological Papers of the American Museum of Natural History* 30, Part IV: 99-245.

Wijngaarden-Bakker, L.H. van/C. Cavallo/Th. van Kolfschoten/ C.H. Maliepaard/J.H.S. Oversteegen 2001. Zoogdieren, vogels, reptielen. In: L.P. Louwe Kooijmans (ed.), *Hardinxveld-Giessendam Polderweg. Een mesolithisch jachtkamp in het rivierengebied (5500-5000 v. Chr.)*, Amersfoort (Rapportage Archeologische Monumentenzorg 83), 181-242.

L.W.S.W. Amkreutz Rijksmuseum van Oudheden Postbus 11114 2301 EC Leiden The Netherlands I.amkreutz@rmo.nl Zeiler, J.T. 1997. Hunting, fowling and stock-breeding at Neolithic sites in the Western and Central Netherlands, PhD thesis Groningen.

Zeiler, J.T. 2006, Birds. In: L.P. Louwe Kooijmans/ P.F.B. Jongste (ed.), *Schipluiden. A Neolithic settlement on the Dutch North Sea coast c. 3500 cal BC*, Leiden (Analecta Praehistorica Leidensia 37/38), 421-442.

R. Corbey Universiteit Leiden Postbus 9515 2300 RA Leiden The Netherlands r.corbey@arch.leidenuniv.nl