

Shaping the pharmacokinetic landscape for renally cleared antibiotics in obesity: Studies in adults, adolescents and children Smit, C.

Citation

Smit, C. (2021, March 11). Shaping the pharmacokinetic landscape for renally cleared antibiotics in obesity: Studies in adults, adolescents and children. Retrieved from https://hdl.handle.net/1887/3147351

Version: Publisher's Version

License: License agreement concerning inclusion of doctoral thesis in the

Institutional Repository of the University of Leiden

Downloaded from: https://hdl.handle.net/1887/3147351

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle http://hdl.handle.net/1887/3147351 holds various files of this Leiden University dissertation.

Author: Smit, C.

Title: Shaping the pharmacokinetic landscape for renally cleared antibiotics in obesity:

Studies in adults, adolescents and children

Issue date: 2021-03-11

Shaping the pharmacokinetic landscape for renally cleared antibiotics in obesity

Studies in adults, adolescents and children

Cornelis Smit

Colofon

Shaping the pharmacokinetic landscape for renally cleared antibiotics in obesity - studies in adults, adolescents and children

Cover design and layout: © evelienjagtman.com Printing: Ridderprint - www.ridderprint.nl

The research described in this thesis was performed at the department of Clinical Pharmacy of the St. Antonius Hospital, Nieuwegein, The Netherlands and the division of Systems Biomedicine and Pharmacology of the Leiden Academic Centre for Drug Research (LACDR), Leiden University, The Netherlands and the department of Pharmacy of the Radboud Institute of Health Sciences, Radboudumc, Nijmegen, The Netherlands and was financially supported by the Netherlands Organization for Health Research and Development (ZonMw) under grant number 836041004. Printing of this thesis was financially supported by Stichting KNMPfondsen.

Copyright © 2020 Cornelis Smit

No part of this thesis may be reproduced or transmitted in any form or by any means without written permission of the author and publisher holding the copyright of the published articles.

ISBN: 978-94-6416-330-8

Shaping the pharmacokinetic landscape for renally cleared antibiotics in obesity

Studies in adults, adolescents and children

Proefschrift

ter verkrijging van de graad van Doctor aan de Universiteit Leiden, op gezag van Rector Magnificus Prof.dr.ir. H. Bijl, volgens besluit van het College voor Promoties te verdedigen op donderdag 11 maart 2021 klokke 15.00 uur

door

Cornelis Smit geboren te Menaldum, Nederland in 1988

Promotor

Prof. dr. C.A.J. Knibbe

Co-promotores

dr. H.P.A. van Dongen St. Antonius Ziekenhuis, Nieuwegein

dr. R.J.M. Brüggemann Radboudumc, Nijmegen

Promotiecommissie

Prof. dr. H. Irth (voorzitter)

Prof. dr. J.A. Bouwstra (secretaris)

Prof.dr. J.N. van den Anker Children's National Hospital, Washington, DC, USA

University of Basel Children's Hospital, Basel, Switzerland

Prof. dr. E.N. van Roon Rijksuniversiteit Groningen

dr. J.G.C. van Hasselt Prof. dr. H.J. Guchelaar

Prof. dr. D.W. de Lange UMC Utrecht

TABLE OF CONTENTS

Part I Introduction and background		
Chapter 1 Chapter 2	Introduction Obesity and drug pharmacology: A review of the influence of obesity on pharmaco-kinetic and pharmacodynamic parameters	9 27
Part II Studies on obesity in otherwise healthy individuals		
Chapter 3	A prospective clinical study characterizing the influence of morbid obesity on the pharmacokinetics of gentamicin: towards individualized dosing in obese patients	55
Chapter 4	Tobramycin clearance is best described by renal function estimates in obese and non-obese individuals: results of a prospective rich sampling pharmacokinetic study	83
Chapter 5	Population pharmacokinetics of vancomycin in obesity: finding the optimal dose for (morbidly) obese individuals	115
Part III Extension of obesity studies to real-world adult and paediatric populations		
Chapter 6	Dose recommendations for gentamicin in the real-world obese population with varying bodyweight and renal (dys)function	149
Chapter 7	Dosing recommendations for vancomycin in obese children and adolescents with varying renal function based on a population pharmacokinetic study in 1892 children aged 1 – 18 years	179
Part IV Main findings, considerations and perspectives		
Chapter 8	Shaping the landscape for renally cleared antibiotics in obesity: main findings, considerations and perspectives	215
Chapter 9	Dutch summary	237
Part V Appendices		
Dose recommendations presented in this thesis		255
Curriculum vitae		263
List of publications		267
Affiliation of authors		273
Dankwoord - Acknowledgements		277