



Universiteit
Leiden
The Netherlands

Towards increased understanding of integrated Youth Care: a qualitative evaluation of facilitators and barriers for professionals

Nooteboom, L.A.

Citation

Nooteboom, L. A. (2021, April 22). *Towards increased understanding of integrated Youth Care: a qualitative evaluation of facilitators and barriers for professionals*. Retrieved from <https://hdl.handle.net/1887/3160753>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3160753>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <https://hdl.handle.net/1887/3160753> holds various files of this Leiden University dissertation.

Author: Nooteboom, L.A.

Title: Towards increased understanding of integrated Youth Care: a qualitative evaluation of facilitators and barriers for professionals

Issue Date: 2021-04-22



The left side of the slide features four abstract geometric shapes in two shades of red. At the top is a large, dark red triangle pointing downwards. Below it is a smaller, dark red triangle pointing upwards. Further down is a medium-sized, light red triangle pointing downwards. At the bottom is a small, light red diamond shape.

References

- Abma, T. A., Cook, T., Rämngård, M., Kleba, E., Harris, J., & Wallerstein, N. (2017). Social impact of participatory health research: collaborative non-linear processes of knowledge mobilization. *Educational Action Research*, 25(4), 489-505. doi:10.1080/09650792.2017.1329092
- Acri, M. C., Bornheimer, L. A., O'Brien, K. O'Brien, Sezer, S., Little, V. P., Cleek, A. F., & McKay, M. M. (2016). A model of integrated health care in a poverty-impacted community in New York City: Importance of early detection and addressing potential barriers to intervention implementation. *Social Work in Health Care*, 55(4), 314-327.
- Adams, J. R. & Drake, R. E. (2006). Shared decision-making and evidence-based practice. *Community Mental Health Journal*, 42(1): 87-105. DOI: <https://doi.org/10.1007/s10597-005-9005-8>
- Adams, C. D., Hinojosa, S., Armstrong, K., Takagishi, J., & Dabrow, S. (2016). An innovative model of integrated behavioral health: School psychologists in pediatric primary care settings. *Advances in School Mental Health Promotion*, 9(3-4), 188-200. <https://doi.org/10.1080/1754730X.2016.1215927>
- Almqvist, A. L., & Lassinantti, K. (2018). Young people with complex needs meet complex organizations: an interview study with Swedish professionals about sustainable work practices. *Community, Work & Family*, 21(5), 620-635.
- Anderson-Butcher, D., Lawson, H. A., & Barkdull, C. (2002). An evaluation of child welfare design teams in four states. *Journal of Health & Social Policy*, 15(3-4), 131-161.
- Appleyard, K., Egeland, B., van Dulmen, M. H., & Sroufe, L. A. (2005). When more is not better: The role of cumulative risk in child behavior outcomes. *J Child Psychol Psychiatry*, 46(3), 235-245. doi:10.1111/j.1469-7610.2004.00351.x
- Armitage, G. D., Suter, E., Oelke, N. D., & Adair, C. E. (2009). Health systems integration: state of the evidence. *International Journal of Integrated Care*, 9, e82-e82.
- Asarnow, J. R., Rozenman, M., Wiblin, J., & Zeltzer, L. (2015). Integrated medical-behavioral care compared with usual primary care for child and adolescent behavioral health: A meta-analysis. *JAMA Pediatr*, 169(10), 929-937. doi:10.1001/jamapediatrics.2015.1141



- Axelsson, S. B., & Axelsson, R. (2009). From territoriality to altruism in interprofessional collaboration and leadership. *Journal of Interprofessional Care*, 23(4), 320-330.
- Barry, C. A., Britten, N., Barber, N., Bradley, C., & Stevenson, F. (1999). Using Reflexivity to Optimize Teamwork in Qualitative Research. *Qualitative Health Research*, 9(1), 26-44. <https://doi.org/10.1177/104973299129121677>
- Bartelink, C., Meuwissen, I., & Eijgenraam, K. (2015). Richtlijn samen met ouders en jeugdige beslissen over passende hulp [Guideline shared decision making with parents and youth about tailored support]. Nederlands Jeugdinstituut. Retrieved from: https://richtlijnenjeugdhulp.nl/wp-content/uploads/2015/11/Richtlijn-Samen-beslissen_Richtlijn.pdf
- Baxter, S., Johnson, M., Chambers, D., Sutton, A., Goyder, E., & Booth, A. (2018). The effects of integrated care: a systematic review of UK and international evidence. *BMC Health Services Research*, 18(1).
- Beacham, B. L. & Deatrick, J. A. (2013). Health Care Autonomy in Children with Chronic Conditions: Implications for Self-Care and Family Management. *Nursing Clinics*, 48(2): 305-17. DOI: <https://doi.org/10.1016/j.cnur.2013.01.010>
- Bearman, M., & Dawson, P. (2013). Qualitative synthesis and systematic review in health professions education. *Medical Education*, 47(3), 252-260.
- Bekhet, A. K., & Zauszniewski, J. A. (2012). Methodological triangulation: an approach to understanding data. *Nurse Res*, 20(2), 40-43. doi:10.7748/nr2012.11.20.2.40.c9442
- Bennett-Levy, J., Richards, D., Farrand, P., Christensen, H., & Griffiths, K. (Eds.). (2010). Oxford guide to low intensity CBT interventions. Oxford University Press.
- Bevington, D., Fuggle, P., Cracknell, L., & Fonagy, P. (2017). Adaptive mentalization-based integrative treatment: A guide for teams to develop systems of care. Oxford University Press.
- Bower, P., & Gilbody, S. (2005). Stepped care in psychological therapies: access, effectiveness and efficiency. Narrative literature review. *British Journal of Psychiatry*, 186, 11-17.



- Briggs, R. D., Racine, A. D., & Chinitz, S. (2007). Preventive pediatric mental health care: a co-location model. *Infant Mental Health Journal*, 28(5), 481-495.
- Briggs, A. M., Valentijn, P. P., Thiyagarajan, J. A., & Araujo de Carvalho, I. (2018). Elements of integrated care approaches for older people: a review of reviews. *BMJ open*, 8(4), e021194. <https://doi.org/10.1136/bmjopen-2017-021194>
- Britten, N., Campbell, R., Pope, C., Donovan, J., Morgan, M., & Pill, R. (2002). Using meta ethnography to synthesise qualitative research: a worked example. *Journal of Health Services Research and Policy*, 7(4), 209-215.
- Brooks, F., Bloomfield, L., Offredy, M., & Shaughnessy, P. (2013). Evaluation of services for children with complex needs: mapping service provision in one NHS Trust. *Primary Health Care Research & Development*, 14(1), 52-62.
- Bröcking, B. (2016). Sturen zonder schuren: de rollen van client, hulpverlener en overheid in de jeugdhulp. [Steer without grating: the roles of client, social workers and government in Youth Care]. Oisterwijk: Wolf Legal Publishers (WLP), Retrieved from: <https://research.tilburguniversity.edu/en/publications/sturen-zonder-schuren-de-rollen-van-client-hulpverlener-en-overhe>.
- Bunik, M., Talmi, A., Stafford, B., Beaty, B., Kempe, A., Dhepyasuwan, N., & Serwint, J. R. (2013). Integrating mental health services in primary care continuity clinics: a national CORNET study. *Academic Pediatrics*, 13(6), 551-557.
- Bunn, F., Goodman, C., Russell, B., Wilson, P., Manthorpe, J., Rait, G., ... & Durand, M. A. (2018). Supporting shared decision making for older people with multiple health and social care needs: a realist synthesis. *BMC geriatrics*, 18(1), 165.
- Bureau V. (2012). Transforming health policy and services: challenges for comparative research. *Current Sociology*, 60(4): 569-78.
- Burka, S. D., Van Cleve, S. N., Shafer, S., & Barkin, J. L. (2014). Integration of pediatric mental health care: an evidence-based workshop for primary care providers. *Journal of Pediatric Health Care*, 28(1), 23-34.
- Busetto, L. (2016). Great Expectations: The implementation of

- integrated care and its contribution to improved outcomes for people with chronic conditions. *Int J Integr Care*, 16(4), 16-16. doi:10.5334/ijic.2555
- Callaly, T., Von Treuer, K., Van Hamond, T., & Windle, K. (2011). Forming and sustaining partnerships to provide integrated services for young people: an overview based on the headspace Geelong experience. *Early Intervention in Psychiatry*, 5 (1), 28-33.
- Campbell, D. G., Downs, A., Meyer, W. J., McKittrick, M. M., Simard, N. M., & O'Brien, P. (2017). A preliminary survey of pediatricians' experiences with and preferences for communication with mental health specialists. *Families, Systems & Health*, 36(3), 404-409.
- Campo, J. V., Geist, R., & Kolko, D. J. (2018). Integration of pediatric behavioral health services in primary care: Improving access and outcomes with collaborative care. *The Canadian Journal of Psychiatry*, 63(7), 432-438. doi:10.1177/0706743717751668
- Campo, J. V., Shafer, S., Strohm, J., Lucas, A., Cassesse, C. G., Shaeffer, D., & Altman, H. (2005). Pediatric behavioral health in primary care: a collaborative approach. *Journal of the American Psychiatric Nurses Association*, 11(5), 276-282.
- Carbone, P. S., Behl, D. D., Azor, V., & Murphy, N. A. (2010). The medical home for children with autism spectrum disorders: parent and pediatrician perspectives. *Journal of Autism and Developmental Disorders*, 40(3), 317-324.
- Carlson, J. S., Mackrain, M. A., van Egeren, L. A., Brophy-Herb, H., Kirk, R. H., Marciniak, D., . . . Tableman, B. (2012). Implementing a statewide early childhood mental health consultation approach to preventing childcare expulsion. *Infant Mental Health Journal*, 33(3), 265-273.
- Chen, Y., Yang, K., Marušić, A., Qaseem, A., Meerpohl, J. J., Flottorp, S., . . . Norris, S. L. (2017). A Reporting Tool for Practice Guidelines in Health Care: The RIGHT Statement. *Ann Intern Med*, 166(2), 128-132. doi:10.7326/m16-1565
- Cohen, D. J., Davis, M., Balasubramanian, B. A., Gunn, R., Hall, J., deGruy, F. V., . . . Miller, B. F. (2015). Integrating behavioral health and primary care: consulting, coordinating and collaborating among



- professionals. *Journal of the American Board of Family Medicine*, 28 Suppl 1, S21-31.
- Collins, F., & McCray, J. (2012). Partnership working in services for children: use of the common assessment framework. *Journal of Interprofessional Care*, 26(2), 134-140.
- Cooper, M., Evans, Y., & Pybis, J. (2016). Interagency collaboration in children and young people's mental health: a systematic review of outcomes, facilitating factors and inhibiting factors. *Child: Care, Health and Development*, 42(3), 325-342.
- Corbin, J. M., & Strauss, A. (1990). Grounded theory research: Procedures, canons, and evaluative criteria. *Qualitative Sociology*, 13(1), 3-21. doi:10.1007/BF00988593
- Creswell, J. W., Plano Clark, V. L., Gutmann, M. L., & Hanson, W. E. (2003). Advanced mixed methods research designs. *Handbook of mixed methods in social and behavioral research*. Thousand Oaks, CA: Sage Publications, 209-240.
- Cross, S. P., & Hickie, I. (2017). Transdiagnostic stepped care in mental health. *Public Health Res Pract*, 27(2), 1.
- Curry, N., & Ham, C. (2010). Clinical and service integration: the route to improved outcomes. London: King's Fund. Retrieved from: <https://www.kingsfund.org.uk/sites/default/files/Clinical-and-service-integration-Natasha-Curry-Chris-Ham-22-November-2010.pdf>
- Darlington, Y., Feeney, J. A., & Rixon, K. (2005). Interagency collaboration between child protection and mental health services: practices, attitudes and barriers. *Child Abuse and Neglect*, 29(10), 1085-1098.
- Darlington, Y., Feeney, J. A., & Rixon, K. (2005). Practice challenges at the intersection of child protection and mental health. *Child & Family Social Work*, 10(3), 239-247.
- Dates, M., Lennox-Chhungani, N., Pereira, H. S., Tedeschi, M. (2018). Health system performance assessment – integrated care assessment (20157303 HSPA). European Commission Report. Retrieved from: https://ec.europa.eu/health/sites/health/files/systems_performance_assessment/docs/2018_integratedcareassessment_en.pdf
- Davis, C. C., Claudius, M., Palinkas, L. A., Wong, J. B., Leslie, L. K. (2012).



- Putting families in the center: family perspectives on decision making and ADHD and implications for ADHD care. *Journal of Attention Disorders*, 16(8): 675–684. DOI: <https://doi.org/10.1177/1087054711413077>
- Davis, D. W., Honaker, S. M., Jones, V. F., Williams, P. G., Stocker, F., & Martin, E. (2012). Identification and management of behavioral/mental health problems in primary care pediatrics: perceived strengths, challenges, and new delivery models. *Clinical Pediatrics*, 51(10), 978–982.
- Dayton, L., Agosti, J., Bernard-Pearl, D., Earls, M., Farinholt, K., Groves, B. M., . . . Wissow, L. S. (2016). Integrating mental and physical health services using a socio-emotional trauma lens. *Current Problems in Pediatric and Adolescent Health Care*, 46(12), 391–401.
- De Jong, J. T., Berckmoes, L. H., Kohrt, B. A., Song, S. J., Tol, W. A., & Reis, R. (2015). A public health approach to address the mental health burden of youth in situations of political violence and humanitarian emergencies. *Curr Psychiatry Rep*, 17(7), 60. doi:10.1007/s11920-015-0590-0
- De Jonge, H. & Dekker, S. (2020). Perspectief voor de Jeugd [Perspectives for Youth]. Retrieved from: <https://www.rijksoverheid.nl/documenten/kamerstukken/2020/03/20/kamerbrief-over-perspectief-voor-de-jeugd>
- Eapen, V., & Jairam, R. (2009). Integration of child mental health services to primary care: challenges and opportunities. *Mental Health in Family Medicine*, 6(1), 43–48.
- Erickson, C. D. (2012). Using systems of care to reduce incarceration of youth with serious mental illness. *Americal Journal of Community Psychology*, 49(3–4), 404–416.
- Etikan, I., Musa, S. A., & Alkassim, R. S. (2016). Comparison of convenience sampling and purposive sampling. *American Journal of theoretical applied statistics*, 5(1), 1–4.
- Fallucco, E. M., Blackmore, E. R., Bejarano, C. M., Kozikowski, C. B., Cuffe, S., Landy, R., & Glowinski, A. (2017). Collaborative care: a pilot study of a child psychiatry outpatient consultation model for primary care providers. *The Journal of Behavioral Health Services & Research*, 44(3), 386–398.



- Farkas, M., & Boevink, W. (2018). Peer delivered services in mental health care in 2018: Infancy or adolescence? *World psychiatry*, 17(2), 222-224. doi:10.1002/wps.20530
- Femdal, I., & Solbjør, M. (2018). Equality and differences: group interaction in mixed focus groups of users and professionals discussing power. *Society, Health & Vulnerability*, 9(1), 1447193. doi:10.1080/20021518.2018.1447193
- Firth, N., Barkham, M., Kellett, S. (2015). The clinical effectiveness of stepped care systems for depression in working age adults: a systematic review. *Journal of Affective Disorders*, 170, 119-130.
- Fischer, F., Lange, K., Klose, K., Greiner, W., & Kraemer, A. (2016). Barriers and strategies in guideline implementation: a scoping review. *Healthcare*, 4(3).
- Fixsen, D., Blase, K., Metz, A., & Van Dyke, M. (2013). Statewide implementation of evidence-based programs. *Exceptional Children*, 79(2), 213-230.
- Forman-Hoffman, V. L., Middleton, J. C., McKeeman, J. L., Stambaugh, L. F., Christian, R. B., Gaynes, B. N., . . . Viswanathan, M. (2017). Quality improvement, implementation, and dissemination strategies to improve mental health care for children and adolescents: a systematic review. *Implementation Science*, 12(1).
- Friedman, S. R., Reynolds, J., Quan, M. A., Call, S., Crusto, C. A., & Kaufman, J. S. (2007). Measuring changes in interagency collaboration: an examination of the Bridgeport Safe Start Initiative. *Evaluation and Program Planning*, 30(3), 294-306.
- Friele, R. D., Bruning, M. R., Bastiaanssen, I. L. W., De Boer, R., Bucx, A. J. E. H., & De Groot, J. F. (2018). Eerste evaluatie Jeugdwet. Den Haag: ZonMw. Retrieved from: <https://www.rijksoverheid.nl/documenten/rapporten/2018/01/30/rapport-eerste-evaluatie-jeugdwet>
- Gadomski, A. M., Wissow, L. S., Palinkas, L., Hoagwood, K. E., Daly, J. M., & Kaye, D. L. (2014). Encouraging and sustaining integration of child mental health into primary care: interviews with primary care providers participating in Project TEACH (CAPES and CAP PC) in NY. *General Hospital Psychiatry*, 36(6), 555-562.
- Gaines, R., Missiuna, C., Egan, M., & McLean, J. (2008). Educational



- outreach and collaborative care enhances physician's perceived knowledge about Developmental Coordination Disorder. *BMC Health Services Research*, 8(21).
- Gale, N. K., Heath, G., Cameron, E., Rashid, S., & Redwood, S. (2013). Using the framework method for the analysis of qualitative data in multi-disciplinary health research. *BMC medical research methodology*, 13(1), 1-8.
- Gallucci, G., Swartz, W., & Hackerman, F. (2005). Impact of the wait for an initial appointment on the rate of kept appointments at a mental health center. *Psychiatr Serv*, 56(3), 344-346. doi:10.1176/appi.ps.56.3.344
- Garcia, A., Puckett, A., Ezell, M., Pecora, P. J., Tanoury, T., & Rodriguez, W. (2014). Three models of collaborative child protection: what is their influence on short stays in foster care? *Child & Family Social Work*, 19(2), 125-135.
- Garfunkel, L. C., Pisani, A. R., leRoux, P., & Siegel, D. M. (2011). Educating residents in behavioral health care and collaboration: comparison of conventional and integrated training models. *Academic Medicine*, 86(2), 174-179
- Gilbody, S., Bower, P., & Whitty, P. (2006). Costs and consequences of enhanced primary care for depression: systematic review of randomised economic evaluations. *The British Journal of Psychiatry*, 189(4), 297-308.
- Glied, S., Herzog, K., & Frank, R. (2010). The net benefits of depression management in primary care. *Medical Care Research and Review*, 67(3), 251-274.
- Godoy, L., Long, M., Marschall, D., Hodgkinson, S., Bokor, B., Rhodes, H., . . . Beers, L. (2017). Behavioral health integration in health care settings: lessons learned from a pediatric hospital primary care system. *Journal of Clinical Psychology in Medical Settings*, 24(3-4), 245-258.
- Golding, K. S. (2010). Multi-agency and specialist working to meet the mental health needs of children in care and adopted. *Clinical Child Psychology and Psychiatry*, 15(4), 573-587.
- Gordijn, F., Ernstman, N., Helder, J., & Brouwer, H. (2018). Reflection methods: practical guide for trainers and facilitators: Tools



- to make learning more meaningful. Wageningen Centre for Development Innovation.
- Goodwin, N. (2013). Understanding integrated care: a complex process, a fundamental principle. *International Journal of Integrated Care*, 13, e011-e011.
- Grant, M. J., & Booth, A. (2009). A typology of reviews: an analysis of 14 review types and associated methodologies. *Health Information and Libraries Journal*, 26(2), 91-108.
- Greene, C. A., Ford, J. D., Ward-Zimmerman, B., Honigfeld, L., & Pidano, A. E. (2016). Strengthening the coordination of pediatric mental health and medical care: piloting a collaborative model for freestanding practices. *Child Youth Care Forum*, 45(5), 729-744.
- Grone, O., & Garcia-Barbero, M. (2001). Integrated care: a position paper of the WHO European Office for Integrated Health Care Services. *International Journal of Integrated Care*, 1, e21.
- Guevara, J. P., Feudtner, C., Romer, D., Power, T., Eiraldi, R., Nihtianova, S., . . . Schwarz, D. F. (2005). Fragmented care for inner-city minority children with attention-deficit/hyperactivity disorder. *Pediatrics*, 116(4), 512-517.
- Halsall, T. G., Manion, I., Lachance, L., Mathias, S., Iyer, S. N., Purcell, R., ..., Henderson, J. (2019). Youth engagement within integrated youth services: A needs assessment. *Youth Engagement in Health Promotion*, 3(1).
- Harbour, R., & Miller, J. (2001). A new system for grading recommendations in evidence based guidelines. *BMJ*, 323(7308), 334-336.
- Hawke, L. D., Mehra, K., Settapani, C., Relihan, J., Darnay, K., ..., Henderson, J. (2019). What makes mental health and substance use services youth friendly? A scoping review of literature. *BMC health services research*, 19(1): 257. DOI: <https://doi.org/10.1186/s12913-019-4066-5>
- Hawkins, E. H. (2009). A tale of two systems: co-occurring mental health and substance abuse disorders treatment for adolescents. *Annual Review of Psychology*, 60, 197-227.
- Henderson, J. L., Cheung, A., Cleverley, K., Chaim, G., Moretti, M. E., de Oliveira, C., . . . Szatmari, P. (2017). Integrated collaborative care teams to enhance service delivery to youth with mental

- health and substance use challenges: protocol for a pragmatic randomised controlled trial. *BMJ Open*, 7(2).
- Henderson, J. L., Hawke, L. D., & Relihan, J. (2018) Youth engagement in the YouthCan IMPACT trial. *Canadian Medical Association Journal*, 190(Suppl): S10. DOI: <https://doi.org/10.1503/cmaj.180328>
- Heneghan, C., Wright, J., & Watson, G. (2014). Clinical Psychologists' Experiences of Reflective Staff Groups in Inpatient Psychiatric Settings: A Mixed Methods Study. *Clinical Psychology & Psychotherapy*, 21(4), 324-340. doi:10.1002/cpp.1834
- Hermens, M. L., Muntingh, A., Franx, G., van Splunteren, P. T., & Nuyen, J. (2014). Stepped care for depression is easy to recommend, but harder to implement: results of an explorative study within primary care in the Netherlands. *BMC Family Practice*, 15(1), 5.
- Hetrick, S. E., Bailey, A. P., Smith, K. E., Malla, A., Mathias, S., Singh, S. P., ... & Moro, M. R. (2017). Integrated (one-stop shop) youth health care: Best available evidence and future directions. *Medical Journal of Australia*, 207(S10), S5-S18.
- Hilverdink P. (2013). Generalist working with youth and families in the Netherlands. Dutch Youth Institute (Nji). Retrieved from: <http://www.youthpolicy.nl/en/Download-NJi/Publicatie-NJi/Generalist-working-with-youth-and-families-in-The-Netherlands.pdf>.
- Hilverdink P., Daamen W., & Vink C. (2015). Children and youth support and care in the Netherlands. Dutch Youth Institute (Nji). Retrieved from: <http://www.nji.nl/nl/Download-NJi/Publicatie-NJi/Children-and-youth-support-and-care-in-The-Netherlands.pdf>.
- Ho, F. Y., Yeung, W. F., Ng, T. H., & Chan, C. S. (2016). The efficacy and cost-effectiveness of stepped care prevention and treatment for depressive and/or anxiety disorders: a systematic review and meta-analysis. *Scientific Reports*, 6.
- Hoffses, K. W., Ramirez, L. Y., Berdan, L., Tunick, R., Honaker, S. M., Meadows, T. J., . . . Stancin, T. (2016). Topical review: building competency: professional skills for pediatric psychologists in integrated primary care settings. *Journal of Pediatric Psychology*, 41(10), 1144-1160.
- Huxley, P., Evans, S., Baker, C., White, J., Philpin, S., Onyett, S., & Gould,



- N. (2011). Integration of social care staff within community mental health teams. Final Report. NIHR Service Delivery and Organisation Programme: Southampton.
- Hyman, S. L., & Johnson, J. K. (2012). Autism and pediatric practice: toward a medical home. *Journal of Autism and Developmental Disorders*, 42(6), 1156-1164.
- Hyter, Y. D., Atchison, B., Henry, J., Sloane, M., & Black-Pond, C. (2002). A response to traumatized children: developing a best practices model. *Occupational Therapy in Health Care*, 15(3-4), 113-140.
- Integrated Care Search (no date). Retrieved from: <https://integratedcarefoundation.org/ific-integrated-care-search>.
- Janssens, A., Peremans, L., & Deboutte, D. (2010). Conceptualizing collaboration between children's services and child and adolescent psychiatry: a bottom-up process based on a qualitative needs assessment among the professionals. *Clinical Child Psychology and Psychiatry*, 15(2), 251-266.
- Joanna Briggs Institute (2017). The Joanna Briggs Institute Critical Appraisal tools for use in JBI Systematic Reviews Checklists [checklist]. Retrieved from: https://joannabriggs.org/critical_appraisal_tools
- Johnson, J., Hall, L. H., Berzins, K., Baker, J., Melling, K., & Thompson, C. (2018). Mental healthcare staff well-being and burnout: A narrative review of trends, causes, implications, and recommendations for future interventions. *International Journal of Mental Health Nursing*, 27(1), 20-32.
- Kinderombudsman (2016). Mijn belang voorop? Ontwikkelingen in de jeugdhulp in 2016. [My interest first? Developments in Youth Care in 2016]. Retrieved from: <https://www.dekinderombudsman.nl/nieuws/rapport-ontwikkelingen-in-de-jeugdhulp-2016>
- Kirby, P. A., & Thomas, D. M. (2011). The whole child with developmental disorders. *British Journal of Hospital Medicine*, 72(3), 161-167.
- Kodner, D. L. (2009). All together now: a conceptual exploration of integrated care. *Healthcare Quarterly*, 13, 6-15.
- Kokanovic, R., Brophy, L., McSherry, B., Flore, J., Moeller-Saxone, K., & Herrman, H. (2018). Supported decision-making from the perspectives of mental health service users, family members

- supporting them and mental health practitioners. *Aust N Z J Psychiatry*, 52(9), 826-833. doi:10.1177/0004867418784177
- Kolko, D. J., Campo, J., Kilbourne, A. M., Hart, J., Sakolsky, D., & Wisniewski, S. (2014). Collaborative care outcomes for pediatric behavioral health problems: a cluster randomized trial. *Pediatrics*, 133(4), e981-e992.
- Kolko, D. J., & Perrin, E. (2014). The integration of behavioral health interventions in children's health care: services, science, and suggestions. *Journal of Clinical Child and Adolescent Psychology*, 43(2), 216-228.
- Korthagen, F. (2017). Inconvenient truths about teacher learning: towards professional development 3.0. *Teachers and Teaching*, 23(4), 387-405. doi:10.1080/13540602.2016.1211523
- Krueger, M. (2002). A further review of the development of the child and youth care profession in the United States. *Child and Youth Care Forum*, 31(1), 13-26.
- Kuiper, C. H. Z., Munten, G., & Verhoef, J. A. C. (2016). Evidence-based practice voor paramedici: gezamenlijke, geïnformeerde besluitvorming [Evidence-based practice for paramedics]. Boom Lemma Uitgevers.
- Landis, J. R., & Koch, G. G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, 33, 159-174.
- Langins, M. & Borgermans, L. (2015). Competent health workforce for the provision of coordinated/integrated health services. [Working Document] Copenhagen: WHO Regional Office for Europe. Retrieved from: <https://www.euro.who.int/en/health-topics/Health-systems/health-workforce/publications/2015/strengthening-a-competent-health-workforce-for-the-provision-of-coordinated-integrated-health-services-2015>
- Leavy, P. (2014). *The Oxford handbook of qualitative research*. Oxford University Press, USA.
- Leloux-Opmeer, H., Kuiper, C. H. Z., Swaab, H. T., & Scholte, E. M. (2017). Children referred to foster care, family-style group care, and residential care:(How) do they differ? *Children and Youth Services Review*, 77, 1-9.
- Leutz, W. N. (1999). Five laws for integrating medical and social services:

- lessons from the United States and the United Kingdom. *The Milbank Quarterly*, 77(1), 77-110, iv-v.
- Levasseur, M. A., Roeszler, L., den Besten, L., & Pinkoski, K. (2019). Invited Commentary: ACCESS Open Minds Family and Carers Council. *Early Intervention in Psychiatry*, 13 Suppl 1: 68–70. DOI: <https://doi.org/10.1111/eip.12821>
- Levy, S. L., Hill, E., Mattern, K., McKay, K., Sheldrick, R. C., & Perrin, E. C. (2017). Colocated mental health/developmental care. *Clinical Pediatrics*, 56(11), 1023-1031.
- Liberati, A., Altman, D. G., Tetzlaff, J., Mulrow, C., Gøtzsche, P. C., Ioannidis, J. P. A., . . . Moher, D. (2009). The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions: explanation and elaboration. *BMJ*, 339.
- Liff, R., & Andersson, T. (2011). Integrating or disintegrating effects of customised care: the role of professions beyond NPM. *Journal of Health Organization and Management*, 25(6), 658-676.
- Linton, S. J., Nicholas, M., & Shaw, W. (2018). Why wait to address high-risk cases of acute low back pain? A comparison of stepped, stratified, and matched care. *Pain*, 159(12), 2437-2441.
- Lovell, K., & Richards, D. (2000). Multiple access points and levels of entry (MAPLE): ensuring choice, accessibility and equity for CBT services. *Behavioural and Cognitive Psychotherapy*, 28(4), 379-391.
- Lubman, D. I., Hides, L., & Elkins, K. (2008). Developing integrated models of care within the youth Alcohol and Other Drug sector. *Australasian Psychiatry*, 16(5), 363-366.
- Luther, L., Fukui, S., Garabrant, J. M., Rollins, A. L., Morse, G., Henry, N., ... & Salyers, M. P. (2019). Measuring Quality of Care in Community Mental Health: Validation of Concordant Clinician and Client Quality-of-Care Scales. *The Journal of Behavioral Health Services & Research*, 46(1), 64-79.
- Lynch, S. E., Cho, J., Ogle, S., Sellman, H., & Dosreis, S. (2014). A phenomenological case study of communication between clinicians about attention-deficit/hyperactivity disorder assessment. *Clinical Pediatrics*, 53(1), 11-17.
- Lyngso, A. M., Godtfredsen, N. S., & Frolich, A. (2016). Interorganisational



- integration: Healthcare professionals' perspectives on barriers and facilitators within the Danish healthcare system. *Int J Integr Care*, 16(1), 4. doi:10.5334/ijic.2449
- Malterud, K. (2001). Qualitative research: standards, challenges, and guidelines. *Lancet*, 358(9280), 483-488. doi:10.1016/s0140-6736(01)05627-6
- Marchal, B., van Belle, S., van Olmen, J., Hoerée, T., & Kegels, G. (2012). Is realist evaluation keeping its promise? A review of published empirical studies in the field of health systems research. *Evaluation*, 18(2), 192-212. <https://doi.org/10.1177/1356389012442444>
- McCusker, K., & Gunaydin, S. (2015). Research using qualitative, quantitative, or mixed methods and choice based on the research. *Perfusion*, 30(7), 537-542. <https://doi.org/10.1177/0267659114559116>
- Meeuwissen J. A. C. (2018). The case for stepped care: exploring the applicability and cost-utility of stepped-care strategies in the management of depression (Dissertation). VU University Amsterdam. Retrieved from: <https://research.vu.nl/en/publications/the-case-for-stepped-care-exploring-th>
- Mejia, A. M., Smith, G. E., Wicklund, M., & Armstrong, M. J. (2019). Shared decision making in mild cognitive impairment. *Neurol Clin Pract*, 9(2): 160-4. DOI: <https://doi.org/10.1212/CPJ.0000000000000576>
- Migchelbrink, F. (2007). Actieonderzoek voor professionals in zorg en welzijn [Action Research for Professionals in care and welfare]. Swp, uitgeverij B.V.
- Ministerie van Volksgezondheid, Welzijn en Sport & Ministerie van Veiligheid en Justitie (2013). Jeugdwet [Youth Act]. Retrieved from: <https://www.rijksoverheid.nl/documenten/kamerstukken/2013/07/01/jeugdwet>
- Miller, A. R., Condin, C. J., McKellin, W. H., Shaw, N., Klassen, A. F., & Sheps S. (2009). Continuity of care for children with complex chronic health conditions: parents' perspectives. *BMC Health Services Research*, 9: 242. DOI: <https://doi.org/10.1186/1472-6963-9-242>
- Miller, R., & Stein, K. V. (2018). Building Competencies for Integrated Care: Defining the Landscape. *International Journal of Integrated*



- Care, 17(6), 6. DOI: <http://doi.org/10.5334/ijic.3946>
- Mulhall, A. (2003). In the field: notes on observation in qualitative research. *Journal of Advanced Nursing*, 41(3), 306-313. doi:10.1046/j.1365-2648.2003.02514.x
- Nadeau, L., Jaimes, A., Johnson-Lafleur, J., & Rousseau, C. (2017). Perspectives of migrant youth, parents and clinicians on community-based mental health services: negotiating safe pathways. *Journal of Child and Family Studies*, 26(7), 1936-1948.
- Nancarrow, S. A., Booth, A., Ariss, S., Smith, T., Enderby, P., & Roots, A. (2013). Ten principles of good interdisciplinary team work. *Hum Resour Health*, 11, 19. doi:10.1186/1478-4491-11-19
- NHS England, & NHS Improvement (2019). Shared decision making: summary guide. Retrieved from: <https://www.england.nhs.uk/wp-content/uploads/2019/01/shared-decision-making-summary-guide-v1.pdf>
- Njoroge, W. F. M., Williamson, A. A., Mautone, J. A., Robins, P. M., & Benton, T. D. (2017). Competencies and training guidelines for behavioral health providers in pediatric primary care. *Child and Adolescent Psychiatric Clinics of North America*, 26(4), 717-731.
- Nolan, R., Walker, T., Hanson, J. L., & Friedman, S. (2016). Developmental behavioral pediatrician support of the medical home for children with autism spectrum disorders. *Journal of Developmental and Behavioral Pediatrics*, 37(9), 687-693.
- Nooteboom, L. A., van den Driesschen, S. I., Kuiper, C. H. Z., Vermeiren, R. R. J. M., & Mulder, E. A. (2020). An integrated approach to meet the needs of high-vulnerable families: a qualitative study on integrated care from a professional perspective. *Child and Adolescent Psychiatry and Mental Health*, 14(1), 18. doi:10.1186/s13034-020-00321-x
- Nyström, M. E., Karlitun, J., Keller, C., & Andersson Gäre, B. (2018). Collaborative and partnership research for improvement of health and social services: researcher's experiences from 20 projects. *Health Res Policy Syst*, 16(1), 46. doi:10.1186/s12961-018-0322-0
- O'Brien, M., Crickard, E. L., Rapp, C. A., Holmes, C., & McDonald, T. P. (2011). Critical issues for psychiatric medication shared



- decision making with youth and families. *Families in society: the journal of contemporary human services*, 92. doi:10.1606/1044-3894.4135
- Ødegård, A. (2006). Exploring perceptions of interprofessional collaboration in child mental health care. *International Journal of Integrated Care*, 6, e25.
- Ødegård, A., & Strype, J. (2009). Perceptions of interprofessional collaboration within child mental health care in Norway. *Journal of Interprofessional Care*, 23(3), 286-296.
- Office of the Surgeon General Center for Mental Health Services (2001). *Mental health: Culture, race, and ethnicity: A supplement to mental health: A report of the surgeon general*. Rockville (MD): Substance Abuse and Mental Health Services Administration (US).
- Oppenheim, J., Stewart, W., Zoubak, E., Donato, I., Huang, L., & Hudock, W. (2016). Launching forward: the integration of behavioral health in primary care as a key strategy for promoting young child wellness. *The American Journal of Orthopsychiatry*, 86(2), 124-131.
- Patel, V., Belkin, G. S., Chockalingam, A., Cooper, J., Saxena, S., & Unützer, J. (2013). Grand challenges: integrating mental health services into priority health care platforms. *PLOS Medicine*, 10(5), e1001448.
- Pawson, R., & Tilley, N. (1997). *Realistic Evaluation*. London: SAGE.
- Peek C. J., & The National Integration Academy Council (2013) *Lexicon for behavioral health and primary care integration: concepts and definitions developed by expert consensus*. [AHRQ Publication No.13-IP001-EF]. Rockville, MD: Agency for Healthcare Research and Quality. Retrieved from: <http://integrationacademy.ahrq.gov/sites/default/files/Lexicon.pdf>
- Pope, C., Ziebland, S., & Mays, N. (2000). Qualitative research in health care: Analysing qualitative data. *BMJ: British Medical Journal*, 320(7227), 114.
- Raine, R., A' Bháird, C. N., Xanthopoulou, P., Wallace, I., Ardron, D., Harris, M., ... Livingston, G. (2015). Use of a formal consensus development technique to produce recommendations for improving the effectiveness of adult mental health multidisciplinary team



- meetings. *BMC Psychiatry*, 15, 143. doi:10.1186/s12888-015-0534-6
- Raine, R., Xanthopoulou, P., Wallace, I., a'Bháird, C. N., Lanceley, A., Clarke, A., ... & King, M. (2014). Determinants of treatment plan implementation in multidisciplinary team meetings for patients with chronic diseases: a mixed-methods study. *BMJ quality & safety*, 23(10), 867-876.
- Regts, A. G., van Offenbeek, M. A. G., Roemeling, O. P., Bakker, R. H., & Vos, J. F. J. (2019). De ziekenhuisarts: eerste praktijkervaringen [The hospital physician, first experiences in practice]. *KiZ: Tijdschrift over Kwaliteit en Veiligheid in Zorg*.
- Reiss, M., Greene, C. A., & Ford, J. D. (2017). Is it time to talk? Understanding specialty child mental healthcare providers' decisions to engage in interdisciplinary communication with pediatricians. *Social Science & Medicine*, 175, 66-71.
- Repetti, R. L., Taylor, S. E., & Seeman, T. E. (2002). Risky families: family social environments and the mental and physical health of offspring. *Psychological bulletin*, 128(2), 330.
- Richards, D. A. (2012). Stepped care: a method to deliver increased access to psychological therapies. *The Canadian Journal of Psychiatry*, 57(4), 210-215.
- Richardson, L. P., McCarty, C. A., Radovic, A., & Suleiman, A. B. (2017). Research in the integration of behavioral health for adolescents and young adults in primary care settings: a systematic review. *The Journal of Adolescent Health*, 60(3), 261-269.
- Ritchie, J., Lewis, J., Nicholls, C. M., & Ormston, R. (Eds.). (2013). *Qualitative research practice: A guide for social science students and researchers*. London: Sage.
- Rosell, L., Alexandersson, N., Hagberg, O., & Nilbert, M. (2018). Benefits, barriers and opinions on multidisciplinary team meetings: a survey in Swedish cancer care. *BMC Health Services Research*, 18(1), 249. doi:10.1186/s12913-018-2990-4
- Rousseau, C., Pontbriand, A., Nadeau, L., & Johnson-Lafleur, J. (2017). Perception of interprofessional collaboration and co-location of specialists and primary care teams in youth mental health. *Journal of the Canadian Academy of Child and Adolescent*

- Psychiatry, 26(3), 198-204.
- Ryan R., Hill S. (2016). How to GRADE the quality of the evidence. Cochrane Consumers and Communication Group. Retrieved from: <http://cccrgr.cochrane.org/author-resources>. Version 3.0 December 2016.
- Saldaña, J. (2015). The coding manual for qualitative researchers. London: Sage Publications.
- Saint-Pierre, C., Herskovic, V., & Sepúlveda, M. (2018). Multidisciplinary collaboration in primary care: a systematic review. *Fam Pract*, 35(2), 132-141. doi:10.1093/fampra/cmz085
- Saunders, B., Sim, J., Kingstone, T., Baker, S., Waterfield, J., Bartlam, B., . . . Jinks, C. (2018). Saturation in qualitative research: exploring its conceptualization and operationalization. *Quality & Quantity*, 52(4), 1893-1907.
- Seekles, W., van Straten, A., Beekman, A., van Marwijk, H., & Cuijpers, P. (2011). Stepped care treatment for depression and anxiety in primary care. a randomized controlled trial. *Trials*, 12(1), 171.
- Sellers, R., Warne, N., Pickles, A., Maughan, B., Thapar, A., & Collishaw, S. (2019). Cross-cohort change in adolescent outcomes for children with mental health problems. *Journal of Child Psychology and Psychiatry*, 60, 813-821.
- Shaw, S., Rosen, R., & Rumbold, B. J. (2011). What is integrated care? An overview of integrated care in the NHS. London: Nuffield Trust.
- Simmons, M. B., Coates, D., Batchelor, S., Dimopoulos-Bick, T., & Howe, D. (2018). The CHOICE pilot project: challenges of implementing a combined peer work and shared decision-making programme in an early intervention service. *Early Intervention in Psychiatry*, 12(5), 964-971.
- Smith, J., & Firth, J. (2011). Qualitative data analysis: the framework approach. *Nurse researcher*, 18(2), 52-62.
- Smith, T., Linnemeyer, R., Scalise, D., & Hamilton, J. (2013). Barriers to Outpatient Mental Health Treatment for Children and Adolescents: Parental Perspectives. *Journal of Family Psychotherapy*, 24(2): 73-92. DOI: <https://doi.org/10.1080/08975353.2013.792203>
- Smith, B., & McGannon, K. R. (2018). Developing rigor in qualitative

- research: problems and opportunities within sport and exercise psychology. *International Review of Sport and Exercise Psychology*, 11(1), 101-121. doi:10.1080/1750984X.2017.1317357
- Smith, J. P., & Smith, G. C. (2010). Long-term economic costs of psychological problems during childhood. *Social science & medicine*, 71(1), 110-115.
- Smits, C., & Jukema, J. S. (2016). Gezamenlijke besluitvorming voor zorg en welzijn [Shared decision-making in child and welfare]. Amsterdam: Boom Uitgevers.
- Stein, K. V. (2016). Developing a competent workforce for integrated health and social care: what does it take? *International Journal of Integrated Care*, 16(4).
- Strandberg-Larsen, M., & Krasnik, A. (2009). Measurement of integrated healthcare delivery: a systematic review of methods and future research directions. *International journal of integrated care*, 9.
- Strauss, A. & Corbin, J. M. (1990). Basics of qualitative research: grounded theory procedures and techniques. Sage Publications Inc.
- Stuart, K. (2012). Leading multi-professional teams in the children's workforce: an action research project. *International Journal of Integrated Care*, 12, e1.
- Stuart, K. (2014). Collaborative agency to support integrated care for children, young people and families: an action research study. *International Journal of Integrated Care*, 14, e006.
- Sunderji, N., Ion, A., Ghavam-Rassoul, A., & Abate, A. (2017). Evaluating the implementation of integrated mental health care: a systematic review to guide the development of quality measures. *Psychiatric Services*, 68(9), 891-898.
- Sunderji, N., Waddell, A., Gupta, M., Soklaridis, S., & Steinberg, R. (2016). An expert consensus on core competencies in integrated care for psychiatrists. *General Hospital Psychiatry*, 41, 45-52.
- Sunseri, P. A. (2019). Hidden figures: Is improving family functioning a key to better treatment outcomes for seriously mentally ill children? *Residential Treatment for Children & Youth*, 1-19. doi: 10.1080/0886571X.2019.1589405
- Swanson, J., Raab, M., & Dunst, C. J. (2011). Strengthening family capacity to provide young children everyday natural learning

- opportunities. *Journal of Early Childhood Research*, 9(1), 66-80.
doi:10.1177/1476718X10368588
- Tausendfreund, T., Knot-Dickscheit, J., Schulze, G. C., Knorth, E. J., & Grietens, H. J. C. (2016). Families in multi-problem situations: backgrounds, characteristics, and care services. *Child and Youth Services*, 37(1), 4-22.
- Teddlie, C., & Yu, F. (2007). Mixed Methods Sampling: A Typology With Examples. *Journal of Mixed Methods Research*, 1(1), 77-100.
doi:10.1177/2345678906292430
- Teixeira, M. R., Couto, M. C. V., & Delgado, P. G. G. (2017). Primary care and collaborative care in children and adolescents psychosocial interventions: facilitators and barriers. *Ciencia & Saude Coletiva*, 22(6), 1933-1942.
- Ten Brummelaar, M. D. C., Knorth, E. J., Post, W. J., Harder, A. T., & Kalverboer, M. E. (2016). Space between the borders? Perceptions of professionals on the participation in decision-making of young people in coercive care. *Qualitative Social Work*, 17(5), 692-711.
doi:10.1177/1473325016681661
- Thomann, E., & Maggetti, M. (2020). Designing Research With Qualitative Comparative Analysis (QCA): Approaches, Challenges, and Tools. *Sociological Methods & Research*, 49(2), 356-386. <https://doi.org/10.1177/0049124117729700>
- Thurmond, V. A. (2001). The point of triangulation. *Journal of nursing scholarship*, 33(3), 253-258.
- Tong, A., Sainsbury, P., & Craig, J. (2007). Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups. *International journal for quality in health care*, 19(6), 349-357.
- Tracy, S. J. (2010). Qualitative Quality: Eight "Big-Tent" Criteria for Excellent Qualitative Research. *Qualitative Inquiry*, 16(10), 837-851. <https://doi.org/10.1177/1077800410383121>
- Tsasis, P., Evans, J. M., Rush, L., & Diamond, J. (2013). Learning to learn: towards a relational and transformational model of learning for improved integrated care delivery. *Administrative Sciences*, 3(2), 9-31.
- Tsiachristas, A., Stein, K. V., Evers, S., & Rutten-van Molken, M. (2016).



- Performing economic evaluation of integrated care: highway to hell or stairway to heaven? *International Journal of Integrated Care*, 16(4), 3.
- Tufford, L., & Newman, P. (2010). Bracketing in Qualitative Research. *Qualitative Social Work*, 11(1), 80-96. doi:10.1177/1473325010368316
- Tylee, A., Haller, D. M., Graham, T., Churchill, R., & Sanci, L. A. (2007). Youth-friendly primary-care services: how are we doing and what more needs to be done? *Lancet*, 369(9572), 1565-1573.
- Valentijn, P. P., Schepman, S. M., Opheij, W., & Bruijnzeels, M. A. (2013). Understanding integrated care: a comprehensive conceptual framework based on the integrative functions of primary care. *International Journal of Integrated Care*, 13, e010.
- Van Arum S., & Van den Enden T. (2018). Sociale wijkteams opnieuw uitgelicht [Social community teams highlighted again]. Movisie. Retrieved from: <https://www.movisie.nl/sites/movisie.nl/files/publication-attachment/Sociale-wijkteams-opnieuw-uitgelicht-2018%20%5BMOV-13719898-1.2%5D.pdf>
- Van den Berg, G., & De Baat, M. (2012). Gezinnen met meervoudige problemen. [Families with multiple problems]. In: de Klerk M, Prins M, Verhaak P, van den Berg G. (red.), *Mensen met meervoudige problemen en hun zorggebruik*. Den Haag: Raad voor de Volksgezondheid en Zorg. 75-97.
- Van der Steege, N., & Zoon, M. (2015). Richtlijn multiprobleemgezinnen voor jeugdhulp [Guideline multiproblem families for Youth Care]. Nederlands jeugdinstituut. Retrieved from: www.richtlijnenjeugdhulp.nl
- Van Staa, A. L., Evers, J. E. (2010). Thick analysis': strategie om de kwaliteit van kwalitatieve data-analyse te verhogen. [Thick analysis': a strategy to improve quality of qualitative data analysis]. KWALON, 1.
- Van Straten, A., Hill, J., Richards, D., & Cuijpers, P. (2015). Stepped care treatment delivery for depression: A systematic review and meta-analysis. *Psychological Medicine*, 45(2), 231-246. doi:10.1017/S0033291714000701
- Varda, D. M., & Talmi, A. (2018). Social connectedness in family social



- support networks: Strengthening systems of care for children with special health care needs. *EGEMS* (Wash DC), 6(1), 23. doi:10.5334/egems.232
- Wang, P. S., Berglund, P., Olfson, M., Pincus, H. A., Wells, K. B., & Kessler, R. C. (2005). Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry*, 62(6), 603-613. doi:10.1001/archpsyc.62.6.603
- Ward-Zimmerman, B., & Cannata, E. (2012). Partnering with pediatric primary care: lessons learned through collaborative colocation. *Professional Psychology: Research and Practice*, 43(6), 596-605.
- Wayne, W., Alkon, A., & Buchanan, E. (2008). Creating a state strategic plan for integrating services for children using multiple qualitative methods. *Maternal and Child Health Journal*, 12(1), 15-23.
- Welling, M. A. (2015). Samen met jeugd en ouders: duurzame participatie voor effectieve jeugdhulp: een handreiking voor gemeenten. [Together with youth and parents: sustainable participation for effective Youth Care: a guide for municipalities]. Nederlands Jeugdinstituut. Retrieved from: <https://www.nji.nl/nl/Download-NJi/Publicatie-NJi/Samen-met-jeugd-en-ouders.pdf>.
- Wenger, E. (2011). Communities of practice: a brief introduction. Retrieved from: <https://scholarsbank.uoregon.edu/xmlui/handle/1794/11736>
- Werkgroep Toekomstverkenning (2010). Jeugdzorg dichterbij [Youth Care nearby]. Retrieved from: <https://www.tweedekamer.nl/kamerstukken/detail?id=2010D22929>
- Widmark, C., Sandahl, C., Piuva, K., & Bergman, D. (2013). Parents' experiences of collaboration between welfare professionals regarding children with anxiety or depression - an explorative study. *International Journal of Integrated Care*, 13, e045.
- Wisdom, J. P., Cavaleri, M. A., Onwuegbuzie, A. J., & Green, C. A. (2012). Methodological reporting in qualitative, quantitative, and mixed methods health services research articles. *Health Services Research*, 47(2), 721-745.



- Wissow, L. S., Anthony, B., Brown, J., DosReis, S., Gadowski, A., Ginsburg, G., & Riddle, M. (2008). A common factors approach to improving the mental health capacity of pediatric primary care. *Administration and Policy in Mental Health*, 35(4), 305-318.
- Wissow, L. S., Van Ginneken, N., Chandna, J., & Rahman, A. (2016). Integrating children's mental health into primary care. *Pediatric Clinics of North America*, 63(1), 97-113.
- Wodchis, W. P., Dixon, A., Anderson, G. M., & Goodwin, N. (2015). Integrating care for older people with complex needs: key insights and lessons from a seven-country cross-case analysis. *International Journal of Integrated Care*, 15.
- World Health Organization. (2007). Monitoring and evaluation of mental health policies and plans. Retrieved from: https://www.who.int/mental_health/policy/services/14-monitoring%20evaluation_HKprinter.pdf
- World Health Organization (2016). Integrated care models: an overview. Retrieved from <http://www.euro.who.int/en/health-topics/Health-systems/health-services-delivery/publications/2016/integrated-care-models-an-overview-2016>.
- Yang, J. (2019). Serve the people or serve the consumer? The dilemma of patient-centred health care in China. *Health*, 11, 233-248.



