



Universiteit
Leiden
The Netherlands

It's just a phase: high-contrast imaging with patterned liquid-crystal phase plates to facilitate characterization of exoplanets

Doelman, D.S.

Citation

Doelman, D. S. (2021, June 22). *It's just a phase: high-contrast imaging with patterned liquid-crystal phase plates to facilitate characterization of exoplanets*. Retrieved from <https://hdl.handle.net/1887/3191978>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3191978>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <https://hdl.handle.net/1887/3191978> holds various files of this Leiden University dissertation.

Author: Doelman, D.S.

Title: It's just a phase: high-contrast imaging with patterned liquid-crystal phase plates to facilitate characterization of exoplanets

Issue Date: 2021-06-22

It's just a phase

High-contrast imaging with patterned liquid-crystal phase plates to facilitate characterization of exoplanets

David Sebastiaan Doelman

It's just a phase

High-contrast imaging with patterned liquid-crystal phase plates to facilitate characterization of exoplanets

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op dinsdag 22 juni 2021
klokke 15.00 uur

door

David Sebastiaan Doelman

geboren te
Amsterdam, Nederland
in 1993

Promotor:	Prof. dr. C. Keller	
Co-promotor:	Dr.ir. F. Snik	
Promotiecommissie:	Prof. dr. Huub Röttgering Prof. dr. Ignas Snellen Dr.ir. S. Pereira Prof. dr. P. Tuthill Dr. E. Huby	Universiteit Leiden Universiteit Leiden Technische Universiteit Delft University of Sydney Observatoire de Paris

*Dedicated to my grandfather,
Corstiaan Arie Drogendijk*

Front cover:

Artist impression of the detection of a gas giant using the vector-Apodizing Phase Plate coronagraph at installed in the Subaru/SCEXAO instrument. The phase pattern is encoded in the orientation of white lines.

Image of the gas giant by Danielle Futselaar and Franck Marchis.

Cover design by the author.

ISBN: 978-94-6419-239-1

An electronic copy of this thesis can be found at <https://openaccess.leidenuniv.nl>

© David S.Doelman, 2021

Contents

1	Introduction	1
1.1	The era of exoplanet characterization	3
1.1.1	Methods of exoplanet characterization	3
1.1.2	Direct imaging of HR 8799	4
1.2	Direct imaging systems	7
1.2.1	The challenge of direct imaging	7
1.2.2	A modular view of high-contrast imaging	8
1.3	Ground-based and space-based high-contrast imaging	20
1.3.1	The compatibility of ground and space	20
1.3.2	The current state and limitations	22
1.4	Broadband enabling technologies	24
1.4.1	Properties of the geometric phase	25
1.4.2	Geometric phase in the Jones formalism	28
1.4.3	A different look on geometric phase: a personal note	31
1.4.4	Technical implementation of a GPH	35
1.5	This thesis	39
1.6	Future Outlook	43
1.6.1	A ground-based perspective	43
1.6.2	A space-based perspective	48
1.6.3	New applications of liquid-crystal technology for exoplanet detection	50
2	The world of vAPP	61
2.1	Introduction	62
2.2	Design of a gvAPP	65
2.2.1	Dark zone considerations	66
2.2.2	Optimization of the APP design	69
2.2.3	Adding functionality with holograms	70
2.2.4	Additional design choices	76
2.3	Observing and data reduction	81
2.3.1	Influence of the D-shaped dark zone	81
2.3.2	Influence of wavelength smearing	84
2.3.3	Data reduction	84
2.4	The world of vAPP	86
2.4.1	The vAPP: a global view	86
2.4.2	The vAPP: individual properties	91
2.5	Current status and future developments	101
2.6	Conclusion	103
3	L-band spectroscopy of HR 8799 c,d,e with a vAPP-ALES combination	109
3.1	Introduction	110
3.2	Characterization of the dgvAPP360.	113
3.3	Observations and data reduction	116

3.3.1	Spectral cube extraction	117
3.3.2	Data reduction	119
3.3.3	Spectral extraction	122
3.4	Results	124
3.5	Discussion	125
3.5.1	Data reduction and the increased flux of HR 8799 d	125
3.5.2	Implications of the common flat and featureless spectra	128
3.6	Conclusions	129
4	Minimization of polarization leakage	133
4.1	Introduction	134
4.1.1	Diffractive phase plate coronagraphs	134
4.1.2	The Vector Vortex Coronagraph	135
4.1.3	The vector Apodizing Phase Plate coronagraph	136
4.1.4	Leakage mitigation strategies	136
4.2	Double-grating diffraction theory	138
4.2.1	The geometric phase hologram	138
4.2.2	The double-grating element	140
4.2.3	Simulated broadband performance of double-grating elements	141
4.2.4	The effect of non-zero grating separation	143
4.2.5	Multi-grating coronagraph architectures	144
4.3	Experimental results of double-grating implementations	146
4.3.1	Lab setup and double-grating manufacturing	146
4.3.2	Characterization of the double-grating polarization leakage	148
4.3.3	Separation of the double-grating PSF	149
4.4	Experimental results for a double-grating Vector Vortex Coronagraph	151
4.5	The double-grating vector-Apodizing Phase Plate for the Large Binocular Telescope.	154
4.6	Multi-grating coronagraphs and system-level perspectives	156
4.6.1	Multiple grating combinations	156
4.6.2	Applications of multiple-grating focal-plane coronagraphs .	158
4.7	Conclusions	159
5	Lab demonstration of Holographic Aperture Masking	163
5.1	Introduction	164
5.2	Theory	164
5.2.1	Multiplexed holographic blazed gratings	166
5.2.2	Liquid-crystal technology	167
5.2.3	Polarimetry with HAM (HAMPol)	169
5.3	Design	169
5.3.1	Bandwidth	169
5.3.2	One dimensional combinations	170
5.3.3	Multiplexed gratings	171
5.4	Lab results	174
5.4.1	Manufactured design	174

5.4.2	Manufacturing and lab testing	175
5.5	Conclusion	177
5.6	Acknowledgements	177
6	Holographic aperture masking with the Keck OSIRIS Imager	179
6.1	Introduction	180
6.2	HAM design	183
6.2.1	Geometric phase holograms	184
6.2.2	General considerations for a HAM design	186
6.3	The influence of polarization leakage	193
6.4	Design of a prototype mask for Keck OSIRIS	199
6.5	Data reduction pipeline	200
6.5.1	Pipeline overview	200
6.5.2	Spectroscopic closure phase extraction	202
6.6	Manufacturing of prototypes HAM v1 and HAM v1.5	204
6.7	Lab tests	206
6.7.1	The Point-spread function	208
6.7.2	Closure phases	209
6.8	On-Sky Verification	212
6.8.1	Binary HD 90823	212
6.8.2	Observations	213
6.8.3	Data Reduction	215
6.8.4	Spectroscopic parameter retrieval	218
6.9	Conclusions and Outlook	223
6.10	Appendix: Spectral resolution of the holographic interferograms . .	224
7	The vector-Zernike wavefront sensor	229
7.1	Introduction	230
7.2	Theory	232
7.3	Simulation	233
7.4	Lab results	236
7.5	Chromaticity of the vZWFS	237
7.6	Conclusion	239
8	Multi-color holography	241
8.1	Introduction	242
8.2	Concept of multi-color liquid-crystal holography	244
8.3	Lab experiment and result	246
8.3.1	Design of the multi-color geometric phase holograms	246
8.3.2	Manufacturing process	247
8.3.3	Lab setup	248
8.3.4	Experimental results	248
8.4	Wide-gamut and true-color holography	250
8.4.1	Color selection	250

8.4.2 True-color holography	251
8.4.3 True-color vAPP coronagraphs	253
8.5 Conclusion	256
9 Nederlandstalige samenvatting	259
List of Publications	267
Curriculum Vitae	271
Acknowledgements	272