



Universiteit  
Leiden  
The Netherlands

## Development of highly accurate density functionals for H<sub>2</sub> dissociation on transition metals

Smeets, E.W.F.

### Citation

Smeets, E. W. F. (2021, June 29). *Development of highly accurate density functionals for H<sub>2</sub> dissociation on transition metals*. Retrieved from <https://hdl.handle.net/1887/3193529>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3193529>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <https://hdl.handle.net/1887/3193529> holds various files of this Leiden University dissertation.

**Author:** Smeets, E.W.F.

**Title:** Developement of highly accurate density functionals for H<sub>2</sub> dissociation on transition metlas

**Issue Date:** 2021-06-29

# DEVELOPMENT OF HIGHLY ACCURATE DENSITY FUNCTIONALS FOR H<sub>2</sub> DISSOCIATION ON TRANSITION METALS

Proefschrift

ter verkrijging van  
de graad van doctor aan de Universiteit Leiden,  
op gezag van rector magnificus prof.dr.ir. H. Bijl,  
volgens besluit van het college voor promoties  
te verdedigen op dinsdag 29 juni 2021  
klokke 16:15 uur

door

Egidius Wilhelmus François Smeets  
geboren te Sittard  
in 1989

## Promotiecommissie

Promoter: Prof. dr. G. J. Kroes  
Copromoter: Dr. M.F. Somers  
Overige leden: Prof. dr. H. S. Overkleft (voorzitter)  
Prof. dr. E. Bouwman (secretaris)  
Prof. Em. dr. M. C. van Hemert  
Prof. dr. D. J. Auerbach (MPI für Biophysikalische Chemie)  
Prof. dr. J. Voss (Stanford University)

ISBN: 978-94-6423-288-2

The research reported in this thesis has been performed in the Theoretical Chemistry group at the Leiden Institute of Chemistry (Einsteinweg 55, 2333 CC, Leiden, the Netherlands). This work has been made possible by financial support by the Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO) through an NWO/CW TOP Grant and by the European Research Council through an ERC-2013 advanced grant (Nr. 338580), and with computer time granted by the Physical Sciences division of NWO (NWO-EW).

*Met het lezen van wat anderen over een zaak geschreven hebben kom je geen steek verder dan die anderen. En leuke ontdekkingen zijn vaak gedaan door mensen die met de vakliteratuur niet zo bekend waren, omdat ze uit een ander vak kwamen of omdat ze te lui waren om die vakliteratuur te lezen of omdat ze hun tijd gebruikten om over een probleem na te denken in plaats van te lezen wat anderen er over geschreven hadden.*

Karel van het Reve, in '*Wat waren zij kwaad*' uit '*Een dag uit het leven van de reuzenkoeskoes*', Amsterdam, 1979.

*Dispereert niet*

Jan Pieterszoon Coen



# Contents

<b>1 General Introduction</b>	<b>1</b>
1.1 Gas-surface reactions . . . . .	1
1.2 H <sub>2</sub> reacting on metal surfaces . . . . .	2
1.3 Aims and scope of this thesis . . . . .	4
1.4 Main results . . . . .	5
1.5 Outlook . . . . .	9
<b>2 Theory and methods</b>	<b>27</b>
2.1 Electronic structure theory: density functional theory (DFT) . . . . .	27
2.1.1 Exchange-correlation density functionals: LDA, GGA, meta-GGA . . . . .	29
2.1.2 Non-local correlation . . . . .	30
2.1.3 The problem of obtaining accurate reaction barriers . . . . .	31
2.1.4 Specific reaction parameter approach to DFT . . . . .	32
2.1.5 Periodic DFT . . . . .	33
2.2 Constructing potential energy surfaces . . . . .	34
2.3 Nuclear dynamics . . . . .	35
2.3.1 Quasi-classical trajectory method . . . . .	35
Langevin equation with energy dissipation . . . . .	36
2.3.2 Quantum dynamics . . . . .	37
2.4 Computation of observables . . . . .	39
2.4.1 Molecular beam sticking . . . . .	39
2.4.2 Rotational quadrupole alignment parameters . . . . .	40
2.4.3 $E_{1/2}(\nu, J)$ parameters . . . . .	41
Method A1 . . . . .	42
Method B1 . . . . .	42
2.4.4 Rovibrational state populations of H <sub>2</sub> and D <sub>2</sub> desorbing from Au(111) . . . . .	43

<b>3 Specific reaction parameter density functional based on the meta-generalized gradient approximation:</b>	
Application to H <sub>2</sub> + Cu(111) and H <sub>2</sub> + Ag(111)	53
3.1 Introduction . . . . .	54
3.2 Methodology . . . . .	56
3.2.1 Dynamical model . . . . .	56
3.2.2 Made Simple meta-GGA density functionals . . . . .	56
3.2.3 DFT calculations and representation of PESs . . . . .	59
3.2.4 Quasi-classical trajectory method . . . . .	60
3.2.5 Compation of observables . . . . .	61
3.3 Results and discussion . . . . .	61
3.3.1 Description of the metal . . . . .	61
3.3.2 Potential energy surfaces . . . . .	63
3.3.3 Dynamics results: molecular beam sticking . . . . .	69
3.3.4 Dynamics results: initial-state selected reaction probabilities Ag(111) . . . . .	78
3.4 Conclusions . . . . .	78
3.A Appendix: Details electronic structure calculations and interpolation of the PESs . . . . .	81
3.A.1 Calculations on bulk metals and on slab relaxation . . . . .	81
3.A.2 Details on the interpolation of the PESs fo H <sub>2</sub> + Cu(111) and Ag(111) . . . . .	81
<b>4 Quantum dynamics of dissociative chemisorption of H<sub>2</sub> on the stepped Cu(211) surface</b>	91
4.1 Introduction . . . . .	92
4.2 Computational methods and simulations . . . . .	95
4.2.1 Coordinate system . . . . .	95
4.2.2 Ab initio molecular dynamics simulations . . . . .	95
4.2.3 Quasi-classical simulations . . . . .	97
4.2.4 Quantum dynamics simulations . . . . .	98
4.2.5 Computation of observables . . . . .	99
4.3 Results and discussion . . . . .	103
4.3.1 Fully-state-resolved reaction probabilities . . . . .	103
4.3.2 Rotational quadrupole alignment parameters . . . . .	104
4.3.3 Comparing to experimental E <sub>0</sub> (ν, J) parameters . . . . .	111
4.3.4 Classical molecular beam simulations . . . . .	118
4.3.5 Quantum molecular beam simulations . . . . .	119
4.4 Conclusions . . . . .	122

<b>5 Designing new SRP density functionals including non-local vdW-DF2 correlation for H<sub>2</sub> + Cu(111) and their transferability to H<sub>2</sub> + Ag(111), Au(111) and Pt(111)</b>	<b>131</b>
5.1 Introduction . . . . .	132
5.2 Methodology . . . . .	136
5.2.1 Coordinate system . . . . .	136
5.2.2 SRP DFT . . . . .	136
5.2.3 Construction of the PESs . . . . .	138
5.2.4 Quasi-classical dynamics . . . . .	138
5.2.5 Quantum dynamics . . . . .	139
5.2.6 Computation of observables . . . . .	139
Simulating molecular beam sticking. . . . .	139
Comparing to experimental $E_0(\nu, J)$ parameters. . . . .	142
Rotational quadrupole alignment parameters. . . . .	145
Rovibrational state populations of H <sub>2</sub> and D <sub>2</sub> desorbing from Au(111). . . . .	145
5.2.7 Computational details . . . . .	146
5.3 Results . . . . .	146
5.3.1 Electronic structure . . . . .	146
Description of the metal. . . . .	146
H <sub>2</sub> + metal surface PESs . . . . .	146
Van der Waals wells . . . . .	154
5.3.2 Molecular beam sticking probabilities . . . . .	155
5.3.3 Initial-state resolved reaction probabilities . . . . .	156
5.3.4 E <sub>1/2</sub> ( $\nu, J$ ) parameters . . . . .	164
5.3.5 Rotational quadrupole alignment parameters Cu(111) .	164
5.3.6 Inelastic scattering of H <sub>2</sub> from Cu(111) . . . . .	164
5.3.7 Rovibrational state populations of H <sub>2</sub> and D <sub>2</sub> desorbing from Au(111) . . . . .	174
5.4 Discussion . . . . .	178
5.4.1 Metal properties . . . . .	179
5.4.2 Static PES properties . . . . .	180
5.4.3 Molecular beam sticking . . . . .	181
Molecular beam sticking of H <sub>2</sub> (D <sub>2</sub> ) + Cu(111): QCT results . . . . .	181
Molecular beam sticking in H <sub>2</sub> + Cu(111): QD results .	183
Molecular beam sticking in D <sub>2</sub> + Pt(111) . . . . .	184
Molecular beam sticking in D <sub>2</sub> + Ag(111) . . . . .	185
5.4.4 Associative desorption . . . . .	186
Comparing to experimental E <sub>0</sub> ( $\nu, J$ ) parameters . . . . .	186

Rovibrational state populations of H <sub>2</sub> and D <sub>2</sub> desorbing from Au(111). . . . .	192
Initial-state resolved reaction probabilities for D <sub>2</sub> + Ag(111). . . . .	194
Rotational quadrupole alignment parameters: H <sub>2</sub> + Cu(111). . . . .	194
5.4.5 Inelastic scattering of H <sub>2</sub> from Cu(111) . . . . .	195
5.4.6 QD vs. QCT for H <sub>2</sub> + Cu(111) . . . . .	196
5.4.7 Overall description of systems . . . . .	197
H <sub>2</sub> (D <sub>2</sub> ) + Cu(111) . . . . .	198
D <sub>2</sub> + Ag(111) . . . . .	199
H <sub>2</sub> (D <sub>2</sub> ) + Au(111) . . . . .	199
D <sub>2</sub> + Pt(111) . . . . .	200
5.4.8 Transferability . . . . .	200
5.4.9 Adiabatic description of S <sub>0</sub> and E <sub>1/2</sub> ( $\nu, J$ ), a possible fingerprint for ehp excitations . . . . .	201
5.5 Conclusions . . . . .	202
5.A Appendix: CRP interpolation of PESs . . . . .	204
5.B Appendix: Methods for determining parameters describing initial-state selected reaction probabilities from associative desorption experiments . . . . .	204
5.B.1 Method A1 . . . . .	204
5.B.2 Method B1 . . . . .	205
5.B.3 Method B2 . . . . .	206
5.C Appendix: The rotational hindering effect as obtained with the Dai-Zhang LEPS PES . . . . .	207
<b>6 Performance of made-simple meta-GGA functionals with rVV10 non-local correlation for H<sub>2</sub> + Cu(111), D<sub>2</sub> + Ag(111), H<sub>2</sub> + Au(111) and D<sub>2</sub> + Pt(111)</b>	<b>227</b>
6.1 Introduction . . . . .	228
6.2 Methodology . . . . .	231
6.2.1 Coordinate system . . . . .	231
6.2.2 Combining Made Simple meta-GGA exchange-correlation with rVV10 non-local correlation . . . . .	231
6.2.3 Construction of the PESs . . . . .	237
6.2.4 Quasi-classical dynamics . . . . .	237
6.2.5 Computation of observables . . . . .	241
Molecular beam sticking . . . . .	241
Rovibrational state populations of H <sub>2</sub> and D <sub>2</sub> desorbing from Au(111) . . . . .	242
E <sub>1/2</sub> ( $\nu, J$ ) parameters . . . . .	242

6.2.6	Computational details . . . . .	243
6.3	Results and Discussion . . . . .	244
6.3.1	Metal properties . . . . .	244
6.3.2	Static PES properties . . . . .	245
6.3.3	Molecular beam sticking . . . . .	252
Molecular beam sticking of H <sub>2</sub> (D <sub>2</sub> ) + Cu(111) . . . . .	252	
Molecular beam sticking of D <sub>2</sub> + Ag(111) . . . . .	252	
Molecular beam sticking of D <sub>2</sub> + Pt(111) . . . . .	254	
6.3.4	Associative desorption . . . . .	256
3.4.1 Initial-state resolved reaction probabilities Ag(111) .	256	
E <sub>1/2</sub> ( $\nu$ , J) parameters Au(111) . . . . .	257	
Rovibrational state populations of H <sub>2</sub> and D <sub>2</sub> desorbing from Au(111) . . . . .	259	
6.3.5	Transferability . . . . .	262
6.4	Conclusion . . . . .	265
<b>Samenvatting: Ontwikkeling van zeer nauwkeurige dichtheids- functionalen voor de dissociatie van H<sub>2</sub> aan overgangsmetaal- oppervlakken</b>		<b>281</b>
<b>Curriculum vitae</b>		<b>289</b>
<b>List of publications</b>		<b>291</b>

