



Universiteit
Leiden
The Netherlands

Accurate modeling of the dynamics of dissociative chemisorption on metal surfaces

Gerrits, N.

Citation

Gerrits, N. (2021, September 23). *Accurate modeling of the dynamics of dissociative chemisorption on metal surfaces*. Retrieved from <https://hdl.handle.net/1887/3213516>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3213516>

Note: To cite this publication please use the final published version (if applicable).

ACCURATE MODELING OF THE DYNAMICS OF DISSOCIATIVE CHEMISORPTION ON METAL SURFACES

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof. dr. ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op donderdag 23 september 2021
klokke 13:45 uur

door

Nick Gerrits
geboren te Dordrecht, Nederland, 1992

Promotiecommissie

Promoter: Prof. dr. G.J. Kroes

Copromoter: Dr. Jörg Meyer

Overige leden: Prof. dr. H.S. Overkleeft (voorzitter)
Prof. dr. M.T.M. Koper (secretaris)
Prof. dr. B. Jackson (University of Massachusetts Amherst)
Prof. dr. P. Saalfrank (Universität Potsdam)
Dr. L.B.F. Juurlink
Dr. C. Díaz (Universidad Autónoma de Madrid)

ISBN: 978-94-6421-474-1

The research reported in this thesis has been performed in the Theoretical Chemistry group at the Leiden Institute of Chemistry (Einsteinweg 55, 2333 CC, Leiden, the Netherlands). This work has been made possible by financial support by the Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO) through an NWO/CW TOP Grant (No. 715.017.001), and with computer time granted by NWO Exacte Wetenschappen, EW (NWO Physical Sciences Division).

*"En 's avond?" werd gevraagd, na een nieuwe stilte.
" 's Avonds is het donker", zei ik.*

- Willem Elsschot

Ik weet niet of er een speciaal talent bestaat voor humor, maar zeker is dat humor en intelligentie bij elkaar horen.

- Vic van de Reijt

Contents

1	General Introduction	1
1.1	Heterogeneous Catalysis	1
1.2	Molecule-Metal Surface Reactions	2
1.3	Aims of This Thesis	5
1.4	Main Results	7
1.5	Outlook	11
2	Methods and Theory	23
2.1	Density Functional Theory	23
2.1.1	Exchange-Correlation Functionals	24
	Local Density Approximation	25
	Generalized Gradient Approximation	25
	Meta-Generalized Gradient Approximation	26
	Non-local Exchange	28
	Non-local Correlation	29
	Specific Reaction Parameter Approach	30
2.1.2	Plane Wave DFT	30
2.2	Dynamics Methods	31
2.2.1	Integration Algorithm	31
	Velocity Verlet	32
	Leapfrog	32
	Bulirsch-Stoer	32
2.2.2	(Quasi-)Classical and Quantum Dynamics	33
2.3	Fitting Potential Energy Surfaces	33
2.3.1	Corrugation Reducing Procedure (CRP)	34
2.3.2	Behler-Parrinello Approach to High-Dimensional Neu- ral Network Potentials (HD-NNPs)	35
2.4	Initial Condition Sampling	36
2.4.1	Metal Surface	36
2.4.2	Molecular Beam	37
2.5	Calculation of Observables	40

3	Closing the Gap Between Experiment and Theory: Reactive Scattering of HCl from Au(111)	51
3.1	Introduction	52
3.2	Method	54
3.2.1	Theory	54
3.2.2	Experiment	58
3.3	Results	59
3.3.1	Experimental Sticking Probabilities	59
3.3.2	Potential Energy Surface	61
3.3.3	Sticking Probabilities Computed by Theory	68
3.3.4	Dynamics During the Reaction Obtained with Theory .	71
	Vibrational Excitation	71
	Energy Transfer	74
	Site Specific Reaction	78
3.4	Additional Discussion	85
3.5	Conclusions	87
3.A	Convergence	89
3.B	Symmetry Functions	92
3.C	Vibrational Excitation Probabilities	92
3.D	Elbow Plots of the Potential Energy Surface	94
4	Large Effect of Rotational Pre-excitation of HCl on its Reaction on Au(111): A Rotational Phase Lock-in Effect	109
4.1	Introduction	110
4.2	Results	112
4.2.1	Rotational and Vibrational Efficacies	112
4.2.2	Reaction Mechanism	117
4.2.3	Sticking Probabilities	119
4.3	Conclusion	122
4.A	Definition of the Sticking Probability	123
4.B	Determination of Effective Barrier Heights and Concomitant Vibrational Efficacy	124
4.C	Experimental State-Specific Sticking Probabilities	126
4.D	The Two Experimental Data Sets and the Origin of Their Differences	127
4.E	The Mechanism Underlying the High Rotational Efficacy . . .	131
4.F	Synergistic Effect of Rotational and Vibrational Pre-excitation	139

5	When Does GGA-DFT Get Molecule-Metal Surface Reaction Barriers Right, and What to Do if it Doesn't	147
5.1	Introduction	148
5.2	Analysis of Previous Results	151
5.3	Method	154
5.4	Results	156
5.4.1	Potential Energy Surface	156
5.4.2	Sticking Probability	158
5.4.3	Functional-Driven Error	161
5.5	Conclusion	163
5.A	Method	165
5.A.1	Density Functionals Used in This Chapter	165
5.A.2	Work Function and Electron Affinity Values	166
5.B	Results	167
5.B.1	Self-Consistent DFT Results for $O_2 + Al(111)$	167
5.B.2	Non-Self-Consistent DFT Results for $O_2 + Al(111)$, HCl + $Au(111)$, and $NH_3 + Ru(0001)$	171
5.B.3	Correlation Between $(W - E_{ea})$ and Charge Transfer at the TS	172
5.B.4	Dynamics: Dependence of S_0 on Molecular Beam Con- ditions	172
5.B.5	Dynamics: Dependence of S_0 on the Alignment of O_2	175
5.B.6	Dynamics: Dependence of S_0 on Incidence Angle	176
5.C	Discussion	176
5.C.1	$O_2 +$ Metal Systems That Are Useful Benchmark Sys- tems for Dissociative Chemisorption	176
5.C.2	Towards an SRP Density Functional for $O_2 + Al(111)$	178
6	The Curious Reaction Mechanism of Ammonia on Ru(0001)	197
6.1	Introduction	198
6.2	Method	201
6.3	Results	206
6.3.1	Activation Barriers and Adsorption Energies	206
6.3.2	Sticking Probability	209
6.3.3	Dynamics During the Reaction	213
6.4	Discussion of the Comparison of Experiment and Theory	220
6.5	Conclusions	220
6.A	Convergence	223
6.B	Trapping	226

7	CHD₃ + Cu(111), Cu(211), and Single-Atom Cu(111) Alloys	235
7.1	Introduction	236
7.2	Method	237
7.3	Results	242
7.3.1	Activation Barriers and Adsorption Energies	242
7.3.2	Minimum Energy Path	245
7.3.3	Sticking Probability	249
7.3.4	Reaction Site	252
7.4	Conclusions	254
7.A	Electronic Structure Calculations	257
7.B	Minimum Energy Paths	259
7.C	Energy Transfer	260
7.D	Surface Atom Displacement	264
8	A High-Dimensional Neural Network Potential for the dissociative chemisorption of CHD₃ + Cu(111)	273
8.1	Introduction	274
8.2	Method	275
8.2.1	Neural Network	275
8.2.2	Molecular Initial Conditions	276
8.3	Results	278
8.4	Conclusions	285
8.A	Symmetry Functions	287
8.B	Elbow Plots	287
8.C	Statistical Analysis	287
9	Dissociative Chemisorption of CHD₃ on Pd(111)	301
9.1	Introduction	302
9.2	Method	304
9.3	Results	305
9.3.1	Activation Barriers	305
9.3.2	Sticking Probability	309
9.3.3	Dynamics of the Reaction	311
9.3.4	Discussion of Reactivity of Pd(111) vs Ni(111) and Pt(111); Comparison with Experiment	319
9.4	Conclusions	323
9.A	Convergence	325
9.B	Site-Specific Reaction Probability	325

10 Dissociative Chemisorption of Methanol on Cu(111) with Implications for Formaldehyde Formation	339
10.1 Introduction	340
10.2 Method	341
10.3 Results	346
10.3.1 Barriers	346
10.3.2 Minimum Energy Path	347
10.3.3 Sticking Probability	348
10.3.4 Reaction Site	349
10.3.5 Energy Transfer to the Surface	351
10.3.6 Angular Distributions	351
10.3.7 Formation of Formaldehyde	353
10.4 Conclusions	355
10.A Electronic Structure Calculations	357
10.B Impact Site	360
Samenvatting	367
Curriculum Vitae	377
List of Publications	379
Afterword	381

