



Universiteit
Leiden
The Netherlands

On the coexistence of Landau levels and superconductivity

Pacholski, M.J.

Citation

Pacholski, M. J. (2021, September 30). *On the coexistence of Landau levels and superconductivity*. Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/3214421>

Version: Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/3214421>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- [1] M. Franz and Z. Tešanović, *Quasiparticles in the vortex lattice of unconventional superconductors: Bloch waves or Landau levels?*, Phys. Rev. Lett. **84**, 554 (2000).
- [2] K. Yasui and T. Kita, *Quasiparticles of d-wave superconductors in finite magnetic fields*, Phys. Rev. Lett. **83**, 4168 (1999).
- [3] L. Marinelli, B. I. Halperin, and S. H. Simon, *Quasiparticle spectrum of d-wave superconductors in the mixed state*, Phys. Rev. B **62**, 3488 (2000).
- [4] N. B. Kopnin and V. M. Vinokur, *Magnetic quantization of electronic states in d-wave superconductors*, Phys. Rev. B **62**, 9770 (2000).
- [5] Y. Morita and Y. Hatsugai, *Duality in the Azbel-Hofstadter problem and two-dimensional d-wave superconductivity with a magnetic duality*, Phys. Rev. Lett. **86**, 151 (2001).
- [6] O. Vafek, A. Melikyan, M. Franz, and Z. Tešanović, *Quasiparticles and vortices in unconventional superconductors*, Phys. Rev. B **63**, 134509 (2001).
- [7] D. Knapp, C. Kallin, and A. J. Berlinsky, *Dirac quasiparticles in the mixed state*, Phys. Rev. B **64**, 014502 (2001).
- [8] O. Vafek, A. Melikyan, and Z. Tešanović, *Quasiparticle Hall transport of d-wave superconductors in the vortex state*, Phys. Rev. B **64**, 224508 (2001).
- [9] A. Vishwanath, *Quantized thermal Hall effect in the mixed state of d-wave superconductors*, Phys. Rev. Lett. **87**, 217004 (2001).
- [10] O. Vafek and A. Melikyan, *Index theoretic characterization of d-wave superconductors in the vortex state*, Phys. Rev. Lett. **96**, 167005 (2006).
- [11] A. Melikyan and Z. Tešanović, *Dirac-Bogoliubov-deGennes quasiparticles in a vortex lattice*, Phys. Rev. B **76**, 094509 (2007).

Bibliography

- [12] T. Meng and L. Balents, *Weyl superconductors*, Phys. Rev. B **86**, 054504 (2012). *Erratum*: Phys. Rev. B **96**, 019901 (2017).
- [13] G. Bednik, A. A. Zyuzin, and A. A. Burkov, *Superconductivity in Weyl metals*, Phys. Rev. B **92**, 035153 (2015).
- [14] L. Fu and C. L. Kane, *Superconducting proximity effect and Majorana fermions at the surface of a topological insulator*, Phys. Rev. Lett. **100**, 096407 (2008).
- [15] Z. Zhu, M. Papaj, X.-A. Nie, H.-K. Xu, Y.-S. Gu, X. Yang, D. Guan, S. Wang, Y. Li, C. Liu, J. Luo, Z.-A. Xu, H. Zheng, L. Fu, and J.-F. Jia, *Discovery of segmented Fermi surface induced by Cooper pair momentum*, arXiv:2010.02216.
- [16] Y. Aharonov and A. Casher, *Ground state of a spin-1/2 charged particle in a two-dimensional magnetic field*, Phys. Rev. A **19**, 2461 (1979).
- [17] L. Alvarez-Gaumé, *Supersymmetry and the Atiyah-Singer index theorem*, Comm. Math. Phys. **90**, 161 (1983).
- [18] D. Bohm, *Note on a Theorem of Bloch Concerning Possible Causes of Superconductivity*, Phys. Rev. **75**, 502 (1949).
- [19] N. Yamamoto, *Generalized Bloch theorem and chiral transport phenomena*, Phys. Rev. D **92**, 085011 (2015).
- [20] A. Kapustin and L. Spodyneiko, *Absence of Energy Currents in an Equilibrium State and Chiral Anomalies*, Phys. Rev. Lett. **123**, 060601 (2019).
- [21] H. Watanabe, *A proof of the Bloch theorem for lattice models*, J. Stat. Phys. **177**, 717 (2019).
- [22] S. L. Adler, *Axial-Vector Vertex in Spinor Electrodynamics*, Phys. Rev. **177**, 2426 (1969).
- [23] J. S. Bell and R. Jackiw, *A PCAC puzzle: $\pi^0 \rightarrow \gamma\gamma$ in the σ -model*, Il Nuovo Cimento A **60**, 47 (1969).
- [24] A. A. Burkov, *Chiral Anomaly and Diffusive Magnetotransport in Weyl Metals*, Phys. Rev. Lett. **113**, 247203 (2014).
- [25] D. T. Son and B. Z. Spivak, *Chiral anomaly and classical negative magnetoresistance of Weyl metals*, Phys. Rev. B **88**, 104412 (2013).

- [26] C.-L. Zhang, S.-Y. Xu, I. Belopolski, Z. Yuan, Z. Lin, B. Tong, G. Bian, N. Alidoust, C.-C. Lee, S.-M. Huang, T.-R. Chang, G. Chang, C.-H. Hsu, H.-T. Jeng, M. Neupane, D. S. Sanchez, H. Zheng, J. Wang, H. Lin, C. Zhang, H.-Z. Lu, S.-Q. Shen, T. Neupert, M. Z. Hasan, and S. Jia, *Signatures of the Adle-Bell-Jackiw chiral anomaly in a Weyl fermion semimetal*, Nature Comm. **7**, 10735 (2016).
- [27] Q. Li, D. E. Kharzeev, C. Zhang, Y. Huang, I. Pletikosić, A. V. Fedorov, R. D. Zhong, J. A. Schneeloch, G. D. Gu, and T. Valla, *Chiral magnetic effect in ZrTe₅*, Nature Phys. **12**, 550 (2016).
- [28] N. Bovenzi, M. Breitkreiz, P. Baireuther, T. E. O'Brien, J. Tworzydlo, I. Adagideli, and C. W. J. Beenakker, *Chirality blockade of Andreev reflection in a magnetic Weyl semimetal*, Phys. Rev. B **96**, 035437 (2017).
- [29] L. P. Gor'kov and J. R. Schrieffer, *de Haas-van Alphen effect in anisotropic superconductors in magnetic fields well below H_{c2}*, Phys. Rev. Lett. **80**, 3360 (1998).
- [30] P. W. Anderson, *Anomalous magnetothermal resistance of high-T_c superconductors: Anomalous cyclotron orbits at a Dirac point*, arXiv:9812063.
- [31] K. S. Novoselov, A. K. Geim, S. V. Morozov, D. Jiang, M. I. Katsnelson, I. V. Grigorieva, S. V. Dubonos, and A. A. Firsov, *Two-dimensional gas of massless Dirac fermions in graphene*, Nature **438**, 197 (2005).
- [32] Yuanbo Zhang, Yan-Wen Tan, Horst L. Stormer, and Philip Kim, *Experimental observation of the quantum Hall effect and Berry's phase in graphene*, Nature **438**, 201 (2005).
- [33] A. S. Mel'nikov, *Quantization of the quasiparticle spectrum in the mixed state of d-wave superconductors*, J. Phys. Condens. Matter **11**, 4219 (1999).
- [34] G. Massarelli, G. Wachtel, J. Y. T. Wei, and A. Paramekanti, *Pseudo-Landau levels of Bogoliubov quasiparticles in nodal superconductors*, Phys. Rev. B **96**, 224516 (2017).
- [35] E. M. Nica and M. Franz, *Landau levels from neutral Bogoliubov particles in two-dimensional nodal superconductors under strain and doping gradients*, Phys. Rev. B **97**, 024520 (2018).

Bibliography

- [36] T. Liu, M. Franz, and S. Fujimoto, *Quantum oscillations and Dirac-Landau levels in Weyl superconductors*, Phys. Rev. B **96**, 224518 (2017).
- [37] G. E. Volovik, *Superconductivity with lines of gap nodes: density of states in the vortex*, JETP Lett. **58**, 469 (1993).
- [38] S. H. Simon and P. A. Lee, *Scaling of the quasiparticle spectrum for d-wave superconductors*, Phys. Rev. Lett. **78**, 1548 (1997).
- [39] A. De Martino and R. Egger, *On the spectrum of a magnetic quantum dot in graphene*, Semicond. Sci. Technol. **25**, 034006 (2010).
- [40] E. Brown, *Bloch electrons in a uniform magnetic field*, Phys. Rev. **133**, A1038 (1964).
- [41] J. Zak, *Magnetic translation group*, Phys. Rev. **134**, A1602; A1607 (1964).
- [42] H. J. Fischbeck, *Theory of Bloch electrons in a magnetic field*, Phys. Stat. Sol. **38**, 11 (1970).
- [43] M. Diez, I. C. Fulga, D. I. Pikulin, M. Wimmer, A. R. Akhmerov, and C. W. J. Beenakker, *Phase-locked magnetooconductance oscillations as a probe of Majorana edge states*, Phys. Rev. B **87**, 125406 (2013).
- [44] A. A. Soluyanov, D. Gresch, Z. Wang, Q. Wu, M. Troyer, X. Dai, and B. A. Bernevig, *Type-II Weyl semimetals*, Nature **527**, 495 (2015).
- [45] T. Kawarabayashi, Y. Hatsugai, Y. Morimoto, and H. Aoki, *Generalized chiral symmetry and stability of zero modes for tilted Dirac cones*, Phys. Rev. B **83**, 153414 (2011).
- [46] T. Kawarabayashi, Y. Hatsugai, Y. Morimoto, and H. Aoki, *Generalization of chiral symmetry for tilted Dirac cones*, Int. J. Mod. Phys. Conf. Series **11**, 145 (2012).
- [47] T. E. O'Brien, C. W. J. Beenakker, and İ. Adagideli, *Superconductivity provides access to the chiral magnetic effect of an unpaired Weyl cone*, Phys. Rev. Lett. **118**, 207701 (2017).
- [48] P. Baireuther, J. Tworzydło, M. Breitkreiz, İ. Adagideli, and C. W. J. Beenakker, *Weyl-Majorana solenoid*, New J. Phys. **19**, 025006 (2017).

Bibliography

- [49] M. I. Katsnelson and M. F. Prokhorova, *Zero-energy states in corrugated bilayer graphene*, Phys. Rev. B **77**, 205424 (2008).
- [50] J. Kailasvuori, *Pedestrian index theorem à la Aharonov-Casher for bulk threshold modes in corrugated multilayer graphene*, EPL **87**, 47008 (2009).
- [51] C.-K. Lu and B. Seradjeh, *Zero modes of the generalized fermion-vortex system in magnetic field*, Phys. Rev. B **89**, 245448 (2014).
- [52] C. W. Groth, M. Wimmer, A. R. Akhmerov, and X. Waintal, *Kwant: A software package for quantum transport*, New J. Phys. **16**, 063065 (2014).
- [53] A. P. Schnyder and P. M. R. Brydon, *Topological surface states in nodal superconductors*, J. Phys. Condens. Matter **27**, 243201 (2015).
- [54] D. J. Van Harlingen, *Phase-sensitive tests of the symmetry of the pairing state in the high-temperature superconductors*, Rev. Mod. Phys. **67**, 515 (1995).
- [55] H. B. Nielsen and M. Ninomiya, *The Adler-Bell-Jackiw anomaly and Weyl fermions in a crystal*, Nucl. Phys. B **130**, 389 (1983).
- [56] A. M. Turner and A. Vishwanath, *Beyond band insulators: Topology of semi-metals and interacting phases*, arXiv:1301.0330.
- [57] M. J. Pacholski, C. W. J. Beenakker, and I. Adagideli, *Topologically protected Landau level in the vortex lattice of a Weyl superconductor*, Phys. Rev. Lett. **121**, 037701 (2018).
- [58] C. W. J. Beenakker, *Annihilation of colliding Bogoliubov quasiparticles reveals their Majorana nature*, Phys. Rev. Lett. **12**, 070604 (2014).
- [59] S. R. Elliott and M. Franz, *Majorana fermions in nuclear, particle, and solid-state physics*, Rev. Mod. Phys. **87**, 137 (2015).
- [60] G. E. Volovik, *Fermion zero modes on vortices in chiral superconductors*, JETP Lett. **70**, 609 (1999).
- [61] M. P. Anantram and S. Datta, *Current fluctuations in mesoscopic systems with Andreev scattering*, Phys. Rev. B **53**, 16390 (1996).

Bibliography

- [62] U. Sivan and Y. Imry, *Multichannel Landauer formula for thermo-electric transport with application to thermopower near the mobility edge*, Phys. Rev. B **33**, 551 (1986).
- [63] B. Skinner and L. Fu, *Large, nonsaturating thermopower in a quantizing magnetic field*, Science Adv. **4**, eaat2621 (2018).
- [64] V. Kozii, B. Skinner, and L. Fu, *Thermoelectric Hall conductivity and figure of merit in Dirac/Weyl materials*, Phys. Rev. B **99**, 155123 (2019).
- [65] W. Zhang, P. Wang, B. Skinner, R. Bi, V. Kozii, C.-W. Cho, R. Zhong, J. Schneeloch, D. Yu, G. Gu, L. Fu, X. Wu, and L. Zhang, *Observation of a thermoelectric Hall plateau in the extreme quantum limit*, Nature Comm. **11**, 1046 (2020).
- [66] F. Han, N. Andrejevic, T. Nguyen, V. Kozii, Q. T. Nguyen, T. Hogan, Z. Ding, R. Pablo-Pedro, S. Parjan, B. Skinner, A. Alatas, E. Alp, S. Chi, J. Fernandez-Baca, S. Huang, L. Fu, and M. Li, *Quantized thermoelectric Hall effect induces giant power factor in a topological semimetal*, Nature Comm. **11**, 6167 (2020).
- [67] M. M. Vazifeh and M. Franz, *Electromagnetic response of Weyl semimetals*, Phys. Rev. Lett. **111**, 027201 (2013).
- [68] Y. Chen, S. Wu, and A. A. Burkov, *Axion response in Weyl semimetals*, Phys. Rev. B **88**, 125105 (2013).
- [69] Jian-Hui Zhou, Hua Jiang, Qian Niu, and Jun-Ren Shi, *Topological invariants of metals and the related physical effects*, Chin. Phys. Lett. **30**, 027101 (2013).
- [70] J. Ma and D. A. Pesin, *Chiral magnetic effect and natural optical activity in metals with or without Weyl points*, Phys. Rev. B **92**, 235205 (2015).
- [71] Y. Alavirad and J. D. Sau, *Role of boundary conditions, topology, and disorder in the chiral magnetic effect in Weyl semimetals*, Phys. Rev. B **94**, 115160 (2016).
- [72] S. Zhong, J. E. Moore, and I. Souza, *Gyrotropic magnetic effect and the magnetic moment on the Fermi surface*, Phys. Rev. Lett. **116**, 077201 (2016).

- [73] P. Baireuther, J. A. Hutasoit, J Tworzydlo, and C. W. J. Beenakker, *Scattering theory of the chiral magnetic effect in a Weyl semimetal: interplay of bulk Weyl cones and surface Fermi arcs*, New J. Phys. **18**, 045009 (2016).
- [74] M. A. Zubkov, *Absence of equilibrium chiral magnetic effect*, Phys. Rev. D **93**, 105036 (2016).
- [75] G. E. Volovik, *Chiral vortical effect generated by chiral anomaly in vortex-skyrmions*, JETP Lett. **105**, 303 (2017).
- [76] T. Meng and J. C. Budich, *Unpaired Weyl nodes from long-ranged interactions: Fate of quantum anomalies*, Phys. Rev. Lett. **122**, 046402 (2019).
- [77] D. Kharzeev, *The Chiral Magnetic Effect and anomaly-induced transport*, Progr. Part. Nucl. Phys. **75**, 133 (2014).
- [78] A. A. Burkov, *Chiral anomaly and transport in Weyl metals*, J. Phys. Condens. Matter **27**, 113201 (2015).
- [79] L. S. Levitov, Yu. V. Nazarov, and G. M. Eliashberg, *Magnetostatics of superconductors without an inversion center*, JETP Lett. **41**, 445 (1985).
- [80] Yu. V. Nazarov, *Instability due to magnetically induced currents*, Sov. Phys. JETP **64**, 193 (1986).
- [81] A. A. Burkov and L. Balents, *Weyl semimetal in a topological insulator multilayer*, Phys. Rev. Lett. **107**, 127205 (2011).
- [82] M. Tinkham, *Introduction to Superconductivity* (Dover Publications, 2004).
- [83] G. Lemut, M. J. Pacholski, I. Adagideli, and C. W. J. Beenakker, *Effect of charge renormalization on electric and thermo-electric transport along the vortex lattice of a Weyl superconductor*, Phys. Rev. B **100**, 035417 (2019).
- [84] T. Schuster, T. Iadecola, C. Chamon, R. Jackiw, S.-Y. Pi, *Dissipationless conductance in a topological coaxial cable*, Phys. Rev. B **94**, 115110 (2016).
- [85] G. E. Volovik, *Quantum phase transitions from topology in momentum space*, Lect. Notes Phys. **718**, 31 (2007).

Bibliography

- [86] D. F. Agterberg, P. M. R. Brydon, and C. Timm, *Bogoliubov Fermi surfaces in superconductors with broken time-reversal symmetry*, Phys. Rev. Lett. **118**, 127001 (2017).
- [87] Noah F. Q. Yuan and Liang Fu, *Zeeman-induced gapless superconductivity with a partial Fermi surface*, Phys. Rev. B **97**, 115139 (2018).
- [88] S. Autti, J. T. Mäkinen, J. Rysti, G. E. Volovik, V. V. Zavalov, and V. B. Eltsov, *Exceeding the Landau speed limit with topological Bogoliubov Fermi surfaces*, Phys. Rev. Res. **2**, 033013 (2020).
- [89] J. M. Link and I. F. Herbut, *Bogoliubov-Fermi surfaces in non-centrosymmetric multi-component superconductors*, Phys. Rev. Lett. **125**, 237004 (2020).
- [90] S. Rachel, L. Fritz, and M. Vojta, *Landau levels of Majorana fermions in a spin liquid*, Phys. Rev. Lett. **116**, 167201 (2016).
- [91] B. Perreault, S. Rachel, F. J. Burnell, and J. Knolle, *Majorana Landau-level Raman spectroscopy*, Phys. Rev. B **95**, 184429 (2017).
- [92] R. Jackiw and P. Rossi, *Zero modes of the vortex-fermion system*, Nucl. Phys. B **190**, 681 (1981).
- [93] B. Sutherland, *Localization of electronic wave functions due to local topology*, Phys. Rev. B **34**, 5208 (1986).
- [94] V. M. Pereira, F. Guinea, J. M. B. Lopes-dos Santos, N. M. R. Peres, and A. H. Castro-Neto, *Disorder induced localized states in graphene*, Phys. Rev. Lett. **96**, 036801 (2006).
- [95] Wen-Yu Shan, Hai-Zhou Lu, and Shun-Qing Shen, *Effective continuous model for surface states and thin films of three-dimensional topological insulators*, New J. Phys. **12**, 043048 (2010).
- [96] Song-Bo Zhang, Hai-Zhou Lu, and Shun-Qing Shen, *Edge states and integer quantum Hall effect in topological insulator thin films*, Scientif. Rep. **5**, 13277 (2015).
- [97] Hao-Hua Sun and Jin-Feng Jia, *Detection of Majorana zero mode in the vortex*, npj Quantum Mat. **2**, 34 (2017).
- [98] S. Cho, B. Dellabetta, A. Yang, J. Schneeloch, Z. Xu, T. Valla, G. Gu, M. J. Gilbert, and N. Mason, *Symmetry protected Josephson supercurrents in three-dimensional topological insulators*, Nature Comm. **4**, 1689 (2013).

- [99] D. I. Pikulin and M. Franz, *Black hole on a chip: proposal for a physical realization of the SYK model in a solid-state system*, Phys. Rev. X **7**, 031006 (2017).
- [100] H. B. Nielsen and M. Ninomiya, *A no-go theorem for regularizing chiral fermions*, Phys. Lett. B **105**, 219 (1981).
- [101] M. Z. Hasan and C. L. Kane, *Topological insulators*, Rev. Mod. Phys. **82**, 3045 (2010).
- [102] X.-L. Qi and S.-C. Zhang, *Topological insulators and superconductors*, Rev. Mod. Phys. **83**, 1057 (2011).
- [103] J. B. Kogut, *The lattice gauge theory approach to quantum chromodynamics*, Rev. Mod. Phys. **55**, 775 (1983).
- [104] D. B. Kaplan, *Chiral symmetry and lattice fermions*, Lecture Notes of the Les Houches Summer School, vol. 93 (2009).
- [105] J. Tworzydło, C. W. Groth, and C. W. J. Beenakker, *Finite difference method for transport properties of massless Dirac fermions*, Phys. Rev. B **78**, 235438 (2008).
- [106] M. V. Medvedyeva, J. Tworzydło, and C. W. J. Beenakker, *Effective mass and tricritical point for lattice fermions localized by a random mass*, Phys. Rev. B **81**, 214203 (2010).
- [107] M. F. Borunda, J. Berezovsky, R. M. Westervelt, and E. J. Heller, *Imaging universal conductance fluctuations in graphene*, ACS Nano **5**, 3622 (2011).
- [108] A. R. Hernández and C. H. Lewenkopf, *Finite-difference method for transport of two-dimensional massless Dirac fermions in a ribbon geometry*, Phys. Rev. B **86**, 155439 (2012).
- [109] S. D. Drell, M. Weinstein, and S. Yankielowicz, *Strong-coupling field theories. II. Fermions and gauge fields on a lattice*, Phys. Rev. D **14**, 1627 (1976).
- [110] R. Stacey, *Eliminating lattice fermion doubling*, Phys. Rev. D **26**, 468 (1982).
- [111] K. G. Wilson, *Confinement of quarks*, Phys. Rev. D **10**, 2445 (1974).
- [112] L. Susskind, *Lattice fermions*, Phys. Rev. D **16**, 3031 (1977).

Bibliography

- [113] F. Evers and A. D. Mirlin, *Anderson transitions*, Rev. Mod. Phys. **80**, 1355 (2008).
- [114] T. C. Lang and A. M. Läuchli, *Quantum Monte Carlo simulation of the chiral Heisenberg Gross-Neveu-Yukawa phase transition with a single Dirac cone*, Phys. Rev. Lett. **123**, 137602 (2019).
- [115] Y.-F. Zhou, H. Jiang, X. C. Xie, and Q.-F. Sun, *Two-dimensional lattice model for the surface states of topological insulators*, Phys. Rev. B **95**, 245137 (2017).
- [116] P. H. Ginsparg and K. G. Wilson, *A remnant of chiral symmetry on the lattice*, Phys. Rev. D **25**, 2649 (1982).
- [117] B. Messias de Resende, F. Crasto de Lima, R. H. Miwa, E. Vernek, and G. J. Ferreira, *Confinement and fermion doubling problem in Dirac-like Hamiltonians*, Phys. Rev. B **96**, 161113(R) (2017).
- [118] A. L. Araújo, R. P. Maciel, R. G. F. Dornelas, and G. J. Ferreira, *Interplay between boundary conditions and Wilson's mass in Dirac-like Hamiltonians*, Phys. Rev. B **100**, 205111 (2019).
- [119] R. Hammer, W. Pötz, and A. Arnold, *A dispersion and norm preserving finite difference scheme with transparent boundary conditions for the Dirac equation in (1+1)D*, J. Comp. Phys. **256**, 728 (2014).
- [120] R. Hammer, W. Pötz, and A. Arnold, *Single-cone real-space finite difference scheme for the time-dependent Dirac equation*, J. Comp. Phys. **265**, 50 (2014).
- [121] R. Hammer and W. Pötz, *Dynamics of domain-wall Dirac fermions on a topological insulator: A chiral fermion beam splitter*, Phys. Rev. B **88**, 235119 (2013).
- [122] W. Pötz, *Single-cone finite-difference schemes for the (2+1)-dimensional Dirac equation in general electromagnetic textures*, Phys. Rev. E **96**, 053312 (2017).
- [123] C. M. Bender, K. A. Milton, and D. H. Sharp, *Consistent formulation of fermions on a Minkowski lattice*, Phys. Rev. Lett. **51**, 1815 (1983).
- [124] G. Peters and J. H. Wilkinson, *$Ax = \lambda Bx$ and the generalized eigenproblem*, SIAM J. Numer. Anal. **7**, 479 (1970).

Bibliography

- [125] S. McCormick, *A mesh refinement method for $Ax = \lambda Bx$* , Math. Comp. **36**, 485 (1981).
- [126] N. Read and D. Green, *Paired states of fermions in two dimensions with breaking of parity and time-reversal symmetries and the fractional quantum Hall effect*, Phys. Rev. B **61**, 10267 (2000).
- [127] A. Mildenberger, F. Evers, A. D. Mirlin, and J. T. Chalker, *Density of quasiparticle states for a two-dimensional disordered system: Metallic, insulating, and critical behavior in the class-D thermal quantum Hall effect*, Phys. Rev. B **75**, 245321 (2007).
- [128] M. Wimmer, A. R. Akhmerov, M. V. Medvedyeva, J. Tworzydło, and C. W. J. Beenakker, *Majorana bound states without vortices in topological superconductors with electrostatic defects*, Phys. Rev. Lett. **105**, 046803 (2010).
- [129] M. L. Mehta, *Random Matrices* (Academic Press, 2004).
- [130] D. A. Ivanov, *The supersymmetric technique for random-matrix ensembles with zero eigenvalues*, J. Math. Phys. **43**, 126 (2002).
- [131] R. Hammer and W. Pötz, *Staggered grid leap-frog scheme for the (2+1)D Dirac equation*, Comp. Phys. Comm. **185**, 40 (2014).

